

Dominium Source-Woven Project Book

Source Map

Block and Source Traceability

Status: DERIVED

Authority Class: advisory_synthesis

Promotion Status: not_promoted

2026-05-30

Contents

1	Chapter Block Map	2
1.1	1. Dominion in One View	2
1.2	2. Why the Project Exists	10
1.3	3. The Core Mental Model	18
1.4	4. Current Truth and Historical Evidence	26
1.5	5. The System Stack	33
1.6	6. Domino, Dominion, Runtime, Products, and Tools	41
1.7	7. Law, Capability, Refusal, and Evidence	49
1.8	8. Determinism, Replay, and Provenance	57
1.9	9. Contracts, Schemas, Packs, and Compatibility	65
1.10	10. Client, Server, Launcher, Setup, and Workbench	73
1.11	11. UI, Renderer, Native GUI, and Presentation Boundaries	81
1.12	12. AIDE, Codex, Automation, and Repo Governance	89
1.13	13. Documentation, Archive, and Conversation Corpus	97
1.14	14. Reality, Space, Time, Scale, and Existence	105
1.15	15. World Generation, Celestial Systems, and Domains	113
1.16	16. Civilization, Economy, Logistics, and Institutions	121
1.17	17. Content, Providers, Modding, and Data-Driven Extension	129
1.18	18. What Is Settled	137
1.19	19. What Is Still Open	145
1.20	20. What Is Blocked	152
1.21	21. Contradictions and Drift	160
1.22	22. Prerequisites and Sequencing	168
1.23	23. Recommended Next Steps	176
2	Source Map Index	185

Status: DERIVED

Last Reviewed: 2026-05-30

Supersedes: none

Superseded By: none

Stability: provisional

Authority Class: advisory_synthesis

Source Root: docs/

Conversation Corpus Root: docs/archive/conversations/

Promotion Status: not_promoted

Canon impact: unchanged

Contract/schema impact: unchanged

Implementation impact: unchanged

Release impact: unchanged

Queue impact: unchanged

Chapter 1

Chapter Block Map

This map shows which semantic blocks feed each chapter. The main book uses compact source labels; full paths live here.

1.1 1. Dominion in One View

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.

- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.

- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation

- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominion Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve

- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate

- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:

- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominion_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY

- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded'`
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR meta)
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `'module:src/control/control_decisio`
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce `src/control/control_plane_engine.*` as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03177 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Tool: - `the referenced source` - `the referenced source` - `the referenced source` - Scenario characteristics: - 100+ subjects - mixed abstraction, fidelity, and view requests - private/admin and ranked constraints in
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via `src/control/effects/effect_engine.py`. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct `ControlIntent` - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - `ControlIntent` creation - deterministic policy/vector negotiation - `ControlResolution` emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: `run_meta/control_decisions/*.json` - referenced from `control_resolution.decision_log_ref`
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo

- SWB-03240 from docs/archive/audit/COUPLE0_RETRO_AUDIT.md - decision; 1. Coupling contracts are declared, but coupling-specific scheduling is not yet first-class. 2. Relevance checks are missing at coupling-contract level; many evaluations still run every tick when unchanged. 3. Degrade de
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03247 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: ad-hoc camera/freecam control outside view policy - Paths: - the referenced source - Subsystem: observation/perception - Evidence: - _interior_occlusion_bypass_allowed(...) checks 'lens.nondiegetic.freeca

1.2 2. Why the Project Exists

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the referenced source/only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.

- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture, Dominium APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominium as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominium's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | | --- | | --- | | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen

- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat. Reliability rating: 4/5 for visible chat; lower for implied older context. Human-readability rating: 4/5. Aggregation-readiness rating: 4/5 with caveats. * Main uncertain*
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us

- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater

- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.

- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m

- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (_resolve_fidelity, build_inspection_snapshot_artifact) - the referenced source (_execute_inspection_snapshot_process) - Current state: - Requested fidelity is dow
- SWB-03537 from docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md - decision; - src/compat/data_format_loader.py emits a nested refusal object with: - reason_code - message - remediation_hint - src/security/trust/trust_verifier.py emits top-level: - refusal_code - remediation_hint
- SWB-03879 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - SOL-0 already pins Luna through the official Sol overlay pack. - src/worldgen/mw/sol_anchor.py defines the stable Sol moon slot sol.moon.luna. - 'packs/official/pack.sol.pin_minimal/data/overlay/sol_pin_patches.js
- SWB-03881 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - No canonical tide runtime exists yet. - Repository search found no existing authoritative tide, tide_height, or sea_level field/process path for EARTH-series worldgen. - Conclusion: - EARTH-3 needs a new determin

- SWB-03882 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - EARTH-2 already provides a deterministic, budgeted field refresh path through: - `src/worldgen/earth/climate_field_engine.py` - the referenced source - `process.earth_climate_tick` - This path already includes: - `buc`
- SWB-03889 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `src/worldgen/earth/season_phase_engine.py` already provides: - `earth_orbit_phase_from_params` - `axial_tilt_mdeg` - `solar_declination_mdeg` - `src/worldgen/earth/climate_field_engine.py` already uses those helpers `t`
- SWB-03890 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `data/registries/realism_profile_registry.json` already binds Earth-capable realism profiles to: - `galaxy_priors_ref` - `surface_priors_ref` - `data/registries/galaxy_priors_registry.json` already provides bounded `Mil`
- SWB-03891 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `src/client/ui/viewer_shell.py` already states: - `consumes_perceived_model_only` - `consumes_projection_and_lens_artifacts` - explicit forbidden truth inputs - `src/client/render/render_model_adapter.py` builds `'Rende`
- SWB-03898 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - No canonical lighting or shadow artifact pipeline exists yet. - The software renderer currently: - draws sky background, Milky Way band, sun disk, moon disk, and stars from `sky_view_artifact` - draws world primitives
- SWB-03899 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - `src/worldgen/earth/sky/sky_view_engine.py` already exposes: - `sun_direction` - `moon_direction` - `sky_colors_ref` - `sun_intensity` - `permille` - `extensions.sun_screen` - `extensions.moon_screen` - `'extensions.sun_elevati`
- SWB-03900 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - `src/worldgen/earth/earth_surface_generator.py` already stores deterministic macro elevation descriptors in `elevation_params_ref`, including: - `height_proxy` - `macro_relief_permille` - `ridge_bias_permille` - `'coast`
- SWB-03906 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - The only authoritative body transform writes found for embodiment are inside `process_runtime.py`. - `src/embodiment/body/body_system.py` only seeds template rows and canonical initial state. - `src/client/*` view code
- SWB-03907 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - `worldgen_surface_tile_artifacts` already expose: - `tile_cell_key` - `elevation_params_ref.height_proxy` - hydrology-adjusted height through `extensions.hydrology_effective_height_proxy` - GEO-7 geometry rows already
- SWB-03908 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - `src.geo.index.geo_index_engine.geo_cell_key_neighbors(...)` resolves neighbors through canonical GEO ordering and stable alias reconstruction. - the referenced source: `::runtime_neighbor_window(...)` already uses the
- SWB-03913 from docs/archive/audit/EARTH7_RETRO_AUDIT.md - decision; - `src/worldgen/earth/climate_field_engine.py` and `src/worldgen/earth/tide_field_engine.py` already implement: - deterministic bucket selection from stable `geo_cell_key` - bounded `max_tiles_per_update` budgets - `per-t`
- SWB-03917 from docs/archive/audit/EARTH7_RETRO_AUDIT.md - decision; - No existing authoritative Earth-specific wind field tick was present. - Existing `field.wind` usage is generic, mostly in mobility and test fixtures, and does not impose an Earth-only semantic contract. - Conclusion: -
- SWB-03920 from docs/archive/audit/EARTH8_RETRO_AUDIT.md - decision; - `src/worldgen/earth/hydrology_engine.py` already persists: - `river_flag` - `flow_target_tile_key` - `extensions.lake_flag` - `extensions.hydrology_structure_kind` - `src/worldgen/earth/tide_field_engine.py` already `pr`
- SWB-03926 from docs/archive/audit/EARTH9_RETRO_AUDIT.md - decision; - `src/client/ui/viewer_shell.py` builds: - `sky_view_surface` - `illumination_view_surface` - `water_view_surface` - `map_views` - `src/client/render/render_model_adapter.py` and `'src/client/render/renderers/software_re`
- SWB-03927 from docs/archive/audit/EARTH9_RETRO_AUDIT.md - decision; - `src/worldgen/earth/climate_field_engine.py`, `src/worldgen/earth/tide_field_engine.py`, and `src/worldgen/earth/wind/wind_field_engine.py` already expose: - deterministic bucket scheduling - `max_tiles_per_update` - `'`

1.3 3. The Core Mental Model

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: `(phase_id, task_id, sub_index)`. - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: ‘the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes `authority_origin`, `law_profile_id`, `entitlements`, `epistemic_scope`, and `privilege_level`.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser

- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-13984 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,

- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09358 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The most important caution is that only DECISION-01 is clearly a user-stated constraint in this visible chat. The other items are strong recommendations produced in response to the user's requests for best practice; they
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability

rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain

- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09506 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Produce downloadable, shareable, reusable report files for this individual old chat. - Background: The current user request asks to turn the existing Context Transfer Packet into a final downlo
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc

- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which

refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision

- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominion_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorms into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09792 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - topic, - project, - plan, - future direction, - goal, - decision, - rationale, - alternative considered, - rejected option, - superseded option, - pending task, - constraint, - preference, - artifact, - file, - prompt,
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominion's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.

- md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
 - SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
 - SWB-10040 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md - decision; - Which decisions are confirmed versus recommendations? - Turn the vertical slice into a milestone plan. - Define the field/delta data format. - Define the mothership economy. - Define first robot chassis. - Define nanob
 - SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
 - SWB-10044 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; - **FACT** - explicitly stated or clearly established in this conversation. - **INFERENCE** - reasonably inferred from the conversation, but not directly confirmed as a final decision. - **UNCERTAIN / UNVERIFIED** - inco
 - SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
 - SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event. deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
 - SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
 - SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
 - SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
 - SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -

- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded'`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR metad
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - ‘`module:src/control/control_decisio`
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce `src/control/control_plane_engine.*` as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (`law/authority/s`
- SWB-03174 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; This baseline hardens the control plane as the sole interaction gateway and locks regression behavior for control decisions, fidelity arbitration, and replay-safe execution.
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - `data/regression/control_decision_baseline.json` - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - ‘CT
- SWB-03177 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Tool: - `the referenced source` - `the referenced source` - `the referenced source` - Scenario characteristics: - 100+ subjects - mixed abstraction, fidelity, and view requests - private/admin and ranked constraints in
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - `ControlIntent` creation - deterministic policy/vector negotiation - `ControlResolution` emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: `run_meta/control_decisions/*.json` - referenced from `control_resolution.decision_log_ref`
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03197 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; - control resolution fingerprints - decision-log fingerprints - fidelity allocation fingerprints - control proof-bundle fingerprints - lockstep per-tick control decision hash contribution

1.4 4. Current Truth and Historical Evidence

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the referenced source/ only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser

- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source**/ | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |

- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source__ context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source__ context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should render implement
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co

- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project

- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**

- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision

- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY

- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - `gen.v0_stub-realism.realistic_default_milkyway_stub` - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR metad
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - `run_meta/control_decisions/{tick}.json` - collision fallback: `run_meta/control_decisions/{tick}.{decision_id}.json`
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `'module:src/control/control_decisio`

1.5 5. The System Stack

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (`phase_id`, `task_id`, `sub_index`). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.

- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominium can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: ‘the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominium is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominium is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominium architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture, Dominium APP0 Runtime, Platfo

- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai

- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem

- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc

- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -

- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. Human-readability rating: 4/5. Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.

md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building

- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via src/control/effects/effect_engine.py. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct ControlIntent - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - ControlIntent creation - deterministic policy/vector negotiation - ControlResolution emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: run_meta/control_decisions/*.json - referenced from control_resolution.decision_log_ref

- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03200 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. control_proof_bundle schema registration. 2. Migration stubs: - control_ir (0.9.0 -> 1.0.0) - control_decision_log (0.1.0 -> 1.0.0)
- SWB-03240 from docs/archive/audit/COUPLE0_RETRO_AUDIT.md - decision; 1. Coupling contracts are declared, but coupling-specific scheduling is not yet first-class. 2. Relevance checks are missing at coupling-contract level; many evaluations still run every tick when unchanged. 3. Degrade de
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03247 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: ad-hoc camera/freecam control outside view policy - Paths: - the referenced source - Subsystem: observation/perception - Evidence: - _interior_occlusion_bypass_allowed(...) checks 'lens.nondiegetic.freeca
- SWB-03254 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; 1. Introduce control-plane gateway and route interaction/CLI/UI-host dispatch through it. 2. Replace ad-hoc view/freecam bypass checks with ViewPolicy decisions. 3. Convert CIV admin override to explicit AL4 meta intent
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist

1.6 6. Domino, Dominion, Runtime, Products, and Tools

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.

- SWB-00046 from `README.md` - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from `README.md` - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00087 from `docs/README.md` - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from `docs/README.md` - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from `docs/canon/constitution_v1.md` - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from `docs/canon/glossary_v1.md` - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from `docs/canon/glossary_v1.md` - requirement; The structured permission context required for all Process execution. Includes `authority_origin`, `law_profile_id`, `entitlements`, `epistemic_scope`, and `privilege_level`.
- SWB-13986 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from `docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md` - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - requirement; - `README.md` describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from `docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md` - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa

- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.

- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear

- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3

- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating:* 4/5 for visible chat; lower for inaccessible prior hidden context. *Reliability rating:* 4/5 with explicit caveats. *Human-readability rating:* 4/5. *Aggregation-readiness rating:* 4/5 with caveats

- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building

- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - ‘module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - ‘CT
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via src/control/effects/effect_engine.py. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct ControlIntent - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - ControlIntent creation - deterministic policy/vector negotiation - ControlResolution emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: run_meta/control_decisions/*.json - referenced from control_resolution.decision_log_ref
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - ‘build_i

- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - rg - n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py" -rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py" - Downgrade and decision-log
- SWB-03259 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - src/control/control_plane_engine.py records downgrade entries/reasons and writes deterministic decision logs to run_meta/control_decisions/*. - control_ir mapping continues to preserve decision_log_ref and down
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in build_control_resolution. - Decision reasons exist (downgrade_reasons), but neg
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (_resolve_fidelity, build_inspection_snapshot_artifact) - the referenced source (_execute_inspection_snapshot_process) - Current state: - Requested fidelity is dow

1.7 7. Law, Capability, Refusal, and Evidence

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.

- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren

- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-13948 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - design_goal; This map combines current repo orientation with conversation-derived design intent. When they differ, current repo authority wins.
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09358 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The most important caution is that only DECISION-01 is clearly a user-stated constraint in this visible chat. The other items are strong recommendations produced in response to the user's requests for best practice; they
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co

- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09507 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: PROJECT-CONTEXT / FACT - Objective: Carry forward the architecture of the Dominion deterministic simulation/game project. - Background: Dominion Game is the larger project context; the visible chat focuses on ar
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/

Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf

- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -

- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. Human-readability rating: 4/5. Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominium's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed

to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.

- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10040 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md - decision; - Which decisions are confirmed versus recommendations? - Turn the vertical slice into a milestone plan. - Define the field/delta data format. - Define the mothership economy. - Define first robot chassis. - Define nanob
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10044 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; - **FACT** - explicitly stated or clearly established in this conversation. - **INFERENCE** - reasonably inferred from the conversation, but not directly confirmed as a final decision. - **UNCERTAIN / UNVERIFIED** - inco
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT**: The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an

- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block op_sequence. - RS-5 budget enforcement returns 'refusal.ctrl.ir_cost_exceeded
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - '
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03174 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; This baseline hardens the control plane as the sole interaction gateway and locks regression behavior for control decisions, fidelity arbitration, and replay-safe execution.
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT
- SWB-03177 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Tool: - the referenced source - the referenced source - the referenced source - Scenario characteristics: - 100+ subjects - mixed abstraction, fidelity, and view requests - private/admin and ranked constraints in

- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - ControlIntent creation - deterministic policy/vector negotiation - ControlResolution emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: run_meta/control_decisions/*.json - referenced from control_resolution.decision_log_ref
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03197 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; - control resolution fingerprints - decision-log fingerprints - fidelity allocation fingerprints - control proof-bundle fingerprints - lockstep per-tick control decision hash contribution
- SWB-03199 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. Authoritative/hybrid policies emit control proof bundle artifacts per tick and baseline. 2. Lockstep hash anchors include control-decision hash material. 3. Anchor extensions carry control proof references/hashes.
- SWB-03200 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. control_proof_bundle schema registration. 2. Migration stubs: - control_ir (0.9.0 -> 1.0.0) - control_decision_log (0.1.0 -> 1.0.0)
- SWB-03240 from docs/archive/audit/COUPLE0_RETRO_AUDIT.md - decision; 1. Coupling contracts are declared, but coupling-specific scheduling is not yet first-class. 2. Relevance checks are missing at coupling-contract level; many evaluations still run every tick when unchanged. 3. Degrade de

1.8 8. Determinism, Replay, and Provenance

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.

- SWB-00046 from `README.md` - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00055 from `README.md` - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00088 from `docs/README.md` - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from `docs/canon/constitution_v1.md` - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from `docs/canon/glossary_v1.md` - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from `docs/repo/FOUNDATION_LOCK.md` - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from `docs/repo/FOUNDATION_LOCK.md` - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-13986 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from `docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md` - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - requirement; - `README.md` describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from `docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md` - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa

- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09361 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The second major tradeoff was between freezing too much and freezing too little. Freezing implementations would block refactors; freezing nothing would destroy compatibility. The recommended compromise was to freeze publ
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.

- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09460 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. Which recommendations here should become binding canon? 2. Which should remain advisory until more evidence exists? 3. Write the implementation prompt for STRUCTURE-01: Public Surface Registry. 4. Write the implemen
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominion Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom

- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish

- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09604 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Game-specific rules/products built on Domino. - Background: Captured from visible chat architecture and prompt planning for Dominion product/game layer. - Current state: Planned with headers/st
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which

refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision

- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominium's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa

- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block op_sequence. - RS-5 budget enforcement returns 'refusal.ctrl.ir_cost_exceeded
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s

- SWB-03174 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; This baseline hardens the control plane as the sole interaction gateway and locks regression behavior for control decisions, fidelity arbitration, and replay-safe execution.
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT'
- SWB-03177 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Tool: - the referenced source - the referenced source - the referenced source - Scenario characteristics: - 100+ subjects - mixed abstraction, fidelity, and view requests - private/admin and ranked constraints in
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - ControlIntent creation - deterministic policy/vector negotiation - ControlResolution emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: run_meta/control_decisions/*.json - referenced from control_resolution.decision_log_ref
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03197 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; - control resolution fingerprints - decision-log fingerprints - fidelity allocation fingerprints - control proof-bundle fingerprints - lockstep per-tick control decision hash contribution
- SWB-03199 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. Authoritative/hybrid policies emit control proof bundle artifacts per tick and baseline. 2. Lockstep hash anchors include control-decision hash material. 3. Anchor extensions carry control proof references/hashes.

1.9 9. Contracts, Schemas, Packs, and Compatibility

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00016 from AGENTS.md - requirement; - optional content and capabilities must remain pack- and registry-driven - missing packs require explicit refusal or degradation rather than hidden fallback magic
- SWB-00045 from README.md - requirement; Dominium is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.

- SWB-00046 from `README.md` - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from `README.md` - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00087 from `docs/README.md` - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from `docs/README.md` - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from `docs/canon/constitution_v1.md` - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from `docs/canon/glossary_v1.md` - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from `docs/repo/FOUNDATION_LOCK.md` - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from `docs/repo/FOUNDATION_LOCK.md` - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-13986 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from `docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md` - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - requirement; - `README.md` describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from `docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md` - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa

- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13982 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; The audit layer contains review triggers, not resolved contradictions. The main risk classes are conversation claims against current queue restrictions, stale external/platform claims, old the referenced source, and conv
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and

- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09498 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This report package repairs the prior transfer packet by assigning stable IDs to workstreams, decisions, tasks, constraints, questions, artifacts, risks, rejected options, and verification items. It is safe for aggregati
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve

- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate

- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which

refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision

- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorming into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09791 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - whether you can see the full chat or only partial context, - whether there are previously generated downloadable files, - whether there are uploaded files or artifacts, - whether the chat contains future plans, - wheth
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09937 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The final user action was uploading a detailed preservation prompt. It required this response to produce a maximum-fidelity human-readable report, structured registers, spec sheet, aggregator packet, audit, downloadable
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o

- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct ControlIntent - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03192 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX (STRICT): PASS - AuditX scan: RUN (artifacts regenerated under the referenced source/) - TestX (CTRL-1 targeted subset): PASS - test_control_resolution_deterministic - 'test_control_policy_blocks_forbidden_
- SWB-03200 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. control_proof_bundle schema registration. 2. Migration stubs: - control_ir (0.9.0 -> 1.0.0) - control_decision_log (0.1.0 -> 1.0.0)
- SWB-03240 from docs/archive/audit/COUPLE0_RETRO_AUDIT.md - decision; 1. Coupling contracts are declared, but coupling-specific scheduling is not yet first-class. 2. Relevance checks are missing at coupling-contract level; many evaluations still run every tick when unchanged. 3. Degrade de
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i

- SWB-03247 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: ad-hoc camera/freecam control outside view policy - Paths: - the referenced source - Subsystem: observation/perception - Evidence: - `_interior_occlusion_bypass_allowed(...)` checks `'lens.nondiegetic.freeca`
- SWB-03254 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; 1. Introduce control-plane gateway and route interaction/CLI/UI-host dispatch through it. 2. Replace ad-hoc view/freecam bypass checks with ViewPolicy decisions. 3. Convert CIV admin override to explicit AL4 meta intent
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - `rg -n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py" -rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py"` - Downgrade and decision-log
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - `src/control/control_plane_engine.py` - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in `build_control_resolution`. - Decision reasons exist (`downgrade_reasons`), but neg

1.10 10. Client, Server, Launcher, Setup, and Workbench

- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00013 from AGENTS.md - requirement; - do not add or preserve hardcoded runtime mode branches - express behavior composition through profiles, bundles, law surfaces, and explicit constraints
- SWB-00014 from AGENTS.md - requirement; - authoritative truth mutation must occur through lawful deterministic Process execution - UI, render, operator, tooling, or convenience layers must not mutate truth directly
- SWB-00015 from AGENTS.md - requirement; - truth is authoritative - perception and observation are filtered views - rendering is presentation only - later governance and tool work must not collapse those layers
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-23669 from docs/canon/constitution_v1.md - requirement; - Runtime behavior MUST resolve from profile data (`ExperienceProfile`, `LawProfile`, `ParameterBundle`, optional `MissionSpec` constraints). - Hardcoded mode booleans/branches (for example `*_mode` runtime forks) are fo

- SWB-23683 from docs/canon/constitution_v1.md - requirement; - Canonical partitions (HASH_SIM_CORE, HASH_SIM_ECON, HASH_SIM_INFO, HASH_SIM_TIME, HASH_SIM_WORLD) MUST match across equivalent runs. - Presentation hash divergence is non-authoritative unless explicitly promo
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture, Dominium APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominium as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13984 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen

- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominion Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine,

platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve

- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09604 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - Label: FACT - Objective: Game-specific rules/products built on Domino. - Background: Captured from visible chat architecture and prompt planning for Dominion product/game layer. - Current state: Planned with headers/st
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct

- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominion's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-09928 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The first assistant answer reframed the problem around deterministic simulation. It recommended that the game be built as a deterministic simulation/database first, with renderers as clients. It proposed fixed ticks, det
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.

- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10053 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The assistant response framed this as a distributed deterministic simulation problem, not a conventional game-level streaming problem. It recommended hierarchical coordinates, sparse terrain deltas, simulation LOD, event
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT:** The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominium should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-10195 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The first major conclusion was architectural. The assistant recommended that Dominium should not be built as one giant live Unreal scene. Instead, **Domino should be a deterministic simulation/data engine**, and Unreal o
- SWB-10200 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; A major design pivot was away from worker NPC labour.

The user explicitly recognised that simulating workers requires pathfinding, scheduling, collision, animation, and a large amount of compute. Since the civilisation i

- SWB-10204 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The user wanted determinism at a very large scale. The assistant recommended fixed simulation ticks, deterministic commands, event sourcing, snapshots, hashes, stable procedural seeds, sparse terrain deltas, and simulati
- SWB-10258 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; This report is based on the visible conversation, the uploaded preservation prompt, and the generated files present in the sandbox at packaging time. It does **not** claim access to hidden prior chats or external project
- SWB-10262 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; This means Domino, the the referenced source, should own world truth. Unreal, Raylib, or another runtime can be used as renderer, client, visualisation layer, or tooling layer, but should not be the source of authoritati
- SWB-10292 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; The main feasibility conclusion was that millions of players can share a logical universe if spread across regions, shards, planets, servers, and interest-management zones. Millions cannot all be in one low-latency, full
- SWB-10304 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md - decision; This file is an accompanying human-readable report for the Dominion/Domino conversation package. It is intended to sit beside the earlier preservation files, not replace them. The earlier handoff package already contains
- SWB-10308 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md - decision; The first major conclusion was architectural: the game should not be built as a normal giant Unreal level full of actors. The world should be a deterministic data model first. Domino should own world truth through fixed
- SWB-10309 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md - decision; The second major shift came when the user described the game identity in much more detail. Dominion became a **robotic seed-civilisation game**. The lore/gameplay premise is that humans sent a robotic mothership to anoth
- SWB-10338 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md - decision; **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation and the files created during this conversation. **Purpose:** This report is a human-readable companion to the structured preservation pa
- SWB-10340 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md - decision; The key technical conclusion was that the world cannot be treated as a normal game-engine level full of live actors. The world must be a deterministic simulation and data system first. Domino should store the true univer
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti

- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses `compat.read_only`, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - ‘`module:src/control/control_decisio`
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce `src/control/control_plane_engine.*` as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via `src/control/effects/effect_engine.py`. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct `ControlIntent` - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - `ControlIntent` creation - deterministic policy/vector negotiation - `ControlResolution` emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: `run_meta/control_decisions/*.json` - referenced from `control_resolution.decision_log_ref`
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct `IntentEnvelope` creation outside net ingress/tests; duplicate control dispatch - Paths: - `src/client/interaction/interaction_dispatch.py` - Subsystem: client interaction dispatch - Evidence: - ‘`build_i`
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - `rg -n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py" -rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py"` - Downgrade and decision-log

- SWB-03259 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - src/control/control_plane_engine.py records downgrade entries/reasons and writes deterministic decision logs to run_meta/control_decisions/*. - control_ir mapping continues to preserve decision_log_ref and down
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in build_control_resolution. - Decision reasons exist (downgrade_reasons), but neg
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (_resolve_fidelity, build_inspection_snapshot_artifact) - the referenced source (_execute_inspection_snapshot_process) - Current state: - Requested fidelity is dow
- SWB-03291 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; 1. Add canonical negotiation contracts (negotiation_request, negotiation_result, downgrade_entry) and upgrade DecisionLog schema. 2. Implement deterministic src/control/negotiation/negotiation_kernel.py with fixe
- SWB-03309 from docs/archive/audit/CTRL5_RETRO_AUDIT.md - decision; - Paths: - src/materials/materialization/materialization_engine.py - src/materials/commitments/commitment_engine.py - src/inspection/inspection_engine.py - the referenced source - Current state: - domains perform
- SWB-03310 from docs/archive/audit/CTRL5_RETRO_AUDIT.md - decision; 1. Add canonical schemas for fidelity_request, fidelity_allocation, and budget_allocation_record + CompatX entries. 2. Implement src/control/fidelity/fidelity_engine.py with deterministic ordering, downgrade chai
- SWB-03339 from docs/archive/audit/CTRL8_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Decision log extensions normalize IR metadata but do not include effect influence metadata. - Risk: - Refusals/downgrades caused by temporary constraint

1.11 11. UI, Renderer, Native GUI, and Presentation Boundaries

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00014 from AGENTS.md - requirement; - authoritative truth mutation must occur through lawful deterministic Process execution - UI, render, operator, tooling, or convenience layers must not mutate truth directly
- SWB-00015 from AGENTS.md - requirement; - truth is authoritative - perception and observation are filtered views - rendering is presentation only - later governance and tool work must not collapse those layers
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.

- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source**/only. All other docs are guidance, reference, or historical context.
- SWB-23666 from docs/canon/constitution_v1.md - requirement; - Authoritative simulation outcomes **MUST** be identical for identical inputs. - Step-by-step and batched execution **MUST** remain equivalent. - Thread count, scheduler interleavings, and backend choice **MUST NOT** change authori
- SWB-23675 from docs/canon/constitution_v1.md - requirement; - Budget pressure **MAY** defer/degrade/refuse. - Silent fallback is forbidden. - Degradation and refusal outcomes **MUST** be inspectable and auditable.
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture, Dominium APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominium as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominium's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.

- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation

- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09508 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Create one .txt implementation-spec prompt per repo file for Codex 5.1 Max. - Background: See inventory and registers; this workstream is established by the visible file list or generated specs
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf

- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled **I
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file

- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorming into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09928 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The first assistant answer reframed the problem around deterministic simulation. It recommended that the game be built as a deterministic simulation/database first, with renderers as clients. It proposed fixed ticks, det

- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10053 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The assistant response framed this as a distributed deterministic simulation problem, not a conventional game-level streaming problem. It recommended hierarchical coordinates, sparse terrain deltas, simulation LOD, event
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT:** The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominium should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-10144 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; **Chat label:** Dominium Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus files visible in /mnt/data that were generated or uploaded
- SWB-10188 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; This companion report is meant to sit beside the larger

preservation package already created in this chat. The earlier package contains the formal preservation report, context transfer packet, spec sheet, registers, aggr

- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the **referenced source**. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses **compat.read_only**, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - **process.process_run_tick** already enforces **chem_max_process_run_evaluations_per_tick** and logs deterministic degrade deci
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry **extensions.control_ir_execution** context per compiled IR op: - **ir_id - verification_report_hash** - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - **module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py** - ‘**module:src/control/control_decisio**
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce **src/control/control_plane_engine.*** as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - **data/regression/control_decision_baseline.json** - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - ‘CT
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via **src/control/effects/effect_engine.py**. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03192 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX (STRICT): PASS - AuditX scan: RUN (artifacts regenerated under the **referenced source**/) - TestX (CTRL-1 targeted subset): PASS - **test_control_resolution_deterministic** - ‘**test_control_policy_blocks_forbidden_**
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - **src/client/interaction/interaction_dispatch.py** - Subsystem: client interaction dispatch - Evidence: - ‘**build_i**

- SWB-03254 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; 1. Introduce control-plane gateway and route interaction/CLI/UI-host dispatch through it. 2. Replace ad-hoc view/freecam bypass checks with ViewPolicy decisions. 3. Convert CIV admin override to explicit AL4 meta intent
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - rg -n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py" -rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py" - Downgrade and decision-log
- SWB-03259 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - src/control/control_plane_engine.py records downgrade entries/reasons and writes deterministic decision logs to run_meta/control_decisions/*. - control_ir mapping continues to preserve decision_log_ref and down
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in build_control_resolution. - Decision reasons exist (downgrade_reasons), but neg

1.12 12. AIDE, Codex, Automation, and Repo Governance

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.

- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source**/only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,

- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source**/ | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not

- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp

- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu

- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use

- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt

explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a

- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block op_sequence. - RS-5 budget enforcement returns 'refusal.ctrl.ir_cost_exceeded
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - '
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad

- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - run_meta/control_decisions/{tick}.json - collision fallback: run_meta/control_decisions/{tick}.{decision_id}.json
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio

1.13 13. Documentation, Archive, and Conversation Corpus

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.

- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - architecture (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom

- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source/** | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and

- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominion Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom

- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**

- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor

- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti

- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses `compat.read_only`, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: `mirror.cold_storage.default`, `mirror.primary.default`, `mirror.secondary.default` - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - `must-fix` for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - `acceptable provisional`: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: `ADD_RULE=543`, `ADD_TEST=431`, `DOC_FIX=606`, `RETIRE=80` - By status: `OPEN=1660` - Dominant analyzer domains: `A3_CANON_DRIFT=605`, `A6_UI_PARITY_BYPASS=185`, `A4_SCHEMA_USAGE=160`, `A7_LEGACY`
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - `gen.v0_stub-realism.realistic_default_milkyway_stub` - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR meta)
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - `run_meta/control_decisions/{tick}.json` - collision fallback: `run_meta/control_decisions/{tick}.{decision_id}.json`
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - ‘`module:src/control/control`

1.14 14. Reality, Space, Time, Scale, and Existence

- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-00013 from AGENTS.md - requirement; - do not add or preserve hardcoded runtime mode branches - express behavior composition through profiles, bundles, law surfaces, and explicit constraints
- SWB-00014 from AGENTS.md - requirement; - authoritative truth mutation must occur through lawful deterministic Process execution - UI, render, operator, tooling, or convenience layers must not mutate truth directly
- SWB-00021 from AGENTS.md - requirement; - schema or compatibility work: schema/**, the referenced source/**, compat metadata - release or control-plane work: the referenced source/**, the referenced source, release and update registries - runtime extra
- SWB-00045 from README.md - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-23668 from docs/canon/constitution_v1.md - requirement; - Capability grants permission to attempt; law determines accept/refuse/transform. - Authority does not bypass law. - Refusals are lawful outcomes and MUST be explicit, deterministic, and auditable.
- SWB-23669 from docs/canon/constitution_v1.md - requirement; - Runtime behavior MUST resolve from profile data (ExperienceProfile, LawProfile, ParameterBundle, optional MissionSpec constraints). - Hardcoded mode booleans/branches (for example *_mode runtime forks) are fo
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-37191 from docs/repo/FOUNDATION_LOCK.md - requirement; - Run POINTER-WIDTH-SERIALIZATION-AUDIT-01 only if the descriptive pointer-width inventory should be promoted into a focused audit. - Continue documentation and evidence updates that do not bypass Foundation laws. - Co
- SWB-37184 from docs/repo/FOUNDATION_LOCK.md - constraint; Foundation Lock does not mean full CTest is green, every compatibility corpus exists, every provider is implemented, every runtime trust rule is enforced, Workbench UI exists, or broad feature work is open.
- SWB-00089 from docs/README.md - prohibition; - The simulation kernel is the source of truth; perception layers are derived. - Objective snapshots record authoritative state; subjective snapshots record views. - Packs provide capabilities, data, and assets; executab
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser

- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-13984 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09363 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; 1. **Confirm acceptance boundary.** Decide which recommendations in this chat should become Dominion canon and which remain advisory. 2. **Verify current repo state.** Confirm the actual current HEAD, build proof, smoke
- SWB-09367 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; - Whether all recommended structural tasks should be implemented now is not established. - Whether the proposed build tuple naming scheme should become official is not yet established. - Whether the current top-level str

- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09460 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. Which recommendations here should become binding canon? 2. Which should remain advisory until more evidence exists? 3. Write the implementation prompt for STRUCTURE-01: Public Surface Registry. 4. Write the implemen
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09506 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Produce downloadable, shareable, reusable report files for this individual old chat. - Background: The current user request asks to turn the existing Context Transfer Packet into a final downlo
- SWB-09507 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: PROJECT-CONTEXT / FACT - Objective: Carry forward the architecture of the Dominion deterministic simulation/game project. - Background: Dominion Game is the larger project context; the visible chat focuses on ar

- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a

- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09644 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The assistant recommended stable public C-compatible APIs for Domino, opaque handles, explicit struct sizes, no platform types in engine headers, explicit allocator/lifetime ownership, deterministic error/refusal codes,
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominion_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorming into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09792 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - topic, - project, - plan, - future direction, - goal, - decision, - rationale, - alternative considered, - rejected option, - superseded option, - pending task, - constraint, - preference, - artifact, - file, - prompt,
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominion's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed

to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.

- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10040 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md - decision; - Which decisions are confirmed versus recommendations? - Turn the vertical slice into a milestone plan. - Define the field/delta data format. - Define the mothership economy. - Define first robot chassis. - Define nanob
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10044 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; - **FACT** - explicitly stated or clearly established in this conversation. - **INFERENCE** - reasonably inferred from the conversation, but not directly confirmed as a final decision. - **UNCERTAIN / UNVERIFIED** - inco
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT**: The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an

- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominion should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-10144 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; **Chat label:** Dominion Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus files visible in /mnt/data that were generated or uploaded
- SWB-10174 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; This is still an assistant recommendation rather than a user-ratified final decision. It should be verified and revisited as implementation constraints become clearer.
- SWB-10187 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus the generated preservation files and the uploaded preservati
- SWB-10188 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; This companion report is meant to sit beside the larger preservation package already created in this chat. The earlier package contains the formal preservation report, context transfer packet, spec sheet, registers, aggr
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for

- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `'module:src/control/control_decisio`
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce `src/control/control_plane_engine.*` as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03174 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; This baseline hardens the control plane as the sole interaction gateway and locks regression behavior for control decisions, fidelity arbitration, and replay-safe execution.
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - `data/regression/control_decision_baseline.json` - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - ‘CT
- SWB-03177 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Tool: - `the referenced source` - `the referenced source` - `the referenced source` - Scenario characteristics: - 100+ subjects - mixed abstraction, fidelity, and view requests - private/admin and ranked constraints in
- SWB-03184 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - `ControlIntent` creation - deterministic policy/vector negotiation - `ControlResolution` emission with downgrade/refusal reasons - deterministic decision-log artifact emission
- SWB-03189 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - Minimal deterministic decision log implemented: - artifact path: `run_meta/control_decisions/*.json` - referenced from `control_resolution.decision_log_ref`
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03197 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; - control resolution fingerprints - decision-log fingerprints - fidelity allocation fingerprints - control proof-bundle fingerprints - lockstep per-tick control decision hash contribution
- SWB-03199 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. Authoritative/hybrid policies emit control proof bundle artifacts per tick and baseline. 2. Lockstep hash anchors include control-decision hash material. 3. Anchor extensions carry control proof references/hashes.
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct `IntentEnvelope` creation outside net ingress/tests; duplicate control dispatch - Paths: - `src/client/interaction/interaction_dispatch.py` - Subsystem: client interaction dispatch - Evidence: - ‘`build_i`

- SWB-03247 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: ad-hoc camera/freecam control outside view policy - Paths: - the referenced source - Subsystem: observation/perception - Evidence: - `_interior_occlusion_bypass_allowed(...)` checks `'lens.nondiegetic.freeca`
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist

1.15 15. World Generation, Celestial Systems, and Domains

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-00013 from AGENTS.md - requirement; - do not add or preserve hardcoded runtime mode branches - express behavior composition through profiles, bundles, law surfaces, and explicit constraints
- SWB-00016 from AGENTS.md - requirement; - optional content and capabilities must remain pack- and registry-driven - missing packs require explicit refusal or degradation rather than hidden fallback magic
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00060 from README.md - requirement; law surfaces, and constraints, not hardcoded runtime mode forks. - Explicit refusal: unsupported or invalid transitions return deterministic,
- SWB-23668 from docs/canon/constitution_v1.md - requirement; - Capability grants permission to attempt; law determines accept/refuse/transform. - Authority does not bypass law. - Refusals are lawful outcomes and MUST be explicit, deterministic, and auditable.
- SWB-23669 from docs/canon/constitution_v1.md - requirement; - Runtime behavior MUST resolve from profile data (`ExperienceProfile`, `LawProfile`, `ParameterBundle`, optional `MissionSpec` constraints). - Hardcoded mode booleans/branches (for example `*_mode` runtime forks) are fo
- SWB-23674 from docs/canon/constitution_v1.md - requirement; - New content and capability surfaces integrate through packs and registries. - Packs are data-only and namespaced; executable code inside packs is forbidden. - Missing optional packs MUST produce deterministic refusal o
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-37193 from docs/repo/FOUNDATION_LOCK.md - requirement; When the lock eventually passes, future narrow slices must register public surfaces, expose typed commands, use diagnostic and refusal codes, preserve artifact identity, declare capabilities and providers, use module des

- SWB-00089 from docs/README.md - prohibition; - The simulation kernel is the source of truth; perception layers are derived. - Objective snapshots record authoritative state; subjective snapshots record views. - Packs provide capabilities, data, and assets; executab
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13984 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-13950 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - source_context; | Surface | Current Role | Conversation-Derived Intent | Current Caution | | --- | --- | --- | --- | | Engine / Domino | Deterministic substrate | Reusable law-bound simulation foundation | Do not collapse into product U
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09363 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; 1. **Confirm acceptance boundary.** Decide which recommendations in this chat should become Dominion canon and which remain advisory. 2. **Verify current repo state.** Confirm the actual current HEAD, build proof, smoke

- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09460 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. Which recommendations here should become binding canon? 2. Which should remain advisory until more evidence exists? 3. Write the implementation prompt for STRUCTURE-01: Public Surface Registry. 4. Write the implemen
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09498 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This report package repairs the prior transfer packet by assigning stable IDs to workstreams, decisions, tasks, constraints, questions, artifacts, risks, rejected options, and verification items. It is safe for aggregati
- SWB-09506 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Produce downloadable, shareable, reusable report files for this individual old chat. - Background: The current user request asks to turn the existing Context Transfer Packet into a final downlo

- SWB-09507 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: PROJECT-CONTEXT / FACT - Objective: Carry forward the architecture of the Dominium deterministic simulation/game project. - Background: Dominium Game is the larger project context; the visible chat focuses on ar
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen

- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09644 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The assistant recommended stable public C-compatible APIs for Domino, opaque handles, explicit struct sizes, no platform types in engine headers, explicit allocator/lifetime ownership, deterministic error/refusal codes,
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominion_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorming into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09791 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - whether you can see the full chat or only partial context, - whether there are previously generated downloadable files, - whether there are uploaded files or artifacts, - whether the chat contains future plans, - wheth
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.

md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building

- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominium's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10040 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md - decision; - Which decisions are confirmed versus recommendations? - Turn the vertical slice into a milestone plan. - Define the field/delta data format. - Define the mothership economy. - Define first robot chassis. - Define nanob
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10044 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; - **FACT** - explicitly stated or clearly established in this conversation. - **INFERENCE** - reasonably inferred from the conversation, but not directly confirmed as a final decision. - **UNCERTAIN / UNVERIFIED** - inco

- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT:** The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominion should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-10144 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; **Chat label:** Dominion Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus files visible in /mnt/data that were generated or uploaded
- SWB-10174 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; This is still an assistant recommendation rather than a user-ratified final decision. It should be verified and revisited as implementation constraints become clearer.
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio

- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction entrypoint in new domains (MOB, SIG, DOM, INF) must: - construct `ControlIntent` - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct `IntentEnvelope` creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (`_resolve_fidelity`, `build_inspection_snapshot_artifact`) - the referenced source (`_execute_inspection_snapshot_process`) - Current state: - Requested fidelity is dow
- SWB-03321 from docs/archive/audit/CTRL6_RETRO_AUDIT.md - decision; - Keep deterministic ordering and canonical hashing unchanged for existing control decisions. - Maintain backward compatibility for `view_mode_registry` consumers during transition. - Do not allow renderer to access `Trut`
- SWB-03341 from docs/archive/audit/CTRL8_RETRO_AUDIT.md - decision; 1. Add canonical effect contracts: - the referenced source - the referenced source - the referenced source - JSON schemas under schemas/. 2. Add deterministic registries: - 'data/registries/effect_type_registry.j
- SWB-03537 from docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md - decision; - src/compat/data_format_loader.py emits a nested refusal object with: - `reason_code` - `message` - `remediation_hint` - src/security/trust/trust_verifier.py emits top-level: - `refusal_code` - `remediation_hint`
- SWB-03645 from docs/archive/audit/DIST_EXECUTION_PRECHECK.md - decision; - ARCH-AUDIT-2 completed its internal Omega scans and refused on the committed toolchain test profile registry stability markers. - CONVERGENCE-GATE-0 was not accepted as passing because it embeds the same validation lan
- SWB-03879 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - SOL-0 already pins Luna through the official Sol overlay pack. - src/worldgen/mw/sol_anchor.py defines the stable Sol moon slot `sol.moon.luna`. - 'packs/official/pack.sol.pin_minimal/data/overlay/sol_pin_patches.js
- SWB-03880 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - data/registries/field_type_registry.json already contains deterministic macro surface fields for: - `field.temperature` - `field.daylight` - `field.pressure_stub` - data/registries/field_binding_registry.json alrea
- SWB-03881 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - No canonical tide runtime exists yet. - Repository search found no existing authoritative `tide`, `tide_height`, or `sea_level` field/process path for EARTH-series worldgen. - Conclusion: - EARTH-3 needs a new determin
- SWB-03889 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - src/worldgen/earth/season_phase_engine.py already provides: - `earth_orbit_phase_from_params` - `axial_tilt_mdeg` - `solar_declination_mdeg` - src/worldgen/earth/climate_field_engine.py already uses those helpers t
- SWB-03890 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - data/registries/realism_profile_registry.json already binds Earth-capable realism profiles to: - `galaxy_priors_ref` - `surface_priors_ref` - data/registries/galaxy_priors_registry.json already provides bounded Mil
- SWB-03891 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - src/client/ui/viewer_shell.py already states: - `consumes_perceived_model_only` - `consumes_projection_and_lens_artifacts` - explicit forbidden truth inputs - src/client/render/render_model_adapter.py builds 'Rende

- SWB-03898 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - No canonical lighting or shadow artifact pipeline exists yet. - The software renderer currently: - draws sky background, Milky Way band, sun disk, moon disk, and stars from `sky_view_artifact` - draws world primitives

1.16 16. Civilization, Economy, Logistics, and Institutions

- SWB-00013 from AGENTS.md - requirement; - do not add or preserve hardcoded runtime mode branches - express behavior composition through profiles, bundles, law surfaces, and explicit constraints
- SWB-00021 from AGENTS.md - requirement; - schema or compatibility work: `schema/**`, the referenced `source/**`, compat metadata - release or control-plane work: the referenced `source/**`, the referenced `source`, release and update registries - runtime extra
- SWB-00022 from AGENTS.md - requirement; - `planning`: sequencing, checkpoints, inventories, dependency maps, gates, and continuity work - `doctrine_spec`: normative constitutional, contract, or specification work - `governance`: agent, operator, instruction, r
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00060 from README.md - requirement; law surfaces, and constraints, not hardcoded runtime mode forks. - Explicit refusal: unsupported or invalid transitions return deterministic,
- SWB-00077 from README.md - requirement; Content is authored data, not runtime law. Packs and registries describe optional content, capabilities, compatibility, activation, and distribution surfaces. Missing optional content must degrade or refuse explicitly.
- SWB-23669 from docs/canon/constitution_v1.md - requirement; - Runtime behavior MUST resolve from profile data (`ExperienceProfile`, `LawProfile`, `ParameterBundle`, optional `MissionSpec` constraints). - Hardcoded mode booleans/branches (for example `*_mode` runtime forks) are fo
- SWB-23674 from docs/canon/constitution_v1.md - requirement; - New content and capability surfaces integrate through packs and registries. - Packs are data-only and namespaced; executable code inside packs is forbidden. - Missing optional packs MUST produce deterministic refusal o
- SWB-23676 from docs/canon/constitution_v1.md - requirement; - Systems MUST remain lawful with optional subsystems absent (for example: no AI, no economy, no war). - Absence MUST produce explicit behavior, never hidden bypasses.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-37184 from docs/repo/FOUNDATION_LOCK.md - constraint; Foundation Lock does not mean full CTest is green, every compatibility corpus exists, every provider is implemented, every runtime trust rule is enforced, Workbench UI exists, or broad feature work is open.
- SWB-23713 from docs/canon/glossary_v1.md - explanation; - Legacy mode-flag identifiers (`*_mode`) in runtime code. - Ad hoc privilege flags outside `AuthorityContext`. - Non-registry "sandbox" or "god" labels.

- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13984 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - design_goal; External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current
- SWB-15953 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - design_goal; - It does not promote archive claims. - It does not rewrite canon, contracts, schema, implementation, release, or queue state. - It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workb
- SWB-13950 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - source_context; | Surface | Current Role | Conversation-Derived Intent | Current Caution | | --- | --- | --- | --- | | Engine / Domino | Deterministic substrate | Reusable law-bound simulation foundation | Do not collapse into product U
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr

- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09506 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Produce downloadable, shareable, reusable report files for this individual old chat. - Background: The current user request asks to turn the existing Context Transfer Packet into a final downlo
- SWB-09507 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: PROJECT-CONTEXT / FACT - Objective: Carry forward the architecture of the Dominium deterministic simulation/game project. - Background: Dominium Game is the larger project context; the visible chat focuses on ar
- SWB-09508 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: FACT - Objective: Create one .txt implementation-spec prompt per repo file for Codex 5.1 Max. - Background: See inventory and registers; this workstream is established by the visible file list or generated specs
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen

- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09644 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The assistant recommended stable public C-compatible APIs for Domino, opaque handles, explicit struct sizes, no platform types in engine headers, explicit allocator/lifetime ownership, deterministic error/refusal codes,
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09792 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - topic, - project, - plan, - future direction, - goal, - decision, - rationale, - alternative considered, - rejected option, - superseded option, - pending task, - constraint, - preference, - artifact, - file, - prompt,
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominium's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.

- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4* Aggregation-readiness rating 1-5: 4 * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10040 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md - decision; - Which decisions are confirmed versus recommendations? - Turn the vertical slice into a milestone plan. - Define the field/delta data format. - Define the mothership economy. - Define first robot chassis. - Define nanob
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10044 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; - **FACT** - explicitly stated or clearly established in this conversation. - **INFERENCE** - reasonably inferred from the conversation, but not directly confirmed as a final decision. - **UNCERTAIN / UNVERIFIED** - inco
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT**: The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominium should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran

- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-10144 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; **Chat label:** Dominion Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus files visible in /mnt/data that were generated or uploaded
- SWB-10174 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md - decision; This is still an assistant recommendation rather than a user-ratified final decision. It should be verified and revisited as implementation constraints become clearer.
- SWB-10187 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Deterministic Solar-System Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Source scope:** This conversation only, plus the generated preservation files and the uploaded preservati
- SWB-10188 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; This companion report is meant to sit beside the larger preservation package already created in this chat. The earlier package contains the formal preservation report, context transfer packet, spec sheet, registers, aggr
- SWB-10192 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The strongest uncertainty is that many assistant architecture proposals were not explicitly accepted by the user as final decisions. They are useful recommendations and should be preserved, but they should not be promote
- SWB-10258 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; This report is based on the visible conversation, the uploaded preservation prompt, and the generated files present in the sandbox at packaging time. It does **not** claim access to hidden prior chats or external project
- SWB-10261 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; The central problem was how to make an enormous simulation feel real without actually simulating everything everywhere at maximum fidelity. The user wanted full planets, player-made civilisations, construction, terraform
- SWB-10262 from docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md - decision; This means Domino, the the referenced source, should own world truth. Unreal, Raylib, or another runtime can be used as renderer, client, visualisation layer, or tooling layer, but should not be the source of authoritati
- SWB-10308 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md - decision; The first major conclusion was architectural: the game should not be built as a normal giant Unreal level full of actors. The world should be a deterministic data model first. Domino should own world truth through fixed
- SWB-10309 from docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_

`detailed_report.md` - decision; The second major shift came when the user described the game identity in much more detail. **Dominium** became a **robotic seed-civilisation game**. The lore/gameplay premise is that humans sent a robotic mothership to another

- SWB-10325 from `docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md` - decision; The user then described player spawning. Every new player enters through a physical machine that makes robot bodies. Players choose a body form. The starting mothership contains materials and fabrication capabilities, but
- SWB-10340 from `docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md` - decision; The key technical conclusion was that the world cannot be treated as a normal game-engine level full of live actors. The world must be a deterministic simulation and data system first. **Dominium** should store the true universe
- SWB-10341 from `docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md` - decision; The key creative conclusion was that **Dominium** should be a **robotic seed-civilisation game**. Humans in the past launched a robotic mothership to another star system. The ship lands on a suitable planet and manufactures
- SWB-10354 from `docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md` - decision; Players spawn from physical machines. A new player chooses a robot body type, such as a biped, quadruped, spider, tank-like body, or other chassis. The original mothership can fabricate early bodies from limited reserves
- SWB-10414 from `docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md` - decision; - This package preserves visible conversation content and generated files found in the workspace. It does not claim access to unavailable hidden prior chats. - Assistant recommendations are not automatically user-approved
- SWB-02688 from `docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md` - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - `gen.v0_stub-realism.realistic_default_milkyway_stub` - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-03245 from `docs/archive/audit/CTRL0_RETRO_AUDIT.md` - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - `src/client/interaction/interaction_dispatch.py` - Subsystem: client interaction dispatch - Evidence: - `'build_i`
- SWB-03256 from `docs/archive/audit/CTRL10_RETRO_AUDIT.md` - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - `AGENTS.md`: process-only mutation, no runtime mode flags, determinist
- SWB-03288 from `docs/archive/audit/CTRL3_RETRO_AUDIT.md` - decision; - Paths: - `src/inspection/inspection_engine.py` (`_resolve_fidelity`, `build_inspection_snapshot_artifact`) - the referenced source (`_execute_inspection_snapshot_process`) - Current state: - Requested fidelity is low
- SWB-03537 from `docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md` - decision; - `src/compat/data_format_loader.py` emits a nested refusal object with: - `reason_code` - `message` - `remediation_hint` - `src/security/trust/trust_verifier.py` emits top-level: - `refusal_code` - `remediation_hint`
- SWB-03879 from `docs/archive/audit/EARTH3_RETRO_AUDIT.md` - decision; - SOL-0 already pins Luna through the official Sol overlay pack. - `src/worldgen/mw/sol_anchor.py` defines the stable Sol moon slot `sol.moon.luna`. - `'packs/official/pack.sol.pin_minimal/data/overlay/sol_pin_patches.js`

- SWB-03881 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - No canonical tide runtime exists yet. - Repository search found no existing authoritative `tide`, `tide_height`, or `sea_level` field/process path for EARTH-series worldgen. - Conclusion: - EARTH-3 needs a new determin
- SWB-03882 from docs/archive/audit/EARTH3_RETRO_AUDIT.md - decision; - EARTH-2 already provides a deterministic, budgeted field refresh path through: - `src/worldgen/earth/climate_field_engine.py` - the referenced source - `process.earth_climate_tick` - This path already includes: - `buc`
- SWB-03889 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `src/worldgen/earth/season_phase_engine.py` already provides: - `earth_orbit_phase_from_params` - `axial_tilt_mdeg` - `solar_declination_mdeg` - `src/worldgen/earth/climate_field_engine.py` already uses those helpers `t`
- SWB-03890 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `data/registries/realism_profile_registry.json` already binds Earth-capable realism profiles to: - `galaxy_priors_ref` - `surface_priors_ref` - `data/registries/galaxy_priors_registry.json` already provides bounded `Mil`
- SWB-03891 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - `src/client/ui/viewer_shell.py` already states: - `consumes_perceived_model_only` - `consumes_projection_and_lens_artifacts` - explicit forbidden truth inputs - `src/client/render/render_model_adapter.py` builds `'Rende`
- SWB-03898 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - No canonical lighting or shadow artifact pipeline exists yet. - The software renderer currently: - draws sky background, Milky Way band, sun disk, moon disk, and stars from `sky_view_artifact` - draws world primitives
- SWB-03899 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - `src/worldgen/earth/sky/sky_view_engine.py` already exposes: - `sun_direction` - `moon_direction` - `sky_colors_ref` - `sun_intensity_permille` - `extensions.sun_screen` - `extensions.moon_screen` - `'extensions.sun_elevati`
- SWB-03900 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - `src/worldgen/earth/earth_surface_generator.py` already stores deterministic macro elevation descriptors in `elevation_params_ref`, including: - `height_proxy` - `macro_relief_permille` - `ridge_bias_permille` - `'coast`
- SWB-03906 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - The only authoritative body transform writes found for embodiment are inside `process_runtime.py`. - `src/embodiment/body/body_system.py` only seeds template rows and canonical initial state. - `src/client/*` view code
- SWB-03907 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - `worldgen_surface_tile_artifacts` already expose: - `tile_cell_key` - `elevation_params_ref.height_proxy` - hydrology-adjusted height through `extensions.hydrology_effective_height_proxy` - GEO-7 geometry rows already
- SWB-03908 from docs/archive/audit/EARTH6_RETRO_AUDIT.md - decision; - `src.geo.index.geo_index_engine.geo_cell_key_neighbors(...)` resolves neighbors through canonical GEO ordering and stable alias reconstruction. - the referenced source: `::runtime_neighbor_window(...)` already uses the
- SWB-03913 from docs/archive/audit/EARTH7_RETRO_AUDIT.md - decision; - `src/worldgen/earth/climate_field_engine.py` and `src/worldgen/earth/tide_field_engine.py` already implement: - deterministic bucket selection from stable `geo_cell_key` - bounded `max_tiles_per_update` budgets - `per-t`
- SWB-03917 from docs/archive/audit/EARTH7_RETRO_AUDIT.md - decision; - No existing authoritative Earth-specific wind field tick was present. - Existing `field.wind` usage is generic, mostly in mobility and test fixtures, and does not impose an Earth-only semantic contract. - Conclusion: -
- SWB-03920 from docs/archive/audit/EARTH8_RETRO_AUDIT.md - decision; - `src/worldgen/earth/hydrology_engine.py` already persists: - `river_flag` - `flow_target_tile_key` - `extensions.lake_flag` - `extensions.hydrology_structure_kind` - `src/worldgen/earth/tide_field_engine.py` already `pr`
- SWB-03926 from docs/archive/audit/EARTH9_RETRO_AUDIT.md - decision; - `src/client/ui/viewer_shell.py` builds: - `sky_view_surface` - `illumination_view_surface` - `water_view_surface` - `map_views` - `src/client/render/render_model_adapter.py` and `'src/client/render/renderers/software_re`

- SWB-03927 from docs/archive/audit/EARTH9_RETRO_AUDIT.md - decision; - src/worldgen/earth/climate_field_engine.py, src/worldgen/earth/tide_field_engine.py, and src/worldgen/earth/wind/wind_field_engine.py already expose: - deterministic bucket scheduling - max_tiles_per_update - ‘

1.17 17. Content, Providers, Modding, and Data-Driven Extension

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominium can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00016 from AGENTS.md - requirement; - optional content and capabilities must remain pack- and registry-driven - missing packs require explicit refusal or degradation rather than hidden fallback magic
- SWB-00045 from README.md - requirement; Dominium is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominium is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominium architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut

- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen

- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09454 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. **User confirmation:** identify which recommendations in this chat should become binding Dominion canon. 2. **Repo verification:** check current HEAD, CI status, build presets, CMake configure/build/CTest, layout vali
- SWB-09460 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; 1. Which recommendations here should become binding canon? 2. Which should remain advisory until more evidence exists? 3. Write the implementation prompt for STRUCTURE-01: Public Surface Registry. 4. Write the implemen
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat

- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09498 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This report package repairs the prior transfer packet by assigning stable IDs to workstreams, decisions, tasks, constraints, questions, artifacts, risks, rejected options, and verification items. It is safe for aggregati
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -

- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the reference
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining uncertainty:**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is established
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts generated
- SWB-09604 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Game-specific rules/products built on Domino. - Background: Captured from visible chat architecture and prompt planning for Dominion product/game layer. - Current state: Planned with headers/st
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating:* 4/5 for visible chat; lower for inaccessible prior hidden context. *Reliability rating:* 4/5 with explicit caveats. *Human-readability rating:* 4/5. *Aggregation-readiness rating:* 4/5 with caveats

- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09791 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; - whether you can see the full chat or only partial context, - whether there are previously generated downloadable files, - whether there are uploaded files or artifacts, - whether the chat contains future plans, - wheth
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09937 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The final user action was uploading a detailed preservation prompt. It required this response to produce a maximum-fidelity human-readable report, structured registers, spec sheet, aggregator packet, audit, downloadable

- SWB-09939 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The topic was how to make a massive procedural universe deterministic and persistent. It came up because the user explicitly asked for deterministic gameplay across solar-system scale, sparse construction/destruction, mu
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10033 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; *Completeness rating 1-5: 4 Reliability rating 1-5: 4 Human-readability rating 1-5: 4 Aggregation-readiness rating 1-5: 4* * Main remaining uncertainty sources: hidden prior project context, exact user acceptance o
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY

- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR metadata)
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `module:src/control/control_decisio`
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce `src/control/control_plane_engine.*` as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - `data/regression/control_decision_baseline.json` - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - `CT`
- SWB-03179 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Any public interaction endpoint in new domains (MOB, SIG, DOM, INF) must: - construct `ControlIntent` - call control resolution - avoid direct process dispatch - Any module using control APIs must declare top
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03192 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX (STRICT): PASS - AuditX scan: RUN (artifacts regenerated under the `referenced source/`) - TestX (CTRL-1 targeted subset): PASS - `test_control_resolution_deterministic` - `test_control_policy_blocks_forbidden`
- SWB-03200 from docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md - decision; 1. `control_proof_bundle` schema registration. 2. Migration stubs: - `control_ir` (0.9.0 -> 1.0.0) - `control_decision_log` (0.1.0 -> 1.0.0)
- SWB-03240 from docs/archive/audit/COUPLE0_RETRO_AUDIT.md - decision; 1. Coupling contracts are declared, but coupling-specific scheduling is not yet first-class. 2. Relevance checks are missing at coupling-contract level; many evaluations still run every tick when unchanged. 3. Degrade de
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct `IntentEnvelope` creation outside net ingress/tests; duplicate control dispatch - Paths: - `src/client/interaction/interaction_dispatch.py` - Subsystem: client interaction dispatch - Evidence: - `build_i`
- SWB-03247 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: ad-hoc camera/freecam control outside view policy - Paths: - the referenced source - Subsystem: observation/perception - Evidence: - `_interior_occlusion_bypass_allowed(...)` checks `lens.nondiegetic.freeca`
- SWB-03254 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; 1. Introduce control-plane gateway and route interaction/CLI/UI-host dispatch through it. 2. Replace ad-hoc view/freecam bypass checks with `ViewPolicy` decisions. 3. Convert CIV admin override to explicit AL4 meta intent

- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the referenced source: A1, A2, A3, A4, A7, A10. - the referenced source: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr

1.18 18. What Is Settled

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: ‘the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominion is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the referenced source/ only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.

- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - architecture (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10

- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source/** | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertai
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation

- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominion Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve

- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate

- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:

- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.

- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub-realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block op_sequence. - RS-5 budget enforcement returns 'refusal.ctrl.ir_cost_exceeded
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - run_meta/control_decisions/{tick}.json - collision fallback: run_meta/control_decisions/{tick}.{decision_id}.json
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - ‘module:src/control/control_decisio

1.19 19. What Is Still Open

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: `(phase_id, task_id, sub_index)`. - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00018 from AGENTS.md - requirement; - respect explicit schema identity, version, stability, migration, and refusal obligations - do not perform silent migrations or compatibility reinterpretation - update contract-facing docs when behavior or compatibility
- SWB-00022 from AGENTS.md - requirement; - **planning**: sequencing, checkpoints, inventories, dependency maps, gates, and continuity work - **doctrine_spec**: normative constitutional, contract, or specification work - **governance**: agent, operator, instruction, r
- SWB-00068 from README.md - requirement; repo documentation. - **tests/**: contract, invariant, smoke, integration, fixture, and proof suites. - **tools/**: repo-only validation, packaging, migration, release, audit, and
- SWB-00082 from README.md - requirement; Old docs are retained for provenance, but canon, glossary, AGENTS, active contracts, current queue state, and reviewed audits outrank stale references.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes `authority_origin`, `law_profile_id`, `entitlements`, `epistemic_scope`, and `privilege_level`.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser

- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominion is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source**/ | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |

- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source__ context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source__ context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should render implement
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co

- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project

- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled **I

- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit_09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision

- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY

- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - `gen.v0_stub-realism.realistic_default_milkyway_stub` - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR metad
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - `run_meta/control_decisions/{tick}.json` - collision fallback: `run_meta/control_decisions/{tick}.{decision_id}.json`
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `'module:src/control/control_decisio`

1.20 20. What Is Blocked

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.

- SWB-00014 from `AGENTS.md` - requirement; - authoritative truth mutation must occur through lawful deterministic Process execution - UI, render, operator, tooling, or convenience layers must not mutate truth directly
- SWB-00015 from `AGENTS.md` - requirement; - truth is authoritative - perception and observation are filtered views - rendering is presentation only - later governance and tool work must not collapse those layers
- SWB-00045 from `README.md` - requirement; Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- SWB-00067 from `README.md` - requirement; - `contracts/`: machine-readable, version-pinned, compatibility-sensitive law. - `content/`: authored packs, profiles, datasets, fixtures-as-content, assets,
- SWB-00068 from `README.md` - requirement; repo documentation. - `tests/`: contract, invariant, smoke, integration, fixture, and proof suites. - `tools/`: repo-only validation, packaging, migration, release, audit, and
- SWB-00087 from `docs/README.md` - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from `docs/README.md` - requirement; Normative contracts live under **the referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23666 from `docs/canon/constitution_v1.md` - requirement; - Authoritative simulation outcomes **MUST** be identical for identical inputs. - Step-by-step and batched execution **MUST** remain equivalent. - Thread count, scheduler interleavings, and backend choice **MUST NOT** change authori
- SWB-23675 from `docs/canon/constitution_v1.md` - requirement; - Budget pressure **MAY** defer/degrade/refuse. - Silent fallback is forbidden. - Degradation and refusal outcomes **MUST** be inspectable and auditable.
- SWB-23703 from `docs/canon/glossary_v1.md` - requirement; The structured permission context required for all Process execution. Includes `authority_origin`, `law_profile_id`, `entitlements`, `epistemic_scope`, and `privilege_level`.
- SWB-37183 from `docs/repo/FOUNDATION_LOCK.md` - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-13986 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from `docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md` - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13951 from `docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md` - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from `docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md` - requirement; - `README.md` describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation

- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-13950 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - source_context; | Surface | Current Role | Conversation-Derived Intent | Current Caution | | --- | --- | --- | --- | | Engine / Domino | Deterministic substrate | Reusable law-bound simulation foundation | Do not collapse into product U
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not

- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear

- SWB-09507 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; - Label: PROJECT-CONTEXT / FACT - Objective: Carry forward the architecture of the Dominium deterministic simulation/game project. - Background: Dominium Game is the larger project context; the visible chat focuses on ar
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - **Main remaining unc
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate

- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09644 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The assistant recommended stable public C-compatible APIs for Domino, opaque handles, explicit struct sizes, no platform types in engine headers, explicit allocator/lifetime ownership, deterministic error/refusal codes,
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all

- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09928 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The first assistant answer reframed the problem around deterministic simulation. It recommended that the game be built as a deterministic simulation/database first, with renderers as clients. It proposed fixed ticks, det
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.
- SWB-10054 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; A later assistant response refined the architecture around three roles:

Domino as deterministic simulation, Unreal as renderer/client/tooling, and Dominion as game rules. It also drew a feasibility boundary: millions of

- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT:** The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10118 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The assistant responded that Dominion should be built as a deterministic simulation/database first, with Unreal or another engine only as the renderer/client. The assistant recommended fixed-tick deterministic state tran
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - 'module:src/control/control_decisio
- SWB-03170 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; 1. Introduce src/control/control_plane_engine.* as the only authoritative dispatch gateway. 2. Implement control intent schema + deterministic parser and validator. 3. Implement control policy resolver (law/authority/s
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT
- SWB-03178 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Add new temporary mobility constraints only via src/control/effects/effect_engine.py. - Register mobility effect types and stacking policies in registries; do not add inline mobility flags. - Route mobility interacti
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo

- SWB-03192 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX (STRICT): PASS - AuditX scan: RUN (artifacts regenerated under the referenced source/) - TestX (CTRL-1 targeted subset): PASS - test_control_resolution_deterministic - 'test_control_policy_blocks_forbidden_
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03254 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; 1. Introduce control-plane gateway and route interaction/CLI/UI-host dispatch through it. 2. Replace ad-hoc view/freecam bypass checks with ViewPolicy decisions. 3. Convert CIV admin override to explicit AL4 meta intent
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - rg -n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py" -rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py" - Downgrade and decision-log
- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in build_control_resolution. - Decision reasons exist (downgrade_reasons), but neg
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (_resolve_fidelity, build_inspection_snapshot_artifact) - the referenced source (_execute_inspection_snapshot_process) - Current state: - Requested fidelity is dow
- SWB-03310 from docs/archive/audit/CTRL5_RETRO_AUDIT.md - decision; 1. Add canonical schemas for fidelity_request, fidelity_allocation, and budget_allocation_record + CompatX entries. 2. Implement src/control/fidelity/fidelity_engine.py with deterministic ordering, downgrade chai
- SWB-03321 from docs/archive/audit/CTRL6_RETRO_AUDIT.md - decision; - Keep deterministic ordering and canonical hashing unchanged for existing control decisions. - Maintain backward compatibility for view_mode_registry consumers during transition. - Do not allow renderer to access Trut
- SWB-03335 from docs/archive/audit/CTRL8_RETRO_AUDIT.md - decision; - Ad hoc modifier scan: - rg -n "if .*damag|*=|multiplier|slow|blocked|degrad|visibility|smoke|flood|backlog" src tools -g "*.py" - Temporary state flag scan: - 'rg -n "temporary|temp_|movement_constraints|alarm_stat
- SWB-03353 from docs/archive/audit/CTRL9_RETRO_AUDIT.md - decision; 1. Promote control-plane and mode/type/temporary-modifier invariants to hard-fail behavior in FAST checks. 2. Add INV-CONTROL-INTENT-REQUIRED for public-facing interaction entrypoints. 3. Expand topology/semantic-impac

1.21 21. Contradictions and Drift

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.

- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominium can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: 'the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy
- SWB-00046 from README.md - requirement; The project is about invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation rather than scripted outcomes. Commands, processes, packs, capab
- SWB-00054 from README.md - requirement; Dominium is the official game, product, and domain layer on top of Domino. It defines rules, process meaning, law targets, domain interpretation, authored content use, and product composition.
- SWB-00055 from README.md - requirement; Workbench is the richest operator environment for validation, evidence, inspection, and later editing workflows. It consumes the same contracts and services as other products; it is not an authority layer.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominium architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes authority_origin, law_profile_id, entitlements, epistemic_scope, and privilege_level.
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate

- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: **the referenced source** - Canon: **the referenced source** - Glossary: **the referenced source** - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | **the referenced source**/ | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen

- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat. Reliability rating: 4/5 for visible chat; lower for implied older context. Human-readability rating: 4/5. Aggregation-readiness rating: 4/5 with caveats. * Main uncertai*
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us

- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater

- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.

- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m

- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub - realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -

- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic `EndpointDescriptor` payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - `process.process_run_tick` already enforces `chem_max_process_run_evaluations_per_tick` and logs deterministic degrade deci
- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - `src/system/macro/macro_capsule_engine.py` - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - `src/meta/compile/compile_engine.py` - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block `op_sequence`. - RS-5 budget enforcement returns `'refusal.ctrl.ir_cost_exceeded'`
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry `extensions.control_ir_execution` context per compiled IR op: - `ir_id` - `verification_report_hash` - `op/block/action` mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - `control_ir` / `control_ir_block` / `control_ir_op` / `control_ir_verification_report` (1.0.0) - `control_decision_log` schema shape unchanged (`extensions` open-map used for IR meta)
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - `run_meta/control_decisions/{tick}.json` - collision fallback: `run_meta/control_decisions/{tick}.{decision_id}.json`
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (`extensions`) - refusal codes + refusal payload (`extensions`) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - `module:src/control` - `module:src/control/control_plane_engine.py` - `module:src/control/control_ir_validator.py` - `'module:src/control/control_decisio`

1.22 22. Prerequisites and Sequencing

- SWB-00036 from AGENTS.md - decision; - Use `.aide/context/latest-task-packet.md` as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in `.aide/memory/`; do not copy source AIDE memo
- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominion can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00001 from AGENTS.md - requirement; Future Series: Sigma-1, Sigma-2, Sigma-3, Sigma-4, Sigma-5, Phi, Upsilon, Zeta Replacement Target: none; later mirrors and machine-readable governance surfaces must derive from this file rather than compete with it Binding Sources: ‘the referenced sou
- SWB-00004 from AGENTS.md - requirement; - generated mirrors or vendor-specific instruction surfaces - the natural-language task bridge - the XStack task catalog - MCP exposure contracts - the final hardened agent safety policy

- SWB-00056 from README.md - requirement; AIDE and Codex are repo/control-plane harnesses and bounded patch execution surfaces. They help operate the repository; they do not replace canon, contracts, validation, or evidence.
- SWB-00067 from README.md - requirement; - **contracts/**: machine-readable, version-pinned, compatibility-sensitive law. - **content/**: authored packs, profiles, datasets, fixtures-as-content, assets,
- SWB-00068 from README.md - requirement; repo documentation. - **tests/**: contract, invariant, smoke, integration, fixture, and proof suites. - **tools/**: repo-only validation, packaging, migration, release, audit, and
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominion architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23665 from docs/canon/constitution_v1.md - requirement; 1. **the referenced source** 2. **the referenced source** 3. AGENTS.md (repo root) 4. Schema law under **schema/** and contract docs under **the referenced source/** 5. Architecture docs under **the referenced source/** 6. Roadm
- SWB-23675 from docs/canon/constitution_v1.md - requirement; - Budget pressure MAY defer/degrade/refuse. - Silent fallback is forbidden. - Degradation and refusal outcomes MUST be inspectable and auditable.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-37185 from docs/repo/FOUNDATION_LOCK.md - requirement; - Fast strict test tier. - Public surface registry. - API/ABI canon. - Dependency direction law. - Command/refusal/result surface law. - Diagnostic and evidence registry. - Artifact identity law. - Schema/protocol evolut
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominion Advanced Simulation and Infrastructure Architecture, Dominion APP0 Runtime, Platfo
- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation

- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-13950 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - source_context; | Surface | Current Role | Conversation-Derived Intent | Current Caution | | --- | --- | --- | --- | | Engine / Domino | Deterministic substrate | Reusable law-bound simulation foundation | Do not collapse into product U
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project
- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detec
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not

- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominion's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear

- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf
- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominium's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominium
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish

- SWB-09603 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Reusable the referenced source. - Background: Captured from visible chat architecture and prompt planning for Domino engine. - Current state: Architecture specified; Phase 1 ABI/API prompts gen
- SWB-09604 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - Label: FACT - Objective: Game-specific rules/products built on Domino. - Background: Captured from visible chat architecture and prompt planning for Dominion product/game layer. - Current state: Planned with headers/st
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct
- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominion as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all
- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana

- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-09925 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; The future relevance of this chat is high. It contains the conceptual seed for Dominium's engine architecture, world generation philosophy, lore premise, spawn economy, construction interface, anti-NPC automation stance,
- SWB-10023 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; 1. Domino should probably be the deterministic simulation/data core. 2. Unreal should not be assumed to own the authoritative universe. 3. Planets should be science-bounded procedural outputs, not arbitrary slider toys.
- SWB-10024 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md - decision; See DECISION-01 through DECISION-13. Strongest user-stated decisions: science-bounded procedural planets, robotic mothership premise, robot bodies, nanobot construction, automation over worker NPCs, mothership-limited fa
- SWB-10032 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md - decision; - Decision statuses were revised to distinguish user-stated directions from assistant recommendations. - Unreal and external data-source claims were moved to the verification queue rather than treated as stable facts. -
- SWB-10036 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md - decision; Do not treat assistant recommendations as user decisions unless the packet marks them as accepted. Do not reintroduce worker NPC labour, dense planet storage, or Unreal-as-authoritative-universe assumptions without expli
- SWB-10043 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; It summarises what the conversation covered, what was decided or merely recommended, what was deferred, what artifacts were created, what was checked in this packaging pass, and what should happen next. It uses these epi
- SWB-10048 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; The user then shifted the discussion from pure feasibility to the actual

game identity. The game became a **robotic seed-civilisation game**. In the fiction, humans launched a robotic mothership to another solar system.

- SWB-10062 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md - decision; This was one of the strongest design pivots. The user initially considered NPC workers because labour can create reasons for automation, but then decided that worker labour is expensive to compute and unnecessary for a r
- SWB-10107 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; - **FACT:** The user explicitly described procedural, science-bounded star/planet generation, robot player bodies, a mothership, physical spawn fabrication, nanobot/blueprint construction, finite mothership resources, an
- SWB-10125 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md - decision; The main gameplay result is that players spawn as robots. A new player enters through a physical spawn machine. The player may choose a robot form such as biped, quadruped, spider, tank-like chassis, or another body type
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the **referenced source**. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-03176 from docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md - decision; - Decision-log fingerprint baseline is stored at: - data/regression/control_decision_baseline.json - Baseline stores deterministic fingerprints only (no full logs). - Baseline updates require explicit commit tag: - 'CT
- SWB-03190 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX: - INV-CONTROL-PLANE-ONLY-DISPATCH - INV-NO-MODE-FLAGS - INV-DECISION-LOG-REQUIRED - AuditX: - E104_DIRECT_INTENT_BYPASS_SMELL updated for CTRL-1 allow paths - E111_INTENT_BYPASS_SMELL updated to envelo
- SWB-03192 from docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md - decision; - RepoX (STRICT): PASS - AuditX scan: RUN (artifacts regenerated under the **referenced source**/) - TestX (CTRL-1 targeted subset): PASS - test_control_resolution_deterministic - 'test_control_policy_blocks_forbidden__
- SWB-03245 from docs/archive/audit/CTRL0_RETRO_AUDIT.md - decision; - Audit Item: direct IntentEnvelope creation outside net ingress/tests; duplicate control dispatch - Paths: - src/client/interaction/interaction_dispatch.py - Subsystem: client interaction dispatch - Evidence: - 'build_i
- SWB-03256 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - the **referenced source**: A1, A2, A3, A4, A7, A10. - the **referenced source**: AuthorityContext, Determinism, Refusal, Capability, Epistemic Scope. - AGENTS.md: process-only mutation, no runtime mode flags, determinist
- SWB-03257 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; - Interaction gateway scan: - rg - n "build_control_intent\(|build_control_resolution\(" src tools -g "*.py"-rg -n "build_client_intent_envelope\(|_build_envelope\(" src tools -g "*.py" - Downgrade and decision-log
- SWB-03263 from docs/archive/audit/CTRL10_RETRO_AUDIT.md - decision; 1. Add control proof bundle artifact integration and include deterministic control decision hashes in lockstep composite anchors. 2. Add full control-plane regression lock artifact with explicit update-tag gate. 3. Exten

- SWB-03282 from docs/archive/audit/CTRL2_RETRO_AUDIT.md - decision; 1. Add Control IR schemas + CompatX registration. 2. Add deterministic static verifier (ops, block graph, entitlement/capability closure, bounded flow). 3. Add IR compiler that always routes emitted actions through contr
- SWB-03287 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/control/control_plane_engine.py - Current state: - Abstraction/view/fidelity downgrade decisions are computed inline in build_control_resolution. - Decision reasons exist (downgrade_reasons), but neg
- SWB-03288 from docs/archive/audit/CTRL3_RETRO_AUDIT.md - decision; - Paths: - src/inspection/inspection_engine.py (_resolve_fidelity, build_inspection_snapshot_artifact) - the referenced source (_execute_inspection_snapshot_process) - Current state: - Requested fidelity is dow
- SWB-03310 from docs/archive/audit/CTRL5_RETRO_AUDIT.md - decision; 1. Add canonical schemas for fidelity_request, fidelity_allocation, and budget_allocation_record + CompatX entries. 2. Implement src/control/fidelity/fidelity_engine.py with deterministic ordering, downgrade chai
- SWB-03335 from docs/archive/audit/CTRL8_RETRO_AUDIT.md - decision; - Ad hoc modifier scan: - rg -n "if .*damag|*=|multiplier|slow|blocked|degrad|visibility|smoke|flood|backlog" src tools - g "*.py" - Temporary state flag scan: - 'rg -n "temporary|temp_|movement_constraints|alarm_stat
- SWB-03341 from docs/archive/audit/CTRL8_RETRO_AUDIT.md - decision; 1. Add canonical effect contracts: - the referenced source - the referenced source - the referenced source - JSON schemas under schemas/. 2. Add deterministic registries: - 'data/registries/effect_type_registry.j
- SWB-03645 from docs/archive/audit/DIST_EXECUTION_PRECHECK.md - decision; - ARCH-AUDIT-2 completed its internal Omega scans and refused on the committed toolchain test profile registry stability markers. - CONVERGENCE-GATE-0 was not accepted as passing because it embeds the same validation lan
- SWB-03708 from docs/archive/audit/DOCS_AUDIT_PROMPT0.md - decision; - docs\\specs\\SPEC_AI_DECISION_TRACES.md ; STATUS=CURRENT ; Intent=see file header ; Relevance=assumed current ; Conflicts=terminology aligned via the referenced source ; Actions=none
- SWB-03891 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - src/client/ui/viewer_shell.py already states: - consumes_perceived_model_only - consumes_projection_and_lens_artifacts - explicit forbidden truth inputs - src/client/render/render_model_adapter.py builds 'Rende
- SWB-03893 from docs/archive/audit/EARTH4_RETRO_AUDIT.md - decision; - Viewer shell, map views, and inspection panels already have RepoX/AuditX guards against direct truth access. - The highest EARTH-4 risk surface is any shortcut that: - reaches into runtime state from renderer code - se
- SWB-03897 from docs/archive/audit/EARTH5_RETRO_AUDIT.md - decision; - src/client/ui/viewer_shell.py already builds sky_view_surface as a derived payload and passes only sky_view_artifact into the render contract. - src/client/render/render_model_adapter.py already extends 'Render

1.23 23. Recommended Next Steps

- SWB-00036 from AGENTS.md - decision; - Use .aide/context/latest-task-packet.md as the default compact AIDE task brief when a task explicitly opts into AIDE Lite context. - Keep target-specific project state in .aide/memory/; do not copy source AIDE memo
- SWB-23672 from docs/canon/constitution_v1.md - decision; - Truth is authoritative state. - Perception is a law/authority/lens-filtered projection. - Rendering is presentational only and MUST NOT mutate truth or enforce authority decisions.
- SWB-23678 from docs/canon/constitution_v1.md - decision; - Canonical commit key: (phase_id, task_id, sub_index). - Ordering decisions MUST be independent of hash-map iteration, pointer order, or thread completion order.

- SWB-37181 from docs/repo/FOUNDATION_LOCK.md - decision; Foundation Lock is the repository decision gate that determines whether Dominium can leave the Foundation Lock queue and begin a first narrow governed product slice.
- SWB-00018 from AGENTS.md - requirement; - respect explicit schema identity, version, stability, migration, and refusal obligations - do not perform silent migrations or compatibility reinterpretation - update contract-facing docs when behavior or compatibility
- SWB-00022 from AGENTS.md - requirement; - **planning**: sequencing, checkpoints, inventories, dependency maps, gates, and continuity work - **doctrine_spec**: normative constitutional, contract, or specification work - **governance**: agent, operator, instruction, r
- SWB-00068 from README.md - requirement; repo documentation. - **tests/**: contract, invariant, smoke, integration, fixture, and proof suites. - **tools/**: repo-only validation, packaging, migration, release, audit, and
- SWB-00082 from README.md - requirement; Old docs are retained for provenance, but canon, glossary, AGENTS, active contracts, current queue state, and reviewed audits outrank stale references.
- SWB-00087 from docs/README.md - requirement; - Current status: partially aligned to the Constitutional Architecture and release-freeze documentation set. - Required updates: documentation surface exists, but current canon ownership is not explicit - Cross-check wit
- SWB-00088 from docs/README.md - requirement; Normative contracts live under the **referenced source/** only. All other docs are guidance, reference, or historical context.
- SWB-23664 from docs/canon/constitution_v1.md - requirement; This document is the binding constitutional contract for Dominium architecture and execution. If any code, schema, tool, prompt, or documentation conflicts with this contract, this contract wins.
- SWB-23696 from docs/canon/glossary_v1.md - requirement; - Terms in this document are canonical and binding for contracts, schemas, code comments, and prompts. - Deprecated terms must not be introduced in new runtime logic. - If a term is undefined here, it must not be treated
- SWB-23703 from docs/canon/glossary_v1.md - requirement; The structured permission context required for all Process execution. Includes `authority_origin`, `law_profile_id`, `entitlements`, `epistemic_scope`, and `privilege_level`.
- SWB-37183 from docs/repo/FOUNDATION_LOCK.md - requirement; Foundation Lock means the governance spine exists, validates in required scope, is documented, and is integrated with the normal fast strict proof gate. It allows only narrow product slices that obey the public surface,
- SWB-13986 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - decision; 1. Keep this synthesis advisory and archive-scoped. 2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs. 3. Triage promotion candidates into ser
- SWB-15946 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - decision; - Advisory: yes - Current authority: no - Promotion status: not promoted - Use: design intent, review backlog, decision and promotion candidates - Non-use: canon, contract/schema, implementation, release, or queue overri
- SWB-13949 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate
- SWB-13951 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - requirement; - **architecture** (45 conversations): system boundaries, product shape, the referenced source, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture, Dominium APP0 Runtime, Platfo

- SWB-13987 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - requirement; - README.md describes Dominion as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. - the referenced source binds determinism, process-only mutation
- SWB-15950 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - requirement; Dominion's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversa
- SWB-13952 from docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - constraint; Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime,
- SWB-13985 from docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - constraint; The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.
- SWB-15951 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Project orientation: README.md - Documentation taxonomy: the referenced source - Canon: the referenced source - Glossary: the referenced source - Agent governance: AGENTS.md - Queue state: 'aide/queue/curren
- SWB-15952 from docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - constraint; - Read the docs corpus as a map. - Use archive material for provenance and review. - Use generated contradictions and promotion queues to plan later tasks. - Start later live-doc patches only through explicit narrow prom
- SWB-15945 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - explanation; - Conversation files represented: 761 - Generated conversation reports represented: 131 - Conversation export files represented: 10
- SWB-15947 from docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - source_context; | Surface | Role | | --- | --- | | the referenced source/ | **derived synthesis and project picture** | | the referenced source/ | decision docket | | the referenced source/** | promotion review backlog | | the reference
- SWB-15949 from docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - source_context; | Blocked Scope | Authority Source | Matching Docs Paths | Examples | Disposition | | --- | - -- | --- | --- | --- | | broad_workbench_ui | .aide/queue/current.toml | 1 | the referenced source | blocked_by_current_queue |
- SWB-15955 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | Decision ID | Source/Finding | Question | Decision Type | Risk | Recommended Default | | --- | --- | --- | --- | --- |
- SWB-15956 from docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - source_context; | DOC-DECIDE-BLOCK-0001 | queue | Should broad Workbench UI remain closed until a later queue phase explicitly opens it? | future_queue_decision | high | defer | | DOC-DECIDE-BLOCK-0002 | queue | Should renderer implemen
- SWB-09328 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project

- SWB-09344 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; This topic came up because the user needed Dominion to build across many Windows floors and historical toolchains without accidental capability drift. The chat discussed VS2022 as a host for older toolsets, v141/v141_xp,
- SWB-09345 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md - decision; The major build-system conclusion was that CMakePresets.json should not carry every human, host, IDE, renderer, OS floor, and release concern directly. The proposed design is contract-driven: define build tuples, detect
- SWB-09392 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md - decision; 1. User's canon: C89 engine, C++98 game, determinism, per-floor artifacts, no CRT mixing, no silent API creep. 2. Build complexity comes from many machines and historical toolchains. 3. More hand-written presets are not
- SWB-09396 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat.* Reliability rating: 4/5 for visible chat; lower for implied older context. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats. * Main uncertain
- SWB-09399 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md - decision; 1. context loaded, 2. top active priorities, 3. key constraints, 4. open questions, 5. contradictions or uncertainties, 6. recommended next action.
- SWB-09403 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; - Which recommendations are decisions versus advice? - Write the implementation prompt for public surface registry. - Write the implementation prompt for tuple-driven build contracts. - Verify the current repo state and
- SWB-09404 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md - decision; C89/C++98 canon, deterministic/no hidden behavior, per-floor artifacts, no CRT mixing, tuple-driven builds, public surface registry, replacement protocol, schema compatibility harness, and the warning that recommendation
- SWB-09405 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; **Chat label:** Dominion Build and Future-Proofing Architecture **Date anchor:** 2026-05-27 Australia/Melbourne **Scope:** This report covers the visible conversation and the preservation task that produced the accompany
- SWB-09411 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; The most important thing future readers must not lose is the distinction between **constraints**, **recommendations**, and **accepted canon**. The visible chat clearly establishes the user's desired direction and hard co
- SWB-09440 from docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md - decision; - never reuse numeric IDs; - never reuse deleted field IDs; - reserve deleted names/fields; - add fields rather than renumbering; - unknown fields round-trip unchanged; - old saves load or explicitly refuse with reason;
- SWB-09469 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; This report covers only this old chat and the previously generated context transfer packet visible in this chat. It is not a whole-project summary. Where Project context appears, it is labelled PROJECT-CONTEXT. Direct us
- SWB-09471 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md - decision; - Label: FACT / INFERENCE - Objective: Define celestial bodies, structures, regions, systems, and sites for gameplay across Earth, Sol, Milky Way, and universe scales without redundant simulation. - Background: The chat

- SWB-09481 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md - decision; - DECISION-01: Game operates across Earth, Sol, Milky Way, and universe scales. [FACT] - DECISION-02: Sol system receives maximum explicit detail. [FACT] - DECISION-03: Celestial content uses explicit/procedural/parametr
- SWB-09489 from docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md - decision; - Completeness rating: 4/5. - Reliability rating: 4/5 for user-stated design decisions; 2-3/5 for assistant-generated astronomy/constants/non-Earth names until verified. - Aggregation readiness rating: 4/5. - Main remain
- SWB-09494 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture I**, is a retired architecture/specification chat for the **Dominium Game** project. The visible thread is not a normal project-planning chat; it is primarily a long-running sp
- SWB-09496 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; Core decisions that must not be lost: Dominium's simulation core is intended to be deterministic and replay/lockstep safe; UTF-8 is canonical internally; retro ASCII/ANSI/SFN fallbacks are required for old platforms; sem
- SWB-09497 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md - decision; This chat also contains important risks. The visible context is only partial because many earlier messages are collapsed. Top-level docs, legal/policy docs, context MDs, cross-dependencies, volume specs, and possibly ear
- SWB-09512 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; This chat was a long architecture/specification-generation session for the Dominium Game project. It focused on turning a broad v3 game architecture into concrete, file-by-file .txt implementation specs for Codex autom
- SWB-09513 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md - decision; The visible chat generated many implementation-spec prompts across engine, platform, render, audio, systems, and the start of game. It also preserved important decisions: UTF-8 internal text, retro fallbacks, semantic ve
- SWB-09524 from docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md - decision; - Completeness rating: 3 / 5 - Reliability rating: 3.5 / 5 for explicit visible user decisions; 2.5 / 5 for skipped/generated artifact contents. - Aggregation readiness rating: 4 / 5 with caveats. - Main remaining uncert
- SWB-09536 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - FACT: This report covers only the visible content of the old chat labelled **Dominium Architecture II** and the already-produced Context Transfer Packet in that chat. - FACT: It should not be treated as a whole-Project
- SWB-09539 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Consolidate architecture and Codex-facing instructions into a coherent source of truth. - Background: The chat identified spec drift from earlier generated volumes and moved toward binding docs
- SWB-09540 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md - decision; - Label: FACT - Objective: Implement the deterministic C89 simulation kernel. - Background: The project identity is deterministic simulation across modern and retro systems. - Current state: Detailed V3 determinism mater
- SWB-09547 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md - decision; - DECISION-01: Use meter-based world coordinates with fixed substeps/Q16.16. - DECISION-02: Use strict sim/render separation. - DECISION-03: Adopt base-16 spatial ladder from subnano to surface. - DECISION-04: Store surf

- SWB-09556 from docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_06_verification_and_audit.md - decision; - If the actual repo files differ from the user-pasted tree. - If V4 docs were not applied or were edited afterward. - If another chat contains conflicting MVP/platform/data decisions. - If legal/licence text changes. -
- SWB-09560 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; This chat, labelled **Dominium Architecture III**, focused on Dominion's launcher, platform/render backend strategy, scripts, input bindings, support tiers, and handoff packaging. The user supplied the standing Dominion
- SWB-09565 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; The user finalized platform support tiers. Tier 1 targets Windows NT 2000 SP4 to latest, Mac OS X 10.6 to 10.14, and Linux 3.2 to current. Tier 2 adds Windows 98 SE to Me, Mac OS 9 to 9.2, Mac OS X 10.6 to 15.0, and Linu
- SWB-09571 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_01_full_chat_report.md - decision; - **Label:** FACT - **Objective:** Preserve the deterministic fixed-step simulation model and repo layering while launcher/platform/render work proceeds. - **Background:** Based on user-provided summaries of the referenc
- SWB-09577 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_05_reader_brief.md - decision; The user finalized platform support tiers: Tier 1 is Windows NT 2000 SP4-latest, Mac OS X 10.6-10.14, Linux 3.2-current; Tier 2 extends to Windows 98 SE-Me, Mac OS 9-9.2, Mac OS X 10.6-15.0, Linux 2.6.18-current; Tier 3
- SWB-09588 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - **Completeness rating:** 4/5 - **Reliability rating:** 4/5 for chat-internal decisions; 2/5 for external compatibility claims until verified. - **Aggregation readiness rating:** 4/5 with caveats. - ****Main remaining unc**
- SWB-09590 from docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_06_verification_and_audit.md - decision; - Re-extract if uploaded files are inspected and differ materially from prior summaries. - Re-extract if user confirms DX12 status. - Re-extract if user finalizes platform taxonomy. - Re-extract if Codex applies generate
- SWB-09597 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; The chat also captured major game architecture decisions. Core simulation should use integers and fixed-point, not floating-point; item/material inventory counts remain whole integers. The current fixed-point palette is
- SWB-09601 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - This report covers **only** the old chat labelled **Dominium Architecture IV**. - Items labelled **FACT** were explicitly stated in the visible chat or are visible artifacts generated in that chat. - Items labelled ****I**
- SWB-09602 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_01_full_chat_report.md - decision; - No final preferred scripting language or VM is established. Label: UNCERTAIN / UNVERIFIED. - No final manifest/schema file format is established. Label: UNCERTAIN / UNVERIFIED. - No final default UPS value is establish
- SWB-09612 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_05_reader_brief.md - decision; See Decision Register in full report. Highest priority: DECISION-03, DECISION-05, DECISION-07, DECISION-08, DECISION-12, DECISION-19, DECISION-28.
- SWB-09621 from docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_06_verification_and_audit.md - decision; - If another old chat contains conflicting phase order or ABI decisions. - If actual repo state substantially differs from planned layout. - If user confirms/changes schema format, scripting VM, default UPS, or construct

- SWB-09630 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The user then reframed the issue around engineering quality: they wanted the code to be portable, modular, extensible, reusable for other games on the same Domino engine, reusable for different engine or game projects, a
- SWB-09634 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The final major turn shifted from "does it align?" to "what practices should we follow to make it robust for decades?" The user asked for broad and deep guidance on portability, modularity, extensibility, structure, file
- SWB-09636 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md - decision; The old v1 contract established the original architecture language: Domino as deterministic C89 engine, Dominium as C++98 game layer, applications as product surfaces, and XStack as governance. It came up because the use
- SWB-09682 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; - Marked access as partial rather than full. - Added a verification item for current physical layout vs converged-layout docs. - Kept assistant portability doctrine as recommendation/inference unless clearly accepted. -
- SWB-09683 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md - decision; *Completeness rating: 4/5 for visible chat; lower for inaccessible prior hidden context.* Reliability rating: 4/5 with explicit caveats. *Human-readability rating: 4/5.* Aggregation-readiness rating: 4/5 with caveats
- SWB-09689 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md - decision; - 00_manifest: package index and caveats. - 01_human_readable_report: main explanation. - 02_context_transfer_packet: handoff for future chat. - 03_spec_sheet: YAML-style structured summary. - 04_registers: wor
- SWB-09715 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; The following were assistant recommendations. They should not be treated as binding project decisions unless the user or repo canon later adopts them:
- SWB-09748 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; This file summarizes the entire conversation in a more direct, narrative style and explains what was discussed, decided, suggested, deferred, and left open.
- SWB-09773 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - decision; 18. What are the biggest ways a future assistant might misunderstand this conversation? 19. Which refactors are dangerous before build/test proof? 20. Which items are still assistant suggestions rather than user decision
- SWB-09777 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md - decision; 1. Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md - direct narrative explanation of the whole conversation. 2. 'Dominium_Canon_Portability_Audit__01_human_readable_report.m
- SWB-09782 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. read and understand this entire old chat without rereading the transcript, 2. understand what we discussed and why, 3. understand what decisions were made and why, 4. understand what changed over time, 5. preserve all

- SWB-09783 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; Most important requirement: Produce a HUMAN-READABLE explanatory report first. Do not give me only a machine-readable handoff, YAML file, manifest, register dump, or file list. I need a clear, intuitive, detailed explana
- SWB-09790 from docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt - decision; 1. Do not invent facts. 2. Do not silently infer. 3. Do not turn brainstorm into decisions. 4. Do not treat assistant suggestions as user decisions unless the user clearly accepted them. 5. Preserve tentative status whe
- SWB-09918 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; This preservation is based on the visible chat plus the uploaded preservation prompt. The prompt explicitly requested a human-readable report first, then structured registers, a spec sheet, an aggregator packet, a self-a
- SWB-09923 from docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md - decision; Gameplay, as discussed, centres on players spawning as robots from physical fabrication machines. They can choose body shapes such as biped, quadruped, spider, or tank-like forms. New spawn points are created by building
- SWB-02337 from docs/archive/STATUS_NOW.md - decision; - This snapshot predates the final v0.0.0 scope freeze and should be read alongside the referenced source. - The DEFERRED list no longer cleanly matches implemented MVP systems; use the release lock and current audit
- SWB-02456 from docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md - decision; - Event processing order is deterministic: (tick, peer_id, module_id, sequence, event_type). - anti_cheat_event.deterministic_fingerprint and action fingerprints are canonical-hash based. - Enforcement action selecti
- SWB-02536 from docs/archive/audit/APPSHELL_IPC_BASELINE.md - decision; If negotiation chooses compat.read_only, APPSHELL-4 restricts the attached session to a read-only command allowlist and logs the downgraded mode.
- SWB-02577 from docs/archive/audit/ARCHIVE_POLICY_BASELINE.md - decision; - Declared mirrors: mirror.cold_storage.default, mirror.primary.default, mirror.secondary.default - Required policy: primary plus secondary mirror, with offline cold storage recommended. - Provider binding: none; mirror
- SWB-02627 from docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md - decision; - must-fix for v0.0.0: truth-path determinism hazards that can be removed with local ordering or arithmetic refactors and no semantic drift. - acceptable provisional: reserved for items that cannot be removed without
- SWB-02670 from docs/archive/audit/AUDITX_BASELINE_REPORT.md - decision; - By recommended action: ADD_RULE=543, ADD_TEST=431, DOC_FIX=606, RETIRE=80 - By status: OPEN=1660 - Dominant analyzer domains: A3_CANON_DRIFT=605, A6_UI_PARITY_BYPASS=185, A4_SCHEMA_USAGE=160, 'A7_LEGACY
- SWB-02688 from docs/archive/audit/BASELINE_UNIVERSEO_RETRO_AUDIT.md - decision; - Existing frozen inputs still include previously declared stub-labelled identities: - gen.v0_stub-realism.realistic_default_milkyway_stub - Omega-2 introduces no new provisional or stub-only truth-critical surfaces. -
- SWB-02826 from docs/archive/audit/CAP_NEGOTIATION_BASELINE.md - decision; - Endpoints publish deterministic EndpointDescriptor payloads. - Negotiation chooses the highest mutually supported protocol version. - Semantic contract categories prefer exact matches, then highest common versions. -
- SWB-02878 from docs/archive/audit/CHEM4_RETRO_AUDIT.md - decision; 1. Reaction/process evaluation loops are budget-capped but stress-envelope tooling is missing. - process.process_run_tick already enforces chem_max_process_run_evaluations_per_tick and logs deterministic degrade deci

- SWB-03044 from docs/archive/audit/COMPUTE_BUDGET_BASELINE.md - decision; - SYS: - src/system/macro/macro_capsule_engine.py - requests compute units per capsule eval and emits compute decision/consumption outputs - COMPILE: - src/meta/compile/compile_engine.py - requests compute units for
- SWB-03147 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Compiler consumes verified IR and emits ordered control-plane resolutions. - Deterministic op ordering follows block traversal + per-block op_sequence. - RS-5 budget enforcement returns 'refusal.ctrl.ir_cost_exceeded
- SWB-03149 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Control-plane decision logs now carry extensions.control_ir_execution context per compiled IR op: - ir_id - verification_report_hash - op/block/action mapping fields - Replay reconstruction support added via: - ‘
- SWB-03151 from docs/archive/audit/CONTROL_IR_BASELINE.md - decision; - Added/active schema contracts: - control_ir / control_ir_block / control_ir_op / control_ir_verification_report (1.0.0) - control_decision_log schema shape unchanged (extensions open-map used for IR metad
- SWB-03154 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; Status: BASELINE Last Updated: 2026-03-01 Scope: CTRL-3 Negotiation Kernel + Decision Log formalization
- SWB-03160 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - run_meta/control_decisions/{tick}.json - collision fallback: run_meta/control_decisions/{tick}.{decision_id}.json
- SWB-03161 from docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md - decision; - negotiation input/resolved vectors - downgrade IDs + structured downgrade entries (extensions) - refusal codes + refusal payload (extensions) - deterministic fingerprint and stable decision ID - emitted IDs for intents
- SWB-03169 from docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md - decision; - Topology planning updated for upcoming control subsystem nodes: - module:src/control - module:src/control/control_plane_engine.py - module:src/control/control_ir_validator.py - ‘module:src/control/control_decisio

Status: DERIVED

Last Reviewed: 2026-05-30

Supersedes: none

Superseded By: none

Stability: provisional

Authority Class: advisory_synthesis

Source Root: docs/

Conversation Corpus Root: docs/archive/conversations/

Promotion Status: not_promoted

Canon impact: unchanged

Contract/schema impact: unchanged

Implementation impact: unchanged

Release impact: unchanged

Queue impact: unchanged

Chapter 2

Source Map Index

- SWB-00001 - AGENTS.md - chapter 1; main; requirement
- SWB-00002 - AGENTS.md - chapter 1; main; roadmap
- SWB-00003 - AGENTS.md - chapter 1; main; constraint
- SWB-00004 - AGENTS.md - chapter 1; main; requirement
- SWB-00005 - AGENTS.md - chapter 1; reference_only; requirement
- SWB-00006 - AGENTS.md - chapter 1; reference_only; explanation
- SWB-00007 - AGENTS.md - chapter 1; main; design_goal
- SWB-00008 - AGENTS.md - chapter 1; main; contradiction
- SWB-00009 - AGENTS.md - chapter 1; main; explanation
- SWB-00010 - AGENTS.md - chapter 1; reference_only; requirement
- SWB-00011 - AGENTS.md - chapter 1; main; prohibition
- SWB-00012 - AGENTS.md - chapter 1; main; design_goal
- SWB-00013 - AGENTS.md - chapter 1; main; requirement
- SWB-00014 - AGENTS.md - chapter 1; main; requirement
- SWB-00015 - AGENTS.md - chapter 1; main; requirement
- SWB-00016 - AGENTS.md - chapter 1; main; requirement
- SWB-00017 - AGENTS.md - chapter 1; main; explanation
- SWB-00018 - AGENTS.md - chapter 1; main; requirement
- SWB-00019 - AGENTS.md - chapter 1; main; requirement
- SWB-00020 - AGENTS.md - chapter 1; main; explanation
- SWB-00021 - AGENTS.md - chapter 1; main; requirement
- SWB-00022 - AGENTS.md - chapter 1; main; requirement
- SWB-00023 - AGENTS.md - chapter 1; main; design_goal
- SWB-00024 - AGENTS.md - chapter 1; main; design_goal

- SWB-00025 - AGENTS.md - chapter 1; main; design_goal
- SWB-00026 - AGENTS.md - chapter 1; main; requirement
- SWB-00027 - AGENTS.md - chapter 1; main; requirement
- SWB-00028 - AGENTS.md - chapter 1; reference_only; requirement
- SWB-00029 - AGENTS.md - chapter 1; main; requirement
- SWB-00030 - AGENTS.md - chapter 1; main; rationale
- SWB-00031 - AGENTS.md - chapter 1; main; design_goal
- SWB-00032 - AGENTS.md - chapter 1; reference_only; requirement
- SWB-00033 - AGENTS.md - chapter 1; main; prohibition
- SWB-00034 - AGENTS.md - chapter 1; main; requirement
- SWB-00035 - AGENTS.md - chapter 1; main; contradiction
- SWB-00036 - AGENTS.md - chapter 1; main; decision
- SWB-00037 - AGENTS.md - chapter 1; main; explanation
- SWB-00038 - AGENTS.md - chapter 1; main; explanation
- SWB-00039 - AGENTS.md - chapter 1; main; prerequisite
- SWB-00040 - AGENTS.md - chapter 1; main; prerequisite
- SWB-00041 - AGENTS.md - chapter 1; reference_only; constraint
- SWB-00042 - AGENTS.md - chapter 1; reference_only; contradiction
- SWB-00043 - AGENTS.md - chapter 1; main; requirement
- SWB-00044 - AGENTS.md - chapter 1; main; constraint
- SWB-00045 - README.md - chapter 1; main; requirement
- SWB-00046 - README.md - chapter 1; main; requirement
- SWB-00047 - README.md - chapter 1; main; explanation
- SWB-00048 - README.md - chapter 1; main; constraint
- SWB-00049 - README.md - chapter 1; reference_only; explanation
- SWB-00050 - README.md - chapter 1; main; constraint
- SWB-00051 - README.md - chapter 1; main; explanation
- SWB-00052 - README.md - chapter 1; main; constraint
- SWB-00053 - README.md - chapter 1; main; explanation
- SWB-00054 - README.md - chapter 1; main; requirement
- SWB-00055 - README.md - chapter 1; main; requirement
- SWB-00056 - README.md - chapter 1; main; requirement
- SWB-00057 - README.md - chapter 1; main; explanation
- SWB-00058 - README.md - chapter 1; main; risk

- SWB-00059 - README.md - chapter 1; reference_only; explanation
- SWB-00060 - README.md - chapter 1; main; requirement
- SWB-00061 - README.md - chapter 1; main; requirement
- SWB-00062 - README.md - chapter 1; reference_only; requirement
- SWB-00063 - README.md - chapter 1; main; explanation
- SWB-00064 - README.md - chapter 1; reference_only; explanation
- SWB-00065 - README.md - chapter 1; main; roadmap
- SWB-00066 - README.md - chapter 1; main; explanation
- SWB-00067 - README.md - chapter 1; main; requirement
- SWB-00068 - README.md - chapter 1; main; requirement
- SWB-00069 - README.md - chapter 1; main; requirement
- SWB-00070 - README.md - chapter 1; reference_only; explanation
- SWB-00071 - README.md - chapter 1; main; prohibition
- SWB-00072 - README.md - chapter 1; main; explanation
- SWB-00073 - README.md - chapter 1; main; design_goal
- SWB-00074 - README.md - chapter 1; main; requirement
- SWB-00075 - README.md - chapter 1; main; explanation
- SWB-00076 - README.md - chapter 1; reference_only; requirement
- SWB-00077 - README.md - chapter 1; main; requirement
- SWB-00078 - README.md - chapter 1; excluded_duplicate; explanation
- SWB-00079 - README.md - chapter 1; reference_only; explanation
- SWB-00080 - README.md - chapter 1; reference_only; requirement
- SWB-00081 - README.md - chapter 1; main; constraint
- SWB-00082 - README.md - chapter 1; main; requirement
- SWB-00083 - README.md - chapter 1; main; prerequisite
- SWB-00084 - README.md - chapter 1; main; design_goal
- SWB-00085 - README.md - chapter 1; main; requirement
- SWB-00086 - docs/README.md - chapter 1; main; constraint
- SWB-00087 - docs/README.md - chapter 1; main; requirement
- SWB-00088 - docs/README.md - chapter 1; main; requirement
- SWB-00089 - docs/README.md - chapter 1; main; prohibition
- SWB-00090 - docs/README.md - chapter 1; excluded_duplicate; explanation
- SWB-00091 - docs/README.md - chapter 1; main; design_goal
- SWB-00092 - docs/README.md - chapter 1; reference_only; requirement

- SWB-00093 - docs/apps/ARTIFACT_IDENTITY.md - chapter 1; excerpt; roadmap
- SWB-00094 - docs/apps/ARTIFACT_IDENTITY.md - chapter 1; excerpt; explanation
- SWB-00095 - docs/apps/ARTIFACT_IDENTITY.md - chapter 1; excerpt; requirement
- SWB-00096 - docs/apps/ARTIFACT_IDENTITY.md - chapter 4; excerpt; requirement
- SWB-00097 - docs/apps/ARTIFACT_IDENTITY.md - chapter 4; excerpt; prohibition
- SWB-00098 - docs/apps/CLIENT_IDE_START_POINTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00099 - docs/apps/CLIENT_IDE_START_POINTS.md - chapter 1; excerpt; explanation
- SWB-00100 - docs/apps/CLIENT_IDE_START_POINTS.md - chapter 1; excerpt; constraint
- SWB-00101 - docs/apps/CLIENT_READONLY_INTEGRATION.md - chapter 1; excluded_duplicate; roadmap
- SWB-00102 - docs/apps/CLIENT_READONLY_INTEGRATION.md - chapter 1; excerpt; explanation
- SWB-00103 - docs/apps/CLIENT_READONLY_INTEGRATION.md - chapter 1; excerpt; explanation
- SWB-00104 - docs/apps/CLIENT_READONLY_INTEGRATION.md - chapter 1; excerpt; explanation
- SWB-00105 - docs/apps/CLIENT_RENDERER_UI.md - chapter 11; excluded_duplicate; roadmap
- SWB-00106 - docs/apps/CLIENT_RENDERER_UI.md - chapter 11; excerpt; explanation
- SWB-00107 - docs/apps/CLIENT_UI_LAYER.md - chapter 11; excluded_duplicate; roadmap
- SWB-00108 - docs/apps/CLIENT_UI_LAYER.md - chapter 11; excerpt; explanation
- SWB-00109 - docs/apps/CLIENT_UI_LAYER.md - chapter 11; excerpt; explanation
- SWB-00110 - docs/apps/CLI_CONTRACTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00111 - docs/apps/CLI_CONTRACTS.md - chapter 3; excerpt; requirement
- SWB-00112 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; prerequisite
- SWB-00113 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; requirement
- SWB-00114 - docs/apps/CLI_CONTRACTS.md - chapter 4; excerpt; requirement
- SWB-00115 - docs/apps/CLI_CONTRACTS.md - chapter 1; excluded_duplicate; requirement
- SWB-00116 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00117 - docs/apps/CLI_CONTRACTS.md - chapter 4; excerpt; requirement
- SWB-00118 - docs/apps/CLI_CONTRACTS.md - chapter 3; excerpt; explanation
- SWB-00119 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00120 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00121 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00122 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00123 - docs/apps/CLI_CONTRACTS.md - chapter 1; excerpt; explanation
- SWB-00124 - docs/apps/CLI_CONTRACTS.md - chapter 4; excluded_duplicate; requirement
- SWB-00125 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00126 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excerpt; requirement

- SWB-00127 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excerpt; requirement
- SWB-00128 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excluded_duplicate; requirement
- SWB-00129 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excluded_duplicate; requirement
- SWB-00130 - docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md - chapter 1; excerpt; explanation
- SWB-00131 - docs/apps/COMPATIBILITY_ENFORCEMENT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00132 - docs/apps/COMPATIBILITY_ENFORCEMENT.md - chapter 4; excerpt; constraint
- SWB-00133 - docs/apps/COMPATIBILITY_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00134 - docs/apps/COMPATIBILITY_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00135 - docs/apps/COMPATIBILITY_ENFORCEMENT.md - chapter 4; excerpt; prohibition
- SWB-00136 - docs/apps/ENGINE_GAME_DIAGNOSTICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00137 - docs/apps/ENGINE_GAME_DIAGNOSTICS.md - chapter 1; excerpt; prohibition
- SWB-00138 - docs/apps/ENGINE_GAME_DIAGNOSTICS.md - chapter 1; excerpt; explanation
- SWB-00139 - docs/apps/GUI_MODE.md - chapter 11; excluded_duplicate; roadmap
- SWB-00140 - docs/apps/GUI_MODE.md - chapter 11; excerpt; explanation
- SWB-00141 - docs/apps/GUI_MODE.md - chapter 11; excerpt; requirement
- SWB-00142 - docs/apps/HEADLESS_AND_ZERO_PACK.md - chapter 1; excluded_duplicate; roadmap
- SWB-00143 - docs/apps/HEADLESS_AND_ZERO_PACK.md - chapter 4; excerpt; requirement
- SWB-00144 - docs/apps/HEADLESS_AND_ZERO_PACK.md - chapter 1; excerpt; explanation
- SWB-00145 - docs/apps/HEADLESS_AND_ZERO_PACK.md - chapter 1; excerpt; explanation
- SWB-00146 - docs/apps/IDE_WORKFLOW.md - chapter 1; excluded_duplicate; roadmap
- SWB-00147 - docs/apps/IDE_WORKFLOW.md - chapter 1; excerpt; explanation
- SWB-00148 - docs/apps/IDE_WORKFLOW.md - chapter 1; excerpt; explanation
- SWB-00149 - docs/apps/IDE_WORKFLOW.md - chapter 4; excerpt; explanation
- SWB-00150 - docs/apps/IDE_WORKFLOW.md - chapter 1; excerpt; explanation
- SWB-00151 - docs/apps/NATIVE_UI_POLICY.md - chapter 11; excluded_duplicate; roadmap
- SWB-00152 - docs/apps/NATIVE_UI_POLICY.md - chapter 11; excerpt; requirement
- SWB-00153 - docs/apps/NATIVE_UI_POLICY.md - chapter 11; excerpt; requirement
- SWB-00154 - docs/apps/NATIVE_UI_POLICY.md - chapter 11; excerpt; explanation
- SWB-00155 - docs/apps/OBSERVABILITY_PIPELINES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00156 - docs/apps/OBSERVABILITY_PIPELINES.md - chapter 1; excerpt; explanation
- SWB-00157 - docs/apps/OBSERVABILITY_PIPELINES.md - chapter 1; excerpt; explanation
- SWB-00158 - docs/apps/OBSERVABILITY_PIPELINES.md - chapter 1; excerpt; constraint
- SWB-00159 - docs/apps/OBSERVABILITY_PIPELINES.md - chapter 4; excerpt; explanation

- SWB-00160 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 1; excluded_duplicate; constraint
- SWB-00161 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 1; excerpt; explanation
- SWB-00162 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 1; excerpt; decision
- SWB-00163 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 1; excerpt; explanation
- SWB-00164 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 1; excerpt; explanation
- SWB-00165 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 4; excerpt; prerequisite
- SWB-00166 - docs/apps/PRODUCT_BOUNDARIES.md - chapter 3; excerpt; requirement
- SWB-00167 - docs/apps/README.md - chapter 1; excerpt; roadmap
- SWB-00168 - docs/apps/README.md - chapter 1; excerpt; contradiction
- SWB-00169 - docs/apps/README.md - chapter 1; excerpt; requirement
- SWB-00170 - docs/apps/README.md - chapter 1; excerpt; requirement
- SWB-00171 - docs/apps/README.md - chapter 1; excerpt; explanation
- SWB-00172 - docs/apps/README.md - chapter 4; excerpt; explanation
- SWB-00173 - docs/apps/READONLY_ADAPTER.md - chapter 1; excluded_duplicate; roadmap
- SWB-00174 - docs/apps/READONLY_ADAPTER.md - chapter 4; excerpt; constraint
- SWB-00175 - docs/apps/READONLY_ADAPTER.md - chapter 4; excerpt; requirement
- SWB-00176 - docs/apps/READONLY_ADAPTER.md - chapter 4; excerpt; explanation
- SWB-00177 - docs/apps/RUNTIME_LOOP.md - chapter 1; excluded_duplicate; roadmap
- SWB-00178 - docs/apps/RUNTIME_LOOP.md - chapter 1; excerpt; explanation
- SWB-00179 - docs/apps/RUNTIME_LOOP.md - chapter 1; excerpt; constraint
- SWB-00180 - docs/apps/RUNTIME_LOOP.md - chapter 1; excerpt; constraint
- SWB-00181 - docs/apps/RUNTIME_LOOP.md - chapter 1; excerpt; explanation
- SWB-00182 - docs/apps/RUNTIME_LOOP.md - chapter 1; excerpt; explanation
- SWB-00183 - docs/apps/TESTX_COMPLIANCE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00184 - docs/apps/TESTX_COMPLIANCE.md - chapter 1; excerpt; requirement
- SWB-00185 - docs/apps/TESTX_COMPLIANCE.md - chapter 1; excerpt; requirement
- SWB-00186 - docs/apps/TESTX_COMPLIANCE.md - chapter 3; excerpt; explanation
- SWB-00187 - docs/apps/TIMING_AND_CLOCKS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00188 - docs/apps/TIMING_AND_CLOCKS.md - chapter 1; excerpt; explanation
- SWB-00189 - docs/apps/TIMING_AND_CLOCKS.md - chapter 1; excerpt; explanation
- SWB-00190 - docs/apps/TIMING_AND_CLOCKS.md - chapter 1; excerpt; explanation
- SWB-00191 - docs/apps/TIMING_AND_CLOCKS.md - chapter 1; excerpt; explanation
- SWB-00192 - docs/apps/TIMING_AND_CLOCKS.md - chapter 3; excerpt; explanation
- SWB-00193 - docs/apps/TOOLS_OBSERVABILITY.md - chapter 1; excluded_duplicate; roadmap

- SWB-00194 - docs/apps/TOOLS_OBSERVABILITY.md - chapter 4; excerpt; explanation
- SWB-00195 - docs/apps/TOOLS_OBSERVABILITY.md - chapter 1; excerpt; explanation
- SWB-00196 - docs/apps/TOOLS_OBSERVABILITY.md - chapter 4; excerpt; decision
- SWB-00197 - docs/apps/TOOLS_UI_POLICY.md - chapter 11; excluded_duplicate; roadmap
- SWB-00198 - docs/apps/TOOLS_UI_POLICY.md - chapter 11; excerpt; requirement
- SWB-00199 - docs/apps/TOOLS_UI_POLICY.md - chapter 11; excerpt; explanation
- SWB-00200 - docs/apps/TUI_MODE.md - chapter 11; excluded_duplicate; roadmap
- SWB-00201 - docs/apps/TUI_MODE.md - chapter 11; excerpt; prohibition
- SWB-00202 - docs/apps/TUI_MODE.md - chapter 11; excerpt; explanation
- SWB-00203 - docs/apps/TUI_MODE.md - chapter 11; excerpt; explanation
- SWB-00204 - docs/apps/TUI_MODE.md - chapter 11; excerpt; requirement
- SWB-00205 - docs/apps/UI_MODES.md - chapter 11; excerpt; requirement
- SWB-00206 - docs/apps/UI_MODES.md - chapter 11; excerpt; explanation
- SWB-00207 - docs/apps/UI_MODES.md - chapter 11; excerpt; explanation
- SWB-00208 - docs/apps/UI_MODES.md - chapter 11; excerpt; explanation
- SWB-00209 - docs/apps/UI_MODES.md - chapter 11; excerpt; explanation
- SWB-00210 - docs/apps/UI_MODES.md - chapter 11; excerpt; explanation
- SWB-00211 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excluded_duplicate; roadmap
- SWB-00212 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excerpt; explanation
- SWB-00213 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excerpt; explanation
- SWB-00214 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excerpt; requirement
- SWB-00215 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excerpt; decision
- SWB-00216 - docs/apps/client/CLIENT_COMMAND_GRAPH.md - chapter 1; excerpt; explanation
- SWB-00217 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excluded_duplicate; roadmap
- SWB-00218 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excerpt; explanation
- SWB-00219 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excluded_duplicate; explanation
- SWB-00220 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excerpt; explanation
- SWB-00221 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excerpt; explanation
- SWB-00222 - docs/apps/client/CLIENT_FLOW.md - chapter 1; excerpt; prohibition
- SWB-00223 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00224 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excluded_duplicate; explanation
- SWB-00225 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; explanation
- SWB-00226 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; prerequisite

- SWB-00227 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; requirement
- SWB-00228 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; explanation
- SWB-00229 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; requirement
- SWB-00230 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excerpt; explanation
- SWB-00231 - docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md - chapter 1; excluded_duplicate; explanation
- SWB-00232 - docs/apps/client/CLIENT_SETTINGS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00233 - docs/apps/client/CLIENT_SETTINGS.md - chapter 1; excluded_duplicate; explanation
- SWB-00234 - docs/apps/client/CLIENT_UI_AND_FLOW.md - chapter 11; excluded_duplicate; roadmap
- SWB-00235 - docs/apps/client/CLIENT_UI_AND_FLOW.md - chapter 11; excerpt; explanation
- SWB-00236 - docs/apps/client/CLIENT_UI_AND_FLOW.md - chapter 11; excerpt; prohibition
- SWB-00237 - docs/apps/client/CLIENT_UI_AND_FLOW.md - chapter 11; excerpt; constraint
- SWB-00238 - docs/apps/client/CLIENT_UI_AND_FLOW.md - chapter 11; excerpt; explanation
- SWB-00239 - docs/apps/client/CLI_TUI_GUI_PARITY.md - chapter 11; excluded_duplicate; roadmap
- SWB-00240 - docs/apps/client/CLI_TUI_GUI_PARITY.md - chapter 11; excerpt; explanation
- SWB-00241 - docs/apps/client/CLI_TUI_GUI_PARITY.md - chapter 11; excluded_duplicate; explanation
- SWB-00242 - docs/apps/client/CLI_TUI_GUI_PARITY.md - chapter 11; excerpt; explanation
- SWB-00243 - docs/apps/client/CLI_TUI_GUI_PARITY.md - chapter 11; excerpt; explanation
- SWB-00244 - docs/apps/client/SERVER_DISCOVERY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00245 - docs/apps/client/SERVER_DISCOVERY.md - chapter 1; excerpt; explanation
- SWB-00246 - docs/apps/client/SERVER_DISCOVERY.md - chapter 1; excluded_duplicate; explanation
- SWB-00247 - docs/apps/client/SERVER_DISCOVERY.md - chapter 1; excerpt; explanation
- SWB-00248 - docs/apps/client/SESSION_READY_AND_RUNNING.md - chapter 1; excluded_duplicate; roadmap
- SWB-00249 - docs/apps/client/SESSION_READY_AND_RUNNING.md - chapter 1; excluded_duplicate; explanation
- SWB-00250 - docs/apps/client/SESSION_READY_AND_RUNNING.md - chapter 1; excerpt; requirement
- SWB-00251 - docs/apps/client/SESSION_READY_AND_RUNNING.md - chapter 1; excerpt; requirement
- SWB-00252 - docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00253 - docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md - chapter 1; excerpt; prerequisite
- SWB-00254 - docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md - chapter 1; excerpt; design_goal
- SWB-00255 - docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md - chapter 1; excerpt; requirement
- SWB-00256 - docs/apps/client/SESSION_TRANSITION_WORKSPACE.md - chapter 1; excluded_duplicate; roadmap

- SWB-00257 - docs/apps/client/SESSION_TRANSITION_WORKSPACE.md - chapter 1; excerpt; explanation
- SWB-00258 - docs/apps/client/SESSION_TRANSITION_WORKSPACE.md - chapter 1; excerpt; requirement
- SWB-00259 - docs/apps/client/SESSION_TRANSITION_WORKSPACE.md - chapter 1; excerpt; risk
- SWB-00260 - docs/apps/client/SESSION_TRANSITION_WORKSPACE.md - chapter 1; excerpt; explanation
- SWB-00261 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excluded_duplicate; roadmap
- SWB-00262 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excerpt; design_goal
- SWB-00263 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excluded_duplicate; requirement
- SWB-00264 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excluded_duplicate; explanation
- SWB-00265 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excerpt; explanation
- SWB-00266 - docs/apps/client/WORLD_MANAGER.md - chapter 1; excerpt; explanation
- SWB-00267 - docs/apps/launcher/LAUNCHER_SETTINGS.md - chapter 10; excluded_duplicate; constraint
- SWB-00268 - docs/apps/launcher/LAUNCHER_SETTINGS.md - chapter 10; excluded_duplicate; requirement
- SWB-00269 - docs/apps/launcher/LAUNCHER_SETTINGS.md - chapter 10; excerpt; constraint
- SWB-00270 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00271 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; requirement
- SWB-00272 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00273 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00274 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; roadmap
- SWB-00275 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; design_goal
- SWB-00276 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00277 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00278 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00279 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excluded_duplicate; requirement
- SWB-00280 - docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md - chapter 1; excerpt; explanation
- SWB-00281 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00282 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; design_goal
- SWB-00283 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; requirement
- SWB-00284 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; design_goal
- SWB-00285 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; decision
- SWB-00286 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; explanation
- SWB-00287 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; prohibition
- SWB-00288 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excluded_duplicate; requirement
- SWB-00289 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; design_goal

- SWB-00290 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; requirement
- SWB-00291 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excluded_duplicate; requirement
- SWB-00292 - docs/apps/server/SERVER_MVP_BASELINE.md - chapter 1; excerpt; requirement
- SWB-00293 - docs/apps/server/SERVER_SETTINGS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00294 - docs/apps/server/SERVER_SETTINGS.md - chapter 1; excerpt; requirement
- SWB-00295 - docs/apps/setup/SETUP_SETTINGS.md - chapter 10; excluded_duplicate; constraint
- SWB-00296 - docs/apps/setup/SETUP_SETTINGS.md - chapter 10; excluded_duplicate; requirement
- SWB-00297 - docs/apps/setup/SETUP_SETTINGS.md - chapter 10; excluded_duplicate; explanation
- SWB-00298 - docs/architecture/ADAPTER_PATTERN.md - chapter 1; excluded_duplicate; roadmap
- SWB-00299 - docs/architecture/ADAPTER_PATTERN.md - chapter 1; excerpt; explanation
- SWB-00300 - docs/architecture/ADAPTER_PATTERN.md - chapter 1; excerpt; requirement
- SWB-00301 - docs/architecture/ADAPTER_PATTERN.md - chapter 1; excerpt; requirement
- SWB-00302 - docs/architecture/ADAPTER_PATTERN.md - chapter 4; excerpt; requirement
- SWB-00303 - docs/architecture/ADAPTER_PATTERN.md - chapter 4; excerpt; explanation
- SWB-00304 - docs/architecture/ADAPTER_PATTERN.md - chapter 1; excerpt; constraint
- SWB-00305 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00306 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 1; excerpt; constraint
- SWB-00307 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 4; excerpt; explanation
- SWB-00308 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 1; excerpt; explanation
- SWB-00309 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 3; excerpt; explanation
- SWB-00310 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 1; excerpt; requirement
- SWB-00311 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 1; excerpt; requirement
- SWB-00312 - docs/architecture/ADOPTION_PROTOCOL.md - chapter 3; excerpt; explanation
- SWB-00313 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00314 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; requirement
- SWB-00315 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; decision
- SWB-00316 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 4; excerpt; design_goal
- SWB-00317 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 4; excerpt; explanation
- SWB-00318 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; explanation
- SWB-00319 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00320 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; decision
- SWB-00321 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; risk
- SWB-00322 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 2; excerpt; explanation

- SWB-00323 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 4; excerpt; constraint
- SWB-00324 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 3; excerpt; design_goal
- SWB-00325 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 1; excerpt; decision
- SWB-00326 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 3; excerpt; explanation
- SWB-00327 - docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00328 - docs/architecture/AI_BUDGET_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00329 - docs/architecture/AI_BUDGET_MODEL.md - chapter 4; excerpt; design_goal
- SWB-00330 - docs/architecture/AI_BUDGET_MODEL.md - chapter 1; excerpt; requirement
- SWB-00331 - docs/architecture/AI_BUDGET_MODEL.md - chapter 1; excerpt; requirement
- SWB-00332 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00333 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; design_goal
- SWB-00334 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; risk
- SWB-00335 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; design_goal
- SWB-00336 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; explanation
- SWB-00337 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; explanation
- SWB-00338 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; design_goal
- SWB-00339 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; explanation
- SWB-00340 - docs/architecture/AI_INTENT_MODEL.md - chapter 1; excerpt; requirement
- SWB-00341 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excluded_duplicate; roadmap
- SWB-00342 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excerpt; design_goal
- SWB-00343 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excerpt; design_goal
- SWB-00344 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excerpt; requirement
- SWB-00345 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excerpt; explanation
- SWB-00346 - docs/architecture/ANTI_CHEAT_AS_LAW.md - chapter 1; excerpt; requirement
- SWB-00347 - docs/architecture/ANTI_ENTROPY_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00348 - docs/architecture/ANTI_ENTROPY_RULES.md - chapter 2; excerpt; prohibition
- SWB-00349 - docs/architecture/APPLICATION_CONTRACTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00350 - docs/architecture/APPLICATION_CONTRACTS.md - chapter 1; excerpt; design_goal
- SWB-00351 - docs/architecture/APPLICATION_CONTRACTS.md - chapter 3; excerpt; explanation
- SWB-00352 - docs/architecture/APPLICATION_CONTRACTS.md - chapter 4; excerpt; requirement
- SWB-00353 - docs/architecture/APP_AUTOMATION_MODEL.md - chapter 1; excerpt; roadmap
- SWB-00354 - docs/architecture/APP_AUTOMATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00355 - docs/architecture/APP_CANONO.md - chapter 1; excluded_duplicate; roadmap

- SWB-00356 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; requirement
- SWB-00357 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; requirement
- SWB-00358 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; explanation
- SWB-00359 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; explanation
- SWB-00360 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; requirement
- SWB-00361 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; requirement
- SWB-00362 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; prohibition
- SWB-00363 - docs/architecture/APP_CANONO.md - chapter 1; excerpt; explanation
- SWB-00364 - docs/architecture/APP_CANON1.md - chapter 1; excluded_duplicate; roadmap
- SWB-00365 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; requirement
- SWB-00366 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; risk
- SWB-00367 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; explanation
- SWB-00368 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; risk
- SWB-00369 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; explanation
- SWB-00370 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; prohibition
- SWB-00371 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; requirement
- SWB-00372 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; constraint
- SWB-00373 - docs/architecture/APP_CANON1.md - chapter 1; excerpt; contradiction
- SWB-00374 - docs/architecture/ARCHO_CONSTITUTION.md - chapter 1; excluded_duplicate; roadmap
- SWB-00375 - docs/architecture/ARCHITECTURE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00376 - docs/architecture/ARCHITECTURE.md - chapter 4; excerpt; requirement
- SWB-00377 - docs/architecture/ARCHITECTURE.md - chapter 1; excerpt; explanation
- SWB-00378 - docs/architecture/ARCHITECTURE.md - chapter 1; excerpt; requirement
- SWB-00379 - docs/architecture/ARCHITECTURE.md - chapter 1; excerpt; explanation
- SWB-00380 - docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md - chapter 4; excerpt; roadmap
- SWB-00381 - docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md - chapter 1; excerpt; requirement
- SWB-00382 - docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md - chapter 1; excerpt; requirement
- SWB-00383 - docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md - chapter 1; excerpt; unresolved_question
- SWB-00384 - docs/architecture/ARCHITECTURE_LAYERS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00385 - docs/architecture/ARCHITECTURE_LAYERS.md - chapter 1; excerpt; requirement
- SWB-00386 - docs/architecture/ARCHITECTURE_LAYERS.md - chapter 1; excerpt; requirement
- SWB-00387 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00388 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 2; excerpt; explanation
- SWB-00389 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 2; excerpt; explanation

- SWB-00390 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 1; excerpt; requirement
- SWB-00391 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 1; excerpt; prohibition
- SWB-00392 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 1; excerpt; requirement
- SWB-00393 - docs/architecture/ARCHIVAL_AND_PERMANENCE.md - chapter 1; excerpt; requirement
- SWB-00394 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excluded_duplicate; roadmap
- SWB-00395 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00396 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; prohibition
- SWB-00397 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00398 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; explanation
- SWB-00399 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00400 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; constraint
- SWB-00401 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; explanation
- SWB-00402 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; explanation
- SWB-00403 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00404 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00405 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; requirement
- SWB-00406 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; explanation
- SWB-00407 - docs/architecture/ARCH_BUILD_ENFORCEMENT.md - chapter 11; excerpt; explanation
- SWB-00408 - docs/architecture/ARCH_CHANGE_PROCESS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00409 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00410 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00411 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00412 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00413 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00414 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00415 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00416 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00417 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00418 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00419 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; contradiction
- SWB-00420 - docs/architecture/ARCH_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00421 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; roadmap
- SWB-00422 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; explanation
- SWB-00423 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; requirement

- SWB-00424 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; roadmap
- SWB-00425 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; design_goal
- SWB-00426 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; explanation
- SWB-00427 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; explanation
- SWB-00428 - docs/architecture/ARCH_REPO_LAYOUT.md - chapter 1; excerpt; constraint
- SWB-00429 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 1; excluded_duplicate; roadmap
- SWB-00430 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 1; excerpt; explanation
- SWB-00431 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 1; excerpt; requirement
- SWB-00432 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 1; excerpt; requirement
- SWB-00433 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 4; excerpt; explanation
- SWB-00434 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 4; excerpt; prohibition
- SWB-00435 - docs/architecture/ARCH_SPEC_OWNERSHIP.md - chapter 4; excerpt; constraint
- SWB-00436 - docs/architecture/ARTIFACT_LIFECYCLE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00437 - docs/architecture/ARTIFACT_LIFECYCLE.md - chapter 1; excerpt; explanation
- SWB-00438 - docs/architecture/ARTIFACT_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00439 - docs/architecture/ARTIFACT_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00440 - docs/architecture/ARTIFACT_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00441 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00442 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excerpt; constraint
- SWB-00443 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excerpt; requirement
- SWB-00444 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00445 - docs/architecture/ARTIFACT_MODEL.md - chapter 3; excerpt; requirement
- SWB-00446 - docs/architecture/ARTIFACT_MODEL.md - chapter 4; excerpt; requirement
- SWB-00447 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excerpt; explanation
- SWB-00448 - docs/architecture/ARTIFACT_MODEL.md - chapter 3; excerpt; requirement
- SWB-00449 - docs/architecture/ARTIFACT_MODEL.md - chapter 1; excerpt; contradiction
- SWB-00450 - docs/architecture/ARTIFACT_MODEL.md - chapter 4; excluded_duplicate; requirement
- SWB-00451 - docs/architecture/ARTIFACT_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00452 - docs/architecture/AUDITABILITY_AND_DISCLOSURE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00453 - docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00454 - docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00455 - docs/architecture/AUTHORITY_IN_REALITY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00456 - docs/architecture/AUTHORITY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00457 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; constraint

- SWB-00458 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; explanation
- SWB-00459 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00460 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00461 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00462 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00463 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00464 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 1; excerpt; rationale
- SWB-00465 - docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md - chapter 4; excerpt; requirement
- SWB-00466 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00467 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; contradiction
- SWB-00468 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; design_goal
- SWB-00469 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00470 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 4; excerpt; requirement
- SWB-00471 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 4; excerpt; requirement
- SWB-00472 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; requirement
- SWB-00473 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 3; excerpt; design_goal
- SWB-00474 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; constraint
- SWB-00475 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00476 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; explanation
- SWB-00477 - docs/architecture/BOUNDARY_ENFORCEMENT.md - chapter 1; excerpt; constraint
- SWB-00478 - docs/architecture/BUDGET_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00479 - docs/architecture/BUDGET_POLICY.md - chapter 3; excerpt; explanation
- SWB-00480 - docs/architecture/BUDGET_POLICY.md - chapter 4; excluded_duplicate; requirement
- SWB-00481 - docs/architecture/BUDGET_POLICY.md - chapter 4; excluded_duplicate; explanation
- SWB-00482 - docs/architecture/BUDGET_POLICY.md - chapter 4; excluded_duplicate; explanation
- SWB-00483 - docs/architecture/BUDGET_POLICY.md - chapter 3; excerpt; explanation
- SWB-00484 - docs/architecture/BUDGET_POLICY.md - chapter 1; excerpt; requirement
- SWB-00485 - docs/architecture/BUDGET_POLICY.md - chapter 1; excerpt; requirement
- SWB-00486 - docs/architecture/BUDGET_POLICY.md - chapter 4; excerpt; requirement
- SWB-00487 - docs/architecture/BUDGET_POLICY.md - chapter 1; excerpt; requirement
- SWB-00488 - docs/architecture/BUDGET_POLICY.md - chapter 4; excluded_duplicate; explanation
- SWB-00489 - docs/architecture/BUGREPORT_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00490 - docs/architecture/BUGREPORT_MODEL.md - chapter 4; excerpt; design_goal
- SWB-00491 - docs/architecture/BUGREPORT_MODEL.md - chapter 1; excerpt; explanation

- SWB-00492 - docs/architecture/BUGREPORT_MODEL.md - chapter 1; excerpt; requirement
- SWB-00493 - docs/architecture/BUGREPORT_MODEL.md - chapter 3; excerpt; explanation
- SWB-00494 - docs/architecture/BUGREPORT_MODEL.md - chapter 1; excerpt; requirement
- SWB-00495 - docs/architecture/BUGREPORT_MODEL.md - chapter 3; excerpt; requirement
- SWB-00496 - docs/architecture/BUGREPORT_MODEL.md - chapter 1; excerpt; explanation
- SWB-00497 - docs/architecture/BUILD_IDENTITY_MODEL.md - chapter 11; excerpt; roadmap
- SWB-00498 - docs/architecture/BUILD_IDENTITY_MODEL.md - chapter 11; excerpt; requirement
- SWB-00499 - docs/architecture/BUILD_IDENTITY_MODEL.md - chapter 11; excerpt; explanation
- SWB-00500 - docs/architecture/CANONICAL_SYSTEM_MAP.md - chapter 1; excluded_duplicate; roadmap
- SWB-00501 - docs/architecture/CANONICAL_SYSTEM_MAP.md - chapter 1; reference_only; requirement
- SWB-00502 - docs/architecture/CANONICAL_SYSTEM_MAP.md - chapter 1; reference_only; explanation
- SWB-00503 - docs/architecture/CANONICAL_SYSTEM_MAP.md - chapter 1; reference_only; explanation
- SWB-00504 - docs/architecture/CANON_CUT_LINE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00505 - docs/architecture/CANON_INDEX.md - chapter 1; excluded_duplicate; roadmap
- SWB-00506 - docs/architecture/CANON_INDEX.md - chapter 1; excerpt; requirement
- SWB-00507 - docs/architecture/CANON_INDEX.md - chapter 1; excerpt; explanation
- SWB-00508 - docs/architecture/CANON_INDEX.md - chapter 1; excluded_duplicate; explanation
- SWB-00509 - docs/architecture/CAPABILITY_BASELINES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00510 - docs/architecture/CAPABILITY_ONLY_CANON.md - chapter 1; excluded_duplicate; roadmap
- SWB-00511 - docs/architecture/CAPABILITY_ONLY_CANON.md - chapter 1; excerpt; requirement
- SWB-00512 - docs/architecture/CAPABILITY_ONLY_CANON.md - chapter 1; excerpt; requirement
- SWB-00513 - docs/architecture/CAPABILITY_ONLY_CANON.md - chapter 1; excerpt; requirement
- SWB-00514 - docs/architecture/CAPABILITY_ONLY_CANON.md - chapter 1; excerpt; requirement
- SWB-00515 - docs/architecture/CHANGELOG_ARCH.md - chapter 1; excluded_duplicate; roadmap
- SWB-00516 - docs/architecture/CHANGELOG_ARCH.md - chapter 1; excerpt; design_goal
- SWB-00517 - docs/architecture/CHANGELOG_ARCH.md - chapter 4; excerpt; requirement
- SWB-00518 - docs/architecture/CHANGELOG_ARCH.md - chapter 2; excerpt; explanation
- SWB-00519 - docs/architecture/CHANGELOG_ARCH.md - chapter 1; excerpt; requirement
- SWB-00520 - docs/architecture/CHANGELOG_ARCH.md - chapter 1; excerpt; explanation
- SWB-00521 - docs/architecture/CHANGELOG_ARCH.md - chapter 1; excerpt; requirement
- SWB-00522 - docs/architecture/CHANGE_PROTOCOL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00523 - docs/architecture/CHANGE_PROTOCOL.md - chapter 4; excerpt; requirement
- SWB-00524 - docs/architecture/CHANGE_PROTOCOL.md - chapter 1; excerpt; requirement
- SWB-00525 - docs/architecture/CHANGE_PROTOCOL.md - chapter 4; excerpt; requirement

- SWB-00526 - docs/architecture/CHANGE_PROTOCOL.md - chapter 1; excerpt; requirement
- SWB-00527 - docs/architecture/CHEATS_ARE_JUST_LAWS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00528 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00529 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 3; excerpt; explanation
- SWB-00530 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 1; excerpt; explanation
- SWB-00531 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 1; excerpt; explanation
- SWB-00532 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 4; excerpt; rationale
- SWB-00533 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 4; excerpt; prerequisite
- SWB-00534 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 1; excerpt; requirement
- SWB-00535 - docs/architecture/CHECKPOINTING_MODEL.md - chapter 3; excerpt; explanation
- SWB-00536 - docs/architecture/CHECKPOINTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00537 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; requirement
- SWB-00538 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; requirement
- SWB-00539 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; explanation
- SWB-00540 - docs/architecture/CHECKPOINTS.md - chapter 1; excluded_duplicate; requirement
- SWB-00541 - docs/architecture/CHECKPOINTS.md - chapter 2; excerpt; explanation
- SWB-00542 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; explanation
- SWB-00543 - docs/architecture/CHECKPOINTS.md - chapter 2; excerpt; explanation
- SWB-00544 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; design_goal
- SWB-00545 - docs/architecture/CHECKPOINTS.md - chapter 1; excerpt; design_goal
- SWB-00546 - docs/architecture/CIVILIZATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00547 - docs/architecture/CODE_DATA_BOUNDARY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00548 - docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00549 - docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md - chapter 4; excerpt; requirement
- SWB-00550 - docs/architecture/COLLAPSE_AND_DECAY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00551 - docs/architecture/COLLAPSE_EXPAND_CONTRACT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00552 - docs/architecture/COLLAPSE_EXPAND_SOLVERS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00553 - docs/architecture/COLLAPSE_EXPAND_SOLVERS.md - chapter 1; excerpt; explanation
- SWB-00554 - docs/architecture/COLLAPSE_EXPAND_SOLVERS.md - chapter 1; excerpt; requirement
- SWB-00555 - docs/architecture/COLLAPSE_EXPAND_SOLVERS.md - chapter 3; excerpt; requirement
- SWB-00556 - docs/architecture/COLLAPSE_EXPAND_SOLVERS.md - chapter 1; excerpt; requirement
- SWB-00557 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00558 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 4; excerpt; requirement
- SWB-00559 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excerpt; source_context

- SWB-00560 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 4; excerpt; decision
- SWB-00561 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excerpt; explanation
- SWB-00562 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excerpt; requirement
- SWB-00563 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 4; excerpt; requirement
- SWB-00564 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 3; excerpt; explanation
- SWB-00565 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excerpt; requirement
- SWB-00566 - docs/architecture/COMPATIBILITY_MODEL.md - chapter 1; excerpt; requirement
- SWB-00567 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00568 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 1; excerpt; requirement
- SWB-00569 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 1; excerpt; requirement
- SWB-00570 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 2; excerpt; requirement
- SWB-00571 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 1; excerpt; requirement
- SWB-00572 - docs/architecture/COMPLEXITY_AND_SCALE.md - chapter 2; excluded_duplicate; explanation
- SWB-00573 - docs/architecture/COMPONENTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00574 - docs/architecture/COMPONENTS.md - chapter 1; excerpt; explanation
- SWB-00575 - docs/architecture/COMPONENTS.md - chapter 4; excerpt; explanation
- SWB-00576 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00577 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excerpt; constraint
- SWB-00578 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excerpt; contradiction
- SWB-00579 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excerpt; contradiction
- SWB-00580 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excerpt; contradiction
- SWB-00581 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 3; excerpt; requirement
- SWB-00582 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 1; excerpt; explanation
- SWB-00583 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 3; excerpt; contradiction
- SWB-00584 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 3; excerpt; contradiction
- SWB-00585 - docs/architecture/CONFLICT_AND_WAR_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00586 - docs/architecture/CONSTANT_COST_GUARANTEE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00587 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00588 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00589 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 3; excerpt; constraint
- SWB-00590 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excerpt; prohibition
- SWB-00591 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 3; excerpt; requirement
- SWB-00592 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00593 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excerpt; requirement

- SWB-00594 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00595 - docs/architecture/CONTENT_AND_STORAGE_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00596 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; excluded_duplicate; roadmap
- SWB-00597 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00598 - docs/architecture/CONTRACTS_INDEX.md - chapter 4; main; source_context
- SWB-00599 - docs/architecture/CONTRACTS_INDEX.md - chapter 4; main; source_context
- SWB-00600 - docs/architecture/CONTRACTS_INDEX.md - chapter 2; main; source_context
- SWB-00601 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00602 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00603 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00604 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00605 - docs/architecture/CONTRACTS_INDEX.md - chapter 1; main; source_context
- SWB-00606 - docs/architecture/CONTRACTS_INDEX.md - chapter 2; main; source_context
- SWB-00607 - docs/architecture/CONTRACTS_INDEX.md - chapter 3; main; source_context
- SWB-00608 - docs/architecture/CONTRACTS_INDEX.md - chapter 4; excluded_duplicate; explanation
- SWB-00609 - docs/architecture/CONTRACTS_INDEX.md - chapter 4; excluded_duplicate; explanation
- SWB-00610 - docs/architecture/CONTROL_LAYERS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00611 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; constraint
- SWB-00612 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 3; excerpt; contradiction
- SWB-00613 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00614 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00615 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 3; excerpt; constraint
- SWB-00616 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; contradiction
- SWB-00617 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 3; excerpt; rationale
- SWB-00618 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 2; excerpt; requirement
- SWB-00619 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 3; excerpt; requirement
- SWB-00620 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00621 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00622 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00623 - docs/architecture/CORE_ABSTRACTIONS.md - chapter 1; excerpt; requirement
- SWB-00624 - docs/architecture/CRASH_RECOVERY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00625 - docs/architecture/CRASH_RECOVERY.md - chapter 4; excerpt; explanation
- SWB-00626 - docs/architecture/CRASH_RECOVERY.md - chapter 3; excerpt; explanation

- SWB-00627 - docs/architecture/CRASH_RECOVERY.md - chapter 4; excerpt; requirement
- SWB-00628 - docs/architecture/CRASH_RECOVERY.md - chapter 1; excerpt; requirement
- SWB-00629 - docs/architecture/CRASH_RECOVERY.md - chapter 4; excerpt; explanation
- SWB-00630 - docs/architecture/CROSS_SHARD_LOG.md - chapter 1; excluded_duplicate; roadmap
- SWB-00631 - docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md - chapter 1; excerpt; explanation
- SWB-00632 - docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md - chapter 1; excerpt; explanation
- SWB-00633 - docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md - chapter 1; excerpt; explanation
- SWB-00634 - docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md - chapter 4; excerpt; constraint
- SWB-00635 - docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md - chapter 4; excerpt; constraint
- SWB-00636 - docs/architecture/DEATH_AND_CONTINUITY.md - chapter 11; excluded_duplicate; roadmap
- SWB-00637 - docs/architecture/DECAY_EROSION_REGEN.md - chapter 1; excluded_duplicate; roadmap
- SWB-00638 - docs/architecture/DECAY_EROSION_REGEN.md - chapter 3; excerpt; explanation
- SWB-00639 - docs/architecture/DECAY_EROSION_REGEN.md - chapter 1; excerpt; explanation
- SWB-00640 - docs/architecture/DECAY_EROSION_REGEN.md - chapter 4; excerpt; explanation
- SWB-00641 - docs/architecture/DEMO_AND_TOURIST_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00642 - docs/architecture/DEPRECATION_AND_QUARANTINE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00643 - docs/architecture/DEPRECATION_AND_QUARANTINE.md - chapter 1; excerpt; requirement
- SWB-00644 - docs/architecture/DEPRECATION_AND_QUARANTINE.md - chapter 1; excerpt; requirement
- SWB-00645 - docs/architecture/DEPRECATION_AND_QUARANTINE.md - chapter 3; excerpt; constraint
- SWB-00646 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00647 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00648 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00649 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00650 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00651 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00652 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 3; excerpt; contradiction
- SWB-00653 - docs/architecture/DEPRECATION_LIFECYCLE.md - chapter 1; excerpt; requirement
- SWB-00654 - docs/architecture/DETERMINISTIC_ORDERING_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00655 - docs/architecture/DETERMINISTIC_ORDERING_POLICY.md - chapter 3; excluded_duplicate; explanation
- SWB-00656 - docs/architecture/DETERMINISTIC_REDUCTION_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00657 - docs/architecture/DEV_OPS_MODEL.md - chapter 1; excerpt; roadmap
- SWB-00658 - docs/architecture/DEV_OPS_MODEL.md - chapter 4; excerpt; requirement

- SWB-00659 - docs/architecture/DIRECTORY_CONTEXT.md - chapter 1; excerpt; roadmap
- SWB-00660 - docs/architecture/DIRECTORY_CONTEXT.md - chapter 1; excluded_duplicate; explanation
- SWB-00661 - docs/architecture/DIRECTORY_CONTEXT.md - chapter 1; excluded_duplicate; requirement
- SWB-00662 - docs/architecture/DIRECTORY_CONTEXT.md - chapter 1; excerpt; design_goal
- SWB-00663 - docs/architecture/DIRECTORY_CONTEXT.md - chapter 1; excerpt; requirement
- SWB-00664 - docs/architecture/DIRECTORY_STRUCTURE.md - chapter 1; excerpt; roadmap
- SWB-00665 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00666 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 4; excerpt; constraint
- SWB-00667 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 4; excerpt; decision
- SWB-00668 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 3; excerpt; requirement
- SWB-00669 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 3; excerpt; requirement
- SWB-00670 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 2; excerpt; prohibition
- SWB-00671 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00672 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00673 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00674 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 3; excerpt; requirement
- SWB-00675 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 4; excerpt; explanation
- SWB-00676 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00677 - docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00678 - docs/architecture/DISTRIBUTED_TIME_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00679 - docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00680 - docs/architecture/DISTRIBUTION_LAYOUT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00681 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00682 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; requirement
- SWB-00683 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; requirement
- SWB-00684 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; constraint
- SWB-00685 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; explanation
- SWB-00686 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; explanation
- SWB-00687 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 4; excerpt; explanation
- SWB-00688 - docs/architecture/DISTRIBUTION_PROFILES.md - chapter 1; excerpt; explanation
- SWB-00689 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excluded_duplicate; roadmap
- SWB-00690 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; requirement
- SWB-00691 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; requirement

- SWB-00692 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; requirement
- SWB-00693 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; explanation
- SWB-00694 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; explanation
- SWB-00695 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; requirement
- SWB-00696 - docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md - chapter 1; excerpt; explanation
- SWB-00697 - docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md - chapter 1; excluded_duplicate; roadmap
- SWB-00698 - docs/architecture/DOMAIN_VOLUMES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00699 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00700 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 1; excerpt; explanation
- SWB-00701 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 1; excerpt; explanation
- SWB-00702 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 4; excerpt; explanation
- SWB-00703 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 4; excerpt; explanation
- SWB-00704 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 4; excerpt; explanation
- SWB-00705 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 4; excerpt; rationale
- SWB-00706 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 1; excerpt; design_goal
- SWB-00707 - docs/architecture/DUPLICATION_DETECTION_RULES.md - chapter 3; excerpt; constraint
- SWB-00708 - docs/architecture/ECONOMIC_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00709 - docs/architecture/ECONOMIC_MODEL.md - chapter 2; excerpt; constraint
- SWB-00710 - docs/architecture/ECONOMIC_MODEL.md - chapter 2; excerpt; risk
- SWB-00711 - docs/architecture/ECONOMIC_MODEL.md - chapter 1; excerpt; explanation
- SWB-00712 - docs/architecture/ECONOMIC_MODEL.md - chapter 2; excerpt; explanation
- SWB-00713 - docs/architecture/ECONOMIC_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00714 - docs/architecture/ECONOMIC_MODEL.md - chapter 1; excerpt; explanation
- SWB-00715 - docs/architecture/ECONOMIC_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00716 - docs/architecture/ECONOMIC_MODEL.md - chapter 1; excerpt; requirement
- SWB-00717 - docs/architecture/ECONOMIC_MODEL.md - chapter 4; excerpt; risk
- SWB-00718 - docs/architecture/ECONOMIC_MODEL.md - chapter 3; excerpt; explanation
- SWB-00719 - docs/architecture/ECONOMIC_MODEL.md - chapter 1; excerpt; explanation
- SWB-00720 - docs/architecture/ECONOMIC_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00721 - docs/architecture/ECONOMY_AND_LOGISTICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00722 - docs/architecture/ENERGY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00723 - docs/architecture/ENERGY_MODEL.md - chapter 1; excerpt; prohibition
- SWB-00724 - docs/architecture/ENERGY_MODEL.md - chapter 4; excerpt; constraint

- SWB-00725 - docs/architecture/ENERGY_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00726 - docs/architecture/ENERGY_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00727 - docs/architecture/ENERGY_MODEL.md - chapter 3; excerpt; requirement
- SWB-00728 - docs/architecture/ENERGY_MODEL.md - chapter 1; excerpt; explanation
- SWB-00729 - docs/architecture/ENERGY_MODEL.md - chapter 4; excerpt; explanation
- SWB-00730 - docs/architecture/ENERGY_MODEL.md - chapter 1; excerpt; requirement
- SWB-00731 - docs/architecture/ENERGY_MODEL.md - chapter 3; excerpt; explanation
- SWB-00732 - docs/architecture/ENERGY_MODEL.md - chapter 3; excerpt; requirement
- SWB-00733 - docs/architecture/ENERGY_MODEL.md - chapter 2; excerpt; explanation
- SWB-00734 - docs/architecture/ENERGY_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00735 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 1; excluded_duplicate; roadmap
- SWB-00736 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 3; excerpt; constraint
- SWB-00737 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 1; excerpt; requirement
- SWB-00738 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 2; excerpt; explanation
- SWB-00739 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 1; excerpt; requirement
- SWB-00740 - docs/architecture/ENFORCEMENT_ESCALATION.md - chapter 1; excerpt; requirement
- SWB-00741 - docs/architecture/EPISTEMICS_AND_SCALED_MM0.md - chapter 1; excluded_duplicate; roadmap
- SWB-00742 - docs/architecture/EPISTEMICS_AND_SCALED_MM0.md - chapter 2; excerpt; requirement
- SWB-00743 - docs/architecture/EPISTEMICS_AND_SCALED_MM0.md - chapter 2; excluded_duplicate; explanation
- SWB-00744 - docs/architecture/EPISTEMICS_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00745 - docs/architecture/EPISTEMICS_MODEL.md - chapter 4; excerpt; constraint
- SWB-00746 - docs/architecture/EPISTEMICS_MODEL.md - chapter 2; excerpt; explanation
- SWB-00747 - docs/architecture/EPISTEMICS_MODEL.md - chapter 1; excerpt; constraint
- SWB-00748 - docs/architecture/EPISTEMICS_MODEL.md - chapter 2; excerpt; explanation
- SWB-00749 - docs/architecture/EPISTEMICS_MODEL.md - chapter 1; excerpt; requirement
- SWB-00750 - docs/architecture/EPISTEMICS_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00751 - docs/architecture/EXECUTION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00752 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00753 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 1; excerpt; constraint
- SWB-00754 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; explanation
- SWB-00755 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; decision
- SWB-00756 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; requirement
- SWB-00757 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; explanation

- SWB-00758 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 4; excerpt; requirement
- SWB-00759 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; explanation
- SWB-00760 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 1; excerpt; requirement
- SWB-00761 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; requirement
- SWB-00762 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; contradiction
- SWB-00763 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 4; excerpt; requirement
- SWB-00764 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 4; excerpt; requirement
- SWB-00765 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 4; excerpt; explanation
- SWB-00766 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 4; excerpt; explanation
- SWB-00767 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 3; excerpt; explanation
- SWB-00768 - docs/architecture/EXECUTION_REORDERING_POLICY.md - chapter 1; excerpt; explanation
- SWB-00769 - docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00770 - docs/architecture/EXISTENCE_AND_REALITY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00771 - docs/architecture/EXISTENCE_LIFECYCLE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00772 - docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00773 - docs/architecture/EXPLORATION_METRICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00774 - docs/architecture/EXPLORATION_METRICS.md - chapter 4; excerpt; constraint
- SWB-00775 - docs/architecture/EXPLORATION_METRICS.md - chapter 3; excerpt; prohibition
- SWB-00776 - docs/architecture/EXPLORATION_METRICS.md - chapter 1; excerpt; explanation
- SWB-00777 - docs/architecture/EXPLORATION_METRICS.md - chapter 2; excerpt; explanation
- SWB-00778 - docs/architecture/EXPLORATION_METRICS.md - chapter 2; excerpt; explanation
- SWB-00779 - docs/architecture/EXPLORATION_METRICS.md - chapter 1; excerpt; explanation
- SWB-00780 - docs/architecture/EXPLORATION_METRICS.md - chapter 1; excluded_duplicate; explanation
- SWB-00781 - docs/architecture/EXPLORATION_METRICS.md - chapter 4; excerpt; explanation
- SWB-00782 - docs/architecture/EXPLORATION_METRICS.md - chapter 2; excerpt; explanation
- SWB-00783 - docs/architecture/EXPLORATION_METRICS.md - chapter 1; excerpt; explanation
- SWB-00784 - docs/architecture/EXPLORATION_METRICS.md - chapter 2; excerpt; explanation
- SWB-00785 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 1; excluded_duplicate; roadmap
- SWB-00786 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 3; excerpt; constraint
- SWB-00787 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 2; excerpt; requirement
- SWB-00788 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 4; excerpt; requirement
- SWB-00789 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 3; excerpt; prohibition
- SWB-00790 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 2; excerpt; prohibition
- SWB-00791 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 1; excerpt; explanation

- SWB-00792 - docs/architecture/EXPLORATION_SCALING_PROOF.md - chapter 3; excerpt; constraint
- SWB-00793 - docs/architecture/EXTEND_VS_CREATE.md - chapter 1; excluded_duplicate; roadmap
- SWB-00794 - docs/architecture/EXTENSION_MAP.md - chapter 1; excluded_duplicate; roadmap
- SWB-00795 - docs/architecture/EXTENSION_MAP.md - chapter 1; excerpt; design_goal
- SWB-00796 - docs/architecture/EXTENSION_MAP.md - chapter 1; excerpt; requirement
- SWB-00797 - docs/architecture/EXTENSION_MAP.md - chapter 1; excerpt; explanation
- SWB-00798 - docs/architecture/EXTENSION_MAP.md - chapter 1; excerpt; requirement
- SWB-00799 - docs/architecture/EXTENSION_MAP.md - chapter 4; excluded_duplicate; explanation
- SWB-00800 - docs/architecture/EXTENSION_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00801 - docs/architecture/FABRICATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00802 - docs/architecture/FLOAT_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00803 - docs/architecture/FLOAT_POLICY.md - chapter 3; excerpt; requirement
- SWB-00804 - docs/architecture/FLOAT_POLICY.md - chapter 1; excerpt; explanation
- SWB-00805 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 1; excerpt; constraint
- SWB-00806 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 3; excerpt; explanation
- SWB-00807 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 4; excerpt; requirement
- SWB-00808 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 1; excerpt; roadmap
- SWB-00809 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 1; excerpt; explanation
- SWB-00810 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 2; excerpt; requirement
- SWB-00811 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 3; excerpt; explanation
- SWB-00812 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 1; excluded_duplicate; explanation
- SWB-00813 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 1; excerpt; requirement
- SWB-00814 - docs/architecture/FLOWSYSTEM_STANDARD.md - chapter 3; excerpt; requirement
- SWB-00815 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excluded_duplicate; roadmap
- SWB-00816 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00817 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00818 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; constraint
- SWB-00819 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00820 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; requirement
- SWB-00821 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00822 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; requirement
- SWB-00823 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00824 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00825 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation

- SWB-00826 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; requirement
- SWB-00827 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excerpt; explanation
- SWB-00828 - docs/architecture/FLUIDS_MODEL.md - chapter 11; excluded_duplicate; explanation
- SWB-00829 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00830 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 3; excerpt; constraint
- SWB-00831 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excerpt; explanation
- SWB-00832 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 1; excerpt; constraint
- SWB-00833 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00834 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excerpt; requirement
- SWB-00835 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excerpt; requirement
- SWB-00836 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 3; excerpt; requirement
- SWB-00837 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 3; excluded_duplicate; requirement
- SWB-00838 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 3; excerpt; decision
- SWB-00839 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 1; excerpt; requirement
- SWB-00840 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 1; excerpt; requirement
- SWB-00841 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excerpt; requirement
- SWB-00842 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 1; excerpt; requirement
- SWB-00843 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 2; excluded_duplicate; requirement
- SWB-00844 - docs/architecture/FORKING_AND_PROVIDES_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00845 - docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md - chapter 1; excluded_duplicate; roadmap
- SWB-00846 - docs/architecture/FUTURE_PROOFING.md - chapter 1; excluded_duplicate; roadmap
- SWB-00847 - docs/architecture/GENERATED_CODE_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00848 - docs/architecture/GLOBAL_ID_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00849 - docs/architecture/GLOSSARY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00850 - docs/architecture/GLOSSARY.md - chapter 1; excerpt; requirement
- SWB-00851 - docs/architecture/GLOSSARY.md - chapter 1; excerpt; design_goal
- SWB-00852 - docs/architecture/GLOSSARY.md - chapter 1; excerpt; requirement
- SWB-00853 - docs/architecture/GLOSSARY.md - chapter 1; excerpt; requirement
- SWB-00854 - docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00855 - docs/architecture/GUI_BASELINE.md - chapter 11; excluded_duplicate; roadmap
- SWB-00856 - docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md - chapter 1; excluded_duplicate; roadmap

- SWB-00857 - docs/architecture/HAZARDS_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00858 - docs/architecture/HAZARDS_MODEL.md - chapter 1; excerpt; risk
- SWB-00859 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00860 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00861 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00862 - docs/architecture/HAZARDS_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00863 - docs/architecture/HAZARDS_MODEL.md - chapter 3; excerpt; requirement
- SWB-00864 - docs/architecture/HAZARDS_MODEL.md - chapter 3; excerpt; explanation
- SWB-00865 - docs/architecture/HAZARDS_MODEL.md - chapter 3; excerpt; requirement
- SWB-00866 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00867 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00868 - docs/architecture/HAZARDS_MODEL.md - chapter 3; excerpt; requirement
- SWB-00869 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00870 - docs/architecture/HAZARDS_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00871 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00872 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; prohibition
- SWB-00873 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00874 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00875 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 2; excerpt; explanation
- SWB-00876 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; design_goal
- SWB-00877 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00878 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; prohibition
- SWB-00879 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 2; excerpt; explanation
- SWB-00880 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00881 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 2; excerpt; requirement
- SWB-00882 - docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00883 - docs/architecture/IDENTITY_ACROSS_TIME.md - chapter 1; excluded_duplicate; roadmap
- SWB-00884 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 1; excerpt; roadmap
- SWB-00885 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; constraint
- SWB-00886 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; explanation
- SWB-00887 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; requirement
- SWB-00888 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; constraint
- SWB-00889 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; explanation

- SWB-00890 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 4; excerpt; explanation
- SWB-00891 - docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md - chapter 2; excerpt; constraint
- SWB-00892 - docs/architecture/IDE_PROJECTIONS.md - chapter 4; excerpt; explanation
- SWB-00893 - docs/architecture/IDE_PROJECTIONS.md - chapter 4; excerpt; explanation
- SWB-00894 - docs/architecture/IDE_PROJECTIONS.md - chapter 4; excerpt; requirement
- SWB-00895 - docs/architecture/ID_AND_NAMESPACE_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00896 - docs/architecture/ID_AND_NAMESPACE_RULES.md - chapter 2; excerpt; requirement
- SWB-00897 - docs/architecture/ID_AND_NAMESPACE_RULES.md - chapter 2; excerpt; explanation
- SWB-00898 - docs/architecture/ID_AND_NAMESPACE_RULES.md - chapter 1; excerpt; requirement
- SWB-00899 - docs/architecture/INDEXING_POLICY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00900 - docs/architecture/INFORMATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00901 - docs/architecture/INFORMATION_MODEL.md - chapter 2; excerpt; constraint
- SWB-00902 - docs/architecture/INFORMATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00903 - docs/architecture/INFORMATION_MODEL.md - chapter 2; excerpt; explanation
- SWB-00904 - docs/architecture/INFORMATION_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00905 - docs/architecture/INFORMATION_MODEL.md - chapter 1; excerpt; explanation
- SWB-00906 - docs/architecture/INFORMATION_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00907 - docs/architecture/INFORMATION_MODEL.md - chapter 3; excerpt; explanation
- SWB-00908 - docs/architecture/INFORMATION_MODEL.md - chapter 4; excerpt; risk
- SWB-00909 - docs/architecture/INFORMATION_MODEL.md - chapter 3; excerpt; explanation
- SWB-00910 - docs/architecture/INFORMATION_MODEL.md - chapter 3; excerpt; requirement
- SWB-00911 - docs/architecture/INFORMATION_MODEL.md - chapter 1; excerpt; requirement
- SWB-00912 - docs/architecture/INFORMATION_MODEL.md - chapter 2; excerpt; explanation
- SWB-00913 - docs/architecture/INFORMATION_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00914 - docs/architecture/INSTALLER_CONTRACT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00915 - docs/architecture/INSTALL_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00916 - docs/architecture/INSTALL_MODEL.md - chapter 1; excerpt; requirement
- SWB-00917 - docs/architecture/INSTALL_MODEL.md - chapter 2; excerpt; constraint
- SWB-00918 - docs/architecture/INSTALL_MODEL.md - chapter 1; excerpt; explanation
- SWB-00919 - docs/architecture/INSTALL_MODEL.md - chapter 3; excerpt; requirement
- SWB-00920 - docs/architecture/INSTALL_MODEL.md - chapter 3; excluded_duplicate; requirement
- SWB-00921 - docs/architecture/INSTALL_MODEL.md - chapter 3; excerpt; explanation
- SWB-00922 - docs/architecture/INSTALL_MODEL.md - chapter 4; excluded_duplicate; requirement
- SWB-00923 - docs/architecture/INSTALL_MODEL.md - chapter 3; excerpt; explanation

- SWB-00924 - docs/architecture/INSTALL_MODEL.md - chapter 3; excerpt; requirement
- SWB-00925 - docs/architecture/INSTALL_MODEL.md - chapter 3; excerpt; explanation
- SWB-00926 - docs/architecture/INSTALL_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00927 - docs/architecture/INSTANCE_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00928 - docs/architecture/INSTANCE_MODEL.md - chapter 4; excerpt; constraint
- SWB-00929 - docs/architecture/INSTANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00930 - docs/architecture/INSTANCE_MODEL.md - chapter 3; excerpt; constraint
- SWB-00931 - docs/architecture/INSTANCE_MODEL.md - chapter 4; excerpt; explanation
- SWB-00932 - docs/architecture/INSTANCE_MODEL.md - chapter 3; excerpt; requirement
- SWB-00933 - docs/architecture/INSTANCE_MODEL.md - chapter 3; excerpt; requirement
- SWB-00934 - docs/architecture/INSTANCE_MODEL.md - chapter 4; excerpt; requirement
- SWB-00935 - docs/architecture/INSTANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00936 - docs/architecture/INSTANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00937 - docs/architecture/INSTANCE_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00938 - docs/architecture/INSTANCE_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00939 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00940 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00941 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00942 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00943 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00944 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00945 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excluded_duplicate; requirement
- SWB-00946 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; contradiction
- SWB-00947 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; risk
- SWB-00948 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00949 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; explanation
- SWB-00950 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; requirement

- SWB-00951 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excerpt; requirement
- SWB-00952 - docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-00953 - docs/architecture/INTEREST_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00954 - docs/architecture/INVARIANTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-00955 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 1; excluded_duplicate; roadmap
- SWB-00956 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 2; excerpt; source_context
- SWB-00957 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 2; excerpt; source_context
- SWB-00958 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 2; excerpt; source_context
- SWB-00959 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 2; excerpt; source_context
- SWB-00960 - docs/architecture/INVARIANTS_AND_TOLERANCES.md - chapter 2; excerpt; source_context
- SWB-00961 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excluded_duplicate; roadmap
- SWB-00962 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00963 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00964 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00965 - docs/architecture/INVARIANT_REGISTRY.md - chapter 3; excerpt; source_context
- SWB-00966 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00967 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00968 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00969 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00970 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00971 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00972 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00973 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00974 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00975 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00976 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00977 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00978 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00979 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00980 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00981 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00982 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00983 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context

- SWB-00984 - docs/architecture/INVARIANT_REGISTRY.md - chapter 3; excerpt; source_context
- SWB-00985 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00986 - docs/architecture/INVARIANT_REGISTRY.md - chapter 2; excerpt; source_context
- SWB-00987 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00988 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00989 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00990 - docs/architecture/INVARIANT_REGISTRY.md - chapter 1; excerpt; source_context
- SWB-00991 - docs/architecture/INVARIANT_REGISTRY.md - chapter 4; excerpt; source_context
- SWB-00992 - docs/architecture/JOIN_RESYNC_CONTRACT.md - chapter 1; excluded_duplicate; roadmap
- SWB-00993 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-00994 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excerpt; constraint
- SWB-00995 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excerpt; explanation
- SWB-00996 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 4; excerpt; explanation
- SWB-00997 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excerpt; risk
- SWB-00998 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-00999 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excluded_duplicate; explanation
- SWB-01000 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 2; excerpt; explanation
- SWB-01001 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 3; excerpt; requirement
- SWB-01002 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 1; excerpt; requirement
- SWB-01003 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 4; excerpt; explanation
- SWB-01004 - docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-01005 - docs/architecture/KNOWN_BLOCKERS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01006 - docs/architecture/KNOWN_BLOCKERS.md - chapter 4; excerpt; requirement
- SWB-01007 - docs/architecture/KNOWN_BLOCKERS.md - chapter 1; excerpt; unresolved_question
- SWB-01008 - docs/architecture/KNOWN_WARNINGS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01009 - docs/architecture/KNOWN_WARNINGS.md - chapter 4; excerpt; requirement
- SWB-01010 - docs/architecture/LANGUAGE_STRATEGY.md - chapter 1; excluded_duplicate; roadmap
- SWB-01011 - docs/architecture/LANGUAGE_STRATEGY.md - chapter 1; excerpt; prohibition
- SWB-01012 - docs/architecture/LANGUAGE_STRATEGY.md - chapter 4; excerpt; roadmap
- SWB-01013 - docs/architecture/LANGUAGE_STRATEGY.md - chapter 1; excerpt; explanation
- SWB-01014 - docs/architecture/LAUNCHER_CONTRACT.md - chapter 10; excluded_duplicate; roadmap
- SWB-01015 - docs/architecture/LAW_AND_META_LAW.md - chapter 1; excluded_duplicate; roadmap

- SWB-01016 - docs/architecture/LAW_ENFORCEMENT_POINTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01017 - docs/architecture/LEGACY_SUPPORT_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01018 - docs/architecture/LEGACY_SUPPORT_MODEL.md - chapter 3; excerpt; constraint
- SWB-01019 - docs/architecture/LEGACY_SUPPORT_MODEL.md - chapter 4; excerpt; constraint
- SWB-01020 - docs/architecture/LEGACY_SUPPORT_MODEL.md - chapter 4; excerpt; requirement
- SWB-01021 - docs/architecture/LEGACY_SUPPORT_MODEL.md - chapter 1; excerpt; requirement
- SWB-01022 - docs/architecture/LEGACY_SUPPORT_STRATEGY.md - chapter 1; excluded_duplicate; roadmap
- SWB-01023 - docs/architecture/LIFE_AND_POPULATION.md - chapter 1; excluded_duplicate; roadmap
- SWB-01024 - docs/architecture/LIVE_EVOLUTION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01025 - docs/architecture/LIVE_EVOLUTION_MODEL.md - chapter 1; excerpt; requirement
- SWB-01026 - docs/architecture/LIVE_EVOLUTION_MODEL.md - chapter 1; excerpt; explanation
- SWB-01027 - docs/architecture/LIVE_EVOLUTION_MODEL.md - chapter 4; excerpt; requirement
- SWB-01028 - docs/architecture/LIVE_EVOLUTION_MODEL.md - chapter 4; excerpt; requirement
- SWB-01029 - docs/architecture/LOCKFILES.md - chapter 1; excluded_duplicate; roadmap
- SWB-01030 - docs/architecture/LOCKFILES.md - chapter 1; excerpt; constraint
- SWB-01031 - docs/architecture/LOCKFILES.md - chapter 1; excerpt; constraint
- SWB-01032 - docs/architecture/LOCKFILES.md - chapter 1; excerpt; requirement
- SWB-01033 - docs/architecture/LOCKLIST.md - chapter 1; excluded_duplicate; roadmap
- SWB-01034 - docs/architecture/LOCKLIST.md - chapter 1; excerpt; requirement
- SWB-01035 - docs/architecture/LOCKLIST.md - chapter 1; excerpt; requirement
- SWB-01036 - docs/architecture/LOCKLIST.md - chapter 2; excerpt; explanation
- SWB-01037 - docs/architecture/LOCKLIST.md - chapter 4; excerpt; requirement
- SWB-01038 - docs/architecture/MACRO_TIME_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01039 - docs/architecture/MIGRATION_TEMPLATE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01040 - docs/architecture/MIGRATION_TEMPLATE.md - chapter 4; excerpt; risk
- SWB-01041 - docs/architecture/MIGRATION_TEMPLATE.md - chapter 1; excerpt; rationale
- SWB-01042 - docs/architecture/MIGRATION_TEMPLATE.md - chapter 1; excerpt; explanation
- SWB-01043 - docs/architecture/MIGRATION_TEMPLATE.md - chapter 4; excluded_duplicate; explanation
- SWB-01044 - docs/architecture/MMO_COMPATIBILITY.md - chapter 1; excluded_duplicate; roadmap
- SWB-01045 - docs/architecture/MMO_SAFETY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01046 - docs/architecture/MODES_AS_PROFILES.md - chapter 1; excluded_duplicate; roadmap
- SWB-01047 - docs/architecture/MODES_AS_PROFILES.md - chapter 1; excerpt; requirement
- SWB-01048 - docs/architecture/MODES_AS_PROFILES.md - chapter 1; excerpt; requirement
- SWB-01049 - docs/architecture/MODES_AS_PROFILES.md - chapter 1; excerpt; design_goal

- SWB-01050 - docs/architecture/MODES_AS_PROFILES.md - chapter 1; excerpt; requirement
- SWB-01051 - docs/architecture/MODPACK_FORMAT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01052 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 4; excluded_duplicate; roadmap
- SWB-01053 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 1; excerpt; constraint
- SWB-01054 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 1; excerpt; requirement
- SWB-01055 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 4; excerpt; constraint
- SWB-01056 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 1; excerpt; explanation
- SWB-01057 - docs/architecture/MODULE_BOUNDARIES_v1.md - chapter 3; excerpt; prohibition
- SWB-01058 - docs/architecture/MODULE_INDEX_v1.md - chapter 4; excerpt; roadmap
- SWB-01059 - docs/architecture/MODULE_INDEX_v1.md - chapter 1; excerpt; source_context
- SWB-01060 - docs/architecture/MODULE_INDEX_v1.md - chapter 1; excerpt; source_context
- SWB-01061 - docs/architecture/MOD_ECOSYSTEM_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-01062 - docs/architecture/MOVEMENT_AS_LOGISTICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01063 - docs/architecture/NAMESPACING_RULES.md - chapter 1; excluded_duplicate; roadmap
- SWB-01064 - docs/architecture/NAMESPACING_RULES.md - chapter 2; excerpt; requirement
- SWB-01065 - docs/architecture/NAMESPACING_RULES.md - chapter 2; excerpt; constraint
- SWB-01066 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 1; excerpt; constraint
- SWB-01067 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 3; excerpt; requirement
- SWB-01068 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 1; excerpt; explanation
- SWB-01069 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 1; excerpt; constraint
- SWB-01070 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 3; excerpt; constraint
- SWB-01071 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 4; excluded_duplicate; explanation
- SWB-01072 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 4; excerpt; requirement
- SWB-01073 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 1; excerpt; requirement
- SWB-01074 - docs/architecture/NETWORKGRAPH_STANDARD.md - chapter 1; excerpt; requirement
- SWB-01075 - docs/architecture/NON_INTERFERENCE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01076 - docs/architecture/NO_MAGIC_TELEPORTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01077 - docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01078 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01079 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 4; excerpt; explanation
- SWB-01080 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 1; excerpt; risk
- SWB-01081 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 4; excerpt; constraint
- SWB-01082 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 1; excerpt; explanation

- SWB-01083 - docs/architecture/OPS_TRANSACTION_MODEL.md - chapter 1; excerpt; requirement
- SWB-01084 - docs/architecture/OVERVIEW_ARCHITECTURE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01085 - docs/architecture/PACK_FORMAT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01086 - docs/architecture/PACK_FORMAT.md - chapter 4; excerpt; requirement
- SWB-01087 - docs/architecture/PACK_FORMAT.md - chapter 2; excerpt; constraint
- SWB-01088 - docs/architecture/PACK_FORMAT.md - chapter 1; excerpt; requirement
- SWB-01089 - docs/architecture/PACK_FORMAT.md - chapter 1; excerpt; requirement
- SWB-01090 - docs/architecture/PERFORMANCE_METRICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01091 - docs/architecture/PERFORMANCE_METRICS.md - chapter 3; excerpt; constraint
- SWB-01092 - docs/architecture/PERFORMANCE_METRICS.md - chapter 3; excerpt; requirement
- SWB-01093 - docs/architecture/PERFORMANCE_METRICS.md - chapter 1; excerpt; unresolved_question
- SWB-01094 - docs/architecture/PERFORMANCE_METRICS.md - chapter 1; excerpt; requirement
- SWB-01095 - docs/architecture/PERFORMANCE_METRICS.md - chapter 3; excerpt; requirement
- SWB-01096 - docs/architecture/PERFORMANCE_METRICS.md - chapter 4; excluded_duplicate; explanation
- SWB-01097 - docs/architecture/PERFORMANCE_PROOF.md - chapter 1; excluded_duplicate; roadmap
- SWB-01098 - docs/architecture/PERFORMANCE_PROOF.md - chapter 3; excerpt; constraint
- SWB-01099 - docs/architecture/PERFORMANCE_PROOF.md - chapter 2; excerpt; explanation
- SWB-01100 - docs/architecture/PERFORMANCE_PROOF.md - chapter 3; excerpt; explanation
- SWB-01101 - docs/architecture/PERFORMANCE_PROOF.md - chapter 1; excerpt; design_goal
- SWB-01102 - docs/architecture/PERFORMANCE_PROOF.md - chapter 3; excerpt; requirement
- SWB-01103 - docs/architecture/PERFORMANCE_PROOF.md - chapter 1; excerpt; constraint
- SWB-01104 - docs/architecture/PERFORMANCE_PROOF.md - chapter 4; excluded_duplicate; explanation
- SWB-01105 - docs/architecture/PIRACY_CONTAINMENT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01106 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excluded_duplicate; roadmap
- SWB-01107 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excerpt; design_goal
- SWB-01108 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 4; excerpt; requirement
- SWB-01109 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excerpt; explanation
- SWB-01110 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excerpt; decision
- SWB-01111 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excerpt; decision
- SWB-01112 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 4; excerpt; explanation
- SWB-01113 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 3; excerpt; constraint
- SWB-01114 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 2; excerpt; explanation
- SWB-01115 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 1; excerpt; requirement

- SWB-01116 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 4; excluded_duplicate; explanation
- SWB-01117 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 2; excerpt; explanation
- SWB-01118 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 4; excerpt; requirement
- SWB-01119 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 4; excerpt; explanation
- SWB-01120 - docs/architecture/PLATFORM_RESPONSIBILITY.md - chapter 2; excerpt; risk
- SWB-01121 - docs/architecture/POST_CLEAN_2_STATUS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01122 - docs/architecture/POST_CLEAN_2_STATUS.md - chapter 1; excerpt; explanation
- SWB-01123 - docs/architecture/PROCESS_ONLY_MUTATION.md - chapter 1; excluded_duplicate; roadmap
- SWB-01124 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01125 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; constraint
- SWB-01126 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01127 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01128 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01129 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01130 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; prohibition
- SWB-01131 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01132 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01133 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01134 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01135 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01136 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01137 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01138 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; prohibition
- SWB-01139 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; constraint
- SWB-01140 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01141 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01142 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; constraint
- SWB-01143 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01144 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01145 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01146 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01147 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01148 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation

- SWB-01149 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01150 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01151 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01152 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01153 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; explanation
- SWB-01154 - docs/architecture/PRODUCT_SHELL_CONTRACT.md - chapter 1; excerpt; requirement
- SWB-01155 - docs/architecture/PROJECTION_LIFECYCLE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01156 - docs/architecture/PROJECT_EXECUTION_BASELINE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01157 - docs/architecture/PROJECT_EXECUTION_BASELINE.md - chapter 1; excerpt; explanation
- SWB-01158 - docs/architecture/PROJECT_EXECUTION_BASELINE.md - chapter 1; excerpt; requirement
- SWB-01159 - docs/architecture/REALITY_FLOW.md - chapter 1; excluded_duplicate; roadmap
- SWB-01160 - docs/architecture/REALITY_LAYER.md - chapter 1; excluded_duplicate; roadmap
- SWB-01161 - docs/architecture/REALITY_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01162 - docs/architecture/REDUCTION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01163 - docs/architecture/REDUCTION_MODEL.md - chapter 3; excerpt; requirement
- SWB-01164 - docs/architecture/REDUCTION_MODEL.md - chapter 1; excerpt; explanation
- SWB-01165 - docs/architecture/REDUCTION_MODEL.md - chapter 3; excerpt; explanation
- SWB-01166 - docs/architecture/REDUCTION_MODEL.md - chapter 4; excluded_duplicate; explanation
- SWB-01167 - docs/architecture/REDUCTION_MODEL.md - chapter 4; excerpt; explanation
- SWB-01168 - docs/architecture/REFINEMENT_CONTRACTS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01169 - docs/architecture/REFRACTOR_STAGE.md - chapter 1; excluded_duplicate; roadmap
- SWB-01170 - docs/architecture/REFRACTOR_STAGE.md - chapter 2; excerpt; explanation
- SWB-01171 - docs/architecture/REFRACTOR_STAGE.md - chapter 1; excerpt; requirement
- SWB-01172 - docs/architecture/REFRACTOR_STAGE.md - chapter 4; excerpt; rationale
- SWB-01173 - docs/architecture/REFUSAL_AND_EXPLANATION_MODEL.md - chapter 1; excluded_duplicate; roadmap
- SWB-01174 - docs/architecture/REFUSAL_SEMANTICS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01175 - docs/architecture/REGISTRY_PATTERN.md - chapter 1; excluded_duplicate; roadmap
- SWB-01176 - docs/architecture/REGISTRY_PATTERN.md - chapter 1; excerpt; explanation
- SWB-01177 - docs/architecture/REGISTRY_PATTERN.md - chapter 1; excerpt; requirement
- SWB-01178 - docs/architecture/REGISTRY_PATTERN.md - chapter 2; excerpt; requirement
- SWB-01179 - docs/architecture/REGISTRY_PATTERN.md - chapter 2; excerpt; unresolved_question
- SWB-01180 - docs/architecture/REGISTRY_PATTERN.md - chapter 3; excerpt; contradiction
- SWB-01181 - docs/architecture/REGISTRY_PATTERN.md - chapter 4; excerpt; prohibition

- SWB-01182 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excluded_duplicate; roadmap
- SWB-01183 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; design_goal
- SWB-01184 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; requirement
- SWB-01185 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; explanation
- SWB-01186 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; explanation
- SWB-01187 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; requirement
- SWB-01188 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; roadmap
- SWB-01189 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; requirement
- SWB-01190 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; explanation
- SWB-01191 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; prohibition
- SWB-01192 - docs/architecture/RENDERER_RESPONSIBILITY.md - chapter 11; excerpt; prohibition
- SWB-01193 - docs/architecture/REPLAY_AND_TIME_ASYMMETRY.md - chapter 1; excluded_duplicate; roadmap
- SWB-01194 - docs/architecture/REPLAY_FORMAT.md - chapter 1; excluded_duplicate; roadmap
- SWB-01195 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excluded_duplicate; roadmap
- SWB-01196 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excerpt; constraint
- SWB-01197 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excerpt; explanation
- SWB-01198 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excerpt; explanation
- SWB-01199 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excerpt; explanation
- SWB-01200 - docs/architecture/REPORT_GAME_ARCH_DECISIONS.md - chapter 1; excerpt; explanation
- ... 39874 more blocks in SOURCE_BLOCKS.yml.