

Dominium Docs Corpus Omnibus

All-in-One Edition

Version: 1

Authority Class: advisory_synthesis

Promotion Status: not_promoted

2026-05-29

Contents

1	Dominium Docs Corpus Omnibus	1
1.1	Styled Reader, Reference, Archive, Conversation, and Reconciliation Guide	1
1.2	Authority and Non-Promotion Notice	1
1.3	How to Read This Edition	1
1.4	Corpus Snapshot	1
1.5	Current Project Picture	1
1.6	Docs Current Project Picture	2
1.6.1	Current Orientation	2
1.6.2	Corpus Scale	2
1.6.3	What Is Safe To Do With This Output	2
1.6.4	What This Output Does Not Do	2
1.7	Current Repo Truth Crosswalk	2
1.8	Docs Repo Truth Crosswalk	3
1.9	Canon and Architecture Alignment	5
1.10	Docs Canon Architecture Alignment	5
1.10.1	Counts	5
1.10.2	Canon Files	5
1.10.3	Architecture Files	5
1.11	Archive Archaeology	13
1.12	Docs Archive Atlas	14
1.12.1	Archive Family Counts	14
1.12.2	Interpretation	14
1.13	Conversation Corpus Integration	14
1.14	Docs Conversation Corpus Integration	14
1.14.1	Scope	14
1.14.2	Interpretation	15
1.14.3	Key Existing Surfaces	15
1.15	Decision Docket Summary	15
1.16	Docs Decision Docket	15
1.17	Promotion Roadmap Summary	21
1.18	Docs Promotion Queue	21
1.19	Contradictions and Drift	30

1.20 Docs Contradiction Matrix	31
1.21 Staleness and Verification	37
1.22 Docs Staleness and Verification	37
1.23 Reading Paths	46
1.24 Reading Paths	47
2 Compact Indexes	48
2.1 Authority Class Summary	48
2.2 Book Role Summary	48
2.3 High-Authority Source Paths	49
3 Reference Edition	50
4 Dominion Docs Corpus Omnibus Reference	51
5 Intake and Source Corpus	52
5.1 Corpus Manifest	52
5.2 Docs Corpus Manifest	52
5.2.1 Summary	52
5.2.2 Directory Families	53
5.2.3 Authority Classes	53
5.2.4 Authority Risk	53
5.2.5 Source Rule	54
5.3 Source Index	54
5.4 Docs Source Index	54
5.5 File Counts	63
5.6 Docs File Counts	63
5.6.1 Corpus Totals	63
5.6.2 Extension Counts	63
5.6.3 Directory Family Counts	64
5.6.4 Book Inclusion Draft Counts	64
5.7 Tree Summary	64
5.8 Docs Tree Summary	64
5.9 Large Files And Non Markdown	70
5.10 Large Files and Non-Markdown Inventory	71
5.10.1 Largest Files	71
5.10.2 Non-Markdown Counts	77
5.10.3 ZIP Files	77
5.10.4 Non-Text Files	79
6 Authority, Supersession, and Audit Registers	84
6.1 Status Header Audit	84
6.2 Docs Status Header Audit	84

6.2.1	Header Coverage	84
6.2.2	Missing Status	84
6.3	Authority Classification Draft	95
6.4	Docs Authority Classification Draft	95
6.5	Authority Map	104
6.6	Docs Authority Map	104
6.6.1	architecture_current	105
6.6.2	archive_historical	114
6.6.3	archive_stale	122
6.7	Supersession Map	129
6.8	Docs Supersession Map	130
6.9	Binding Source Map	142
6.10	Docs Binding Source Map	142
6.11	Archive Classification	155
6.12	Docs Archive Classification	155
6.13	Book Inclusion Plan	164
6.14	Docs Book Inclusion Plan	164
6.14.1	excludedbinaryor_archive	165
6.14.2	main_reader	168
6.15	Drift Matrix	176
6.16	Docs Drift Matrix	177
6.17	Contradiction Matrix	188
6.18	Docs Contradiction Matrix	188
6.19	Staleness And Verification	203
6.20	Docs Staleness and Verification	203
6.21	Duplicate Shadows	212
6.22	Docs Duplicate Shadows	213
6.23	Coverage Gaps	214
6.24	Docs Coverage Gaps	214
6.24.1	Gaps	214
6.24.2	Missing Status Header Candidates	214
7	Archive Archaeology Reports	226
7.1	Archive Atlas	226
7.2	Docs Archive Atlas	226
7.2.1	Archive Family Counts	226
7.2.2	Interpretation	227
7.3	Archive Families	227
7.4	Docs Archive Families	227
7.4.1	archive/audit	227
7.4.2	archive/blueprint	236

7.4.3	archive/conversations	238
7.5	Archive Stale Or Useful	242
7.6	Docs Archive Stale or Useful Register	242
7.7	Archive To Current Crosswalk	251
7.8	Docs Archive to Current Crosswalk	251
7.9	Conversation Corpus Integration	251
7.10	Docs Conversation Corpus Integration	251
7.10.1	Scope	252
7.10.2	Interpretation	252
7.10.3	Key Existing Surfaces	252
8	Reconciliation Reports	253
8.1	Repo Truth Crosswalk	253
8.2	Docs Repo Truth Crosswalk	253
8.3	Current Project Picture	255
8.4	Docs Current Project Picture	255
8.4.1	Current Orientation	255
8.4.2	Corpus Scale	255
8.4.3	What Is Safe To Do With This Output	255
8.4.4	What This Output Does Not Do	255
8.5	Canon Architecture Alignment	256
8.6	Docs Canon Architecture Alignment	256
8.6.1	Counts	256
8.6.2	Canon Files	256
8.6.3	Architecture Files	256
8.6.4	Reference Contract Docs	265
8.7	Archive Conversation Alignment	265
8.8	Docs Archive Conversation Alignment	265
8.8.1	Alignment Rule	265
8.9	Promotion Queue	266
8.10	Docs Promotion Queue	266
8.11	Decision Docket	281
8.12	Docs Decision Docket	281
8.13	Blocked Scope Alignment	287
8.14	Docs Blocked Scope Alignment	287
9	Docs-Corpus Wiki	289
9.1	Archive Archaeology	289
9.2	Archive Archaeology	289
9.3	Contradictions	289
9.4	Contradictions	289
9.5	Conversation Corpus	290

9.6	Conversation Corpus	290
9.7	Current Authority	290
9.8	Current Authority	290
9.9	Decisions	290
9.10	Decisions	290
9.11	Archive Audit	290
9.12	archive/audit	291
9.13	Archive Blueprint	291
9.14	archive/blueprint	291
9.15	Archive Conversations	291
9.16	archive/conversations	291
9.17	Archive Impact	291
9.18	archive/impact	291
9.19	Archive Omega	292
9.20	archive/omega	292
9.21	Archive Platform	292
9.22	archive/platform	292
9.23	Archive Post Canon	292
9.24	archive/post-canon	292
9.25	Archive Prompts	292
9.26	archive/prompts	293
9.27	Archive Refactor	293
9.28	archive/refactor	293
9.29	Archive Repox	293
9.30	archive/repo	293
9.31	Archive Restructure	293
9.32	archive/restructure	293
9.33	Archive Specs	294
9.34	archive/specs	294
9.35	Archive Stray Root DOCS	294
9.36	archive/strayrootdocs	294
9.37	Other Archive Unknown	294
9.38	other/archive_unknown	294
9.39	Index	294
9.40	Docs Corpus Wiki	294
9.40.1	Start Here	295
9.41	Promotion Candidates	295
9.42	Promotion Candidates	295
9.43	Reading Paths	295
9.44	Reading Paths	296
9.45	Source Index	296

9.46 Source Index	296
9.47 Staleness And Verification	296
9.48 Staleness and Verification	296
9.49 Authority And Governance	297
9.50 Authority And Governance	297
9.51 Contracts Schema	297
9.52 Contracts Schema	297
9.53 Release Setup Launcher	297
9.54 Release Setup Launcher	297
9.55 Runtime Product Tooling	297
9.56 Runtime Product Tooling	297
9.57 Workbench AIDE Codex	298
9.58 Workbench Aide Codex	298
9.59 World Simulation Domain	298
9.60 World Simulation Domain	298
10 Conversation Corpus Generated Layers	299
10.1 Contradiction Matrix	299
10.2 Contradiction Matrix	299
10.3 Coverage Gaps	311
10.4 Coverage Gaps	311
10.5 Doc Drift Report	311
10.6 Document Drift Report	311
10.6.1 CONTRA-0001 - conversationvscurrent_queue	312
10.6.2 CONTRA-0002 - staleexternalclaim	312
10.6.3 CONTRA-0003 - staleexternalclaim	312
10.6.4 CONTRA-0004 - staleexternalclaim	312
10.6.5 CONTRA-0005 - conversationvscurrent_queue	312
10.6.6 CONTRA-0006 - conversationvscurrent_queue	313
10.6.7 CONTRA-0007 - conversationvscurrent_queue	313
10.6.8 CONTRA-0008 - conversationvscurrent_queue	313
10.6.9 CONTRA-0009 - staleexternalclaim	313
10.6.10 CONTRA-0010 - conversationvscurrent_queue	313
10.6.11 CONTRA-0011 - conversationvscurrent_queue	314
10.6.12 CONTRA-0012 - staleexternalclaim	314
10.6.13 CONTRA-0013 - staleexternalclaim	314
10.6.14 CONTRA-0014 - staleexternalclaim	314
10.6.15 CONTRA-0015 - staleexternalclaim	314
10.6.16 CONTRA-0016 - conversationvscurrent_queue	315
10.6.17 CONTRA-0017 - conversationvscurrent_queue	315
10.6.18 CONTRA-0018 - staleexternalclaim	315

10.6.19 CONTRA-0019 - staleexternalclaim	315
10.6.20 CONTRA-0020 - staleexternalclaim	315
10.6.21 CONTRA-0021 - conversationvscurrent_queue	316
10.6.22 CONTRA-0022 - conversationvscurrent_queue	316
10.6.23 CONTRA-0023 - conversationvscurrent_queue	316
10.6.24 CONTRA-0024 - conversationvscurrent_queue	316
10.6.25 CONTRA-0025 - conversationvscurrent_queue	316
10.6.26 CONTRA-0026 - staleexternalclaim	317
10.6.27 CONTRA-0027 - staleexternalclaim	317
10.6.28 CONTRA-0028 - staleexternalclaim	317
10.6.29 CONTRA-0029 - staleexternalclaim	317
10.6.30 CONTRA-0030 - staleexternalclaim	317
10.6.31 CONTRA-0031 - staleexternalclaim	318
10.6.32 CONTRA-0032 - staleexternalclaim	318
10.6.33 CONTRA-0033 - conversationvscurrent_queue	318
10.6.34 CONTRA-0034 - conversationvscurrent_queue	318
10.6.35 CONTRA-0035 - conversationvscurrent_queue	318
10.6.36 CONTRA-0036 - conversationvscurrent_queue	319
10.6.37 CONTRA-0037 - conversationvscurrent_queue	319
10.6.38 CONTRA-0038 - staleexternalclaim	319
10.6.39 CONTRA-0039 - staleexternalclaim	319
10.6.40 CONTRA-0040 - staleexternalclaim	319
10.6.41 CONTRA-0041 - conversationvscurrent_queue	320
10.6.42 CONTRA-0042 - conversationvscurrent_queue	320
10.6.43 CONTRA-0043 - staleexternalclaim	320
10.6.44 CONTRA-0044 - staleexternalclaim	320
10.6.45 CONTRA-0045 - staleexternalclaim	320
10.6.46 CONTRA-0046 - staleexternalclaim	321
10.6.47 CONTRA-0047 - staleexternalclaim	321
10.6.48 CONTRA-0048 - conversationvscurrent_queue	321
10.6.49 CONTRA-0049 - conversationvscurrent_queue	321
10.6.50 CONTRA-0050 - staleexternalclaim	321
10.6.51 CONTRA-0051 - staleexternalclaim	322
10.6.52 CONTRA-0052 - conversationvscurrent_queue	322
10.6.53 CONTRA-0053 - conversationvscurrent_queue	322
10.6.54 CONTRA-0054 - staleexternalclaim	322
10.6.55 CONTRA-0055 - staleexternalclaim	322
10.6.56 CONTRA-0056 - staleexternalclaim	323
10.6.57 CONTRA-0057 - staleexternalclaim	323
10.6.58 CONTRA-0058 - staleexternalclaim	323
10.6.59 CONTRA-0059 - conversationvscurrent_queue	323

10.6.60 CONTRA-0060 - conversationvscurrent_queue	323
10.6.61 CONTRA-0061 - staleexternalclaim	324
10.6.62 CONTRA-0062 - staleexternalclaim	324
10.6.63 CONTRA-0063 - staleexternalclaim	324
10.6.64 CONTRA-0064 - staleexternalclaim	324
10.6.65 CONTRA-0065 - staleexternalclaim	324
10.6.66 CONTRA-0066 - staleexternalclaim	325
10.6.67 CONTRA-0067 - staleexternalclaim	325
10.6.68 CONTRA-0068 - staleexternalclaim	325
10.6.69 CONTRA-0069 - conversationvscurrent_queue	325
10.6.70 CONTRA-0070 - conversationvscurrent_queue	325
10.6.71 CONTRA-0071 - conversationvscurrent_queue	326
10.6.72 CONTRA-0072 - staleexternalclaim	326
10.6.73 CONTRA-0073 - staleexternalclaim	326
10.6.74 CONTRA-0074 - staleexternalclaim	326
10.6.75 CONTRA-0075 - conversationvscurrent_queue	326
10.6.76 CONTRA-0076 - staleexternalclaim	327
10.6.77 CONTRA-0077 - staleexternalclaim	327
10.6.78 CONTRA-0078 - staleexternalclaim	327
10.6.79 CONTRA-0079 - staleexternalclaim	327
10.6.80 CONTRA-0080 - staleexternalclaim	327
10.6.81 CONTRA-0081 - staleexternalclaim	328
10.6.82 CONTRA-0082 - staleexternalclaim	328
10.7 Duplicate Topics	328
10.8 Duplicate Topics	328
10.8.1 architecture	328
10.8.2 content	330
10.8.3 contracts_schema	331
10.8.4 determinism	333
10.8.5 governance	334
10.8.6 platform	336
10.8.7 release	337
10.8.8 setup_launcher	338
10.8.9 simulation	339
10.8.10 timekeeping	341
10.8.11 tooling	342
10.8.12 ui	343
10.9 Intake Acceptance Review	344
10.10 Intake Acceptance Review	344
10.10.1 Summary	344
10.10.2 Acceptance Findings	344

10.10.3 Warnings Before Synthesis	345
10.10.4 Decision	345
10.10.5 Recommended Fixes Before Promotion	345
10.10.6 Recommended Next Task	345
10.11 Link Integrity Review	345
10.12 Link Integrity Review	346
10.13 Promotion Queue Quality Review	346
10.14 Promotion Queue Quality Review	346
10.14.1 Counts	346
10.14.2 Noisy Candidate Samples	346
10.14.3 Assessment	347
10.14.4 Recommended Fix	347
10.15 Reader Quality Review	347
10.16 Reader Quality Review	347
10.16.1 Counts	348
10.16.2 Placeholder Signals	348
10.16.3 Assessment	348
10.17 Staleness And Verification	348
10.18 Staleness And Verification	348
10.18.1 Packages With Explicit Uncertainty	348
10.19 Uncertainty Register	361
10.20 Uncertainty Register	361
10.20.1 advancedsimulationinfrastructure	361
10.20.2 appruntimeplatform_renderers	361
10.20.3 apptestxcodehygiene	362
10.20.4 architecturecodexprompts	363
10.20.5 architectureuiproviders	364
10.20.6 BuildandFuture_Proofing	364
10.20.7 canonicalstructureand_framework	364
10.20.8 ChronologyCelestialSystems	365
10.20.9 development_routes	366
10.20.10 documentationstandardsreadme	367
10.20.11 DominionArchitectureI	367
10.20.12 DominionArchitectureII	368
10.20.13 DominionArchitectureIII	369
10.20.14 DominionArchitectureIV	370
10.20.15 DominionCompleteConversation	370
10.20.16 Dominiondominocodex_planning	371
10.20.17 Dominionfullconversation	372
10.20.18 Dominion_setup	372
10.21 Decision Docket	373

10.22	Decision Docket v0	373
10.22.1	architecture/boundaries	373
10.22.2	Workbench/AIDE/Codex/tooling	381
10.22.3	renderer/UI/platform	385
10.22.4	provider/content/packs	387
10.22.5	world/time/civilization simulation	390
10.22.6	release/setup/launcher	392
10.23	Decision Options Matrix	393
10.24	Decision Options Matrix v0	393
10.25	Decision Summary	395
10.26	Decision Summary v0	395
10.26.1	Counts	396
10.26.2	Owner Counts	396
10.26.3	Recommended Defaults	396
10.26.4	Top 10 Decisions	396
10.26.5	Safe Near-Term Docs-Only Clarifications	397
10.26.6	Recommended Deferrals	397
10.27	Deferred Decisions	398
10.28	Deferred Decisions v0	398
10.28.1	DECISION-0001	398
10.28.2	DECISION-0002	398
10.28.3	DECISION-0003	398
10.28.4	DECISION-0004	399
10.28.5	DECISION-0005	399
10.28.6	DECISION-0006	399
10.28.7	DECISION-0007	399
10.28.8	DECISION-0008	400
10.28.9	DECISION-0009	400
10.28.10	DECISION-0010	400
10.28.11	DECISION-0011	400
10.28.12	DECISION-0012	401
10.28.13	DECISION-0013	401
10.28.14	DECISION-0014	401
10.28.15	DECISION-0015	401
10.28.16	DECISION-0016	402
10.28.17	DECISION-0017	402
10.28.18	DECISION-0018	402
10.28.19	DECISION-0019	402
10.28.20	DECISION-0020	403
10.28.21	DECISION-0021	403
10.28.22	DECISION-0022	403

10.28.2DECISION-0023	403
10.28.2DECISION-0024	404
10.28.2DECISION-0025	404
10.28.2DECISION-0026	404
10.28.2DECISION-0027	404
10.28.2DECISION-0028	405
10.28.2DECISION-0029	405
10.28.3DECISION-0030	405
10.29Candidate Patch Plan	405
10.30Candidate Patch Plan	405
10.31Needs User Decision	406
10.32Needs User Decision v0	406
10.32.1PROMOTE-0001 - advancedsimulationinfrastructure	406
10.32.2PROMOTE-0005 - appruntimeplatform_renderers	406
10.32.3PROMOTE-0006 - appruntimeplatform_renderers	406
10.32.4PROMOTE-0015 - architectureuiproviders	407
10.32.5PROMOTE-0020 - canonicalstructureand_framework	407
10.32.6PROMOTE-0024 - ChronologyCelestialSystems	407
10.32.7PROMOTE-0025 - development_routes	407
10.32.8PROMOTE-0028 - documentationstandardsreadme	407
10.32.9PROMOTE-0043 - DominionCompleteConversation	408
10.32.10PROMOTE-0049 - dominiumfullconversation	408
10.32.11PROMOTE-0056 - DominoDominiumWorkbench	408
10.32.12PROMOTE-0057 - DominoDominiumWorkbench	408
10.32.13PROMOTE-0065 - FoundationWorkbenchCodex	409
10.32.14PROMOTE-0069 - FrameworkOpenSource_Provider	409
10.32.15PROMOTE-0075 - LanguagePlatformArchitecture	409
10.32.16PROMOTE-0076 - launcherapplayer	409
10.32.17PROMOTE-0097 - PortabilityAssuranceFuture_Proof	409
10.32.18PROMOTE-0113 - testxrepxgovernance	410
10.32.19PROMOTE-0120 - UE6DominoDeterministic_Universe	410
10.32.20PROMOTE-0121 - uieditortooleditorplanning	410
10.32.21PROMOTE-0123 - uieditortooleditorplanning	410
10.32.22PROMOTE-0125 - UniverseExplorerPlanning	410
10.33Non Promoted Context	411
10.34Non-Promoted Context	411
10.35Promotion Not Ready	412
10.36Promotion Not Ready v0	413
10.37Promotion Queue	418
10.38Promotion Queue	418
10.38.1PROMOTE-0001 - The user then asked whether arbitrary placement was possible or whether	419

10.38.2 PROMOTE-0002 - Finally, the chat shifted into archival mode: it produced a maximum-fide	419
10.38.3 PROMOTE-0003 - [INFERENCE] The conclusion was not a finalized implementation but a work	420
10.38.4 PROMOTE-0004 - The central topic was APP0: the application/runtime/platform/renderer la	420
10.38.5 PROMOTE-0005 - The most important conclusion was that APP0 must remain outside the core	421
10.38.6 PROMOTE-0006 - Future work must define the client's allowed dependency surface and whet	421
10.38.7 PROMOTE-0007 - A large set of prompts was then generated to lock down architecture, det	422
10.38.8 PROMOTE-0008 - Because the chat was huge, the user asked for a maximum-fidelity context	422
10.38.9 PROMOTE-0009 - The central project is a deterministic universe engine/game. The user's	423
10.38.10 PROMOTE-0010 - The most important thing to remember is this: **this chat is the archite	423
10.38.11 PROMOTE-0011 - FACT: The user opened by pasting an "Extended Master Starter Prompt - Do	424
10.38.12 PROMOTE-0012 - FACT: The user asked, succinctly, how a player would build a complete ma	424
10.38.13 PROMOTE-0013 - The language baseline decision matters because it changes what old rende	425
10.38.14 PROMOTE-0014 - The Robot OS and robotic seed-civilisation decisions are the most import	425
10.38.15 PROMOTE-0015 - The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui,	426
10.38.16 PROMOTE-0016 - Plain-language limitation: this package is reliable as a preservation of . .	426
10.38.17 PROMOTE-0017 - The final uploaded prompt requested a complete preservation package for	427
10.38.18 PROMOTE-0018 - The final explicit goal was preservation: create a maximum-fidelity pack .	427
10.38.19 PROMOTE-0019 - This produced a pattern: generate a large Codex/AIDE task, the user ran	428
10.38.20 PROMOTE-0020 - The final provider directory doctrine became service-first: 'runtime/<se	428
10.38.21 PROMOTE-0021 - Packs are distributable authored payloads. The preferred pack layout bec	429
10.38.22 PROMOTE-0022 - This reinforced the core celestial-content rule: locations should exist . .	429
10.38.23 PROMOTE-0023 - This became the spatial foundation for later time/calendar decisions bec .	430
10.38.24 PROMOTE-0024 - The assistant formalized this as the Perfect Earth Calendar, later calle . .	430
10.38.25 PROMOTE-0025 - Before relying on this chat as project authority, a future assistant or . . .	431
10.38.26 PROMOTE-0026 - The first answer was assertive. It stated that Dominium must follow Rout	431
10.38.27 PROMOTE-0027 - The initial technical answer proposed a layered stack. It started with m	432
10.38.28 PROMOTE-0028 - The key thing to remember: this chat produced the standards and prompts	432
10.38.29 PROMOTE-0029 - FACT: The chat established that public API contracts should live in he	433
10.38.30 PROMOTE-0030 - FACT: Source files should document implementation rationale, non-obvio	433
10.38.31 PROMOTE-0031 - During this stage, the work was still broadly about "the project spec." . .	434
10.38.32 PROMOTE-0032 - The user also made a clear versioning decision. FACT: The user wante . .	434
10.38.33 PROMOTE-0033 - The key change came when the user decided that Codex could not read the	435
10.38.34 PROMOTE-0034 - The last part of the chat was handoff extraction. The user asked for dis	435
10.38.35 PROMOTE-0035 - The entire conversation is anchored by the requirement that Dominium mus	436
10.38.36 PROMOTE-0036 - The chat discussed fixed tick phases, virtual lanes, merge order, comman	436
10.38.37 PROMOTE-0037 - The view system then expanded beyond the launcher. FACT: The user wa	437
10.38.38 PROMOTE-0038 - This context matters because the rest of the conversation happened insid	437
10.39 Promotion Review Board	437

10.40	Promotion Review Board v0	438
10.40.1	Counts	438
10.40.2	Review Items	438
10.41	Promotion Target Map	456
10.42	Promotion Target Map v0	456
10.43	Promotion Triage	463
10.44	Promotion Triage v0	463
10.44.1	Counts	463
10.44.2	Recommended Review Order	463
10.45	Promotion Wave 1 Candidates	463
10.46	Promotion Wave 1 Candidates v0	463
10.46.1	PROMOTE-0003 - architectedoccandidate	464
10.46.2	PROMOTE-0004 - architectedoccandidate	464
10.46.3	PROMOTE-0032 - architectedoccandidate	464
10.46.4	PROMOTE-0035 - architectedoccandidate	464
10.46.5	PROMOTE-0038 - architectedoccandidate	465
10.46.6	PROMOTE-0050 - architectedoccandidate	465
10.46.7	PROMOTE-0054 - planningdoccandidate	465
10.46.8	PROMOTE-0063 - architectedoccandidate	465
10.46.9	PROMOTE-0073 - architectedoccandidate	466
10.46.10	PROMOTE-0084 - architectedoccandidate	466
10.46.11	PROMOTE-0088 - architectedoccandidate	466
10.46.12	PROMOTE-0100 - docsclarificationcandidate	466
10.46.13	PROMOTE-0102 - architectedoccandidate	467
10.46.14	PROMOTE-0105 - architectedoccandidate	467
10.46.15	PROMOTE-0112 - architectedoccandidate	467
10.46.16	PROMOTE-0114 - architectedoccandidate	467
10.46.17	PROMOTE-0115 - architectedoccandidate	468
10.46.18	PROMOTE-0131 - architectedoccandidate	468
10.47	Rejected Noise	468
10.48	Rejected Noise v0	468
10.49	Rejected Or Quarantined Claims	470
10.50	Rejected Or Quarantined Claims	470
10.50.1	CONTRA-0002	470
10.50.2	CONTRA-0003	470
10.50.3	CONTRA-0004	470
10.50.4	CONTRA-0009	470
10.50.5	CONTRA-0012	471
10.50.6	CONTRA-0013	471
10.50.7	CONTRA-0014	471
10.50.8	CONTRA-0015	471

10.50.9CONTRA-0018	471
10.50.10CONTRA-0019	472
10.50.11CONTRA-0020	472
10.50.12CONTRA-0026	472
10.50.13CONTRA-0027	472
10.50.14CONTRA-0028	472
10.50.15CONTRA-0029	473
10.50.16CONTRA-0030	473
10.50.17CONTRA-0031	473
10.50.18CONTRA-0032	473
10.50.19CONTRA-0038	473
10.50.20CONTRA-0039	474
10.50.21CONTRA-0040	474
10.50.22CONTRA-0043	474
10.50.23CONTRA-0044	474
10.50.24CONTRA-0045	474
10.50.25CONTRA-0046	475
10.50.26CONTRA-0047	475
10.50.27CONTRA-0050	475
10.50.28CONTRA-0051	475
10.50.29CONTRA-0054	475
10.50.30CONTRA-0055	476
10.50.31CONTRA-0056	476
10.50.32CONTRA-0057	476
10.50.33CONTRA-0058	476
10.50.34CONTRA-0061	476
10.50.35CONTRA-0062	477
10.50.36CONTRA-0063	477
10.50.37CONTRA-0064	477
10.50.38CONTRA-0065	477
10.50.39CONTRA-0066	477
10.50.40CONTRA-0067	478
10.50.41CONTRA-0068	478
10.50.42CONTRA-0072	478
10.50.43CONTRA-0073	478
10.50.44CONTRA-0074	478
10.50.45CONTRA-0076	479
10.50.46CONTRA-0077	479
10.50.47CONTRA-0078	479
10.50.48CONTRA-0079	479
10.50.49CONTRA-0080	479

10.50.50CONTRA-0081	480
10.50.51CONTRA-0082	480
10.50.52CONTRA-0088	480
10.50.53CONTRA-0091	480
10.50.54CONTRA-0096	480
10.50.55CONTRA-0098	481
10.50.56CONTRA-0099	481
10.50.57CONTRA-0100	481
10.50.58CONTRA-0111	481
10.50.59CONTRA-0112	481
10.50.60CONTRA-0113	482
10.50.61CONTRA-0118	482
10.50.62CONTRA-0119	482
10.50.63CONTRA-0122	482
10.50.64CONTRA-0123	482
10.50.65CONTRA-0124	483
10.50.66CONTRA-0129	483
10.50.67CONTRA-0130	483
10.50.68CONTRA-0131	483
10.50.69CONTRA-0132	483
10.50.70CONTRA-0133	484
10.50.71CONTRA-0134	484
10.50.72CONTRA-0135	484
10.50.73CONTRA-0137	484
10.50.74CONTRA-0140	484
10.50.75CONTRA-0141	485
10.50.76CONTRA-0142	485
10.50.77CONTRA-0143	485
10.50.78CONTRA-0146	485
10.50.79CONTRA-0152	485
10.50.80CONTRA-0153	486
10.50.81CONTRA-0154	486
10.50.82CONTRA-0158	486
10.50.83CONTRA-0159	486
10.50.84CONTRA-0160	486
10.50.85CONTRA-0161	487
10.50.86CONTRA-0162	487
10.50.87CONTRA-0163	487
10.50.88CONTRA-0167	487
10.50.89CONTRA-0168	487
10.50.90CONTRA-0169	488

10.50.9CONTRA-0170	488
10.50.9CONTRA-0171	488
10.50.9CONTRA-0172	488
10.50.9CONTRA-0174	488
10.50.9CONTRA-0175	489
10.50.9CONTRA-0176	489
10.50.9CONTRA-0177	489
10.50.9CONTRA-0178	489
10.50.9CONTRA-0179	489
10.50.10CONTRA-0180	490
10.50.10CONTRA-0181	490
10.50.10CONTRA-0182	490
10.50.10CONTRA-0183	490
10.51Review Decisions	490
10.52Review Decisions	490
10.53Top Promotion Candidates	491
10.54Top Promotion Candidates v0	491
10.54.1PROMOTE-0003 - advancedsimulationinfrastructure	491
10.54.2PROMOTE-0027 - development_routes	491
10.54.3PROMOTE-0035 - DominionArchitectureII	492
10.54.4PROMOTE-0038 - DominionArchitectureIII	492
10.54.5PROMOTE-0059 - dominoenginerefactor_prompts	492
10.54.6PROMOTE-0066 - FoundationWorkbenchCodex	492
10.54.7PROMOTE-0088 - OSInterfaceRepo_Architecture	493
10.54.8PROMOTE-0089 - OSInterfaceRepo_Architecture	493
10.54.9PROMOTE-0090 - OSInterfaceRepo_Architecture	493
10.54.10PROMOTE-0102 - readmeportsdeterminism	494
10.54.11PROMOTE-0115 - Timekeepingand2038_Resilience	494
10.54.12PROMOTE-0004 - appruntimeplatform_renderers	494
10.54.13PROMOTE-0007 - apptestxcodehygiene	494
10.54.14PROMOTE-0009 - apptestxcodehygiene	495
10.54.15PROMOTE-0018 - BuildandFuture_Proofing	495
10.54.16PROMOTE-0021 - canonicalstructureand_framework	495
10.54.17PROMOTE-0029 - documentationstandardsreadme	496
10.54.18PROMOTE-0044 - DominionCompleteConversation	496
10.54.19PROMOTE-0053 - dominium_setup	496
10.54.20PROMOTE-0054 - dominium_setup	496
10.54.21PROMOTE-0063 - enginebaselinearchitecture	497
10.54.22PROMOTE-0073 - LanguagePlatformArchitecture	497
10.54.23PROMOTE-0074 - LanguagePlatformArchitecture	497
10.54.24PROMOTE-0078 - launcherapplayer	497

10.54.2PROMOTE-0081 - LauncherSetupArchitecture	498
10.55Conversation Reader Index	498
10.56Conversation Reader Index	498
10.57Blocked Scope Alignment	502
10.58Blocked Scope Alignment v0	502
10.59Claim Review Matrix	503
10.60Claim Review Matrix v0	503
10.61Current Canon Alignment	513
10.62Current Canon Alignment v0	514
10.62.1 Aligned Signals	514
10.62.2 Caution Areas	514
10.63Repo Authority Crosswalk	514
10.64Repo Authority Crosswalk v0	514
10.64.1 Classification Counts	515
10.65Contradictions To Reconcile	515
10.66Contradictions To Reconcile v0	515
10.66.1 Counts By Class	515
10.66.2 Highest-Priority Classes	516
10.66.3 Sample Findings	516
10.66.4 Reconciliation Rule	517
10.67Current Project Atlas	517
10.68Current Project Atlas v0	518
10.68.1 Read Order	518
10.68.2 What Dominium Is	518
10.68.3 What Domino Is	518
10.68.4 Active Surfaces	518
10.68.5 Current Work Gates	518
10.68.6 Unresolved Decisions	519
10.68.7 Promotion State	519
10.68.8 What Requires Review Before Promotion	519
10.68.9 Recommended Next Steps	520
10.69Executive Brief	520
10.70Executive Brief v0	520
10.70.1 Current Signal	520
10.70.2 Main Takeaway	520
10.71Full Project Picture	521
10.72Full Project Picture v0	521
10.72.1 Product Identity	521
10.72.2 Boundary Map	521
10.72.3 Topic Map	521
10.72.4 Blocked Versus Open	524

10.73	Project Synthesis Book	524
10.74	Dominium Conversation Corpus Synthesis Book v0	524
10.74.1	1. Status And Authority	524
10.74.2	2. Executive Overview	524
10.74.3	3. What Dominium Is Trying To Be	524
10.74.4	4. Core Mental Model	525
10.74.5	5. Engine / Game / Runtime / Product Boundaries	525
10.74.6	6. Determinism, Replay, And Provenance	525
10.74.7	7. Law, Authority, Refusal, And Capability Model	525
10.74.8	8. World, Reality, Scale, And Refinement Model	526
10.74.9	9. Timekeeping, Chronology, And 2038 Resilience	526
10.74.10	10. Civilization, Institutions, Economy, Logistics	526
10.74.11	11. UI, Renderer, Workbench, And Tools	526
10.74.12	12. AIDE, Codex, Governance, And Patch Workflow	527
10.74.13	13. Release, Setup, Launcher, Platform, Portability	527
10.74.14	14. Content, Packs, Modding, Providers	527
10.74.15	15. What Was Decided Across Conversations	527
10.74.16	16. What Is Still Unresolved	528
10.74.17	17. Contradictions And Drift	528
10.74.18	18. Stale Claims And Verification Queue	528
10.74.19	19. Promotion Candidates	528
10.74.20	20. Recommended Reconciliation Roadmap	528
10.74.21	21. Appendices	529
10.75	Read This First	531
10.76	Read This First v0	531
10.76.1	1 If You Want Current Truth	531
10.76.2	2 If You Want Archive Context	532
10.76.3	3 If You Want Decisions	532
10.76.4	4 If You Want Promotion Candidates	532
10.76.5	5 Hard Guardrails	532
10.77	What Needs Decision	532
10.78	What Needs Decision v0	532
10.78.1	1 User-Level Questions	533
10.79	Index	533
10.80	Artifacts	533
10.81	Index	537
10.82	Decisions	537
10.82.1	1 Dominium Advanced Simulation and Infrastructure Architecture	538
10.82.2	2 Dominium APP0 Runtime, Platform, and Renderer Architecture	538
10.82.3	3 Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning	539
10.82.4	4 Dominium/Domino Architecture and Codex Prompt Roadmap	539

10.82.5	Dominium Architecture, UI, Providers, and Robot OS Strategy	540
10.82.6	Dominium Build and Future-Proofing Architecture	541
10.82.7	Dominium Canonical Architecture, Repository Foundation, and Provider Model	541
10.82.8	Dominium Chronology & Celestial Systems	542
10.82.9	Dominium Development Routes and Continuity Preservation	542
10.82.10	Documentation Standards, README Strategy, and Handoff Packaging	543
10.82.11	Dominium Architecture I	543
10.82.12	Dominium Architecture II	544
10.82.13	Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture	545
10.82.14	Dominium Architecture IV	545
10.82.15	Dominium Canon, Repository Alignment, and Portability Doctrine	546
10.82.16	Dominium + Domino Codex Planning and Handoff	546
10.82.17	Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion	547
10.82.18	Dominium Setup Architecture and Handoff	547
10.83	Index	548
10.84	Conversation Corpus Wiki	548
10.84.1	Browse	548
10.84.2	Scope	549
10.85	Index	549
10.86	Open Questions	549
10.86.1	Dominium Advanced Simulation and Infrastructure Architecture	549
10.86.2	Dominium APP0 Runtime, Platform, and Renderer Architecture	549
10.86.3	Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning	550
10.86.4	Dominium/Domino Architecture and Codex Prompt Roadmap	550
10.86.5	Dominium Architecture, UI, Providers, and Robot OS Strategy	551
10.86.6	Dominium Build and Future-Proofing Architecture	551
10.86.7	Dominium Canonical Architecture, Repository Foundation, and Provider Model	552
10.86.8	Dominium Chronology & Celestial Systems	552
10.86.9	Dominium Development Routes and Continuity Preservation	552
10.86.10	Documentation Standards, README Strategy, and Handoff Packaging	553
10.86.11	Dominium Architecture I	554
10.86.12	Dominium Architecture II	554
10.86.13	Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture	555
10.86.14	Dominium Architecture IV	555
10.86.15	Dominium Canon, Repository Alignment, and Portability Doctrine	556
10.86.16	Dominium + Domino Codex Planning and Handoff	556
10.86.17	Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion	556
10.86.18	Dominium Setup Architecture and Handoff	557
10.86.19	Domino Dominium Workbench	557

10.86.2	Dominium/Domino Engine Refactor Planning	557
10.86.2	Domino/Dominium Engine Baseline, Architecture, and Feasibility	558
10.86.2	Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff	558
10.86.2	Domino Framework and Open-Source Provider Architecture	559
10.86.2	Dominium Content and GUI Rebuild Planning	559
10.86.2	Dominium Language, Platform, and Architecture Baseline	559
10.86.2	Dominium Launcher Application-Layer Handoff	560
10.86.2	Dominium Launcher and Setup Architecture	560
10.86.2	Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture	560
10.87	Index	561
10.88	Risks	561
10.89	Index	572
10.90	Tasks And Future Work	572
10.90.1	Dominium Advanced Simulation and Infrastructure Architecture	572
10.90.2	Dominium APP0 Runtime, Platform, and Renderer Architecture	573
10.90.3	Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning	573
10.90.4	Dominium/Domino Architecture and Codex Prompt Roadmap	574
10.90.5	Dominium Architecture, UI, Providers, and Robot OS Strategy	575
10.90.6	Dominium Build and Future-Proofing Architecture	575
10.90.7	Dominium Canonical Architecture, Repository Foundation, and Provider Model	576
10.90.8	Dominium Chronology & Celestial Systems	576
10.90.9	Dominium Development Routes and Continuity Preservation	577
10.90.10	Documentation Standards, README Strategy, and Handoff Packaging	577
10.90.11	Dominium Architecture I	578
10.90.12	Dominium Architecture II	578
10.90.13	Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture	579
10.90.14	Dominium Architecture IV	580
10.90.15	Dominium Canon, Repository Alignment, and Portability Doctrine	580
10.90.16	Dominium + Domino Codex Planning and Handoff	581
10.90.17	Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion	581
10.90.18	Dominium Setup Architecture and Handoff	582
10.91	Architecture	582
10.92	Topic: architecture	583
10.92.1	What This Topic Means	583
10.92.2	Source Conversations	583
10.92.3	Recurring Claims	585
10.92.4	Contradictions And Verification Needs	592
10.92.5	Promotion Status	593
10.93	Content	593
10.94	Topic: content	593

10.94.1 What This Topic Means	593
10.94.2 Source Conversations	593
10.94.3 Recurring Claims	595
10.94.4 Contradictions And Verification Needs	602
10.94.5 Promotion Status	603
10.95 Contracts Schema	603
10.96 Topic: contracts_schema	603
10.96.1 What This Topic Means	603
10.96.2 Source Conversations	604
10.96.3 Recurring Claims	606
10.96.4 Contradictions And Verification Needs	612
10.96.5 Promotion Status	613
10.97 Determinism	613
10.98 Topic: determinism	613
10.98.1 What This Topic Means	613
10.98.2 Source Conversations	614
10.98.3 Recurring Claims	615
10.98.4 Contradictions And Verification Needs	622
10.98.5 Promotion Status	623
10.99 Governance	623
10.10 Topic: governance	623
10.100.1 What This Topic Means	623
10.100.2 Source Conversations	623
10.100.3 Recurring Claims	625
10.100.4 Contradictions And Verification Needs	632
10.100.5 Promotion Status	633
10.101 Index	633
10.102 Topic Index	633
10.103 Platform	634
10.104 Topic: platform	634
10.104.1 What This Topic Means	634
10.104.2 Source Conversations	634
10.104.3 Recurring Claims	636
10.104.4 Contradictions And Verification Needs	642
10.104.5 Promotion Status	643
10.105 Release	643
10.106 Topic: release	643
10.106.1 What This Topic Means	643
10.106.2 Source Conversations	643
10.106.3 Recurring Claims	645
10.106.4 Contradictions And Verification Needs	652

10.106.5	Promotion Status	653
10.105	Setup Launcher	653
10.108	Topic: setup_launcher	653
10.108.1	What This Topic Means	653
10.108.2	Source Conversations	653
10.108.3	Recurring Claims	654
10.108.4	Contradictions And Verification Needs	658
10.108.5	Promotion Status	659
10.109	Simulation	659
10.110	Topic: simulation	659
10.110.1	What This Topic Means	659
10.110.2	Source Conversations	660
10.110.3	Recurring Claims	662
10.110.4	Contradictions And Verification Needs	668
10.110.5	Promotion Status	669
10.111	Timekeeping	670
10.112	Topic: timekeeping	670
10.112.1	What This Topic Means	670
10.112.2	Source Conversations	670
10.112.3	Recurring Claims	671
10.112.4	Contradictions And Verification Needs	677
10.112.5	Promotion Status	678
10.113	Tooling	678
10.114	Topic: tooling	678
10.114.1	What This Topic Means	678
10.114.2	Source Conversations	678
10.114.3	Recurring Claims	680
10.114.4	Contradictions And Verification Needs	687
10.114.5	Promotion Status	688
10.115	UI	688
10.116	Topic: ui	688
10.116.1	What This Topic Means	688
10.116.2	Source Conversations	689
10.116.3	Recurring Claims	691
10.116.4	Contradictions And Verification Needs	698
10.116.5	Promotion Status	699
10.117	Workbench	699
10.118	Topic: workbench	699
10.118.1	What This Topic Means	699
10.118.2	Source Conversations	699
10.118.3	Recurring Claims	700

10.118.4	Contradictions And Verification Needs	703
10.118.5	Promotion Status	704
10.119	Worldgen	704
10.120	Topic: worldgen	704
10.120.1	What This Topic Means	704
10.120.2	Source Conversations	704
10.120.3	Recurring Claims	706
10.120.4	Contradictions And Verification Needs	712
10.120.5	Promotion Status	713
10.121	Xstack AIDE	713
10.122	Topic: xstack_aide	714
10.122.1	What This Topic Means	714
10.122.2	Source Conversations	714
10.122.3	Recurring Claims	714
10.122.4	Contradictions And Verification Needs	717
10.122.5	Promotion Status	718
10.123	Index	718
10.124	Workstreams	718
10.124.1	Architecture	718
10.124.2	Content	720
10.124.3	Contracts_schema	721
10.124.4	Determinism	723
10.124.5	Governance	724
10.124.6	Platform	725
10.124.7	Release	727
10.124.8	Setup_launcher	728
10.124.9	Simulation	729
11	Reference Indexes	731
11.1	Authority Class Index	731
11.2	Conversation Corpus Source Index	731
11.3	Manifest-Only and Binary File Index	742
11.4	Summarized Source Index	746
11.5	Manifest-Only Source Index	806
12	Source Compendium	810
12.1	Current Markdown Sources	810
12.2	Archive and Conversation Markdown Sources	819
12.3	Non-Markdown Inputs	827

Chapter 1

Dominium Docs Corpus Omnibus

1.1 Styled Reader, Reference, Archive, Conversation, and Reconciliation Guide

Version: 1

1.2 Authority and Non-Promotion Notice

Not Promoted

This styled v1 reader is DERIVED and advisory. It is not canon, does not open blocked work, and does not promote archive or conversation-derived claims into current repo truth.

1.3 How to Read This Edition

Authority

Use this Reader PDF for orientation and fast recall. Use the Reference PDF for dense registers and full source indexes. Use the HTML edition for search, links, and smaller screens.

1.4 Corpus Snapshot

Source

Represented docs files: **5116**. Full-text reader/reference selections: **147**. Summarized/indexed files: **4967**. Manifest-only or binary files: **77**.

1.5 Current Project Picture

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - included

1.6 Docs Current Project Picture

Dominium’s current documentation picture is authority layered. Canon, glossary, `AGENTS.md`, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversation material can explain how earlier ideas developed, but it cannot become current truth through this docs-corpus task.

1.6.1 Current Orientation

- Project orientation: `README.md`
- Documentation taxonomy: `docs/README.md`
- Canon: `docs/canon/constitution_v1.md`
- Glossary: `docs/canon/glossary_v1.md`
- Agent governance: `AGENTS.md`
- Queue state: `.aide/queue/current.toml`
- Foundation status: `docs/repo/FOUNDATION_LOCK.md`

1.6.2 Corpus Scale

- Files represented: 5116
- Markdown files: 4671
- Archive/conversation files: 3221

1.6.3 What Is Safe To Do With This Output

- Read the docs corpus as a map.
- Use archive material for provenance and review.
- Use generated contradictions and promotion queues to plan later tasks.
- Start later live-doc patches only through explicit narrow promotion tasks.

1.6.4 What This Output Does Not Do

- It does not promote archive claims.
- It does not rewrite canon, contracts, schema, implementation, release, or queue state.
- It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workbench UI, native GUI, or release publication work.

1.7 Current Repo Truth Crosswalk

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/docs_corpus/_reconciliation/DOCS_REPO_TRUTH_CROSSWALK_v0.md` - included

1.8 Docs Repo Truth Crosswalk

This crosswalk starts with current repo authority and uses archive/conversation material only as supporting historical context.

Topic ID	Topic	Source Paths	Classification	Disposition
project_identity	Project identity and purpose	README.md; docs/README.md	current_repo_truth	Use current repo orientation first; archive and conversations may only explain history.
canon_glossary_authority	Canon and glossary authority	docs/canon/constitution_v1.md; docs/canon/glossary_v1.md; AGENTS.md	current_repo_truth	Canon, glossary, and AGENTS outrank archive and generated outputs.
engine_game_runtime_product_boundaries	Engine/game/runtime/product boundaries	README.md; docs/architecture; docs/archive/conversations/_reconciliation	consistent_but_review_required	Boundary claims need current-doc support before promotion.
determinism_replay_provenance	Determinism, replay, and provenance	AGENTS.md; docs/canon/constitution_v1.md; docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md	current_repo_truth	Determinism and provenance constraints are binding where scoped by canon and governance.
process_only_mutation	Process-only mutation	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Authoritative truth mutation must occur through lawful deterministic Process execution.
law_authority_refusal_capabilities	Law, authority, refusal, and capability model	AGENTS.md; docs/canon/constitution_v1.md; docs/reference/contracts	current_repo_truth_with_review_needed	Current law and contracts govern; archive claims are advisory only.
pack_driven_integration	Pack-driven integration	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Optional content and capabilities must remain pack- and registry-driven.
profiles_over_modes	Profiles over runtime mode flags	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Hardcoded runtime mode branches remain prohibited.
workbench_aide_codex_tooling	Workbench/AIDE/Codex/tooling role	AGENTS.md; .aide/queue/current.toml; docs/archive/conversations/_synthesis	blocked_scope_sensitive	Tooling is active, but broad Workbench UI and native GUI work remain blocked by the queue.
conversation_corpus_role	Conversation corpus role	docs/archive/conversations/README.md; docs/archive/conversations/_exports	conversation_advisory_only	Conversation material is derived historical evidence, not current truth.
release_setup_launcher_platform	Release/setup/launcher/platform state	.aide/queue/current.toml; docs/release; docs/archive/conversations/_promotion	blocked_scope_sensitive	Release publication remains blocked unless a stronger current queue source opens it.
renderer_ui_native_gui_scope	Renderer/UI/native GUI scope	.aide/queue/current.toml; docs/archive/conversations/_reconciliation	blocked_by_current_queue	Renderer implementation and native GUI work remain blocked.
provider_package_runtime_scope	Provider/package runtime scope	.aide/queue/current.toml; docs/archive/conversations/_promotion	blocked_by_current_queue	Provider runtime, package runtime, and runtime module loading remain blocked.

1.9 Canon and Architecture Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_CANON_ARCHITECTURE_ALIGNMENT_v0.md - excerpted

1.10 Docs Canon Architecture Alignment

This report maps high-authority documentation families without changing them.

1.10.1 Counts

- Canon files: 2
- Architecture files: 324
- Reference contract docs: 9

1.10.2 Canon Files

Path	Status	Stability	Binding Sources
docs/canon/constitution_v1.md	CANONICAL	stable	
docs/canon/glossary_v1.md	CANONICAL	stable	

1.10.3 Architecture Files

Row 1 Path: docs/architecture/ADAPTER_PATTERN.md; Status: DERIVED; Freshness: current; Risk: medium

Row 2 Path: docs/architecture/ADOPTION_PROTOCOL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 3 Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Status: DERIVED; Freshness: current; Risk: medium

Row 4 Path: docs/architecture/AI_BUDGET_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 5 Path: docs/architecture/AI_INTENT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 6 Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 7 Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 8 Path: docs/architecture/ANTI_ENTROPY_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 9 Path: docs/architecture/APPLICATION_CONTRACTS.md; Status: DERIVED; Freshness: current; Risk: medium

Row 10 Path: docs/architecture/APP_AUTOMATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 11** Path: docs/architecture/APP_CANON0.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 12** Path: docs/architecture/APP_CANON1.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 13** Path: docs/architecture/ARCH0_CONSTITUTION.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 14** Path: docs/architecture/ARCHITECTURE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 15** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 16** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 17** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 18** Path: docs/architecture/ARCHIVE_MANIFEST.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 19** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 20** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 21** Path: docs/architecture/ARCH_ENFORCEMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 22** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Status: CANONICAL; Freshness: superseded; Risk: medium
- Row 23** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 24** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 25** Path: docs/architecture/ARTIFACT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 26** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 27** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 28** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 29** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 30** Path: docs/architecture/AUTHORITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 31** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 32** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Status: DERIVED; Freshness: current; Risk: medium

- Row 33** Path: docs/architecture/BUDGET_POLICY.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 34** Path: docs/architecture/BUGREPORT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 35** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 36** Path: docs/architecture/BUNDLE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 37** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 38** Path: docs/architecture/CANON_CUT_LINE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 39** Path: docs/architecture/CANON_INDEX.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 40** Path: docs/architecture/CAPABILITY_BASELINES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 41** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 42** Path: docs/architecture/CHANGELOG_ARCH.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 43** Path: docs/architecture/CHANGE_PROTOCOL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 44** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 45** Path: docs/architecture/CHECKPOINTING_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 46** Path: docs/architecture/CHECKPOINTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 47** Path: docs/architecture/CIVILIZATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 48** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 49** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 50** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 51** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 52** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 53** Path: docs/architecture/COMPATIBILITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 54** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 55** Path: docs/architecture/COMPONENTS.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 56** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 57** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 58** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 59** Path: docs/architecture/CONTRACTS_INDEX.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 60** Path: docs/architecture/CONTROL_LAYERS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 61** Path: docs/architecture/CORE_ABSTRACTIONS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 62** Path: docs/architecture/CRASH_RECOVERY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 63** Path: docs/architecture/CROSS_SHARD_LOG.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 64** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 65** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 66** Path: docs/architecture/DECAY_EROSION_REGEN.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 67** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 68** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 69** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 70** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 71** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 72** Path: docs/architecture/DEV_OPS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 73** Path: docs/architecture/DIRECTORY_CONTEXT.md; Status: DERIVED; Freshness: superseded; Risk: medium
- Row 74** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Status: DERIVED; Freshness: superseded; Risk: medium
- Row 75** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 76** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 77** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 78** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 79** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 80** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 81** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 82** Path: docs/architecture/DOMAIN_VOLUMES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 83** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 84** Path: docs/architecture/ECONOMIC_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 85** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 86** Path: docs/architecture/ENERGY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 87** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 88** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 89** Path: docs/architecture/EPISTEMICS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 90** Path: docs/architecture/EXECUTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 91** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 92** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 93** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 94** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 95** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 96** Path: docs/architecture/EXPLORATION_METRICS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 97** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 98** Path: docs/architecture/EXTEND_VS_CREATE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 99** Path: docs/architecture/EXTENSION_MAP.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 100** Path: docs/architecture/EXTENSION_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 101** Path: docs/architecture/FABRICATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 102** Path: docs/architecture/FLOAT_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 103** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 104** Path: docs/architecture/FLUIDS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 105** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 106** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Freshness: unclear; Risk: medium
- Row 107** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 108** Path: docs/architecture/FUTURE_PROOFING.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 109** Path: docs/architecture/GENERATED_CODE_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 110** Path: docs/architecture/GLOBAL_ID_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 111** Path: docs/architecture/GLOSSARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 112** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 113** Path: docs/architecture/GUI_BASELINE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 114** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 115** Path: docs/architecture/HAZARDS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 116** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 117** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 118** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 119** Path: docs/architecture/IDE_PROJECTIONS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 120** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 121** Path: docs/architecture/INDEXING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 122** Path: docs/architecture/INFORMATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 123** Path: docs/architecture/INSTALLER_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 124** Path: docs/architecture/INSTALL_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 125** Path: docs/architecture/INSTANCE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 126** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 127** Path: docs/architecture/INTEREST_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 128** Path: docs/architecture/INVARIANTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 129** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 130** Path: docs/architecture/INVARIANT_REGISTRY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 131** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 132** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 133** Path: docs/architecture/KNOWN_BLOCKERS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 134** Path: docs/architecture/KNOWN_WARNINGS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 135** Path: docs/architecture/LANGUAGE_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 136** Path: docs/architecture/LAUNCHER_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 137** Path: docs/architecture/LAW_AND_META_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 138** Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 139** Path: docs/architecture/LEGACY_SUPPORT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 140** Path: docs/architecture/LEGACY_SUPPORT_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 141** Path: docs/architecture/LIFE_AND_POPULATION.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 142** Path: docs/architecture/LIVE_EVOLUTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 143** Path: docs/architecture/LOCKFILES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 144** Path: docs/architecture/LOCKLIST.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 145** Path: docs/architecture/LOCKLIST_OVERRIDES.json; Freshness: unclear; Risk: medium
- Row 146** Path: docs/architecture/MACRO_TIME_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 147** Path: docs/architecture/MIGRATION_TEMPLATE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 148** Path: docs/architecture/MMO_COMPATIBILITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 149** Path: docs/architecture/MMO_SAFETY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 150** Path: docs/architecture/MODES_AS_PROFILES.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 151** Path: docs/architecture/MODPACK_FORMAT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 152** Path: docs/architecture/MODULE_BOUNDARIES_v1.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 153** Path: docs/architecture/MODULE_INDEX_v1.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 154** Path: docs/architecture/MOD_ECOSYSTEM_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 155** Path: docs/architecture/MOVEMENT_AS_LOGISTICS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 156** Path: docs/architecture/NAMESPACING_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 157** Path: docs/architecture/NETWORKGRAPH_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 158** Path: docs/architecture/NON_INTERFERENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 159** Path: docs/architecture/NO_MAGIC_TELEPORTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 160** Path: docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 161** Path: docs/architecture/OPS_TRANSACTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 162** Path: docs/architecture/OVERVIEW_ARCHITECTURE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 163** Path: docs/architecture/PACK_FORMAT.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 164	Path: docs/architecture/PERFORMANCE_METRICS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 165	Path: docs/architecture/PERFORMANCE_PROOF.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 166	Path: docs/architecture/PIRACY_CONTAINMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 167	Path: docs/architecture/PLATFORM_RESPONSIBILITY.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 168	Path: docs/architecture/POST_CLEAN_2_STATUS.md; Status: DERIVED; Freshness: current; Risk: medium
Row 169	Path: docs/architecture/PROCESS_ONLY_MUTATION.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 170	Path: docs/architecture/PRODUCT_SHELL_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 171	Path: docs/architecture/PROJECTION_LIFECYCLE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 172	Path: docs/architecture/PROJECT_EXECUTION_BASELINE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 173	Path: docs/architecture/QUANTITY_BUNDLES.md; Status: DERIVED; Freshness: current; Risk: medium
Row 174	Path: docs/architecture/REALITY_FLOW.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 175	Path: docs/architecture/REALITY_LAYER.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 176	Path: docs/architecture/REALITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 177	Path: docs/architecture/REDUCTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 178	Path: docs/architecture/REFINEMENT_CONTRACTS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 179	Path: docs/architecture/REFRACTOR_STAGE.md; Status: CANONICAL; Freshness: current; Risk: medium
Omitted	132 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

1.11 Archive Archaeology

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_ARCHIVE_ATLAS_v0.md - included

1.12 Docs Archive Atlas

`docs/archive/**` is historical/provenance material. It can inform future review, but it does not override current repo authority.

1.12.1 Archive Family Counts

Archive Family	Count
archive/refactor	1379
archive/audit	960
archive/conversations	761
other/archive_unknown	40
archive/restructure	23
archive/blueprint	22
archive/impact	20
archive/post-canon	5
archive/stray_root_docs	3
archive/omega	2
archive/prompts	2
archive/repo	2
archive/platform	1
archive/specs	1

1.12.2 Interpretation

- `archive/conversations` is the completed advisory conversation corpus.
- Blueprint, prompt, refactor, restructure, post-canon, and spec archives preserve historical design or migration context.
- Archive material may become a promotion candidate only through a later explicit review task.

1.13 Conversation Corpus Integration

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md` - included

1.14 Docs Conversation Corpus Integration

The conversation corpus is treated as a derived advisory sub-corpus inside the full docs corpus.

1.14.1 Scope

- Conversation files represented: 761
- Generated conversation reports represented: 131
- Conversation export files represented: 10

1.14.2 Interpretation

- Advisory: yes
- Current authority: no
- Promotion status: not promoted
- Use: design intent, review backlog, decision and promotion candidates
- Non-use: canon, contract/schema, implementation, release, or queue override

1.14.3 Key Existing Surfaces

Surface	Role
docs/archive/conversations/_synthesis/**	derived synthesis and project picture
docs/archive/conversations/_decision/**	decision docket
docs/archive/conversations/_promotion/**	promotion review backlog
docs/archive/conversations/_reconciliation/**	conversation-vs-repo crosswalk
docs/archive/conversations/_audit/**	contradictions, staleness, uncertainty
docs/archive/conversations/_exports/**	conversation book bundle

1.15 Decision Docket Summary

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - included

1.16 Docs Decision Docket

Decision items are review prompts. The default disposition is defer unless a later explicit task opens the scope.

- Row 1** Decision ID: DOC-DECIDE-0001; Source/Finding: DOC-CONTRA-0001; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 2** Decision ID: DOC-DECIDE-0002; Source/Finding: DOC-CONTRA-0002; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 3** Decision ID: DOC-DECIDE-0003; Source/Finding: DOC-CONTRA-0003; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 4** Decision ID: DOC-DECIDE-0004; Source/Finding: DOC-CONTRA-0004; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 5** Decision ID: DOC-DECIDE-0005; Source/Finding: DOC-CONTRA-0005; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review

- Row 6** Decision ID: DOC-DECIDE-0006; Source/Finding: DOC-CONTRA-0006; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 7** Decision ID: DOC-DECIDE-0007; Source/Finding: DOC-CONTRA-0007; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 8** Decision ID: DOC-DECIDE-0008; Source/Finding: DOC-CONTRA-0008; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 9** Decision ID: DOC-DECIDE-0009; Source/Finding: DOC-CONTRA-0009; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 10** Decision ID: DOC-DECIDE-0010; Source/Finding: DOC-CONTRA-0010; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 11** Decision ID: DOC-DECIDE-0011; Source/Finding: DOC-CONTRA-0011; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 12** Decision ID: DOC-DECIDE-0012; Source/Finding: DOC-CONTRA-0012; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 13** Decision ID: DOC-DECIDE-0013; Source/Finding: DOC-CONTRA-0013; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 14** Decision ID: DOC-DECIDE-0014; Source/Finding: DOC-CONTRA-0014; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 15** Decision ID: DOC-DECIDE-0015; Source/Finding: DOC-CONTRA-0015; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 16** Decision ID: DOC-DECIDE-0016; Source/Finding: DOC-CONTRA-0016; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 17** Decision ID: DOC-DECIDE-0017; Source/Finding: DOC-CONTRA-0017; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 18** Decision ID: DOC-DECIDE-0018; Source/Finding: DOC-CONTRA-0018; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 19** Decision ID: DOC-DECIDE-0019; Source/Finding: DOC-CONTRA-0019; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 20** Decision ID: DOC-DECIDE-0020; Source/Finding: DOC-CONTRA-0020; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review

- [illegible]

- Row 36** Decision ID: DOC-DECIDE-0036; Source/Finding: DOC-CONTRA-0036; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 37** Decision ID: DOC-DECIDE-0037; Source/Finding: DOC-CONTRA-0037; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 38** Decision ID: DOC-DECIDE-0038; Source/Finding: DOC-CONTRA-0038; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 39** Decision ID: DOC-DECIDE-0039; Source/Finding: DOC-CONTRA-0039; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 40** Decision ID: DOC-DECIDE-0040; Source/Finding: DOC-CONTRA-0040; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 41** Decision ID: DOC-DECIDE-0041; Source/Finding: DOC-CONTRA-0041; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 42** Decision ID: DOC-DECIDE-0042; Source/Finding: DOC-CONTRA-0042; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 43** Decision ID: DOC-DECIDE-0043; Source/Finding: DOC-CONTRA-0043; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 44** Decision ID: DOC-DECIDE-0044; Source/Finding: DOC-CONTRA-0044; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 45** Decision ID: DOC-DECIDE-0045; Source/Finding: DOC-CONTRA-0045; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 46** Decision ID: DOC-DECIDE-0046; Source/Finding: DOC-CONTRA-0046; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 47** Decision ID: DOC-DECIDE-0047; Source/Finding: DOC-CONTRA-0047; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 48** Decision ID: DOC-DECIDE-0048; Source/Finding: DOC-CONTRA-0048; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 49** Decision ID: DOC-DECIDE-0049; Source/Finding: DOC-CONTRA-0049; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 50** Decision ID: DOC-DECIDE-0050; Source/Finding: DOC-CONTRA-0050; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review

- [illegible]

- [illegible]

- Row 81** Decision ID: DOC-DECIDE-BLOCK-0001; Source/Finding: queue; Question: Should broad Workbench UI remain closed until a later queue phase explicitly opens it?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 82** Decision ID: DOC-DECIDE-BLOCK-0002; Source/Finding: queue; Question: Should renderer implementation remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 83** Decision ID: DOC-DECIDE-BLOCK-0003; Source/Finding: queue; Question: Should provider/package runtime work remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 84** Decision ID: DOC-DECIDE-BLOCK-0004; Source/Finding: queue; Question: Should release publication remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer

1.17 Promotion Roadmap Summary

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_PROMOTION_QUEUE_v0.md - excerpted

1.18 Docs Promotion Queue

This queue records later review candidates. It does not apply any live-doc patch.

- Row 1** Promotion ID: DOC-PROMOTE-0001; Source Path(s): docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 2** Promotion ID: DOC-PROMOTE-0002; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 3** Promotion ID: DOC-PROMOTE-0003; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 4** Promotion ID: DOC-PROMOTE-0004; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 5** Promotion ID: DOC-PROMOTE-0005; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 6** Promotion ID: DOC-PROMOTE-0006; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 7** Promotion ID: DOC-PROMOTE-0007; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 8** Promotion ID: DOC-PROMOTE-0008; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 9** Promotion ID: DOC-PROMOTE-0009; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 10** Promotion ID: DOC-PROMOTE-0010; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 11** Promotion ID: DOC-PROMOTE-0011; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 12** Promotion ID: DOC-PROMOTE-0012; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 13** Promotion ID: DOC-PROMOTE-0013; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 14** Promotion ID: DOC-PROMOTE-0014; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 15** Promotion ID: DOC-PROMOTE-0015; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 16** Promotion ID: DOC-PROMOTE-0016; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 17** Promotion ID: DOC-PROMOTE-0017; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 18** Promotion ID: DOC-PROMOTE-0018; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 19** Promotion ID: DOC-PROMOTE-0019; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 20** Promotion ID: DOC-PROMOTE-0020; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 21** Promotion ID: DOC-PROMOTE-0021; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 22** Promotion ID: DOC-PROMOTE-0022; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 23** Promotion ID: DOC-PROMOTE-0023; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 24** Promotion ID: DOC-PROMOTE-0024; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 25** Promotion ID: DOC-PROMOTE-0025; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 26** Promotion ID: DOC-PROMOTE-0026; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 27** Promotion ID: DOC-PROMOTE-0027; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 28** Promotion ID: DOC-PROMOTE-0028; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 29** Promotion ID: DOC-PROMOTE-0029; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 30** Promotion ID: DOC-PROMOTE-0030; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 31** Promotion ID: DOC-PROMOTE-0031; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 32** Promotion ID: DOC-PROMOTE-0032; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 33** Promotion ID: DOC-PROMOTE-0033; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 34** Promotion ID: DOC-PROMOTE-0034; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 35** Promotion ID: DOC-PROMOTE-0035; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 36** Promotion ID: DOC-PROMOTE-0036; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 37** Promotion ID: DOC-PROMOTE-0037; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 38** Promotion ID: DOC-PROMOTE-0038; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 39** Promotion ID: DOC-PROMOTE-0039; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 40** Promotion ID: DOC-PROMOTE-0040; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 41** Promotion ID: DOC-PROMOTE-0041; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 42** Promotion ID: DOC-PROMOTE-0042; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 43** Promotion ID: DOC-PROMOTE-0043; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 44** Promotion ID: DOC-PROMOTE-0044; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 45** Promotion ID: DOC-PROMOTE-0045; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 46** Promotion ID: DOC-PROMOTE-0046; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 47** Promotion ID: DOC-PROMOTE-0047; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 48** Promotion ID: DOC-PROMOTE-0048; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 49** Promotion ID: DOC-PROMOTE-0049; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 50** Promotion ID: DOC-PROMOTE-0050; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 51** Promotion ID: DOC-PROMOTE-0051; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 52** Promotion ID: DOC-PROMOTE-0052; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 53** Promotion ID: DOC-PROMOTE-0053; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 54** Promotion ID: DOC-PROMOTE-0054; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 55** Promotion ID: DOC-PROMOTE-0055; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report_README_FIRST.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 56** Promotion ID: DOC-PROMOTE-0056; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 57** Promotion ID: DOC-PROMOTE-0057; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 58** Promotion ID: DOC-PROMOTE-0058; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 59** Promotion ID: DOC-PROMOTE-0059; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 60** Promotion ID: DOC-PROMOTE-0060; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 61** Promotion ID: DOC-PROMOTE-0061; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 62** Promotion ID: DOC-PROMOTE-0062; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 63** Promotion ID: DOC-PROMOTE-0063; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 64** Promotion ID: DOC-PROMOTE-0064; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 65** Promotion ID: DOC-PROMOTE-0065; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 66** Promotion ID: DOC-PROMOTE-0066; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__

_10_accompanying_full_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 67 Promotion ID: DOC-PROMOTE-0067; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 68 Promotion ID: DOC-PROMOTE-0068; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 69 Promotion ID: DOC-PROMOTE-0069; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 70 Promotion ID: DOC-PROMOTE-0070; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 71 Promotion ID: DOC-PROMOTE-0071; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 72 Promotion ID: DOC-PROMOTE-0072; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 73 Promotion ID: DOC-PROMOTE-0073; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 74 Promotion ID: DOC-PROMOTE-0074; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 75 Promotion ID: DOC-PROMOTE-0075; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 76 Promotion ID: DOC-PROMOTE-0076; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 77** Promotion ID: DOC-PROMOTE-0077; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 78** Promotion ID: DOC-PROMOTE-0078; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 79** Promotion ID: DOC-PROMOTE-0079; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 80** Promotion ID: DOC-PROMOTE-0080; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 81** Promotion ID: DOC-PROMOTE-0081; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 82** Promotion ID: DOC-PROMOTE-0082; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 83** Promotion ID: DOC-PROMOTE-0083; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 84** Promotion ID: DOC-PROMOTE-0084; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 85** Promotion ID: DOC-PROMOTE-0085; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 86** Promotion ID: DOC-PROMOTE-0086; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 87** Promotion ID: DOC-PROMOTE-0087; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 88** Promotion ID: DOC-PROMOTE-0088; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__

_08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 89 Promotion ID: DOC-PROMOTE-0089; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 90 Promotion ID: DOC-PROMOTE-0090; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 91 Promotion ID: DOC-PROMOTE-0091; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 92 Promotion ID: DOC-PROMOTE-0092; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 93 Promotion ID: DOC-PROMOTE-0093; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 94 Promotion ID: DOC-PROMOTE-0094; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 95 Promotion ID: DOC-PROMOTE-0095; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 96 Promotion ID: DOC-PROMOTE-0096; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 97 Promotion ID: DOC-PROMOTE-0097; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 98 Promotion ID: DOC-PROMOTE-0098; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Row 99 Promotion ID: DOC-PROMOTE-0099; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 100** Promotion ID: DOC-PROMOTE-0100; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 101** Promotion ID: DOC-PROMOTE-0101; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 102** Promotion ID: DOC-PROMOTE-0102; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 103** Promotion ID: DOC-PROMOTE-0103; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 104** Promotion ID: DOC-PROMOTE-0104; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 105** Promotion ID: DOC-PROMOTE-0105; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 106** Promotion ID: DOC-PROMOTE-0106; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 107** Promotion ID: DOC-PROMOTE-0107; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 108** Promotion ID: DOC-PROMOTE-0108; Source Path(s): docs/archive/conversations/Foundation_Workbench

Verify

This section is excerpted for readability. See the source path for the full report.

1.19 Contradictions and Drift

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_CONTRADICTION_MATRIX_v0.md - excerpted

1.20 Docs Contradiction Matrix

Contradiction classes include current-doc vs canon, archive vs current, conversation vs current, planning vs queue, generated evidence vs source, duplicate shadows, stale external claims, and unclear same-tier conflicts. Findings below are deterministic review signals, not adjudications.

Row 1 Finding ID: DOC-CONTRA-0001; Class: archive_vs_current; Sources: docs/archive/audit/ARCH_AUDIT__CONSTITUTION.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 2 Finding ID: DOC-CONTRA-0002; Class: archive_vs_current; Sources: docs/archive/audit/ARTIFACT__MANIFEST_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 3 Finding ID: DOC-CONTRA-0003; Class: archive_vs_current; Sources: docs/archive/audit/FORKING__PROVIDES_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 4 Finding ID: DOC-CONTRA-0004; Class: archive_vs_current; Sources: docs/archive/audit/INSTALL__MANIFEST_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 5 Finding ID: DOC-CONTRA-0005; Class: archive_vs_current; Sources: docs/archive/audit/INSTANCE__MANIFEST_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 6 Finding ID: DOC-CONTRA-0006; Class: archive_vs_current; Sources: docs/archive/audit/INSTITUTIONAL__COMMS_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 7 Finding ID: DOC-CONTRA-0007; Class: archive_vs_current; Sources: docs/archive/audit/MACROCAPSULE__BEHAVIOR_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 8 Finding ID: DOC-CONTRA-0008; Class: archive_vs_current; Sources: docs/archive/audit/SAVE_MANIFEST__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

Row 9 Finding ID: DOC-CONTRA-0009; Class: archive_vs_current; Sources: docs/archive/audit/SIG7_RETRO__AUDIT.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

- Row 10** Finding ID: DOC-CONTRA-0010; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR_HARDENING_FINAL.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 11** Finding ID: DOC-CONTRA-0011; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR_SURFACE_MAP.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 12** Finding ID: DOC-CONTRA-0012; Class: archive_vs_current; Sources: docs/archive/audit/SYSTEM_TIER_ROI_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 13** Finding ID: DOC-CONTRA-0013; Class: archive_vs_current; Sources: docs/archive/restructure/FUTURE_LAYOUT_PROPOSAL.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 14** Finding ID: DOC-CONTRA-0014; Class: archive_vs_current; Sources: docs/archive/restructure/RESTRUCTURE_RISKS.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 15** Finding ID: DOC-CONTRA-0015; Class: archive_vs_current; Sources: docs/archive/restructure/SHIM_POLICY.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 16** Finding ID: DOC-CONTRA-0016; Class: duplicate_shadow; Sources: docs/repo/repo/APRX_INTEGRATION_HOOKS.md, docs/archive/repo/APRX_INTEGRATION_HOOKS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename **aprx_integration_hooks.md**; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 17** Finding ID: DOC-CONTRA-0017; Class: duplicate_shadow; Sources: docs/architecture/ARCHITECTURE.md, docs/archive/conversations/_wiki/topics/architecture.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename **architecture.md**; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 18** Finding ID: DOC-CONTRA-0018; Class: duplicate_shadow; Sources: docs/testing/ci/CI_ENFORCEMENT_MATRIX.md, docs/archive/stray_root_docs/CI_ENFORCEMENT_MATRIX.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename **ci_enforcement_matrix.md**; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 19** Finding ID: DOC-CONTRA-0019; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0_POPULATION_GENESIS.md, docs/archive/stray_root_docs/CIV0_POPULATION_GENESIS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename **civ0_population_genesis.md**; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?

- Row 20** Finding ID: DOC-CONTRA-0020; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0a_SURVIVAL_LOOP.md, docs/archive/stray_root_docs/CIV0a_SURVIVAL_LOOP.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ0a_survival_loop.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 21** Finding ID: DOC-CONTRA-0021; Class: duplicate_shadow; Sources: docs/reference/specs/CIV1_CITIES_INFRA.md, docs/archive/stray_root_docs/CIV1_CITIES_INFRA.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ1_cities_infra.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 22** Finding ID: DOC-CONTRA-0022; Class: duplicate_shadow; Sources: docs/reference/specs/CIV2_GOVERNANCE.md, docs/archive/stray_root_docs/CIV2_GOVERNANCE.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ2_governance.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 23** Finding ID: DOC-CONTRA-0023; Class: duplicate_shadow; Sources: docs/reference/specs/CIV3_KNOWLEDGE_TECH.md, docs/archive/stray_root_docs/CIV3_KNOWLEDGE_TECH.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ3_knowledge_tech.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 24** Finding ID: DOC-CONTRA-0024; Class: duplicate_shadow; Sources: docs/reference/specs/CIV4_SCALE_AND_LOGISTICS.md, docs/archive/stray_root_docs/CIV4_SCALE_AND_LOGISTICS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ4_scale_and_logistics.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 25** Finding ID: DOC-CONTRA-0025; Class: duplicate_shadow; Sources: docs/development/CONTRIBUTING.md, docs/archive/stray_root_docs/CONTRIBUTING.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `contributing.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 26** Finding ID: DOC-CONTRA-0026; Class: duplicate_shadow; Sources: docs/testing/ci/DETERMINISM_TEST_MATRIX.md, docs/archive/stray_root_docs/DETERMINISM_TEST_MATRIX.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `determinism_test_matrix.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 27** Finding ID: DOC-CONTRA-0027; Class: duplicate_shadow; Sources: docs/architecture/INVARIANTS.md, docs/archive/architecture/INVARIANTS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `invariants.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 28** Finding ID: DOC-CONTRA-0028; Class: duplicate_shadow; Sources: docs/development/guides/OFFLINE_AND_LOCAL_MP.md, docs/archive/stray_root_docs/OFFLINE_AND_LOCAL_MP.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `offline_and_local_mp.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?

- Row 29** Finding ID: DOC-CONTRA-0029; Class: `duplicate_shadow`; Sources: `docs/governance/policies/PERF_BUDGETS.md`, `docs/archive/stray_root_docs/PERF_BUDGETS.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `perf_budgets.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 30** Finding ID: DOC-CONTRA-0030; Class: `duplicate_shadow`; Sources: `docs/release/mvp/PRODUCT_BOOT_MATRIX.md`, `docs/archive/audit/convergence_steps/product_boot_matrix.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `product_boot_matrix.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 31** Finding ID: DOC-CONTRA-0031; Class: `duplicate_shadow`; Sources: `docs/README.md`, `docs/archive/README.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `readme.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 32** Finding ID: DOC-CONTRA-0032; Class: `duplicate_shadow`; Sources: `docs/reference/schema/SCHEMA_CANON_ALIGNMENT.md`, `docs/archive/audit/SCHEMA_CANON_ALIGNMENT.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `schema_canon_alignment.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 33** Finding ID: DOC-CONTRA-0033; Class: `duplicate_shadow`; Sources: `docs/governance/policies/VALIDATION_AND_GOVERNANCE.md`, `docs/archive/stray_root_docs/VALIDATION_AND_GOVERNANCE.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_and_governance.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 34** Finding ID: DOC-CONTRA-0034; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_INVENTORY.md`, `docs/archive/audit/VALIDATION_INVENTORY.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_inventory.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 35** Finding ID: DOC-CONTRA-0035; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_REPORT_FAST.md`, `docs/archive/audit/VALIDATION_REPORT_FAST.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_report_fast.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 36** Finding ID: DOC-CONTRA-0036; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_UNIFY_FINAL.md`, `docs/archive/audit/VALIDATION_UNIFY_FINAL.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_unify_final.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 37** Finding ID: DOC-CONTRA-0037; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 38** Finding ID: DOC-CONTRA-0038; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 39** Finding ID: DOC-CONTRA-0039; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 40** Finding ID: DOC-CONTRA-0040; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 41** Finding ID: DOC-CONTRA-0041; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 42** Finding ID: DOC-CONTRA-0042; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 43** Finding ID: DOC-CONTRA-0043; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 44** Finding ID: DOC-CONTRA-0044; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 45** Finding ID: DOC-CONTRA-0045; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 46** Finding ID: DOC-CONTRA-0046; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 47** Finding ID: DOC-CONTRA-0047; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying__

human_readable_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 48** Finding ID: DOC-CONTRA-0048; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 49** Finding ID: DOC-CONTRA-0049; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 50** Finding ID: DOC-CONTRA-0050; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 51** Finding ID: DOC-CONTRA-0051; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 52** Finding ID: DOC-CONTRA-0052; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 53** Finding ID: DOC-CONTRA-0053; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 54** Finding ID: DOC-CONTRA-0054; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 55** Finding ID: DOC-CONTRA-0055; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 56** Finding ID: DOC-CONTRA-0056; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 57** Finding ID: DOC-CONTRA-0057; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 58** Finding ID: DOC-CONTRA-0058; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 59** Finding ID: DOC-CONTRA-0059; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 60** Finding ID: DOC-CONTRA-0060; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 61** Finding ID: DOC-CONTRA-0061; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 62** Finding ID: DOC-CONTRA-0062; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Archi

Verify

This section is excerpted for readability. See the source path for the full report.

1.21 Staleness and Verification

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_STALENESS_AND_VERIFICATION_v0.md - excerpted

1.22 Docs Staleness and Verification

This register identifies material that should be verified before use as current guidance.

- Row 1** Path: docs/.gitignore; Family: other; Freshness: unclear; Disposition: verify_before_current_use
- Row 2** Path: docs/apps/UI_MODES.md; Family: apps; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 3** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Family: architecture; Freshness: superseded; Status: CANONICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 4** Path: docs/architecture/DIRECTORY_CONTEXT.md; Family: architecture; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 5** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Family: architecture; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 6** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 7** Path: docs/architecture/LOCKLIST_OVERRIDES.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 8** Path: docs/architecture/SEMANTIC_STABILITY_LOCK.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 9** Path: docs/archive/README.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 10** Path: docs/archive/STATUS_NOW.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 11** Path: docs/archive/SURVIVAL_SLICE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 12** Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 13** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 14** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 15** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 16** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 17** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 18** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 19** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 20** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 21** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 22** Path: docs/archive/architecture/INVARIANTS.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 23** Path: docs/archive/architecture/MENTAL_MODEL.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 24** Path: docs/archive/architecture/NON_GOALS.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 25** Path: docs/archive/architecture/TERMINOLOGY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 26** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 27** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 28** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 29** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 30** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 31** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 32** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 33** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 34** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 35** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 36** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 37** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 38** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 39** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 40** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 41** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 42** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 43** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 44** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 45** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-25; Disposition: verify_before_current_use
- Row 46** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 47** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 48** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-12; Disposition: verify_before_current_use
- Row 49** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 50** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 51** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 52** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 53** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 54** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 55** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Family: archive; Freshness: provisional; Status: CANONICAL; Last Reviewed: 2026-03-12; Disposition: verify_before_current_use
- Row 56** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 57** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 58** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 59** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 60** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 61** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Family: archive; Freshness: provisional; Status: CANONICAL; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 62** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 63** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-11; Disposition: verify_before_current_use
- Row 64** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 65** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use

- Row 66** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 67** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 68** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 69** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 70** Path: docs/archive/audit/BOM_AG_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 71** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 72** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 73** Path: docs/archive/audit/BR0_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 74** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 75** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 76** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 77** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 78** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-09; Disposition: verify_before_current_use
- Row 79** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 80** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 81** Path: docs/archive/audit/CANON_MAP.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 82** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 83** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 84** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 85** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 86** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use

- Row 87** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 88** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 89** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 90** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 91** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 92** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 93** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 94** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 95** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 96** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 97** Path: docs/archive/audit/CI_RUN_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-30; Disposition: verify_before_current_use
- Row 98** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 99** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 100** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 101** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 102** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 103** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 104** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 105** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 106** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use

- Row 107** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 108** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-06; Disposition: verify_before_current_use
- Row 109** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 110** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 111** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 112** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 113** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 114** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 115** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 116** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 117** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 118** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Family: archive; Freshness: provisional; Disposition: verify_before_current_use
- Row 119** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 120** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 121** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 122** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 123** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 124** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 125** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 126** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use

- Row 127** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 128** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 129** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 130** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 131** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 132** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 133** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 134** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 135** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 136** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 137** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 138** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 139** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 140** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 141** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 142** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 143** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 144** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 145** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 146** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-31; Disposition: verify_before_current_use

- Row 147** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 148** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 149** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 150** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 151** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 152** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-09; Disposition: verify_before_current_use
- Row 153** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 154** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 155** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 156** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 157** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 158** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 159** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 160** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 161** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 162** Path: docs/archive/audit/DIST2_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 163** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 164** Path: docs/archive/audit/DIST3_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 165** Path: docs/archive/audit/DIST4_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 166** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use

- Row 167** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 168** Path: docs/archive/audit/DIST6_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 169** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 170** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 171** Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 172** Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 173** Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 174** Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 175** Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 176** Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 177** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 178** Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 179** Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use

Omitted 14 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

1.23 Reading Paths

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/reading_paths.md - included

1.24 Reading Paths

Reading Path	Start With
Start Here	<code>_book/chapters/00_front_matter.md</code> , then <code>_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md</code> .
Current Authority Reader	<code>_audit/DOCS_AUTHORITY_MAP_v0.md</code> and <code>_reconciliation/DOCS_REPO_TRUTH_CROSSWALK_v0.md</code> .
Canon and Architecture Reader	<code>_reconciliation/DOCS_CANON_ARCHITECTURE_ALIGNMENT_v0.md</code> .
Runtime/Product Reader	<code>_wiki/topics/runtime_product_tooling.md</code> .
Workbench/AIDE/Codex Reader	<code>_wiki/topics/workbench_aide_codex.md</code> .
Release/Setup/Launcher Reader	<code>_wiki/topics/release_setup_launcher.md</code> .
World/Simulation/Domain Reader	<code>_wiki/topics/world_simulation_domain.md</code> .
Archive Archaeology Reader	<code>_archive/DOCS_ARCHIVE_ATLAS_v0.md</code> .
Conversation Corpus Reader	<code>_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md</code> .
Decision Review Reader	<code>_reconciliation/DOCS_DECISION_DOCKET_v0.md</code> .
Promotion Review Reader	<code>_reconciliation/DOCS_PROMOTION_QUEUE_v0.md</code> .
Contradiction/Staleness Reader	<code>_audit/DOCS_CONTRADICTION_MATRIX_v0.md</code> and <code>_audit/DOCS_STALENESS_AND_VERIFICATION_v0.md</code> .
Source Provenance Reader	<code>_intake/DOCS_SOURCE_INDEX_v0.md</code> .

Chapter 2

Compact Indexes

Source

These compact indexes preserve source coverage without turning the reader edition into a filesystem dump.

2.1 Authority Class Summary

Authority Class	Count
architecture_current	324
archive_historical	165
archive_stale	2295
audit_evidence	8
canonical	2
contract_or_schema_reference	9
conversation_advisory	606
derived_synthesis	155
development_guidance	339
domain_guidance	253
planning_current	77
release_current	95
repo_current	196
unknown_or_unclassified	592

2.2 Book Role Summary

Book Role	Count
excluded_binary_or_archive	52
main_reader	608
manifest_only	57
reference_appendix	2275
searchable_html_only	314
summarized_reader	1810

2.3 High-Authority Source Paths

- README.md
- docs/README.md
- AGENTS.md
- docs/canon/constitution_v1.md
- docs/canon/glossary_v1.md
- docs/repo/FOUNDATION_LOCK.md
- docs/architecture/WHAT_THIS_IS.md
- docs/architecture/WHAT_THIS_IS_NOT.md
- docs/architecture/INVARIANTS.md
- docs/architecture/CANONICAL_SYSTEM_MAP.md
- docs/architecture/CONTRACTS_INDEX.md
- docs/architecture/CANON_INDEX.md

Chapter 3

Reference Edition

Source

The remaining sections are denser reference material. Use the Reader edition for end-to-end reading.

Chapter 4

Dominium Docs Corpus Omnibus Reference

Version: 1

Authority

Dense reference edition. This remains DERIVED and advisory.

Chapter 5

Intake and Source Corpus

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

5.1 Corpus Manifest

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_intake/DOCS_CORPUS_MANIFEST.md - included

5.2 Docs Corpus Manifest

5.2.1 Summary

- Task ID: DOCS-CORPUS-MEGA-01
- Source root: docs/
- Generated date: 2026-05-28
- Repository branch: main
- Repository commit: 8a1674f4c
- Files represented: 5116
- Directories represented: 279
- Total size: 445.13 MB
- Markdown files: 4671
- JSON files: 208
- YAML files: 50
- ZIP files: 32
- Non-text files: 68

5.2.2 Directory Families

Family	Count
archive	2460
conversation_corpus	761
other	493
architecture	324
domains	203
development	201
repo	196
runtime	97
release	95
governance	77
planning	77
apps	41
content	38
testing	22
modding	12
reference_contracts	9
audit	8
canonical	2

5.2.3 Authority Classes

Authority Class	Count
archive_stale	2295
conversation_advisory	606
unknown_or_unclassified	592
development_guidance	339
architecture_current	324
domain_guidance	253
repo_current	196
archive_historical	165
derived_synthesis	155
release_current	95
planning_current	77
contract_or_schema_reference	9
audit_evidence	8
canonical	2

5.2.4 Authority Risk

Risk	Count
low	3241
medium	1257
unknown	592
quarantine_required	15
high	11

5.2.5 Source Rule

Every git-tracked file under `docs/` is represented except generated files under `docs/archive/docs_corpus/`, which are deliberately excluded to avoid recursive self-publication.

5.3 Source Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_intake/DOCS_SOURCE_INDEX_v0.md - excerpted

5.4 Docs Source Index

Every represented git-tracked docs file appears in this index. The full SHA-256 hash is preserved in `DOCS_CORPUS_MANIFEST.json`.

- Row 1** Path: docs/.gitignore; Family: other; Authority Class: unknown_or_unclassified; Book Role: manifest_only; Size: 84 B; SHA-256 Prefix: 0e067b7d054e
- Row 2** Path: docs/README.md; Family: other; Authority Class: unknown_or_unclassified; Book Role: summarized_reader; Size: 1.74 KB; SHA-256 Prefix: 9e62b238b846
- Row 3** Path: docs/apps/ARTIFACT_IDENTITY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.32 KB; SHA-256 Prefix: 403abbadb8ef
- Row 4** Path: docs/apps/CLIENT_IDE_START_POINTS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 851 B; SHA-256 Prefix: 7cee0062cb85
- Row 5** Path: docs/apps/CLIENT_READONLY_INTEGRATION.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.20 KB; SHA-256 Prefix: 48353510e96b
- Row 6** Path: docs/apps/CLIENT_RENDERER_UI.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 683 B; SHA-256 Prefix: acdc8d1222
- Row 7** Path: docs/apps/CLIENT_UI_LAYER.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 852 B; SHA-256 Prefix: 8ab467cc7fcf
- Row 8** Path: docs/apps/CLI_CONTRACTS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 5.19 KB; SHA-256 Prefix: 86b8e3016aee
- Row 9** Path: docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.79 KB; SHA-256 Prefix: 8c1275c75c89
- Row 10** Path: docs/apps/COMPATIBILITY_ENFORCEMENT.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 992 B; SHA-256 Prefix: dab93d4c854a
- Row 11** Path: docs/apps/ENGINE_GAME_DIAGNOSTICS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 790 B; SHA-256 Prefix: abfc972e986
- Row 12** Path: docs/apps/GUI_MODE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.01 KB; SHA-256 Prefix: 79d8fa431f81
- Row 13** Path: docs/apps/HEADLESS_AND_ZERO_PACK.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.02 KB; SHA-256 Prefix: 72a99ffc0b8

- Row 14** Path: docs/apps/IDE_WORKFLOW.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.24 KB; SHA-256 Prefix: 3a4466528146
- Row 15** Path: docs/apps/NATIVE_UI_POLICY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 775 B; SHA-256 Prefix: 0b5a9d871d51
- Row 16** Path: docs/apps/OBSERVABILITY_PIPELINES.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.30 KB; SHA-256 Prefix: 5253efc9f65c
- Row 17** Path: docs/apps/PRODUCT_BOUNDARIES.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.63 KB; SHA-256 Prefix: 154fb262c4a1
- Row 18** Path: docs/apps/README.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 2.19 KB; SHA-256 Prefix: 03ea890b2746
- Row 19** Path: docs/apps/READONLY_ADAPTER.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.25 KB; SHA-256 Prefix: 6e531fea4d92
- Row 20** Path: docs/apps/RUNTIME_LOOP.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.16 KB; SHA-256 Prefix: 1f2377e41051
- Row 21** Path: docs/apps/TESTX_COMPLIANCE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.47 KB; SHA-256 Prefix: e3bda556ddf4
- Row 22** Path: docs/apps/TESTX_INVENTORY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 4.61 KB; SHA-256 Prefix: a8aaecd9ffc5
- Row 23** Path: docs/apps/TIMING_AND_CLOCKS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.61 KB; SHA-256 Prefix: b26e06b8894b
- Row 24** Path: docs/apps/TOOLS_OBSERVABILITY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 880 B; SHA-256 Prefix: 1f7b7f9e9867
- Row 25** Path: docs/apps/TOOLS_UI_POLICY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 627 B; SHA-256 Prefix: 7ca40e3cce81
- Row 26** Path: docs/apps/TUI_MODE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.11 KB; SHA-256 Prefix: 5bd989c8dc86
- Row 27** Path: docs/apps/UI_MODES.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.07 KB; SHA-256 Prefix: 86a5872c74a6
- Row 28** Path: docs/apps/client/CLIENT_COMMAND_GRAPH.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.28 KB; SHA-256 Prefix: 6904089882cd
- Row 29** Path: docs/apps/client/CLIENT_FLOW.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.40 KB; SHA-256 Prefix: 6cf01de4568f
- Row 30** Path: docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 3.05 KB; SHA-256 Prefix: 54239f425057
- Row 31** Path: docs/apps/client/CLIENT_SETTINGS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.17 KB; SHA-256 Prefix: 8a07e6efa399
- Row 32** Path: docs/apps/client/CLIENT_UI_AND_FLOW.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.08 KB; SHA-256 Prefix: 2f4f8192dfcf
- Row 33** Path: docs/apps/client/CLI_TUI_GUI_PARITY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.61 KB; SHA-256 Prefix: 8ce6a5cb3eba
- Row 34** Path: docs/apps/client/SERVER_DISCOVERY.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 999 B; SHA-256 Prefix: c909848389f4

- Row 35** Path: docs/apps/client/SESSION_READY_AND_RUNNING.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.83 KB; SHA-256 Prefix: dbd005ff99e1
- Row 36** Path: docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 991 B; SHA-256 Prefix: 4c7484526b15
- Row 37** Path: docs/apps/client/SESSION_TRANSITION_WORKSPACE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.61 KB; SHA-256 Prefix: c1b9e85e23b8
- Row 38** Path: docs/apps/client/WORLD_MANAGER.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.12 KB; SHA-256 Prefix: 3def51715a9d
- Row 39** Path: docs/apps/launcher/LAUNCHER_SETTINGS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.12 KB; SHA-256 Prefix: f6efbdb118e0
- Row 40** Path: docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 2.92 KB; SHA-256 Prefix: 3afc93eb50e1
- Row 41** Path: docs/apps/server/SERVER_MVP_BASELINE.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 2.94 KB; SHA-256 Prefix: fa37e35f391b
- Row 42** Path: docs/apps/server/SERVER_SETTINGS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 703 B; SHA-256 Prefix: b23ddd470902
- Row 43** Path: docs/apps/setup/SETUP_SETTINGS.md; Family: apps; Authority Class: development_guidance; Book Role: summarized_reader; Size: 1.07 KB; SHA-256 Prefix: 29cb49499f5d
- Row 44** Path: docs/architecture/ADAPTER_PATTERN.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.41 KB; SHA-256 Prefix: c77ea956b9e0
- Row 45** Path: docs/architecture/ADOPTION_PROTOCOL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.37 KB; SHA-256 Prefix: b52b06a493e3
- Row 46** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.43 KB; SHA-256 Prefix: 8ed476add15e
- Row 47** Path: docs/architecture/AI_BUDGET_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.03 KB; SHA-256 Prefix: 9c04f6dec95a
- Row 48** Path: docs/architecture/AI_INTENT_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.09 KB; SHA-256 Prefix: 93be96ba280d
- Row 49** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.38 KB; SHA-256 Prefix: 18365db0910d
- Row 50** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.82 KB; SHA-256 Prefix: 3ebb4fd8d14e
- Row 51** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.16 KB; SHA-256 Prefix: 55bd6fd5a78e
- Row 52** Path: docs/architecture/APPLICATION_CONTRACTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.25 KB; SHA-256 Prefix: bfb5a20bd9f5
- Row 53** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 821 B; SHA-256 Prefix: 52ab4fbc5a2b
- Row 54** Path: docs/architecture/APP_CANON0.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.31 KB; SHA-256 Prefix: 0f98d7f4d3b4
- Row 55** Path: docs/architecture/APP_CANON1.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.07 KB; SHA-256 Prefix: 598d980ca3ae

- Row 56** Path: docs/architecture/ARCH0_CONSTITUTION.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 8.46 KB; SHA-256 Prefix: d276d3b33433
- Row 57** Path: docs/architecture/ARCHITECTURE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.12 KB; SHA-256 Prefix: f9ad314e9fe6
- Row 58** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.46 KB; SHA-256 Prefix: 8e511afb39c
- Row 59** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.18 KB; SHA-256 Prefix: beed2feabf4f
- Row 60** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.62 KB; SHA-256 Prefix: 8d722556ecba
- Row 61** Path: docs/architecture/ARCHIVE_MANIFEST.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.20 KB; SHA-256 Prefix: 6c02ada6b138
- Row 62** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 5.74 KB; SHA-256 Prefix: 52e31522afe6
- Row 63** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.75 KB; SHA-256 Prefix: 71a98fa112ab
- Row 64** Path: docs/architecture/ARCH_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 9.75 KB; SHA-256 Prefix: 67ef3921c9aa
- Row 65** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 5.55 KB; SHA-256 Prefix: ce89dfe6a52d
- Row 66** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.48 KB; SHA-256 Prefix: 314846d1ea17
- Row 67** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.31 KB; SHA-256 Prefix: f0aa2ce35c3e
- Row 68** Path: docs/architecture/ARTIFACT_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.12 KB; SHA-256 Prefix: 0ddc02118a3e
- Row 69** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.18 KB; SHA-256 Prefix: 78c8493395c1
- Row 70** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.83 KB; SHA-256 Prefix: f5a39edeec88
- Row 71** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.78 KB; SHA-256 Prefix: 87b53346fba3
- Row 72** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.32 KB; SHA-256 Prefix: 065d883b7038
- Row 73** Path: docs/architecture/AUTHORITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.29 KB; SHA-256 Prefix: c5d1c70ec1a9
- Row 74** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.34 KB; SHA-256 Prefix: 3216c12915e4
- Row 75** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.03 KB; SHA-256 Prefix: 9c7b5d6c70d7
- Row 76** Path: docs/architecture/BUDGET_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.34 KB; SHA-256 Prefix: 0562fb1490e5

- Row 77** Path: docs/architecture/BUGREPORT_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.02 KB; SHA-256 Prefix: 42d60b23f91d
- Row 78** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.88 KB; SHA-256 Prefix: cc4e7325fc0e
- Row 79** Path: docs/architecture/BUNDLE_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.48 KB; SHA-256 Prefix: 523cd48ceadf
- Row 80** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 8.44 KB; SHA-256 Prefix: cfe146f2e900
- Row 81** Path: docs/architecture/CANON_CUT_LINE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.67 KB; SHA-256 Prefix: a04bbdd9c8bd
- Row 82** Path: docs/architecture/CANON_INDEX.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 110.59 KB; SHA-256 Prefix: 3aae504061a8
- Row 83** Path: docs/architecture/CAPABILITY_BASELINES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 926 B; SHA-256 Prefix: 44eb30bf44f2
- Row 84** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.16 KB; SHA-256 Prefix: d61cbaf79b67
- Row 85** Path: docs/architecture/CHANGELOG_ARCH.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.86 KB; SHA-256 Prefix: 47a9ba78a04e
- Row 86** Path: docs/architecture/CHANGE_PROTOCOL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.71 KB; SHA-256 Prefix: f21c70faa234
- Row 87** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.22 KB; SHA-256 Prefix: 6fcfdb1e3809
- Row 88** Path: docs/architecture/CHECKPOINTING_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.09 KB; SHA-256 Prefix: 23a58b207a5f
- Row 89** Path: docs/architecture/CHECKPOINTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.64 KB; SHA-256 Prefix: 498dd0f30702
- Row 90** Path: docs/architecture/CIVILIZATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.40 KB; SHA-256 Prefix: b76e4e4d4803
- Row 91** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.38 KB; SHA-256 Prefix: d01fb1c47c53
- Row 92** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.24 KB; SHA-256 Prefix: d36b513e0f9c
- Row 93** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.80 KB; SHA-256 Prefix: 21382512f1e9
- Row 94** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.21 KB; SHA-256 Prefix: dd4c136e027c
- Row 95** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.58 KB; SHA-256 Prefix: 5ed25c5cddfe
- Row 96** Path: docs/architecture/COMPATIBILITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.48 KB; SHA-256 Prefix: f542476fb5fe
- Row 97** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.67 KB; SHA-256 Prefix: 962d564e54f2

- Row 98** Path: docs/architecture/COMPONENTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.05 KB; SHA-256 Prefix: f7ced7f20ecf
- Row 99** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.78 KB; SHA-256 Prefix: d90083a12527
- Row 100** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.48 KB; SHA-256 Prefix: 9b093973b921
- Row 101** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.85 KB; SHA-256 Prefix: c02a2cff4b24
- Row 102** Path: docs/architecture/CONTRACTS_INDEX.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 13.05 KB; SHA-256 Prefix: fd1c172eea27
- Row 103** Path: docs/architecture/CONTROL_LAYERS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.74 KB; SHA-256 Prefix: 6503136921bf
- Row 104** Path: docs/architecture/CORE_ABSTRACTIONS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 4.91 KB; SHA-256 Prefix: 06293e59b836
- Row 105** Path: docs/architecture/CRASH_RECOVERY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.51 KB; SHA-256 Prefix: 69bb9d36a9fa
- Row 106** Path: docs/architecture/CROSS_SHARD_LOG.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.94 KB; SHA-256 Prefix: 39c2b53fa487
- Row 107** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.39 KB; SHA-256 Prefix: 7ce94ffd79c6
- Row 108** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.19 KB; SHA-256 Prefix: 6d2777190332
- Row 109** Path: docs/architecture/DECAY_EROSION_REGEN.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.03 KB; SHA-256 Prefix: e7cc19068748
- Row 110** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.51 KB; SHA-256 Prefix: 992c01324cfe
- Row 111** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.49 KB; SHA-256 Prefix: 72a6b8e3bf95
- Row 112** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.48 KB; SHA-256 Prefix: 29efb4197d37
- Row 113** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 4.23 KB; SHA-256 Prefix: 75ff9c714c3c
- Row 114** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.28 KB; SHA-256 Prefix: d6fc0759f93a
- Row 115** Path: docs/architecture/DEV_OPS_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 896 B; SHA-256 Prefix: 4cc09d9d7238
- Row 116** Path: docs/architecture/DIRECTORY_CONTEXT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 4.92 KB; SHA-256 Prefix: dc265b128e1a
- Row 117** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.61 KB; SHA-256 Prefix: 101e4a208896
- Row 118** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.64 KB; SHA-256 Prefix: 5da6253b86f3

- Row 119** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.41 KB; SHA-256 Prefix: 5f5d382e1786
- Row 120** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.22 KB; SHA-256 Prefix: 8891cd00969f
- Row 121** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 805 B; SHA-256 Prefix: b764986ef29a
- Row 122** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.63 KB; SHA-256 Prefix: a0e2f21dfa19
- Row 123** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.94 KB; SHA-256 Prefix: 8426177a3716
- Row 124** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.09 KB; SHA-256 Prefix: 1e7be410f131
- Row 125** Path: docs/architecture/DOMAIN_VOLUMES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.75 KB; SHA-256 Prefix: fca2f3a7c291
- Row 126** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.54 KB; SHA-256 Prefix: e0a96b28cfce
- Row 127** Path: docs/architecture/ECONOMIC_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.84 KB; SHA-256 Prefix: 738b380b56db
- Row 128** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.29 KB; SHA-256 Prefix: b880837c8df8
- Row 129** Path: docs/architecture/ENERGY_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.47 KB; SHA-256 Prefix: cb767b6fb3cb
- Row 130** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.30 KB; SHA-256 Prefix: 95c2a1dd489b
- Row 131** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.57 KB; SHA-256 Prefix: 41447e7b343b
- Row 132** Path: docs/architecture/EPISTEMICS_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.61 KB; SHA-256 Prefix: a0f0acc8ee40
- Row 133** Path: docs/architecture/EXECUTION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.90 KB; SHA-256 Prefix: 9f584ff74b05
- Row 134** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 4.21 KB; SHA-256 Prefix: 5504a4acb607
- Row 135** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.37 KB; SHA-256 Prefix: f3b7d449544a
- Row 136** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.22 KB; SHA-256 Prefix: c09a169005ec
- Row 137** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.78 KB; SHA-256 Prefix: a267280d6ad7
- Row 138** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.41 KB; SHA-256 Prefix: 8956cd4428a8
- Row 139** Path: docs/architecture/EXPLORATION_METRICS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.29 KB; SHA-256 Prefix: c9921975b7b2

- Row 140** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.17 KB; SHA-256 Prefix: 1ec33c2e6ef6
- Row 141** Path: docs/architecture/EXTEND_VS_CREATE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.08 KB; SHA-256 Prefix: 7685f6c87eb2
- Row 142** Path: docs/architecture/EXTENSION_MAP.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.17 KB; SHA-256 Prefix: b918d1cc8290
- Row 143** Path: docs/architecture/EXTENSION_RULES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.07 KB; SHA-256 Prefix: 01c9da908507
- Row 144** Path: docs/architecture/FABRICATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.61 KB; SHA-256 Prefix: 6a64e426c1a8
- Row 145** Path: docs/architecture/FLOAT_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.01 KB; SHA-256 Prefix: cf1482a4972c
- Row 146** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.75 KB; SHA-256 Prefix: 10e1746a62c9
- Row 147** Path: docs/architecture/FLUIDS_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.83 KB; SHA-256 Prefix: cd0391ec8681
- Row 148** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.68 KB; SHA-256 Prefix: d99d87af2111
- Row 149** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 8.25 KB; SHA-256 Prefix: 88e478b5c621
- Row 150** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.62 KB; SHA-256 Prefix: 07e2ab07b178
- Row 151** Path: docs/architecture/FUTURE_PROOFING.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.29 KB; SHA-256 Prefix: 69be74412321
- Row 152** Path: docs/architecture/GENERATED_CODE_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.51 KB; SHA-256 Prefix: a6013f6a643e
- Row 153** Path: docs/architecture/GLOBAL_ID_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.71 KB; SHA-256 Prefix: 95c6692b0879
- Row 154** Path: docs/architecture/GLOSSARY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.19 KB; SHA-256 Prefix: 18a5ea750ce8
- Row 155** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.21 KB; SHA-256 Prefix: b32312532f27
- Row 156** Path: docs/architecture/GUI_BASELINE.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.73 KB; SHA-256 Prefix: 40681ea27b1f
- Row 157** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.38 KB; SHA-256 Prefix: 20dee4251ccc
- Row 158** Path: docs/architecture/HAZARDS_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.38 KB; SHA-256 Prefix: 7284980bba03
- Row 159** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.03 KB; SHA-256 Prefix: 563cee1f5233
- Row 160** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.88 KB; SHA-256 Prefix: a0d54cd5c5c9

Row 161	Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.18 KB; SHA-256 Prefix: 2a8b4a554a15
Row 162	Path: docs/architecture/IDE_PROJECTIONS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 921 B; SHA-256 Prefix: 0ec4ca178907
Row 163	Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.38 KB; SHA-256 Prefix: ebf18966bd94
Row 164	Path: docs/architecture/INDEXING_POLICY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 642 B; SHA-256 Prefix: a70ba11a4d37
Row 165	Path: docs/architecture/INFORMATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.15 KB; SHA-256 Prefix: 780735215423
Row 166	Path: docs/architecture/INSTALLER_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 789 B; SHA-256 Prefix: 4a3a664582a6
Row 167	Path: docs/architecture/INSTALL_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.28 KB; SHA-256 Prefix: d504c46ea337
Row 168	Path: docs/architecture/INSTANCE_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.73 KB; SHA-256 Prefix: ccd08a4abb13
Row 169	Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.64 KB; SHA-256 Prefix: 8285cd095832
Row 170	Path: docs/architecture/INTEREST_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.74 KB; SHA-256 Prefix: 1f33a6145051
Row 171	Path: docs/architecture/INVARIANTS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 16.77 KB; SHA-256 Prefix: 53a7de70832b
Row 172	Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.82 KB; SHA-256 Prefix: 9109e52fcbdf
Row 173	Path: docs/architecture/INVARIANT_REGISTRY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 10.75 KB; SHA-256 Prefix: 0c0e707235fb
Row 174	Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 2.29 KB; SHA-256 Prefix: 888f98c3b9b3
Row 175	Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 3.08 KB; SHA-256 Prefix: cbc1a73fdd80
Row 176	Path: docs/architecture/KNOWN_BLOCKERS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 749 B; SHA-256 Prefix: dfcae56e820d
Row 177	Path: docs/architecture/KNOWN_WARNINGS.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 877 B; SHA-256 Prefix: 8fda7bbbbb3e
Row 178	Path: docs/architecture/LANGUAGE_STRATEGY.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 1.35 KB; SHA-256 Prefix: 6c77331880e3
Row 179	Path: docs/architecture/LAUNCHER_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Book Role: main_reader; Size: 888 B; SHA-256 Prefix: ead962c67c8f
Omitted	232 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

5.5 File Counts

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_intake/DOCS_FILE_COUNTS_v0.md - included

5.6 Docs File Counts

5.6.1 Corpus Totals

- Files: 5116
- Directories: 279
- Total size: 445.13 MB

5.6.2 Extension Counts

Extension	Count
.md	4671
.json	208
.txt	111
.yaml	49
.zip	32
.png	15
(none)	11
.tlv	4
.css	2
.docx	2
.pdf	2
.tex	2
.epub	1
.html	1
.js	1
.py	1
.sha256	1
.tsv	1
.yaml	1

5.6.3 Directory Family Counts

Family	Count
archive	2460
conversation_corpus	761
other	493
architecture	324
domains	203
development	201
repo	196
runtime	97
release	95
governance	77
planning	77
apps	41
content	38
testing	22
modding	12
reference_contracts	9
audit	8
canon	2

5.6.4 Book Inclusion Draft Counts

Book Role	Count
reference_appendix	2275
summarized_reader	1810
main_reader	608
searchable_html_only	314
manifest_only	57
excluded_binary_or_archive	52

5.7 Tree Summary

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_intake/DOCS_TREE_SUMMARY_v0.md - included

5.8 Docs Tree Summary

This report summarizes the tracked docs tree by parent directory.

Row 1 Directory: docs/archive/refactor; Tracked Files: 1379

Row 2 Directory: docs/archive/audit; Tracked Files: 774

Row 3 Directory: docs/architecture; Tracked Files: 314

Row 4 Directory: docs/reference/specs; Tracked Files: 199

Row 5	Directory: docs/repo/audits; Tracked Files: 117
Row 6	Directory: docs/reference/specs/setup; Tracked Files: 72
Row 7	Directory: docs/release; Tracked Files: 71
Row 8	Directory: docs/development; Tracked Files: 58
Row 9	Directory: docs/domains/worldgen; Tracked Files: 58
Row 10	Directory: docs/planning; Tracked Files: 57
Row 11	Directory: docs/repo; Tracked Files: 46
Row 12	Directory: docs/archive/conversations/_reader/by_chat; Tracked Files: 45
Row 13	Directory: docs/archive/conversations/canonical_structure_and_framework; Tracked Files: 38
Row 14	Directory: docs/development/guides; Tracked Files: 37
Row 15	Directory: docs/reference/specs/launcher; Tracked Files: 32
Row 16	Directory: docs/archive/conversations/dominium_full_conversation/previous_preservation_files; Tracked Files: 30
Row 17	Directory: docs/development/guides/dev; Tracked Files: 29
Row 18	Directory: docs/governance; Tracked Files: 29
Row 19	Directory: docs/runtime/ui; Tracked Files: 29
Row 20	Directory: docs/repo/root-recycling; Tracked Files: 27
Row 21	Directory: docs/distribution; Tracked Files: 26
Row 22	Directory: docs/apps; Tracked Files: 25
Row 23	Directory: docs/governance/meta; Tracked Files: 24
Row 24	Directory: docs/archive/restructure; Tracked Files: 23
Row 25	Directory: docs/archive/blueprint; Tracked Files: 22
Row 26	Directory: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file; Tracked Files: 22
Row 27	Directory: docs/governance/policies; Tracked Files: 22
Row 28	Directory: docs/game/agents; Tracked Files: 21
Row 29	Directory: docs/archive/impact; Tracked Files: 20
Row 30	Directory: docs/content; Tracked Files: 19
Row 31	Directory: docs/domains/materials; Tracked Files: 19
Row 32	Directory: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report; Tracked Files: 17
Row 33	Directory: docs/development/guides/ui_editor; Tracked Files: 17
Row 34	Directory: docs/archive/conversations/_wiki/topics; Tracked Files: 16
Row 35	Directory: docs/planning/generated-data; Tracked Files: 16
Row 36	Directory: docs/runtime; Tracked Files: 16

Row 37	Directory: docs/archive/conversations/OS_Interface_Repo_Architecture; Tracked Files: 15
Row 38	Directory: docs/archive/conversations/Timekeeping_and_2038_Resilience; Tracked Files: 15
Row 39	Directory: docs/archive/conversations/UE6_Domino_Deterministic_Universe; Tracked Files: 15
Row 40	Directory: docs/archive/audit/convergence_steps; Tracked Files: 14
Row 41	Directory: docs/archive/conversations/Framework_Open_Source_Provider; Tracked Files: 14
Row 42	Directory: docs/archive/conversations/Language_Platform_Architecture; Tracked Files: 14
Row 43	Directory: docs/archive/conversations/Release_Identity_and_Versioning; Tracked Files: 14
Row 44	Directory: docs/archive/conversations/Universe_Explorer_Planning; Tracked Files: 14
Row 45	Directory: docs/archive/conversations/engine_baseline_architecture; Tracked Files: 14
Row 46	Directory: docs/archive/stray_root_docs; Tracked Files: 14
Row 47	Directory: docs/build; Tracked Files: 14
Row 48	Directory: docs/development/xstack; Tracked Files: 14
Row 49	Directory: docs/runtime/network; Tracked Files: 14
Row 50	Directory: docs/archive/conversations/Build_and_Future_Proofing; Tracked Files: 13
Row 51	Directory: docs/archive/conversations/Modularity_AIDE_Refactorability; Tracked Files: 13
Row 52	Directory: docs/archive/conversations/Portability_Assurance_Future_Proof; Tracked Files: 13
Row 53	Directory: docs/archive/conversations/Workbench_AIDE_Product_Spine; Tracked Files: 13
Row 54	Directory: docs/archive/conversations/_promotion; Tracked Files: 13
Row 55	Directory: docs/operations; Tracked Files: 13
Row 56	Directory: docs/reference; Tracked Files: 13
Row 57	Directory: docs/runtime/shell; Tracked Files: 13
Row 58	Directory: docs/testing/ci; Tracked Files: 13
Row 59	Directory: docs/archive/audit/system; Tracked Files: 12
Row 60	Directory: docs/archive/audit/xstack; Tracked Files: 12
Row 61	Directory: docs/archive/conversations/Foundation_Workbench_Codex; Tracked Files: 12
Row 62	Directory: docs/archive/conversations/architecture_ui_providers; Tracked Files: 12
Row 63	Directory: docs/archive/conversations/omega_xi_pi_architecture_future; Tracked Files: 12
Row 64	Directory: docs/development/tools; Tracked Files: 12
Row 65	Directory: docs/domains/logic; Tracked Files: 12
Row 66	Directory: docs/domains/mobility; Tracked Files: 12
Row 67	Directory: docs/modding; Tracked Files: 12
Row 68	Directory: docs/release/roadmap; Tracked Files: 12
Row 69	Directory: docs/apps/client; Tracked Files: 11

- Row 70** Directory: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file; Tracked Files: 11
- Row 71** Directory: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files; Tracked Files: 11
- Row 72** Directory: docs/archive/conversations/_book/qa; Tracked Files: 11
- Row 73** Directory: docs/development/aide; Tracked Files: 11
- Row 74** Directory: docs/domains/geology; Tracked Files: 11
- Row 75** Directory: docs/release/mvp; Tracked Files: 11
- Row 76** Directory: docs/architecture/system; Tracked Files: 10
- Row 77** Directory: docs/archive/conversations/Refactor_Control_Plane; Tracked Files: 10
- Row 78** Directory: docs/archive/conversations/_audit; Tracked Files: 10
- Row 79** Directory: docs/archive/conversations/dominium_full_conversation/companion_report; Tracked Files: 10
- Row 80** Directory: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files; Tracked Files: 10
- Row 81** Directory: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images; Tracked Files: 10
- Row 82** Directory: docs/domains/processes; Tracked Files: 10
- Row 83** Directory: docs/runtime/render; Tracked Files: 10
- Row 84** Directory: docs/archive/ci; Tracked Files: 9
- Row 85** Directory: docs/archive/conversations/_book/chapters; Tracked Files: 9
- Row 86** Directory: docs/domains/embodiment; Tracked Files: 9
- Row 87** Directory: docs/reference/contracts; Tracked Files: 9
- Row 88** Directory: docs/security; Tracked Files: 9
- Row 89** Directory: docs/archive/architecture; Tracked Files: 8
- Row 90** Directory: docs/archive/audit/auditx; Tracked Files: 8
- Row 91** Directory: docs/archive/conversations/Chronology_Celestial_Systems; Tracked Files: 8
- Row 92** Directory: docs/archive/conversations/Dominium_Architecture_I; Tracked Files: 8
- Row 93** Directory: docs/archive/conversations/Dominium_Architecture_II; Tracked Files: 8
- Row 94** Directory: docs/archive/conversations/Dominium_Architecture_III; Tracked Files: 8
- Row 95** Directory: docs/archive/conversations/Dominium_Architecture_IV; Tracked Files: 8
- Row 96** Directory: docs/archive/conversations/Launcher_Setup_Architecture; Tracked Files: 8
- Row 97** Directory: docs/archive/conversations/Refactor_Architecture; Tracked Files: 8
- Row 98** Directory: docs/archive/conversations/World_Architecture; Tracked Files: 8
- Row 99** Directory: docs/archive/conversations/advanced_simulation_infrastructure; Tracked Files: 8
- Row 100** Directory: docs/archive/conversations/app_runtime_platform_renderers; Tracked Files: 8

- Row 101** Directory: docs/archive/conversations/app_testx_codehygiene; Tracked Files: 8
- Row 102** Directory: docs/archive/conversations/architecture_codex_prompts; Tracked Files: 8
- Row 103** Directory: docs/archive/conversations/development_routes; Tracked Files: 8
- Row 104** Directory: docs/archive/conversations/documentation_standards_readme; Tracked Files: 8
- Row 105** Directory: docs/archive/conversations/dominium_domino_codex_planning; Tracked Files: 8
- Row 106** Directory: docs/archive/conversations/dominium_setup; Tracked Files: 8
- Row 107** Directory: docs/archive/conversations/domino_engine_refactor_prompts; Tracked Files: 8
- Row 108** Directory: docs/archive/conversations/gui_binary_content; Tracked Files: 8
- Row 109** Directory: docs/archive/conversations/launcher_app_layer; Tracked Files: 8
- Row 110** Directory: docs/archive/conversations/platform_renderer_api_plan; Tracked Files: 8
- Row 111** Directory: docs/archive/conversations/platform_support; Tracked Files: 8
- Row 112** Directory: docs/archive/conversations/readme_ports_determinism; Tracked Files: 8
- Row 113** Directory: docs/archive/conversations/testx_repos_governance; Tracked Files: 8
- Row 114** Directory: docs/archive/conversations/ui_editor_tool_editor_planning; Tracked Files: 8
- Row 115** Directory: docs/archive/conversations/xstack_lab_galaxy; Tracked Files: 8
- Row 116** Directory: docs/development/guides/ui_editor/fixtures; Tracked Files: 8
- Row 117** Directory: docs/domains/civilization; Tracked Files: 8
- Row 118** Directory: docs/engine; Tracked Files: 8
- Row 119** Directory: docs/game/interaction; Tracked Files: 8
- Row 120** Directory: docs/testing; Tracked Files: 8
- Row 121** Directory: docs/archive/app; Tracked Files: 7
- Row 122** Directory: docs/archive/conversations/_synthesis; Tracked Files: 7
- Row 123** Directory: docs/domains/physics; Tracked Files: 7
- Row 124** Directory: docs/game/player; Tracked Files: 7
- Row 125** Directory: docs/reference/examples; Tracked Files: 7
- Row 126** Directory: docs/reference/specs/core; Tracked Files: 7
- Row 127** Directory: docs/runtime/platform; Tracked Files: 7
- Row 128** Directory: docs/archive/audit/performance; Tracked Files: 6
- Row 129** Directory: docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok; Tracked Files: 6
- Row 130** Directory: docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER; Tracked Files: 6
- Row 131** Directory: docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE; Tracked Files: 6

- Row 132** Directory: docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER; Tracked Files: 6
- Row 133** Directory: docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok; Tracked Files: 6
- Row 134** Directory: docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE; Tracked Files: 6
- Row 135** Directory: docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER; Tracked Files: 6
- Row 136** Directory: docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER; Tracked Files: 6
- Row 137** Directory: docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok; Tracked Files: 6
- Row 138** Directory: docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok; Tracked Files: 6
- Row 139** Directory: docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER; Tracked Files: 6
- Row 140** Directory: docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok; Tracked Files: 6
- Row 141** Directory: docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok; Tracked Files: 6
- Row 142** Directory: docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE; Tracked Files: 6
- Row 143** Directory: docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER; Tracked Files: 6
- Row 144** Directory: docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER; Tracked Files: 6
- Row 145** Directory: docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE; Tracked Files: 6
- Row 146** Directory: docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok; Tracked Files: 6
- Row 147** Directory: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE; Tracked Files: 6
- Row 148** Directory: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING; Tracked Files: 6
- Row 149** Directory: docs/archive/conversations/_exports; Tracked Files: 6
- Row 150** Directory: docs/domains/electricity; Tracked Files: 6
- Row 151** Directory: docs/domains/signals; Tracked Files: 6
- Row 152** Directory: docs/engine/time; Tracked Files: 6
- Row 153** Directory: docs/game/gameplay; Tracked Files: 6
- Row 154** Directory: docs/reference/specs/reality; Tracked Files: 6
- Row 155** Directory: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package; Tracked Files: 5
- Row 156** Directory: docs/archive/conversations/_book/appendices; Tracked Files: 5
- Row 157** Directory: docs/archive/conversations/_intake; Tracked Files: 5

Row 158	Directory: docs/archive/post-canon; Tracked Files: 5
Row 159	Directory: docs/audit/auditx; Tracked Files: 5
Row 160	Directory: docs/compatibility; Tracked Files: 5
Row 161	Directory: docs/domains/knowledge; Tracked Files: 5
Row 162	Directory: docs/domains/physics/physical; Tracked Files: 5
Row 163	Directory: docs/domains/reality; Tracked Files: 5
Row 164	Directory: docs/domains/scale; Tracked Files: 5
Row 165	Directory: docs/domains/thermal; Tracked Files: 5
Row 166	Directory: docs/game; Tracked Files: 5
Row 167	Directory: docs/repo/data; Tracked Files: 5
Row 168	Directory: docs/workbench; Tracked Files: 5
Row 169	Directory: docs/archive/audit/security; Tracked Files: 4
Row 170	Directory: docs/archive/conversations/_decision; Tracked Files: 4
Row 171	Directory: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html; Tracked Files: 4
Row 172	Directory: docs/archive/conversations/_reconciliation; Tracked Files: 4
Row 173	Directory: docs/development/guides/release; Tracked Files: 4
Row 174	Directory: docs/domains/chemistry; Tracked Files: 4
Row 175	Directory: docs/game/diegetics; Tracked Files: 4
Row 176	Directory: docs/planning/generated-data/checkpoints; Tracked Files: 4
Row 177	Directory: docs/reference/schema; Tracked Files: 4
Row 178	Directory: docs/apps/server; Tracked Files: 3
Row 179	Directory: docs/archive; Tracked Files: 3
Omitted	100 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

5.9 Large Files And Non Markdown

Source

DERIVED advisory_synthesis_not_promoted - Source: docs/archive/docs_corpus/_intake/DOCS_LARGE_FILES_AND_NON_MARKDOWN_v0.md - included

5.10 Large Files and Non-Markdown Inventory

5.10.1 Largest Files

- Row 1** Path: docs/archive/audit/GR3_FULL_POLL_STRESS.json; Extension: .json; Size: 82.73 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 2** Path: docs/archive/audit/GR3_FULL_FLUID_SCENARIO.json; Extension: .json; Size: 75.05 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 3** Path: docs/archive/audit/GR3_FULL_ELEC_SCENARIO.json; Extension: .json; Size: 46.37 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 4** Path: docs/archive/audit/GR3_FULL_POLL_SCENARIO.json; Extension: .json; Size: 43.96 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 5** Path: docs/archive/audit/compute_budget_stress_results.json; Extension: .json; Size: 33.73 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 6** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__expanded_complete_bundle.zip; Extension: .zip; Size: 26.04 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, zip_file, non_text_file
- Row 7** Path: docs/archive/audit/GR3_FULL_SYS_SCENARIO.json; Extension: .json; Size: 19.71 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 8** Path: docs/development/guides/context/dominium_oldcontext.zip; Extension: .zip; Size: 4.77 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, zip_file, non_text_file
- Row 9** Path: docs/archive/audit/auditx/FINDINGS.json; Extension: .json; Size: 4.32 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 10** Path: docs/audit/auditx/FINDINGS.json; Extension: .json; Size: 3.80 MB; Book Role: reference_appendix; Warnings: large_file
- Row 11** Path: docs/archive/audit/INVENTORY_MACHINE.json; Extension: .json; Size: 3.16 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 12** Path: docs/archive/audit/TOPOLOGY_MAP.json; Extension: .json; Size: 3.05 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 13** Path: docs/testing/ci/HYGIENE_QUEUE.md; Extension: .md; Size: 2.81 MB; Book Role: reference_appendix; Warnings: large_file
- Row 14** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (2).png; Extension: .png; Size: 2.65 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 15** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (1).png; Extension: .png; Size: 2.57 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 16** Path: docs/archive/audit/GR3_FULL_THERM_SCENARIO.json; Extension: .json; Size: 2.55 MB; Book Role: searchable_html_only; Warnings: large_file
- Row 17** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_24 AM (10).png; Extension: .png; Size: 2.47 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 18** Path: docs/archive/audit/GR3_FULL_PROC_STRESS.json; Extension: .json; Size: 2.46 MB; Book Role: searchable_html_only; Warnings: large_file

- Row 19** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (7).png; Extension: .png; Size: 2.35 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 20** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (3).png; Extension: .png; Size: 2.32 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 21** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (9).png; Extension: .png; Size: 2.27 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 22** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (4).png; Extension: .png; Size: 2.24 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 23** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (6).png; Extension: .png; Size: 2.19 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 24** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (8).png; Extension: .png; Size: 2.09 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 25** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (5).png; Extension: .png; Size: 1.98 MB; Book Role: excluded_binary_or_archive; Warnings: large_file, non_text_file
- Row 26** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/index.html; Extension: .html; Size: 1.88 MB; Book Role: searchable_html_only
- Row 27** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.epub; Extension: .epub; Size: 1.87 MB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 28** Path: docs/archive/audit/GR3_FULL_FLUID_STRESS.json; Extension: .json; Size: 1.81 MB; Book Role: searchable_html_only
- Row 29** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.pdf; Extension: .pdf; Size: 1.80 MB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 30** Path: docs/archive/conversations/_book/build/book_source.md; Extension: .md; Size: 1.57 MB; Book Role: summarized_reader
- Row 31** Path: docs/archive/conversations/_book/build/latex/reader_book.tex; Extension: .tex; Size: 1.44 MB; Book Role: searchable_html_only
- Row 32** Path: docs/archive/conversations/canonical_structure_and_framework/dir_tree.json; Extension: .json; Size: 1.27 MB; Book Role: searchable_html_only
- Row 33** Path: docs/release/PROVISIONAL_FEATURE_LIST.md; Extension: .md; Size: 1.02 MB; Book Role: reference_appendix
- Row 34** Path: docs/archive/audit/REPO_STRUCTURE_AUDIT.json; Extension: .json; Size: 1.00 MB; Book Role: searchable_html_only
- Row 35** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip; Extension: .zip; Size: 1018.67 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 36** Path: docs/archive/audit/GR3_FULL_CHEM_SCENARIO.json; Extension: .json; Size: 990.99 KB; Book Role: searchable_html_only

- Row 37** Path: docs/archive/audit/GR3_FULL_CHEM_STRESS.json; Extension: .json; Size: 981.74 KB; Book Role: searchable_html_only
- Row 38** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation_complete_bundle.zip; Extension: .zip; Size: 974.55 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 39** Path: docs/archive/audit/GR3_FULL_THERM_STRESS.json; Extension: .json; Size: 818.30 KB; Book Role: searchable_html_only
- Row 40** Path: docs/development/guides/book/dominium_book_old.zip; Extension: .zip; Size: 818.29 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 41** Path: docs/archive/audit/CANON_MAP.md; Extension: .md; Size: 783.22 KB; Book Role: searchable_html_only
- Row 42** Path: docs/archive/audit/GR3_FULL_SYS_SCENARIO_RUN.json; Extension: .json; Size: 766.40 KB; Book Role: searchable_html_only
- Row 43** Path: docs/archive/audit/GR3_FULL_PROC_SCENARIO.json; Extension: .json; Size: 732.15 KB; Book Role: searchable_html_only
- Row 44** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Reference_Appendix_v0.pdf; Extension: .pdf; Size: 712.17 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 45** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture_complete_conversation_bundle.zip; Extension: .zip; Size: 676.32 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 46** Path: docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip; Extension: .zip; Size: 595.77 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 47** Path: docs/development/guides/context/dominium_newcontext.docx; Extension: .docx; Size: 536.50 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 48** Path: docs/development/guides/context/dominium_newcontext.txt; Extension: .txt; Size: 517.24 KB; Book Role: reference_appendix
- Row 49** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Extension: .zip; Size: 506.08 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 50** Path: docs/archive/conversations/_book/build/latex/reference_appendix.tex; Extension: .tex; Size: 505.71 KB; Book Role: searchable_html_only
- Row 51** Path: docs/archive/audit/DOC_INDEX.md; Extension: .md; Size: 430.10 KB; Book Role: searchable_html_only
- Row 52** Path: docs/archive/conversations/_book/chapters/07_wiki_navigation_digest.md; Extension: .md; Size: 351.67 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 53** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000791472078c; Extension: (none); Size: 345.72 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 54** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000022e472078c; Extension: (none); Size: 345.53 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 55** Path: docs/archive/audit/MODULE_DISCOVERY_REPORT.md; Extension: .md; Size: 332.57 KB; Book Role: searchable_html_only
- Row 56** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000959871faac; Extension: (none); Size: 310.98 KB; Book Role: manifest_only; Warnings: non_text_file

- Row 57** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report_all_files_bundle.zip; Extension: .zip; Size: 296.92 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 58** Path: docs/archive/conversations/_intake/corpus_manifest.json; Extension: .json; Size: 276.85 KB; Book Role: searchable_html_only
- Row 59** Path: docs/archive/conversations/_book/chapters/06_contradictions_staleness_verification.md; Extension: .md; Size: 275.60 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 60** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000021c07207bc; Extension: (none); Size: 266.20 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 61** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000296871faac; Extension: (none); Size: 263.45 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 62** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report_single_zip_bundle.zip; Extension: .zip; Size: 262.90 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 63** Path: docs/archive/conversations/_book/appendices/C_full_promotion_register.md; Extension: .md; Size: 250.13 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 64** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture_complete_conversation_package.zip; Extension: .zip; Size: 247.73 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 65** Path: docs/archive/conversations/_book/appendices/D_full_contradiction_register.md; Extension: .md; Size: 247.13 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 66** Path: docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.png; Extension: .png; Size: 243.63 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 67** Path: docs/archive/audit/INVENTORY.json; Extension: .json; Size: 238.63 KB; Book Role: searchable_html_only
- Row 68** Path: docs/archive/audit/REPO_TREE_INDEX.md; Extension: .md; Size: 231.91 KB; Book Role: searchable_html_only
- Row 69** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000c74c71fa9d; Extension: (none); Size: 231.48 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 70** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000059b471fa8a; Extension: (none); Size: 229.75 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 71** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/search_index.json; Extension: .json; Size: 228.42 KB; Book Role: searchable_html_only
- Row 72** Path: docs/archive/conversations/_book/qa/main_547_dense_appendix_page.png; Extension: .png; Size: 225.68 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 73** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Extension: .md; Size: 225.66 KB; Book Role: searchable_html_only
- Row 74** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000006b207207a2; Extension: (none); Size: 225.58 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 75** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000e40071fa8f; Extension: (none); Size: 223.22 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 76** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000008d7871faa6; Extension: (none); Size: 221.11 KB; Book Role: manifest_only; Warnings: non_text_file

- Row 77** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.docx; Extension: .docx; Size: 216.00 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 78** Path: docs/archive/blueprint/FINAL_PROMPT_INVENTORY.md; Extension: .md; Size: 212.70 KB; Book Role: searchable_html_only
- Row 79** Path: docs/archive/audit/security/FINDINGS.json; Extension: .json; Size: 201.53 KB; Book Role: searchable_html_only
- Row 80** Path: docs/archive/audit/GR3_FULL_SIG_SCENARIO.json; Extension: .json; Size: 172.55 KB; Book Role: searchable_html_only
- Row 81** Path: docs/archive/audit/auditx/PROMOTION_CANDIDATES.json; Extension: .json; Size: 172.10 KB; Book Role: searchable_html_only
- Row 82** Path: docs/archive/conversations/_book/qa/main_002_toc_page.png; Extension: .png; Size: 162.25 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 83** Path: docs/archive/conversations/_intake/SOURCE_PROVENANCE.md; Extension: .md; Size: 157.03 KB; Book Role: summarized_reader
- Row 84** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip; Extension: .zip; Size: 147.89 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 85** Path: docs/governance/meta/PLAYER_DEMAND_COVERAGE_MATRIX.md; Extension: .md; Size: 145.38 KB; Book Role: summarized_reader
- Row 86** Path: docs/audit/auditx/PROMOTION_CANDIDATES.json; Extension: .json; Size: 144.47 KB; Book Role: manifest_only
- Row 87** Path: docs/archive/conversations/_book/qa/main_060_normal_chapter_page.png; Extension: .png; Size: 143.96 KB; Book Role: excluded_binary_or_archive; Warnings: non_text_file
- Row 88** Path: docs/archive/audit/MODULE_DUPLICATION_REPORT.md; Extension: .md; Size: 141.19 KB; Book Role: searchable_html_only
- Row 89** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__FULL_COMBINED_REPORT.md; Extension: .md; Size: 139.17 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 90** Path: docs/archive/conversations/_promotion/PROMOTION_QUEUE.md; Extension: .md; Size: 138.98 KB; Book Role: summarized_reader
- Row 91** Path: docs/archive/conversations/_book/chapters/05_promotion_review.md; Extension: .md; Size: 127.39 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 92** Path: docs/archive/conversations/_book/appendices/A_source_corpus_manifest.md; Extension: .md; Size: 124.16 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 93** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__02_spec_sheet.yaml; Extension: .yaml; Size: 123.63 KB; Book Role: searchable_html_only
- Row 94** Path: docs/archive/audit/DOCS_AUDIT_PROMPT0.md; Extension: .md; Size: 122.77 KB; Book Role: searchable_html_only
- Row 95** Path: docs/archive/conversations/platform_support/dominium_platform_support_planning__01_full_chat_report.md; Extension: .md; Size: 117.76 KB; Book Role: summarized_reader; Warnings: missing_status_header

- Row 96** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__02_spec_sheet.yaml; Extension: .yaml; Size: 117.39 KB; Book Role: searchable_html_only
- Row 97** Path: docs/archive/conversations/_intake/SOA256SUMS.txt; Extension: .txt; Size: 114.89 KB; Book Role: searchable_html_only
- Row 98** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/NEW.txt; Extension: .txt; Size: 114.60 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 99** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/dir (1).txt; Extension: .txt; Size: 114.60 KB; Book Role: manifest_only; Warnings: non_text_file
- Row 100** Path: docs/architecture/CANON_INDEX.md; Extension: .md; Size: 110.59 KB; Book Role: main_reader
- Row 101** Path: docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism__01_full_chat_report.md; Extension: .md; Size: 110.42 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 102** Path: docs/archive/blueprint/PROMPT_EXECUTION_CHECKLIST.md; Extension: .md; Size: 110.30 KB; Book Role: searchable_html_only
- Row 103** Path: docs/archive/conversations/_audit/DOC_DRIFT_REPORT.md; Extension: .md; Size: 107.79 KB; Book Role: summarized_reader
- Row 104** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Extension: .md; Size: 105.80 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 105** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Extension: .md; Size: 104.48 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 106** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Extension: .md; Size: 104.34 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 107** Path: docs/archive/conversations/canonical_structure_and_framework/dir_tree.txt; Extension: .txt; Size: 104.13 KB; Book Role: searchable_html_only
- Row 108** Path: docs/archive/conversations/testx_repos_governance/dominium_testx_repos_governance_handoff__02_spec_sheet.yaml; Extension: .yaml; Size: 103.67 KB; Book Role: searchable_html_only
- Row 109** Path: docs/archive/conversations/platform_support/dominium_platform_support_planning__02_spec_sheet.yaml; Extension: .yaml; Size: 103.37 KB; Book Role: searchable_html_only
- Row 110** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__02_spec_sheet.yaml; Extension: .yaml; Size: 98.78 KB; Book Role: searchable_html_only
- Row 111** Path: docs/archive/conversations/World_Architecture/Dominium_World_Architecture__02_spec_sheet.yaml; Extension: .yaml; Size: 97.93 KB; Book Role: searchable_html_only
- Row 112** Path: docs/archive/conversations/_wiki/decisions/index.md; Extension: .md; Size: 97.81 KB; Book Role: summarized_reader
- Row 113** Path: docs/archive/conversations/_promotion/PROMOTION_REVIEW_BOARD_v0.md; Extension: .md; Size: 97.06 KB; Book Role: summarized_reader
- Row 114** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Extension: .md; Size: 95.49 KB; Book Role: summarized_reader; Warnings: missing_status_header

- Row 115** Path: docs/archive/conversations/_wiki/tasks/index.md; Extension: .md; Size: 95.32 KB; Book Role: summarized_reader
- Row 116** Path: docs/archive/conversations/dominio_engine_refactor_prompts/dominium_dominio_engine_refactor_prompts__01_full_chat_report.md; Extension: .md; Size: 95.29 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 117** Path: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__01_full_chat_report.md; Extension: .md; Size: 95.03 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 118** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__complete_package.zip; Extension: .zip; Size: 94.60 KB; Book Role: excluded_binary_or_archive; Warnings: zip_file, non_text_file
- Row 119** Path: docs/archive/conversations/ui_editor_tool_editor_planning/dominium_ui_editor_tool_editor_planning__01_full_chat_report.md; Extension: .md; Size: 94.59 KB; Book Role: summarized_reader; Warnings: missing_status_header
- Row 120** Path: docs/archive/conversations/gui_binary_content/dominium_gui_binary_content_handoff__01_full_chat_report.md; Extension: .md; Size: 93.47 KB; Book Role: summarized_reader; Warnings: missing_status_header

5.10.2 Non-Markdown Counts

- Non-Markdown files: 445
- ZIP files: 32
- Non-text/binary files: 68

5.10.3 ZIP Files

- Row 1** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__handoff_package.zip; Size: 45.81 KB; Book Role: excluded_binary_or_archive
- Row 2** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip; Size: 147.89 KB; Book Role: excluded_binary_or_archive
- Row 3** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_bundle.zip; Size: 676.32 KB; Book Role: excluded_binary_or_archive
- Row 4** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_package.zip; Size: 247.73 KB; Book Role: excluded_binary_or_archive
- Row 5** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__handoff_package.zip; Size: 61.67 KB; Book Role: excluded_binary_or_archive
- Row 6** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip; Size: 1018.67 KB; Book Role: excluded_binary_or_archive
- Row 7** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__single_zip_bundle.zip; Size: 262.90 KB; Book Role: excluded_binary_or_archive

- Row 8** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation___complete_bundle.zip; Size: 974.55 KB; Book Role: excluded_binary_or_archive
- Row 9** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Size: 506.08 KB; Book Role: excluded_binary_or_archive
- Row 10** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report___all_files_bundle.zip; Size: 296.92 KB; Book Role: excluded_binary_or_archive
- Row 11** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture___handoff_package.zip; Size: 53.60 KB; Book Role: excluded_binary_or_archive
- Row 12** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning___handoff_package.zip; Size: 32.06 KB; Book Role: excluded_binary_or_archive
- Row 13** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline___handoff_package.zip; Size: 47.74 KB; Book Role: excluded_binary_or_archive
- Row 14** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/previous_export/Dominium_Modularity_AIDE_Refactorability_Architecture___handoff_package.zip; Size: 45.81 KB; Book Role: excluded_binary_or_archive
- Row 15** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture___handoff_package.zip; Size: 40.68 KB; Book Role: excluded_binary_or_archive
- Row 16** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/previous_zip/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture___handoff_package.zip; Size: 41.21 KB; Book Role: excluded_binary_or_archive
- Row 17** Path: docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning___handoff_package.zip; Size: 44.52 KB; Book Role: excluded_binary_or_archive
- Row 18** Path: docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience___handoff_package.zip; Size: 30.08 KB; Book Role: excluded_binary_or_archive
- Row 19** Path: docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe___handoff_package.zip; Size: 60.85 KB; Book Role: excluded_binary_or_archive
- Row 20** Path: docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff___handoff_package.zip; Size: 31.20 KB; Book Role: excluded_binary_or_archive
- Row 21** Path: docs/archive/conversations/architecture_ui_providers/prior_package/dominium_architecture_ui_providers_robot_os_strategy___handoff_package.zip; Size: 52.79 KB; Book Role: excluded_binary_or_archive
- Row 22** Path: docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip; Size: 595.77 KB; Book Role: excluded_binary_or_archive
- Row 23** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation___handoff_package.zip; Size: 55.94 KB; Book Role: excluded_binary_or_archive
- Row 24** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework___complete_handoff_with_companion.zip; Size: 86.22 KB; Book Role: excluded_binary_or_archive

- Row 25** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework___handoff_package.zip; Size: 44.82 KB; Book Role: excluded_binary_or_archive
- Row 26** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/Dominium_Workbench_AIDE_Presentation_Provider_Strategy___handoff_package.zip; Size: 36.07 KB; Book Role: excluded_binary_or_archive
- Row 27** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation___complete_package.zip; Size: 94.60 KB; Book Role: excluded_binary_or_archive
- Row 28** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation___expanded_complete_bundle.zip; Size: 26.04 MB; Book Role: excluded_binary_or_archive
- Row 29** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation___handoff_package.zip; Size: 82.91 KB; Book Role: excluded_binary_or_archive
- Row 30** Path: docs/archive/conversations/engine_baseline_architecture/previous_handoff_package_original.zip; Size: 38.79 KB; Book Role: excluded_binary_or_archive
- Row 31** Path: docs/development/guides/book/dominium_book_old.zip; Size: 818.29 KB; Book Role: excluded_binary_or_archive
- Row 32** Path: docs/development/guides/context/dominium_oldcontext.zip; Size: 4.77 MB; Book Role: excluded_binary_or_archive

5.10.4 Non-Text Files

- Row 1** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit___handoff_package.zip; Extension: .zip; Size: 45.81 KB; Book Role: excluded_binary_or_archive
- Row 2** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture___complete_bundle_with_accompanying_report.zip; Extension: .zip; Size: 147.89 KB; Book Role: excluded_binary_or_archive
- Row 3** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture___complete_conversation_bundle.zip; Extension: .zip; Size: 676.32 KB; Book Role: excluded_binary_or_archive
- Row 4** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture___complete_conversation_package.zip; Extension: .zip; Size: 247.73 KB; Book Role: excluded_binary_or_archive
- Row 5** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture___handoff_package.zip; Extension: .zip; Size: 61.67 KB; Book Role: excluded_binary_or_archive
- Row 6** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report___complete_bundle.zip; Extension: .zip; Size: 1018.67 KB; Book Role: excluded_binary_or_archive
- Row 7** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report___single_zip_bundle.zip; Extension: .zip; Size: 262.90 KB; Book Role: excluded_binary_or_archive

- Row 8** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation___complete_bundle.zip; Extension: .zip; Size: 974.55 KB; Book Role: excluded_binary_or_archive
- Row 9** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Extension: .zip; Size: 506.08 KB; Book Role: excluded_binary_or_archive
- Row 10** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report___all_files_bundle.zip; Extension: .zip; Size: 296.92 KB; Book Role: excluded_binary_or_archive
- Row 11** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture___handoff_package.zip; Extension: .zip; Size: 53.60 KB; Book Role: excluded_binary_or_archive
- Row 12** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning___handoff_package.zip; Extension: .zip; Size: 32.06 KB; Book Role: excluded_binary_or_archive
- Row 13** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline___handoff_package.zip; Extension: .zip; Size: 47.74 KB; Book Role: excluded_binary_or_archive
- Row 14** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/previous_export/Dominium_Modularity_AIDE_Refactorability_Architecture___handoff_package.zip; Extension: .zip; Size: 45.81 KB; Book Role: excluded_binary_or_archive
- Row 15** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture___handoff_package.zip; Extension: .zip; Size: 40.68 KB; Book Role: excluded_binary_or_archive
- Row 16** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/previous_zip/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture___handoff_package.zip; Extension: .zip; Size: 41.21 KB; Book Role: excluded_binary_or_archive
- Row 17** Path: docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning___handoff_package.zip; Extension: .zip; Size: 44.52 KB; Book Role: excluded_binary_or_archive
- Row 18** Path: docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience___handoff_package.zip; Extension: .zip; Size: 30.08 KB; Book Role: excluded_binary_or_archive
- Row 19** Path: docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe___handoff_package.zip; Extension: .zip; Size: 60.85 KB; Book Role: excluded_binary_or_archive
- Row 20** Path: docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff___handoff_package.zip; Extension: .zip; Size: 31.20 KB; Book Role: excluded_binary_or_archive
- Row 21** Path: docs/archive/conversations/_book/qa/main_001_title_page.png; Extension: .png; Size: 53.30 KB; Book Role: excluded_binary_or_archive
- Row 22** Path: docs/archive/conversations/_book/qa/main_002_toc_page.png; Extension: .png; Size: 162.25 KB; Book Role: excluded_binary_or_archive
- Row 23** Path: docs/archive/conversations/_book/qa/main_060_normal_chapter_page.png; Extension: .png; Size: 143.96 KB; Book Role: excluded_binary_or_archive
- Row 24** Path: docs/archive/conversations/_book/qa/main_547_dense_appendix_page.png; Extension: .png; Size: 225.68 KB; Book Role: excluded_binary_or_archive

- Row 25** Path: docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.png; Extension: .png; Size: 243.63 KB; Book Role: excluded_binary_or_archive
- Row 26** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.docx; Extension: .docx; Size: 216.00 KB; Book Role: excluded_binary_or_archive
- Row 27** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.epub; Extension: .epub; Size: 1.87 MB; Book Role: excluded_binary_or_archive
- Row 28** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.pdf; Extension: .pdf; Size: 1.80 MB; Book Role: excluded_binary_or_archive
- Row 29** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Reference_Appendix_v0.pdf; Extension: .pdf; Size: 712.17 KB; Book Role: excluded_binary_or_archive
- Row 30** Path: docs/archive/conversations/architecture_ui_providers/prior_package/dominium_architecture_ui_providers_robot_os_strategy__handoff_package.zip; Extension: .zip; Size: 52.79 KB; Book Role: excluded_binary_or_archive
- Row 31** Path: docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip; Extension: .zip; Size: 595.77 KB; Book Role: excluded_binary_or_archive
- Row 32** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__handoff_package.zip; Extension: .zip; Size: 55.94 KB; Book Role: excluded_binary_or_archive
- Row 33** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__complete_handoff_with_companion.zip; Extension: .zip; Size: 86.22 KB; Book Role: excluded_binary_or_archive
- Row 34** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__handoff_package.zip; Extension: .zip; Size: 44.82 KB; Book Role: excluded_binary_or_archive
- Row 35** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/Dominium_Workbench_AIDE_Presentation_Provider_Strategy__handoff_package.zip; Extension: .zip; Size: 36.07 KB; Book Role: excluded_binary_or_archive
- Row 36** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__complete_package.zip; Extension: .zip; Size: 94.60 KB; Book Role: excluded_binary_or_archive
- Row 37** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__expanded_complete_bundle.zip; Extension: .zip; Size: 26.04 MB; Book Role: excluded_binary_or_archive
- Row 38** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__handoff_package.zip; Extension: .zip; Size: 82.91 KB; Book Role: excluded_binary_or_archive
- Row 39** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000021c07207bc; Extension: (none); Size: 266.20 KB; Book Role: manifest_only
- Row 40** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000022e472078c; Extension: (none); Size: 345.53 KB; Book Role: manifest_only
- Row 41** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000296871faac; Extension: (none); Size: 263.45 KB; Book Role: manifest_only
- Row 42** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000059b471fa8a; Extension: (none); Size: 229.75 KB; Book Role: manifest_only

- Row 43** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000006b207207a2
Extension: (none); Size: 225.58 KB; Book Role: manifest_only
- Row 44** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000007914720786
Extension: (none); Size: 345.72 KB; Book Role: manifest_only
- Row 45** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000008d7871faa6
Extension: (none); Size: 221.11 KB; Book Role: manifest_only
- Row 46** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000959871faac
Extension: (none); Size: 310.98 KB; Book Role: manifest_only
- Row 47** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000c74c71fa9d
Extension: (none); Size: 231.48 KB; Book Role: manifest_only
- Row 48** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000e40071fa8f
Extension: (none); Size: 223.22 KB; Book Role: manifest_only
- Row 49** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_18 AM (1).png; Extension: .png; Size: 2.57 MB; Book Role: excluded_binary_
or_archive
- Row 50** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_18 AM (2).png; Extension: .png; Size: 2.65 MB; Book Role: excluded_binary_
or_archive
- Row 51** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_19 AM (3).png; Extension: .png; Size: 2.32 MB; Book Role: excluded_binary_
or_archive
- Row 52** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_19 AM (4).png; Extension: .png; Size: 2.24 MB; Book Role: excluded_binary_
or_archive
- Row 53** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_20 AM (5).png; Extension: .png; Size: 1.98 MB; Book Role: excluded_binary_
or_archive
- Row 54** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_20 AM (6).png; Extension: .png; Size: 2.19 MB; Book Role: excluded_binary_
or_archive
- Row 55** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (7).png; Extension: .png; Size: 2.35 MB; Book Role: excluded_binary_
or_archive
- Row 56** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (8).png; Extension: .png; Size: 2.09 MB; Book Role: excluded_binary_
or_archive
- Row 57** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (9).png; Extension: .png; Size: 2.27 MB; Book Role: excluded_binary_
or_archive
- Row 58** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_24 AM (10).png; Extension: .png; Size: 2.47 MB; Book Role: excluded_
binary_or_archive
- Row 59** Path: docs/archive/conversations/engine_baseline_architecture/previous_handoff_package_original.zip;
Extension: .zip; Size: 38.79 KB; Book Role: excluded_binary_or_archive

- Row 60** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/NEW.txt; Extension: .txt; Size: 114.60 KB; Book Role: manifest_only
- Row 61** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/dir (1).txt; Extension: .txt; Size: 114.60 KB; Book Role: manifest_only
- Row 62** Path: docs/development/guides/book/dominium_book_old.zip; Extension: .zip; Size: 818.29 KB; Book Role: excluded_binary_or_archive
- Row 63** Path: docs/development/guides/context/dominium_newcontext.docx; Extension: .docx; Size: 536.50 KB; Book Role: excluded_binary_or_archive
- Row 64** Path: docs/development/guides/context/dominium_oldcontext.zip; Extension: .zip; Size: 4.77 MB; Book Role: excluded_binary_or_archive
- Row 65** Path: docs/development/guides/ui_editor/fixtures/fixture_abs.tlv; Extension: .tlv; Size: 1.01 KB; Book Role: manifest_only
- Row 66** Path: docs/development/guides/ui_editor/fixtures/fixture_dock.tlv; Extension: .tlv; Size: 1.21 KB; Book Role: manifest_only
- Row 67** Path: docs/development/guides/ui_editor/fixtures/fixture_migrate_v1.tlv; Extension: .tlv; Size: 1.35 KB; Book Role: manifest_only
- Row 68** Path: docs/development/guides/ui_editor/fixtures/fixture_tabs_split_scroll.tlv; Extension: .tlv; Size: 3.09 KB; Book Role: manifest_only

Chapter 6

Authority, Supersession, and Audit Registers

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

6.1 Status Header Audit

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_STATUS_HEADER_AUDIT_v0.md - excerpted

6.2 Docs Status Header Audit

6.2.1 Header Coverage

- Markdown files checked: 4671
- Markdown files missing **Status**: 463
- Markdown files with unusual **Status**: 21
- Archive/conversation paths with current-authority-looking status: 15

6.2.2 Missing Status

Row 1 Path: docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md; Family: archive; Book Role: reference_appendix

Row 2 Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader

Row 3 Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 4** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 5** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 6** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 7** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 8** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 9** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 10** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 11** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 12** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 13** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 14** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 15** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 16** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 17** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 18** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 19** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 20** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 21** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 22** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 23** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 24** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 25** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 26** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 27** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 28** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 29** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 30** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 31** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 32** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 33** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 34** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 35** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 36** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 37** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 38** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 39** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 40** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 41** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 42** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 43** Path: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 44** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 45** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 46** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 47** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 48** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 49** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 50** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 51** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 52** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 53** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 54** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 55** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 56** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 57** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 58** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 59** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 60** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 61** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 62** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 63** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 64** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 65** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 66** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 67** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 68** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 69** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 70** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 71** Path: docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 72** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 73** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 74** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 75** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 76** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 77** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 78** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 79** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 80** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 81** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 82** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 83** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 84** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 85** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 86** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 87** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 88** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 89** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 90** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 91** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 92** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 93** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 94** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 95** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 96** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 97** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 98** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 99** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 100** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 101** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 102** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 103** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 104** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 105** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 106** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 107** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 108** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 109** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 110** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 111** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__11_package_quality_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 112** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 113** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 114** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 115** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 116** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 117** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 118** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 119** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 120** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 121** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__10_accompanying_detailed_conversation_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 122** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__11_package_integrity_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 123** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 124** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 125** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 126** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 127** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 128** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 129** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 130** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 131** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 132** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__10_accompanying_detailed_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 133** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 134** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 135** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 136** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 137** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 138** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 139** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 140** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 141** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 142** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 143** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 144** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 145** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 146** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 147** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 148** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 149** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__10_accompanying_detailed_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 150** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 151** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 152** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 153** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 154** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 155** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 156** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 157** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 158** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 159** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 160** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 161** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__11_complete_bundle_verification_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 162** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__12_complete_companion_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 163** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 164** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 165** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 166** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 167** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 168** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 169** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader

Row 170	Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
Row 171	Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
Row 172	Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
Row 173	Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__11_consolidated_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
Row 174	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
Row 175	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
Row 176	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
Row 177	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
Row 178	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
Row 179	Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
Omitted	161 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.3 Authority Classification Draft

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_AUTHORITY_CLASSIFICATION_DRAFT_v0.md - excerpted

6.4 Docs Authority Classification Draft

This draft is deterministic and path/header-based. It is a review surface, not a promotion decision.

Row 1	Path: docs/.gitignore; Initial Class: unknown; Authority Class: unknown_or_unclassified; Freshness: unclear; Risk: unknown; Book Role: manifest_only
Row 2	Path: docs/README.md; Initial Class: unknown; Authority Class: unknown_or_unclassified; Freshness: current; Risk: unknown; Book Role: summarized_reader

- Row 3** Path: docs/apps/ARTIFACT_IDENTITY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 4** Path: docs/apps/CLIENT_IDE_START_POINTS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 5** Path: docs/apps/CLIENT_READONLY_INTEGRATION.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 6** Path: docs/apps/CLIENT_RENDERER_UI.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 7** Path: docs/apps/CLIENT_UI_LAYER.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 8** Path: docs/apps/CLI_CONTRACTS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 9** Path: docs/apps/COMMAND_GRAPH_CAMERA_AND_BLUEPRINT.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 10** Path: docs/apps/COMPATIBILITY_ENFORCEMENT.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 11** Path: docs/apps/ENGINE_GAME_DIAGNOSTICS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 12** Path: docs/apps/GUI_MODE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 13** Path: docs/apps/HEADLESS_AND_ZERO_PACK.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 14** Path: docs/apps/IDE_WORKFLOW.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 15** Path: docs/apps/NATIVE_UI_POLICY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 16** Path: docs/apps/OBSERVABILITY_PIPELINES.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 17** Path: docs/apps/PRODUCT_BOUNDARIES.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 18** Path: docs/apps/README.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 19** Path: docs/apps/READONLY_ADAPTER.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 20** Path: docs/apps/RUNTIME_LOOP.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 21** Path: docs/apps/TESTX_COMPLIANCE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 22** Path: docs/apps/TESTX_INVENTORY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader

- Row 23** Path: docs/apps/TIMING_AND_CLOCKS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 24** Path: docs/apps/TOOLS_OBSERVABILITY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 25** Path: docs/apps/TOOLS_UI_POLICY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 26** Path: docs/apps/TUI_MODE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 27** Path: docs/apps/UI_MODES.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: superseded; Risk: low; Book Role: summarized_reader
- Row 28** Path: docs/apps/client/CLIENT_COMMAND_GRAPH.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 29** Path: docs/apps/client/CLIENT_FLOW.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 30** Path: docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 31** Path: docs/apps/client/CLIENT_SETTINGS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 32** Path: docs/apps/client/CLIENT_UI_AND_FLOW.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 33** Path: docs/apps/client/CLI_TUI_GUI_PARITY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 34** Path: docs/apps/client/SERVER_DISCOVERY.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 35** Path: docs/apps/client/SESSION_READY_AND_RUNNING.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 36** Path: docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 37** Path: docs/apps/client/SESSION_TRANSITION_WORKSPACE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 38** Path: docs/apps/client/WORLD_MANAGER.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 39** Path: docs/apps/launcher/LAUNCHER_SETTINGS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 40** Path: docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 41** Path: docs/apps/server/SERVER_MVP_BASELINE.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 42** Path: docs/apps/server/SERVER_SETTINGS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader

- Row 43** Path: docs/apps/setup/SETUP_SETTINGS.md; Initial Class: current_guidance; Authority Class: development_guidance; Freshness: current; Risk: low; Book Role: summarized_reader
- Row 44** Path: docs/architecture/ADAPTER_PATTERN.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 45** Path: docs/architecture/ADOPTION_PROTOCOL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 46** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 47** Path: docs/architecture/AI_BUDGET_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 48** Path: docs/architecture/AI_INTENT_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 49** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 50** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 51** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 52** Path: docs/architecture/APPLICATION_CONTRACTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 53** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 54** Path: docs/architecture/APP_CANON0.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 55** Path: docs/architecture/APP_CANON1.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 56** Path: docs/architecture/ARCH0_CONSTITUTION.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 57** Path: docs/architecture/ARCHITECTURE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 58** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 59** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 60** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 61** Path: docs/architecture/ARCHIVE_MANIFEST.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 62** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 63** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 64** Path: docs/architecture/ARCH_ENFORCEMENT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 65** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 66** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 67** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 68** Path: docs/architecture/ARTIFACT_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 69** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 70** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 71** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 72** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 73** Path: docs/architecture/AUTHORITY_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 74** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 75** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 76** Path: docs/architecture/BUDGET_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 77** Path: docs/architecture/BUGREPORT_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 78** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 79** Path: docs/architecture/BUNDLE_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 80** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 81** Path: docs/architecture/CANON_CUT_LINE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 82** Path: docs/architecture/CANON_INDEX.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 83** Path: docs/architecture/CAPABILITY_BASELINES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 84** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 85** Path: docs/architecture/CHANGELOG_ARCH.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 86** Path: docs/architecture/CHANGE_PROTOCOL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 87** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 88** Path: docs/architecture/CHECKPOINTING_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 89** Path: docs/architecture/CHECKPOINTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 90** Path: docs/architecture/CIVILIZATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 91** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 92** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 93** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 94** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 95** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 96** Path: docs/architecture/COMPATIBILITY_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 97** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 98** Path: docs/architecture/COMPONENTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 99** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 100** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 101** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 102** Path: docs/architecture/CONTRACTS_INDEX.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 103** Path: docs/architecture/CONTROL_LAYERS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 104** Path: docs/architecture/CORE_ABSTRACTIONS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 105** Path: docs/architecture/CRASH_RECOVERY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 106** Path: docs/architecture/CROSS_SHARD_LOG.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 107** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 108** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 109** Path: docs/architecture/DECAY_EROSION_REGEN.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 110** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 111** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 112** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 113** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 114** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 115** Path: docs/architecture/DEV_OPS_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 116** Path: docs/architecture/DIRECTORY_CONTEXT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 117** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 118** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 119** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 120** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 121** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 122** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 123** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 124** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 125** Path: docs/architecture/DOMAIN_VOLUMES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 126** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 127** Path: docs/architecture/ECONOMIC_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 128** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 129** Path: docs/architecture/ENERGY_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 130** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 131** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 132** Path: docs/architecture/EPISTEMICS_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 133** Path: docs/architecture/EXECUTION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 134** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 135** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 136** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 137** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 138** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 139** Path: docs/architecture/EXPLORATION_METRICS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 140** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 141** Path: docs/architecture/EXTEND_VS_CREATE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 142** Path: docs/architecture/EXTENSION_MAP.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 143** Path: docs/architecture/EXTENSION_RULES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 144** Path: docs/architecture/FABRICATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 145** Path: docs/architecture/FLOAT_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 146** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 147** Path: docs/architecture/FLUIDS_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 148** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 149** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: unclear; Risk: medium; Book Role: main_reader
- Row 150** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 151** Path: docs/architecture/FUTURE_PROOFING.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 152** Path: docs/architecture/GENERATED_CODE_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 153** Path: docs/architecture/GLOBAL_ID_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 154** Path: docs/architecture/GLOSSARY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 155** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 156** Path: docs/architecture/GUI_BASELINE.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 157** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 158** Path: docs/architecture/HAZARDS_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 159** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 160** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 161** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 162** Path: docs/architecture/IDE_PROJECTIONS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 163** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 164** Path: docs/architecture/INDEXING_POLICY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 165** Path: docs/architecture/INFORMATION_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 166** Path: docs/architecture/INSTALLER_CONTRACT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 167** Path: docs/architecture/INSTALL_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 168** Path: docs/architecture/INSTANCE_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

- Row 169** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 170** Path: docs/architecture/INTEREST_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 171** Path: docs/architecture/INVARIANTS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 172** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 173** Path: docs/architecture/INVARIANT_REGISTRY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 174** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 175** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 176** Path: docs/architecture/KNOWN_BLOCKERS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 177** Path: docs/architecture/KNOWN_WARNINGS.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 178** Path: docs/architecture/LANGUAGE_STRATEGY.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader
- Row 179** Path: docs/architecture/LAUNCHER_CONTRACT.md; Initial Class: current_guidance; Authority Class: architecture_current; Freshness: current; Risk: medium; Book Role: main_reader

Omitted 311 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.5 Authority Map

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_AUTHORITY_MAP_v0.md - excerpted

6.6 Docs Authority Map

This map classifies every represented docs file into one primary authority class. Archive and conversation material remains advisory unless later promoted through an explicit task.

Authority Class	Count
archive_stale	2295
conversation_advisory	606
unknown_or_unclassified	592
development_guidance	339
architecture_current	324
domain_guidance	253
repo_current	196
archive_historical	165
derived_synthesis	155
release_current	95
planning_current	77
contract_or_schema_reference	9
audit_evidence	8
canonical	2

6.6.1 architecture_current

- Row 1** Path: docs/architecture/ADAPTER_PATTERN.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 2** Path: docs/architecture/ADOPTION_PROTOCOL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 3** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 4** Path: docs/architecture/AI_BUDGET_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 5** Path: docs/architecture/AI_INTENT_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 6** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 7** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 8** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 9** Path: docs/architecture/APPLICATION_CONTRACTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 10** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 11** Path: docs/architecture/APP_CANON0.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 12** Path: docs/architecture/APP_CANON1.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 13** Path: docs/architecture/ARCH0_CONSTITUTION.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 14** Path: docs/architecture/ARCHITECTURE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 15** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 16** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 17** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 18** Path: docs/architecture/ARCHIVE_MANIFEST.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 19** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 20** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 21** Path: docs/architecture/ARCH_ENFORCEMENT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 22** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 23** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 24** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 25** Path: docs/architecture/ARTIFACT_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 26** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 27** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 28** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 29** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 30** Path: docs/architecture/AUTHORITY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 31** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 32** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 33** Path: docs/architecture/BUDGET_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 34** Path: docs/architecture/BUGREPORT_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 35** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 36** Path: docs/architecture/BUNDLE_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 37** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 38** Path: docs/architecture/CANON_CUT_LINE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 39** Path: docs/architecture/CANON_INDEX.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 40** Path: docs/architecture/CAPABILITY_BASELINES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 41** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 42** Path: docs/architecture/CHANGELOG_ARCH.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 43** Path: docs/architecture/CHANGE_PROTOCOL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 44** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 45** Path: docs/architecture/CHECKPOINTING_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 46** Path: docs/architecture/CHECKPOINTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 47** Path: docs/architecture/CIVILIZATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 48** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 49** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 50** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 51** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 52** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 53** Path: docs/architecture/COMPATIBILITY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 54** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 55** Path: docs/architecture/COMPONENTS.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 56** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 57** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 58** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 59** Path: docs/architecture/CONTRACTS_INDEX.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 60** Path: docs/architecture/CONTROL_LAYERS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 61** Path: docs/architecture/CORE_ABSTRACTIONS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 62** Path: docs/architecture/CRASH_RECOVERY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 63** Path: docs/architecture/CROSS_SHARD_LOG.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 64** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 65** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 66** Path: docs/architecture/DECAY_EROSION_REGEN.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 67** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 68** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 69** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 70** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 71** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 72** Path: docs/architecture/DEV_OPS_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 73** Path: docs/architecture/DIRECTORY_CONTEXT.md; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 74** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Freshness: superseded; Risk: medium; Book Role: main_reader
- Row 75** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 76** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 77** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 78** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 79** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 80** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 81** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 82** Path: docs/architecture/DOMAIN_VOLUMES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 83** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 84** Path: docs/architecture/ECONOMIC_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 85** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 86** Path: docs/architecture/ENERGY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 87** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 88** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 89** Path: docs/architecture/EPISTEMICS_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 90** Path: docs/architecture/EXECUTION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 91** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 92** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 93** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 94** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 95** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 96** Path: docs/architecture/EXPLORATION_METRICS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 97** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 98** Path: docs/architecture/EXTEND_VS_CREATE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 99** Path: docs/architecture/EXTENSION_MAP.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 100** Path: docs/architecture/EXTENSION_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 101** Path: docs/architecture/FABRICATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 102** Path: docs/architecture/FLOAT_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 103** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 104** Path: docs/architecture/FLUIDS_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 105** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 106** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Freshness: unclear; Risk: medium; Book Role: main_reader
- Row 107** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 108** Path: docs/architecture/FUTURE_PROOFING.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 109** Path: docs/architecture/GENERATED_CODE_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 110** Path: docs/architecture/GLOBAL_ID_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 111** Path: docs/architecture/GLOSSARY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 112** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 113** Path: docs/architecture/GUI_BASELINE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 114** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 115** Path: docs/architecture/HAZARDS_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 116** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 117** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 118** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 119** Path: docs/architecture/IDE_PROJECTIONS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 120** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 121** Path: docs/architecture/INDEXING_POLICY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 122** Path: docs/architecture/INFORMATION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 123** Path: docs/architecture/INSTALLER_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 124** Path: docs/architecture/INSTALL_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 125** Path: docs/architecture/INSTANCE_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 126** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 127** Path: docs/architecture/INTEREST_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 128** Path: docs/architecture/INVARIANTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 129** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 130** Path: docs/architecture/INVARIANT_REGISTRY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 131** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 132** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 133** Path: docs/architecture/KNOWN_BLOCKERS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 134** Path: docs/architecture/KNOWN_WARNINGS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 135** Path: docs/architecture/LANGUAGE_STRATEGY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 136** Path: docs/architecture/LAUNCHER_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 137** Path: docs/architecture/LAW_AND_META_LAW.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 138** Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 139** Path: docs/architecture/LEGACY_SUPPORT_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader

- Row 140** Path: docs/architecture/LEGACY_SUPPORT_STRATEGY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 141** Path: docs/architecture/LIFE_AND_POPULATION.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 142** Path: docs/architecture/LIVE_EVOLUTION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 143** Path: docs/architecture/LOCKFILES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 144** Path: docs/architecture/LOCKLIST.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 145** Path: docs/architecture/LOCKLIST_OVERRIDES.json; Freshness: unclear; Risk: medium; Book Role: main_reader
- Row 146** Path: docs/architecture/MACRO_TIME_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 147** Path: docs/architecture/MIGRATION_TEMPLATE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 148** Path: docs/architecture/MMO_COMPATIBILITY.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 149** Path: docs/architecture/MMO_SAFETY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 150** Path: docs/architecture/MODES_AS_PROFILES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 151** Path: docs/architecture/MODPACK_FORMAT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 152** Path: docs/architecture/MODULE_BOUNDARIES_v1.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 153** Path: docs/architecture/MODULE_INDEX_v1.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 154** Path: docs/architecture/MOD_ECOSYSTEM_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 155** Path: docs/architecture/MOVEMENT_AS_LOGISTICS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 156** Path: docs/architecture/NAMESPACING_RULES.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 157** Path: docs/architecture/NETWORKGRAPH_STANDARD.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 158** Path: docs/architecture/NON_INTERFERENCE.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 159** Path: docs/architecture/NO_MAGIC_TELEPORTS.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 160** Path: docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
- Row 161** Path: docs/architecture/OPS_TRANSACTION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader

Row 162	Path: docs/architecture/OVERVIEW_ARCHITECTURE.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 163	Path: docs/architecture/PACK_FORMAT.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 164	Path: docs/architecture/PERFORMANCE_METRICS.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 165	Path: docs/architecture/PERFORMANCE_PROOF.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 166	Path: docs/architecture/PIRACY_CONTAINMENT.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 167	Path: docs/architecture/PLATFORM_RESPONSIBILITY.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 168	Path: docs/architecture/POST_CLEAN_2_STATUS.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 169	Path: docs/architecture/PROCESS_ONLY_MUTATION.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 170	Path: docs/architecture/PRODUCT_SHELL_CONTRACT.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 171	Path: docs/architecture/PROJECTION_LIFECYCLE.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 172	Path: docs/architecture/PROJECT_EXECUTION_BASELINE.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 173	Path: docs/architecture/QUANTITY_BUNDLES.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 174	Path: docs/architecture/REALITY_FLOW.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 175	Path: docs/architecture/REALITY_LAYER.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 176	Path: docs/architecture/REALITY_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 177	Path: docs/architecture/REDUCTION_MODEL.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 178	Path: docs/architecture/REFINEMENT_CONTRACTS.md; Freshness: current; Risk: medium; Book Role: main_reader
Row 179	Path: docs/architecture/REFRACTOR_STAGE.md; Freshness: current; Risk: medium; Book Role: main_reader

Omitted 145 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

6.6.2 archive_historical

- Row 1** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 2** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 3** Path: docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 4** Path: docs/archive/audit/DIST_VERIFY_win64.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 5** Path: docs/archive/audit/DOMAIN_REGISTRY_REPORT.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 6** Path: docs/archive/audit/GR3_FAST_COMPACTION_SANITY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 7** Path: docs/archive/audit/GR3_FAST_COMPACTION_STATE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 8** Path: docs/archive/audit/GR3_FAST_REFERENCE_SUITE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 9** Path: docs/archive/audit/GR3_FULL_CHEM_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 10** Path: docs/archive/audit/GR3_FULL_CHEM_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 11** Path: docs/archive/audit/GR3_FULL_ELEC_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 12** Path: docs/archive/audit/GR3_FULL_ELEC_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 13** Path: docs/archive/audit/GR3_FULL_FLUID_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 14** Path: docs/archive/audit/GR3_FULL_FLUID_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 15** Path: docs/archive/audit/GR3_FULL_POLL_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 16** Path: docs/archive/audit/GR3_FULL_POLL_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 17** Path: docs/archive/audit/GR3_FULL_PROC_COMPACTION_VERIFY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 18** Path: docs/archive/audit/GR3_FULL_PROC_REPLAY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 19** Path: docs/archive/audit/GR3_FULL_PROC_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 20** Path: docs/archive/audit/GR3_FULL_PROC_STATE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 21** Path: docs/archive/audit/GR3_FULL_PROC_STATE_COMPACTED.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 22** Path: docs/archive/audit/GR3_FULL_PROC_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 23** Path: docs/archive/audit/GR3_FULL_PROV_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 24** Path: docs/archive/audit/GR3_FULL_REFERENCE_SUITE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 25** Path: docs/archive/audit/GR3_FULL_SIG_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 26** Path: docs/archive/audit/GR3_FULL_SIG_SCENARIO_RUN.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 27** Path: docs/archive/audit/GR3_FULL_SIG_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 28** Path: docs/archive/audit/GR3_FULL_SYS_CROSS_SHARD_STRESS_MANIFEST.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 29** Path: docs/archive/audit/GR3_FULL_SYS_REPLAY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 30** Path: docs/archive/audit/GR3_FULL_SYS_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 31** Path: docs/archive/audit/GR3_FULL_SYS_SCENARIO_RUN.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 32** Path: docs/archive/audit/GR3_FULL_SYS_STRESS_MANIFEST.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 33** Path: docs/archive/audit/GR3_FULL_THERM_SCENARIO.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 34** Path: docs/archive/audit/GR3_FULL_THERM_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 35** Path: docs/archive/audit/HANDSHAKE_COMPAT_MATRIX.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 36** Path: docs/archive/audit/INVENTORY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 37** Path: docs/archive/audit/INVENTORY_MACHINE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 38** Path: docs/archive/audit/LOGIC10_REFERENCE_RESULTS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 39** Path: docs/archive/audit/LOGIC10_STRESS_RESULTS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 40** Path: docs/archive/audit/LOGIC5_TIMING_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 41** Path: docs/archive/audit/LOGIC6_COMPILE_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 42** Path: docs/archive/audit/LOGIC7_DEBUG_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 43** Path: docs/archive/audit/LOGIC8_FAULT_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 44** Path: docs/archive/audit/LOGIC9_PROTOCOL_STRESS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 45** Path: docs/archive/audit/REPO_STRUCTURE_AUDIT.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 46** Path: docs/archive/audit/SEMANTIC_IMPACT_GLOBAL.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 47** Path: docs/archive/audit/STUB_REPORT.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 48** Path: docs/archive/audit/TOPOLOGY_MAP.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 49** Path: docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 50** Path: docs/archive/audit/XI_5X2_BUILD_TOOLCHAIN_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 51** Path: docs/archive/audit/XI_5X2_LEGACY_POCKETS_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 52** Path: docs/archive/audit/XI_5X2_LEGACY_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 53** Path: docs/archive/audit/XI_6_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 54** Path: docs/archive/audit/auditx/FINDINGS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 55** Path: docs/archive/audit/auditx/INVARIANT_MAP.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 56** Path: docs/archive/audit/auditx/PROMOTION_CANDIDATES.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 57** Path: docs/archive/audit/auditx/RUN_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 58** Path: docs/archive/audit/auditx/TRENDS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 59** Path: docs/archive/audit/compat/COMPAT_BASELINE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 60** Path: docs/archive/audit/compute_budget_stress_results.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 61** Path: docs/archive/audit/identity_fingerprint.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 62** Path: docs/archive/audit/perf/multiplayer_profile_trace.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 63** Path: docs/archive/audit/performance/PERFORMX_BASELINE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 64** Path: docs/archive/audit/performance/PERFORMX_REGRESSIONS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 65** Path: docs/archive/audit/performance/PERFORMX_RESULTS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 66** Path: docs/archive/audit/performance/RUN_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 67** Path: docs/archive/audit/proof_manifest.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 68** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 69** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 70** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 71** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 72** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 73** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 74** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 75** Path: docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 76** Path: docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 77** Path: docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 78** Path: docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 79** Path: docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 80** Path: docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 81** Path: docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 82** Path: docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 83** Path: docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 84** Path: docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 85** Path: docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 86** Path: docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 87** Path: docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 88** Path: docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 89** Path: docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 90** Path: docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 91** Path: docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 92** Path: docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 93** Path: docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 94** Path: docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 95** Path: docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 96** Path: docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 97** Path: docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 98** Path: docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 99** Path: docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 100** Path: docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 101** Path: docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 102** Path: docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 103** Path: docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 104** Path: docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 105** Path: docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 106** Path: docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 107** Path: docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 108** Path: docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 109** Path: docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 110** Path: docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 111** Path: docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 112** Path: docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 113** Path: docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 114** Path: docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 115** Path: docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 116** Path: docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 117** Path: docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 118** Path: docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 119** Path: docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 120** Path: docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 121** Path: docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 122** Path: docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 123** Path: docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 124** Path: docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 125** Path: docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 126** Path: docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 127** Path: docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 128** Path: docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 129** Path: docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 130** Path: docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 131** Path: docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 132** Path: docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 133** Path: docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 134** Path: docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 135** Path: docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 136** Path: docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 137** Path: docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 138** Path: docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 139** Path: docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 140** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 141** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 142** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 143** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 144** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/actions_taken.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 145** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/failure.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 146** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/prevention_links.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

- Row 147** Path: docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/verification.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 148** Path: docs/archive/audit/repoX/REPOX_PROFILE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 149** Path: docs/archive/audit/security/FINDINGS.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 150** Path: docs/archive/audit/security/INTEGRITY_MANIFEST.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 151** Path: docs/archive/audit/security/RUN_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 152** Path: docs/archive/audit/system/BASELINE_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 153** Path: docs/archive/audit/system/BASELINE_STATE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 154** Path: docs/archive/audit/system/REPO_HEALTH_SNAPSHOT.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 155** Path: docs/archive/audit/system/STRESS_MATRIX.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 156** Path: docs/archive/audit/system/STRESS_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 157** Path: docs/archive/audit/testx/TESTX_RUN_META.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 158** Path: docs/archive/audit/testx/TESTX_SUMMARY.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 159** Path: docs/archive/audit/xstack/PROFILE_AFTER_OPTIMIZATION.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 160** Path: docs/archive/audit/xstack/PROFILE_AFTER_SCOPE_FIX.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 161** Path: docs/archive/audit/xstack/PROFILE_BASELINE.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 162** Path: docs/archive/audit/xstack/PROFILE_FAST.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 163** Path: docs/archive/audit/xstack/PROFILE_FULL.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 164** Path: docs/archive/audit/xstack/PROFILE_STRICT_COLD.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 165** Path: docs/archive/audit/xstack/PROFILE_STRICT_WARM.json; Freshness: provisional; Risk: low; Book Role: searchable_html_only

6.6.3 archive_stale

- Row 1** Path: docs/archive/README.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 2** Path: docs/archive/STATUS_NOW.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 3** Path: docs/archive/SURVIVAL_SLICE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 4** Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 5** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 6** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 7** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 8** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 9** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 10** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 11** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 12** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 13** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 14** Path: docs/archive/architecture/INVARIANTS.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 15** Path: docs/archive/architecture/MENTAL_MODEL.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 16** Path: docs/archive/architecture/NON_GOALS.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 17** Path: docs/archive/architecture/TERMINOLOGY.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 18** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Freshness: superseded; Risk: low; Book Role: reference_appendix
- Row 19** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 20** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 21** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 22** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 23** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 24** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 25** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 26** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 27** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 28** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 29** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 30** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 31** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 32** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 33** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 34** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 35** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 36** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 37** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 38** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 39** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 40** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 41** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 42** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 43** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 44** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 45** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 46** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 47** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Freshness: provisional; Risk: quarantine_required; Book Role: reference_appendix
- Row 48** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 49** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 50** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 51** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 52** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 53** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Freshness: provisional; Risk: quarantine_required; Book Role: reference_appendix
- Row 54** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 55** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 56** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 57** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 58** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 59** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 60** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 61** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 62** Path: docs/archive/audit/BOM_AG_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 63** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 64** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 65** Path: docs/archive/audit/BR0_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 66** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 67** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 68** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 69** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 70** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 71** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 72** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 73** Path: docs/archive/audit/CANON_MAP.md; Freshness: provisional; Risk: low; Book Role: searchable_html_only
- Row 74** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 75** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 76** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 77** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 78** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 79** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 80** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 81** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 82** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 83** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 84** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 85** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 86** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 87** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 88** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 89** Path: docs/archive/audit/CI_RUN_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 90** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 91** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 92** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 93** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 94** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 95** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 96** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 97** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 98** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 99** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 100** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 101** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 102** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 103** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 104** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 105** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 106** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 107** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 108** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 109** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 110** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 111** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 112** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 113** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 114** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 115** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 116** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 117** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 118** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 119** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 120** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 121** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 122** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 123** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 124** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 125** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 126** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 127** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 128** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 129** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 130** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 131** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 132** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 133** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 134** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 135** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 136** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 137** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 138** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 139** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 140** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 141** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 142** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 143** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 144** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 145** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 146** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 147** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix

- Row 148** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 149** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 150** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 151** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 152** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 153** Path: docs/archive/audit/DIST2_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 154** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 155** Path: docs/archive/audit/DIST3_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 156** Path: docs/archive/audit/DIST4_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 157** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 158** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 159** Path: docs/archive/audit/DIST6_FINAL.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 160** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Freshness: provisional; Risk: low; Book Role: reference_appendix
- Row 161** Path: docs/archive/audit/DIST6_INTEROP_contr

Verify

This section is excerpted for readability. See the source path for the full report.

6.7 Supersession Map

Source

DERIVED advisory_synthesis_not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_SUPERSESSION_MAP_v0.md - excerpted

6.8 Docs Supersession Map

This report lists explicit supersession metadata and path/header-derived stale or superseded candidates.

- Row 1** Path: docs/README.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: patched document aligned to current canon ownership and release scope; Freshness: current; Disposition: review_before_use
- Row 2** Path: docs/apps/ARTIFACT_IDENTITY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 3** Path: docs/apps/CLIENT_IDE_START_POINTS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 4** Path: docs/apps/CLIENT_READONLY_INTEGRATION.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 5** Path: docs/apps/CLIENT_RENDERER_UI.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 6** Path: docs/apps/CLIENT_UI_LAYER.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 7** Path: docs/apps/CLI_CONTRACTS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 8** Path: docs/apps/COMMAND_GRAPH_CAMERA_AND_BLUEPRINT.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 9** Path: docs/apps/COMPATIBILITY_ENFORCEMENT.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 10** Path: docs/apps/ENGINE_GAME_DIAGNOSTICS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 11** Path: docs/apps/GUI_MODE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 12** Path: docs/apps/HEADLESS_AND_ZERO_PACK.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 13** Path: docs/apps/IDE_WORKFLOW.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 14** Path: docs/apps/NATIVE_UI_POLICY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 15** Path: docs/apps/OBSERVABILITY_PIPELINES.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 16** Path: docs/apps/PRODUCT_BOUNDARIES.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: patched document aligned to current canon ownership and release scope; Freshness: current; Disposition: review_before_use
- Row 17** Path: docs/apps/README.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 18** Path: docs/apps/READONLY_ADAPTER.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 19** Path: docs/apps/RUNTIME_LOOP.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 20** Path: docs/apps/TESTX_COMPLIANCE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 21** Path: docs/apps/TESTX_INVENTORY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 22** Path: docs/apps/TIMING_AND_CLOCKS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 23** Path: docs/apps/TOOLS_OBSERVABILITY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 24** Path: docs/apps/TOOLS_UI_POLICY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 25** Path: docs/apps/TUI_MODE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 26** Path: docs/apps/UI_MODES.md; Status: DERIVED; Supersedes: none; Superseded By: docs/runtime/shell/APPSHELL_CONSTITUTION.md; Replacement Target: replacement canonical document listed in the supersession header; Freshness: superseded; Disposition: review_before_use
- Row 27** Path: docs/apps/client/CLIENT_COMMAND_GRAPH.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 28** Path: docs/apps/client/CLIENT_FLOW.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 29** Path: docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use

- Row 30** Path: docs/apps/client/CLIENT_SETTINGS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 31** Path: docs/apps/client/CLIENT_UI_AND_FLOW.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 32** Path: docs/apps/client/CLI_TUI_GUI_PARITY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 33** Path: docs/apps/client/SERVER_DISCOVERY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 34** Path: docs/apps/client/SESSION_READY_AND_RUNNING.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 35** Path: docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 36** Path: docs/apps/client/SESSION_TRANSITION_WORKSPACE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 37** Path: docs/apps/client/WORLD_MANAGER.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 38** Path: docs/apps/launcher/LAUNCHER_SETTINGS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: patched document aligned to current canon ownership and release scope; Freshness: current; Disposition: review_before_use
- Row 39** Path: docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 40** Path: docs/apps/server/SERVER_MVP_BASELINE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 41** Path: docs/apps/server/SERVER_SETTINGS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 42** Path: docs/apps/setup/SETUP_SETTINGS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: patched document aligned to current canon ownership and release scope; Freshness: current; Disposition: review_before_use
- Row 43** Path: docs/architecture/ADAPTER_PATTERN.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 44** Path: docs/architecture/ADOPTION_PROTOCOL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 45** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 46** Path: docs/architecture/AI_BUDGET_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 47** Path: docs/architecture/AI_INTENT_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 48** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 49** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 50** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 51** Path: docs/architecture/APPLICATION_CONTRACTS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 52** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 53** Path: docs/architecture/APP_CANON0.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 54** Path: docs/architecture/APP_CANON1.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 55** Path: docs/architecture/ARCH0_CONSTITUTION.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 56** Path: docs/architecture/ARCHITECTURE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 57** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: superseded by a later explicit ARCH-GRAPH-UPDATE freeze only; Freshness: current; Disposition: review_before_use
- Row 58** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 59** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 60** Path: docs/architecture/ARCHIVE_MANIFEST.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 61** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 62** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 63** Path: docs/architecture/ARCH_ENFORCEMENT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 64** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Status: CANONICAL; Supersedes: none; Superseded By: contracts/repo/layout.contract.toml for current source repo layout convergence authority; Replacement Target: contracts/repo/layout.contract.toml plus docs/repo/REPO_LAYOUT_TARGET.md; Freshness: superseded; Disposition: review_before_use
- Row 65** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 66** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 67** Path: docs/architecture/ARTIFACT_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 68** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 69** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 70** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 71** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 72** Path: docs/architecture/AUTHORITY_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 73** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 74** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 75** Path: docs/architecture/BUDGET_POLICY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 76** Path: docs/architecture/BUGREPORT_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 77** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 78** Path: docs/architecture/BUNDLE_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 79** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 80** Path: docs/architecture/CANON_CUT_LINE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 81** Path: docs/architecture/CANON_INDEX.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 82** Path: docs/architecture/CAPABILITY_BASELINES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 83** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 84** Path: docs/architecture/CHANGELOG_ARCH.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 85** Path: docs/architecture/CHANGE_PROTOCOL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 86** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 87** Path: docs/architecture/CHECKPOINTING_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 88** Path: docs/architecture/CHECKPOINTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 89** Path: docs/architecture/CIVILIZATION_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use

- Row 90** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 91** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 92** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 93** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 94** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 95** Path: docs/architecture/COMPATIBILITY_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 96** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 97** Path: docs/architecture/COMPONENTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 98** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 99** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 100** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 101** Path: docs/architecture/CONTRACTS_INDEX.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 102** Path: docs/architecture/CONTROL_LAYERS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 103** Path: docs/architecture/CORE_ABSTRACTIONS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 104** Path: docs/architecture/CRASH_RECOVERY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 105** Path: docs/architecture/CROSS_SHARD_LOG.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 106** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Status: DERIVED; Supersedes: none; Superseded By: none; Freshness: current; Disposition: review_before_use
- Row 107** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 108** Path: docs/architecture/DECAY_EROSION_REGEN.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 109** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 110** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 111** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 112** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 113** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 114** Path: docs/architecture/DEV_OPS_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 115** Path: docs/architecture/DIRECTORY_CONTEXT.md; Status: DERIVED; Supersedes: none; Superseded By: contracts/repo/layout.contract.toml for current source repo layout convergence authority; Replacement Target: contracts/repo/layout.contract.toml plus docs/repo/REPO_LAYOUT_TARGET.md; Freshness: superseded; Disposition: review_before_use
- Row 116** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Status: DERIVED; Supersedes: none; Superseded By: docs/archive/audit/REPO_TREE_INDEX.md; Replacement Target: replacement canonical document listed in the supersession header; Freshness: superseded; Disposition: review_before_use
- Row 117** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Status: CANONICAL; Supersedes: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 118** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 119** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 120** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 121** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 122** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 123** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 124** Path: docs/architecture/DOMAIN_VOLUMES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 125** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 126** Path: docs/architecture/ECONOMIC_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 127** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 128** Path: docs/architecture/ENERGY_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 129** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 130** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 131** Path: docs/architecture/EPISTEMICS_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 132** Path: docs/architecture/EXECUTION_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 133** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 134** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 135** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 136** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 137** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 138** Path: docs/architecture/EXPLORATION_METRICS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 139** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 140** Path: docs/architecture/EXTEND_VS_CREATE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 141** Path: docs/architecture/EXTENSION_MAP.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 142** Path: docs/architecture/EXTENSION_RULES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 143** Path: docs/architecture/FABRICATION_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 144** Path: docs/architecture/FLOAT_POLICY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 145** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 146** Path: docs/architecture/FLUIDS_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 147** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 148** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 149** Path: docs/architecture/FUTURE_PROOFING.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 150** Path: docs/architecture/GENERATED_CODE_POLICY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 151** Path: docs/architecture/GLOBAL_ID_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 152** Path: docs/architecture/GLOSSARY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 153** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 154** Path: docs/architecture/GUI_BASELINE.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 155** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 156** Path: docs/architecture/HAZARDS_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 157** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 158** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 159** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Status: CANONICAL; Supersedes: prior legacy/modern mixed toolchain matrix; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 160** Path: docs/architecture/IDE_PROJECTIONS.md; Status: DERIVED; Supersedes: ide/README.md; Superseded By: none; Freshness: current; Disposition: review_before_use
- Row 161** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 162** Path: docs/architecture/INDEXING_POLICY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 163** Path: docs/architecture/INFORMATION_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 164** Path: docs/architecture/INSTALLER_CONTRACT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

- Row 165** Path: docs/architecture/INSTALL_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 166** Path: docs/architecture/INSTANCE_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 167** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 168** Path: docs/architecture/INTEREST_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 169** Path: docs/architecture/INVARIANTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 170** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 171** Path: docs/architecture/INVARIANT_REGISTRY.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 172** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 173** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 174** Path: docs/architecture/KNOWN_BLOCKERS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 175** Path: docs/architecture/KNOWN_WARNINGS.md; Status: DERIVED; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 176** Path: docs/architecture/LANGUAGE_STRATEGY.md; Status: CANONICAL; Supersedes: prior C89/C++98 language strategy; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 177** Path: docs/architecture/LAUNCHER_CONTRACT.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use
- Row 178** Path: docs/architecture/LAW_AND_META_LAW.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: legacy reference surface retained without current binding authority; Freshness: current; Disposition: review_before_use
- Row 179** Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Status: CANONICAL; Supersedes: none; Superseded By: none; Replacement Target: canon-aligned documentation set for convergence and release preparation; Freshness: current; Disposition: review_before_use

Omitted 174 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.9 Binding Source Map

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_BINDING_SOURCE_MAP_v0.md - excerpted

6.10 Docs Binding Source Map

Binding-source metadata is a provenance signal. It does not override the repo authority model.

- Row 1** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Authority Class: architecture_current; Binding Sources: contracts/abi/c_api.contract.toml, contracts/build/language_baseline.contract.toml
- Row 2** Path: docs/architecture/api_abi_canon.md; Authority Class: architecture_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, contracts/public_surface/public_surface.contract.toml, contracts/abi/c_api.contract.toml, contracts/abi/language_boundary.contract.toml
- Row 3** Path: docs/architecture/artifact_identity_law.md; Authority Class: architecture_current; Binding Sources: contracts/artifact/artifact_identity.contract.toml, contracts/artifact/artifact_manifest.schema.json, contracts/artifact/artifact_kind.registry.json, contracts/artifact/artifact_hash_policy.contract.toml, contracts/artifact/artifact_compatibility.contract.toml, contracts/artifact/artifact_trust_policy.contract.toml
- Row 4** Path: docs/architecture/diagnostics_and_evidence.md; Authority Class: architecture_current; Binding Sources: contracts/diagnostic/diagnostic_policy.contract.toml, contracts/diagnostic/diagnostic_code.registry.json, contracts/evidence/evidence_packet.schema.json, contracts/refusal/refusal_code.registry.json, contracts/command/command_surface.contract.toml
- Row 5** Path: docs/architecture/document_patch_transaction.md; Authority Class: architecture_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, contracts/document/document_type.schema.json, contracts/document/document_ref.schema.json, contracts/patch/patch.schema.json, contracts/transaction/transaction.schema.json
- Row 6** Path: docs/architecture/document_patch_transaction_runtime.md; Authority Class: architecture_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/reference/specs/setup/TRANSACTIONS.md, docs/architecture/SETUP_TRANSACTION_MODEL.md, contracts/document/document_patch_transaction.schema.json
- Row 7** Path: docs/architecture/mod_pack_trust_model.md; Authority Class: architecture_current; Binding Sources: AGENTS.md, docs/canon/constitution_v1.md, contracts/trust/mod_pack_trust.contract.toml
- Row 8** Path: docs/architecture/provider_conformance_law.md; Authority Class: architecture_current; Binding Sources: docs/architecture/service_conformance_law.md, contracts/provider/provider.contract.toml, contracts/provider/provider_conformance.contract.toml, contracts/conformance/conformance.contract.toml

- Row 9** Path: docs/architecture/service_conformance_law.md; Authority Class: architecture_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/runtime/RUNTIME_SERVICES.md, docs/architecture/SERVICES_AND_PRODUCTS.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, contracts/service/service.contract.toml, contracts/conformance/conformance.contract.toml
- Row 10** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Authority Class: archive_stale; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md
- Row 11** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Authority Class: archive_stale; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md
- Row 12** Path: docs/archive/conversations/INDEX.md; Authority Class: conversation_advisory; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 13** Path: docs/archive/conversations/README.md; Authority Class: conversation_advisory; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 14** Path: docs/archive/conversations/_audit/CONTRADICTION_MATRIX.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 15** Path: docs/archive/conversations/_audit/COVERAGE_GAPS.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 16** Path: docs/archive/conversations/_audit/DOC_DRIFT_REPORT.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 17** Path: docs/archive/conversations/_audit/DUPLICATE_TOPICS.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 18** Path: docs/archive/conversations/_audit/INTAKE_ACCEPTANCE_REVIEW.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 19** Path: docs/archive/conversations/_audit/LINK_INTEGRITY_REVIEW.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 20** Path: docs/archive/conversations/_audit/PROMOTION_QUEUE_QUALITY_REVIEW.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 21** Path: docs/archive/conversations/_audit/READER_QUALITY_REVIEW.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 22** Path: docs/archive/conversations/_audit/STALENESS_AND_VERIFICATION.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 23** Path: docs/archive/conversations/_audit/UNCERTAINTY_REGISTER.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 24** Path: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 25** Path: docs/archive/conversations/_decision/DECISION_OPTIONS_MATRIX_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 26** Path: docs/archive/conversations/_decision/DECISION_SUMMARY_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 27** Path: docs/archive/conversations/_decision/DEFERRED_DECISIONS_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 28** Path: docs/archive/conversations/_intake/CORPUS_MANIFEST.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 29** Path: docs/archive/conversations/_intake/PACKAGE_COMPLETENESS.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 30** Path: docs/archive/conversations/_intake/SOURCE_PROVENANCE.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 31** Path: docs/archive/conversations/_promotion/CANDIDATE_PATCH_PLAN.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 32** Path: docs/archive/conversations/_promotion/NEEDS_USER_DECISION_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 33** Path: docs/archive/conversations/_promotion/NON_PROMOTED_CONTEXT.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 34** Path: docs/archive/conversations/_promotion/PROMOTION_NOT_READY_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 35** Path: docs/archive/conversations/_promotion/PROMOTION_QUEUE.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 36** Path: docs/archive/conversations/_promotion/PROMOTION_REVIEW_BOARD_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 37** Path: docs/archive/conversations/_promotion/PROMOTION_TARGET_MAP_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 38** Path: docs/archive/conversations/_promotion/PROMOTION_TRIAGE_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 39** Path: docs/archive/conversations/_promotion/PROMOTION_WAVE_1_CANDIDATES_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 40** Path: docs/archive/conversations/_promotion/REJECTED_NOISE_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 41** Path: docs/archive/conversations/_promotion/REJECTED_OR_QUARANTINED_CLAIMS.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 42** Path: docs/archive/conversations/_promotion/REVIEW_DECISIONS.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 43** Path: docs/archive/conversations/_promotion/TOP_PROMOTION_CANDIDATES_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 44** Path: docs/archive/conversations/_reader/by_chat/advanced_simulation_infrastructure.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 45** Path: docs/archive/conversations/_reader/by_chat/app_runtime_platform_renderers.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 46** Path: docs/archive/conversations/_reader/by_chat/app_testx_codehygiene.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 47** Path: docs/archive/conversations/_reader/by_chat/architecture_codex_prompts.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 48** Path: docs/archive/conversations/_reader/by_chat/architecture_ui_providers.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 49** Path: docs/archive/conversations/_reader/by_chat/build_and_future_proofing.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 50** Path: docs/archive/conversations/_reader/by_chat/canonical_structure_and_framework.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 51** Path: docs/archive/conversations/_reader/by_chat/chronology_celestial_systems.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 52** Path: docs/archive/conversations/_reader/by_chat/development_routes.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 53** Path: docs/archive/conversations/_reader/by_chat/documentation_standards_readme.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 54** Path: docs/archive/conversations/_reader/by_chat/dominium_architecture_i.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 55** Path: docs/archive/conversations/_reader/by_chat/dominium_architecture_ii.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 56** Path: docs/archive/conversations/_reader/by_chat/dominium_architecture_iii.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 57** Path: docs/archive/conversations/_reader/by_chat/dominium_architecture_iv.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 58** Path: docs/archive/conversations/_reader/by_chat/dominium_complete_conversation.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 59** Path: docs/archive/conversations/_reader/by_chat/dominium_domino_codex_planning.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 60** Path: docs/archive/conversations/_reader/by_chat/dominium_full_conversation.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 61** Path: docs/archive/conversations/_reader/by_chat/dominium_setup.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 62** Path: docs/archive/conversations/_reader/by_chat/domino_dominium_workbench.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 63** Path: docs/archive/conversations/_reader/by_chat/domino_engine_refactor_prompts.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 64** Path: docs/archive/conversations/_reader/by_chat/engine_baseline_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 65** Path: docs/archive/conversations/_reader/by_chat/foundation_workbench_codex.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 66** Path: docs/archive/conversations/_reader/by_chat/framework_open_source_provider.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 67** Path: docs/archive/conversations/_reader/by_chat/gui_binary_content.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 68** Path: docs/archive/conversations/_reader/by_chat/language_platform_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 69** Path: docs/archive/conversations/_reader/by_chat/launcher_app_layer.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 70** Path: docs/archive/conversations/_reader/by_chat/launcher_setup_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 71** Path: docs/archive/conversations/_reader/by_chat/modularity_aide_refactorability.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 72** Path: docs/archive/conversations/_reader/by_chat/omega_xi_pi_architecture_future.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 73** Path: docs/archive/conversations/_reader/by_chat/os_interface_repo_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 74** Path: docs/archive/conversations/_reader/by_chat/platform_renderer_api_plan.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 75** Path: docs/archive/conversations/_reader/by_chat/platform_support.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 76** Path: docs/archive/conversations/_reader/by_chat/portability_assurance_future_proof.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 77** Path: docs/archive/conversations/_reader/by_chat/readme_ports_determinism.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 78** Path: docs/archive/conversations/_reader/by_chat/refactor_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 79** Path: docs/archive/conversations/_reader/by_chat/refactor_control_plane.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 80** Path: docs/archive/conversations/_reader/by_chat/release_identity_and_versioning.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 81** Path: docs/archive/conversations/_reader/by_chat/testx_repos_governance.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 82** Path: docs/archive/conversations/_reader/by_chat/timekeeping_and_2038_resilience.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 83** Path: docs/archive/conversations/_reader/by_chat/ue6_domino_deterministic_universe.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 84** Path: docs/archive/conversations/_reader/by_chat/ui_editor_tool_editor_planning.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 85** Path: docs/archive/conversations/_reader/by_chat/universe_explorer_planning.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 86** Path: docs/archive/conversations/_reader/by_chat/workbench_aide_product_spine.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 87** Path: docs/archive/conversations/_reader/by_chat/world_architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 88** Path: docs/archive/conversations/_reader/by_chat/xstack_lab_galaxy.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 89** Path: docs/archive/conversations/_reader/conversation_reader_index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 90** Path: docs/archive/conversations/_reconciliation/BLOCKED_SCOPE_ALIGNMENT_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 91** Path: docs/archive/conversations/_reconciliation/CLAIM_REVIEW_MATRIX_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 92** Path: docs/archive/conversations/_reconciliation/CURRENT_CANON_ALIGNMENT_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 93** Path: docs/archive/conversations/_reconciliation/REPO_AUTHORITY_CROSSWALK_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 94** Path: docs/archive/conversations/_synthesis/CONTRADICTIONS_TO_RECONCILE_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 95** Path: docs/archive/conversations/_synthesis/CURRENT_PROJECT_ATLAS_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 96** Path: docs/archive/conversations/_synthesis/EXECUTIVE_BRIEF_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 97** Path: docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 98** Path: docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 99** Path: docs/archive/conversations/_synthesis/READ_THIS_FIRST_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 100** Path: docs/archive/conversations/_synthesis/WHAT_NEEDS_DECISION_v0.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 101** Path: docs/archive/conversations/_wiki/artifacts/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 102** Path: docs/archive/conversations/_wiki/decisions/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 103** Path: docs/archive/conversations/_wiki/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 104** Path: docs/archive/conversations/_wiki/open_questions/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 105** Path: docs/archive/conversations/_wiki/risks/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 106** Path: docs/archive/conversations/_wiki/tasks/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 107** Path: docs/archive/conversations/_wiki/topics/architecture.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 108** Path: docs/archive/conversations/_wiki/topics/content.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 109** Path: docs/archive/conversations/_wiki/topics/contracts_schema.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 110** Path: docs/archive/conversations/_wiki/topics/determinism.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 111** Path: docs/archive/conversations/_wiki/topics/governance.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 112** Path: docs/archive/conversations/_wiki/topics/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 113** Path: docs/archive/conversations/_wiki/topics/platform.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md

- Row 114** Path: docs/archive/conversations/_wiki/topics/release.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 115** Path: docs/archive/conversations/_wiki/topics/setup_launcher.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 116** Path: docs/archive/conversations/_wiki/topics/simulation.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 117** Path: docs/archive/conversations/_wiki/topics/timekeeping.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 118** Path: docs/archive/conversations/_wiki/topics/tooling.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 119** Path: docs/archive/conversations/_wiki/topics/ui.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 120** Path: docs/archive/conversations/_wiki/topics/workbench.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 121** Path: docs/archive/conversations/_wiki/topics/worldgen.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 122** Path: docs/archive/conversations/_wiki/topics/xstack_aide.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 123** Path: docs/archive/conversations/_wiki/workstreams/index.md; Authority Class: derived_synthesis; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md
- Row 124** Path: docs/development/C17_USAGE_POLICY.md; Authority Class: development_guidance; Binding Sources: contracts/build/language_baseline.contract.toml, contracts/abi/c_api.contract.toml
- Row 125** Path: docs/development/CPP17_USAGE_POLICY.md; Authority Class: development_guidance; Binding Sources: contracts/build/language_baseline.contract.toml, contracts/abi/language_boundary.contract.toml
- Row 126** Path: docs/development/LANGUAGE_BASELINE.md; Authority Class: development_guidance; Binding Sources: contracts/build/language_baseline.contract.toml, contracts/abi/c_api.contract.toml, contracts/abi/language_boundary.contract.toml
- Row 127** Path: docs/development/MACOS_10_9_CPP17_LIBRARY_SUBSET.md; Authority Class: development_guidance; Binding Sources: contracts/build/language_baseline.contract.toml
- Row 128** Path: docs/development/artifact_identity_guidelines.md; Authority Class: development_guidance; Binding Sources: contracts/artifact/artifact_identity.contract.toml, contracts/artifact/artifact_manifest.schema.json
- Row 129** Path: docs/development/c89_coding_standard.md; Authority Class: development_guidance; Binding Sources: contracts/abi/c_api.contract.toml, contracts/abi/abi_rule.registry.json

- Row 130** Path: docs/development/cpp98_implementation_standard.md; Authority Class: development_guidance; Binding Sources: contracts/abi/c_api.contract.toml, contracts/abi/language_boundary.contract.toml
- Row 131** Path: docs/development/diagnostic_code_guidelines.md; Authority Class: development_guidance; Binding Sources: contracts/diagnostic/diagnostic_policy.contract.toml, contracts/diagnostic/diagnostic_code.schema.json
- Row 132** Path: docs/development/module_api_standard.md; Authority Class: development_guidance; Binding Sources: contracts/public_surface/public_surface.contract.toml, contracts/abi/c_api.contract.toml, docs/architecture/public_surface_registry.md
- Row 133** Path: docs/development/service_provider_conformance.md; Authority Class: development_guidance; Binding Sources: docs/architecture/service_conformance Law.md, docs/architecture/provider_conformance Law.md, contracts/service/service.contract.toml, contracts/conformance/conformance.contract.toml
- Row 134** Path: docs/development/xstack/AIDE_ADAPTER_CONTRACT.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json, docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md, archive/generated/xstack/xstack_inventory_and_classification.json, docs/development/xstack/AIDE_PORTABLE_TASK_CONTRACT.md, contracts/xstack/aide_portable_task_contract.json, docs/development/xstack/AIDE_EVIDENCE_AND_REVIEW_CONTRACT.md, 'contracts/xstack
- Row 135** Path: docs/development/xstack/AIDE_CAPABILITY_PROFILE_SHAPE.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json, docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md, archive/generated/xstack/xstack_inventory_and_classification.json, docs/development/xstack/AIDE_PORTABLE_TASK_CONTRACT.md, contracts/xstack/aide_portable_task_contract.json, docs/development/xstack/AIDE_EVIDENCE_AND_REVIEW_CONTRACT.md, 'contract
- Row 136** Path: docs/development/xstack/AIDE_EVIDENCE_AND_REVIEW_CONTRACT.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json, docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md, archive/generated/xstack/xstack_inventory_and_classification.json, docs/development/xstack/AIDE_PORTABLE_TASK_CONTRACT.md, contracts/xstack/aide_portable_task_contract.json, contracts/registry/derived_artifacts.json, 'tools/validators/suite/

- Row 137** Path: docs/development/xstack/AIDE_POLICY_AND_PERMISSION_SHAPE.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json, docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md, archive/generated/xstack/xstack_inventory_and_classification.json, docs/development/xstack/AIDE_PORTABLE_TASK_CONTRACT.md, contracts/xstack/aide_portable_task_contract.json, docs/development/xstack/AIDE_EVIDENCE_AND_REVIEW_CONTRACT.md, 'contr
- Row 138** Path: docs/development/xstack/AIDE_PORTABLE_TASK_CONTRACT.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json, docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md, archive/generated/xstack/xstack_inventory_and_classification.json, docs/game/agents/XSTACK_TASK_CATALOG.md
- Row 139** Path: docs/development/xstack/CHECKPOINT_C_XSTACK_AIDE_CLOSURE.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, contracts/planning/checkpoints/checkpoint_c_zeta_mega_validation_and_closure.json, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, contracts/planning/next_execution_order_post_zeta.json, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_ENTRYPOINTS_AND_RUNPATHS.md, docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_PLAYTEST_READINESS.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md, 'docs/archive/audit/'
- Row 140** Path: docs/development/xstack/CODEX_REPO_OPERATING_CONTRACT.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, contracts/planning/checkpoints/checkpoint_c_zeta_mega_validation_and_closure.json, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, contracts/planning/next_execution_order_post_zeta.json, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_ENTRYPOINTS_AND_RUNPATHS.md, docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_PLAYTEST_READINESS.md, docs/archive/audit/ULTRA_REPO_AUDIT_GAPS_AND_TODO.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md, 'docs/archive/audit/ULTRA
- Row 141** Path: docs/development/xstack/NEXT_EXECUTION_ORDER_POST_XSTACK_AIDE.md; Authority Class: development_guidance; Binding Sources: docs/development/xstack/CHECKPOINT_C_XSTACK_AIDE_CLOSURE.md, archive/generated/xstack/checkpoint_c_xstack_aide_closure.json, docs/development/xstack/CODEX_REPO_OPERATING_CONTRACT.md, contracts/xstack/codex_repo_operating_contract.json, docs/development/xstack/XSTACK_TO_AIDE_EXTRACTION_MAP.md, archive/generated/xstack/xstack_to_aide_extraction_map.json, docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md, docs/

archive/audit/ULTRA_REPO_AUDIT_PLAYTEST_READINESS.md, docs/archive/audit/ULTRA_REPO_AUDIT_GAPS_AND_TODOS.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md

Row 142 Path: docs/development/xstack/XSTACK_INVENTORY_AND_CLASSIFICATION.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_ENTRYPATHS_AND_RUNPATHS.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/development/xstack/XSTACK_SCOPE_FREEZE.md, archive/generated/xstack/xstack_scope_freeze.json

Row 143 Path: docs/development/xstack/XSTACK_SCOPE_FREEZE.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_ENTRYPATHS_AND_RUNPATHS.md, docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_PLAYTEST_READINESS.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md

Row 144 Path: docs/development/xstack/XSTACK_TO_AIDE_EXTRACTION_MAP.md; Authority Class: development_guidance; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/MERGED_PROGRAM_STATE.md, docs/planning/CHECKPOINT_C_ZETA_MEGA_VALIDATION_AND_CLOSURE.md, contracts/planning/checkpoints/checkpoint_c_zeta_mega_validation_and_closure.json, docs/planning/NEXT_EXECUTION_ORDER_POST_ZETA.md, contracts/planning/next_execution_order_post_zeta.json, docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md, docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md, docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md, docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md, archive/generated/audit/ultra_repo_audit_system_inventory.json, archive/generated/audit/ultra_repo_audit_reuse_plan.json, archive/generated/audit/ultra_repo_audit_product_assembly_plan.json, 'docs/development/

Row 145 Path: docs/game/agents/AGENT_MIRROR_POLICY.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/runtime/RUNTIME_KERNEL_MODEL.md, docs/runtime/COMPONENT_MODEL.md, docs/runtime/RUNTIME_SERVICES.md

Row 146 Path: docs/game/agents/AGENT_SAFETY_POLICY.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/game/agents/AGENT_MIRROR_POLICY.md, docs/game/agents/NATURAL_LANGUAGE_TASK_BRIDGE.md, docs/game/agents/XSTACK_TASK_CATALOG.md, docs/game/agents/MCP_INTERFACE_MODEL.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/planning/CHECKPOINT_C_SIGMAA1_PHIA2_REVIEW.md, docs/runtime/RUNTIME_KERNEL_MODEL.md, docs/runtime/COMPONENT_MODEL.md, docs/runtime/RUNTIME_SERVICES.md, docs/runtime/DOMAIN_SERVICE_BINDING_MODEL.md, docs/runtime/STATE_EXTERNALIZATION.md, docs/runtime/LIFECYCLE_MANAGER.md, docs/development/xstack/CI_GUARDRAILS.md, tools/xstack/controlx/README.md, contracts/repo/release_policy.toml, docs/release/SIGNING_POLICY.md

Row 147 Path: docs/game/agents/AGENT_TASKS.md; Authority Class: unknown_or_unclassified; Binding Sources: AGENTS.md, docs/planning/POST_PI_EXECUTION_PLAN.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md

- Row 148** Path: docs/game/agents/MCP_INTERFACE_MODEL.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/game/agents/AGENT_TASKS.md, docs/game/agents/AGENT_MIRROR_POLICY.md, docs/game/agents/NATURAL_LANGUAGE_TASK_BRIDGE.md, docs/game/agents/XSTACK_TASK_CATALOG.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/POST_PI_EXECUTION_PLAN.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/planning/CHECKPOINT_C_SIGMAA1_PHIA2_REVIEW.md, docs/runtime/RUNTIME_KERNEL_MODEL.md, docs/runtime/COMPONENT_MODEL.md, docs/runtime/RUNTIME_SERVICES.md, docs/runtime/DOMAIN_SERVICE_BINDING_MODEL.md, docs/runtime/STATE_EXTERNALIZATION.md, docs/runtime/LIFECYCLE_MANAGER.md, docs/development/xstack/XSTACK.md, docs/development/xstack/CI_GUARDRAILS.md, tools/xstack/controlx/README.md
- Row 149** Path: docs/game/agents/NATURAL_LANGUAGE_TASK_BRIDGE.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/game/agents/AGENT_MIRROR_POLICY.md, docs/game/agents/AGENT_TASKS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/planning/CHECKPOINT_C_SIGMAO_PHIA1_REVIEW.md, docs/runtime/RUNTIME_KERNEL_MODEL.md, docs/runtime/COMPONENT_MODEL.md, docs/runtime/RUNTIME_SERVICES.md
- Row 150** Path: docs/game/agents/XSTACK_TASK_CATALOG.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, .agentignore, docs/game/agents/AGENT_TASKS.md, docs/game/agents/AGENT_MIRROR_POLICY.md, docs/game/agents/NATURAL_LANGUAGE_TASK_BRIDGE.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/POST_PI_EXECUTION_PLAN.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/planning/CHECKPOINT_C_SIGMAA1_PHIA2_REVIEW.md, docs/runtime/RUNTIME_KERNEL_MODEL.md, docs/runtime/COMPONENT_MODEL.md, docs/runtime/RUNTIME_SERVICES.md, docs/runtime/DOMAIN_SERVICE_BINDING_MODEL.md, docs/runtime/STATE_EXTERNALIZATION.md, docs/runtime/LIFECYCLE_MANAGER.md, docs/development/xstack/XSTACK.md, docs/development/xstack/CI_GUARDRAILS.md
- Row 151** Path: docs/governance/DOMINIUM_DOCTRINE_RECOVERY_MATRIX.md; Authority Class: unknown_or_unclassified; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md
- Row 152** Path: docs/planning/AUTHORITY_ORDER.md; Authority Class: planning_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md
- Row 153** Path: docs/planning/BLEUPRINT_RECONCILIATION_REPORT.md; Authority Class: planning_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/SNAPSHOT_INTAKE_PROTOCOL.md, docs/planning/AUTHORITY_ORDER.md, contracts/planning/snapshot_intake_policy.json, docs/planning/REALITY_EXTRACTION_REPORT.md, contracts/planning/reality/module_map.json, contracts/planning/reality/product_entrypoints.json, contracts/planning/reality/runtime_surfaces.json, contracts/planning/reality/control_plane_surfaces.json, contracts/planning/reality/content_domain_surfaces.json, contracts/planning/reality/toolchain_and_preset_map.json, contracts/planning/reality/agent_instruction_surfaces.json, contracts/schema/planning/reality/schema_registry_inventory.json
- Row 154** Path: docs/planning/CHAT_HANDOFF_POLICY.md; Authority Class: planning_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/MERGED_PROGRAM_STATE.md, contracts/planning/merged_series_state.json
- Row 155** Path: docs/planning/CHECKPOINT_C_LATER_WAVE_ZETA_ADMISSION_REVIEW.md; Authority Class: planning_current; Binding Sources: docs/canon/constitution_v1.md, docs/canon/glossary_v1.md, AGENTS.md, docs/planning/AUTHORITY_ORDER.md, docs/planning/EXTEND_NOT_REPLACE_LEDGER.md, docs/planning/GATES_AND_PROOFS.md, docs/planning/SEMANTIC_OWNERSHIP_REVIEW.md, docs/planning/CHECKPOINT_C_POST_ZETA_A_FIRST_WAVE_REVIEW.md, docs/planning/NEXT_EXECUTION_ORDER_POST_ZA_FIRST

WAVE.md, docs/planning/LATER_WAVE_BOUNDARY_RECONCILIATION.md, docs/planning/LATER_WAVE_PREREQUISITE_MATRIX.md, docs/planning/LATER_WAVE_EXECUTION_GATES.md, docs/planning/ZETA_BLOCKER_RECONCILIATION.md, docs/runtime/ROLLBACK_BEARING_STAGED_TRANSITION_VALIDATION.md, docs/runtime/DISTRIBUTED_REPLAY_AND_PROOF_ANCHOR_VERIFICATION.md, docs/runtime/BOUNDED_RUNTIME_CUTOVER_PROOF_REHEARSAL.md, docs/runtime/DISTRIBUTED_AUTHORITY_FOUNDATIONS.md, docs/runtime/HOTSWAP_BOUNDARIES.md, docs/runtime/EVENT_LOG_AND_REPLAY_DOCTRINE.md, docs/runtime/SNAPSHOT_SERVICE_DOCTRINE.md, 'docs/release/LIVE_CUTOVER_RECEIPTS_A

Verify

This section is excerpted for readability. See the source path for the full report.

6.11 Archive Classification

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_ARCHIVE_CLASSIFICATION_v0.md - excerpted

6.12 Docs Archive Classification

Archive files are historical/provenance material unless separately promoted by later explicit review.

Archive Family	Count
archive/refactor	1379
archive/audit	960
archive/conversations	761
other/archive_unknown	40
archive/restructure	23
archive/blueprint	22
archive/impact	20
archive/post-canon	5
archive/stray_root_docs	3
archive/omega	2
archive/prompts	2
archive/repox	2
archive/platform	1
archive/specs	1

Row 1 Path: docs/archive/README.md; Archive Family: archive/stray_root_docs; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix

Row 2 Path: docs/archive/STATUS_NOW.md; Archive Family: archive/stray_root_docs; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 3 Path: docs/archive/SURVIVAL_SLICE.md; Archive Family: archive/stray_root_docs; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 4 Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix

- Row 5** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 6** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 7** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 8** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 9** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 10** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 11** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 12** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 13** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 14** Path: docs/archive/architecture/INVARIANTS.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 15** Path: docs/archive/architecture/MENTAL_MODEL.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 16** Path: docs/archive/architecture/NON_GOALS.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 17** Path: docs/archive/architecture/TERMINOLOGY.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 18** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Archive Family: other/archive_unknown; Authority Class: archive_stale; Freshness: superseded; Book Role: reference_appendix
- Row 19** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 20** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 21** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 22** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 23** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 24** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 25** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 26** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 27** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 28** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 29** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 30** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 31** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 32** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 33** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 34** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 35** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 36** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 37** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 38** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 39** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 40** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 41** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 42** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 43** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 44** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 45** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 46** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 47** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix; Warnings: archive_path_with_current_authority_claim
- Row 48** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 49** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 50** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only
- Row 51** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 52** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 53** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix; Warnings: archive_path_with_current_authority_claim
- Row 54** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 55** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 56** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 57** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 58** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 59** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 60** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 61** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 62** Path: docs/archive/audit/BOM_AG_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 63** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 64** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 65** Path: docs/archive/audit/BR0_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 66** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 67** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 68** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 69** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 70** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 71** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 72** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 73** Path: docs/archive/audit/CANON_MAP.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only
- Row 74** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 75** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 76** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 77** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 78** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 79** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 80** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 81** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 82** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 83** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 84** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 85** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 86** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 87** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 88** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 89** Path: docs/archive/audit/CI_RUN_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 90** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 91** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 92** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 93** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 94** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 95** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 96** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 97** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 98** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 99** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 100** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 101** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 102** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 103** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 104** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 105** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 106** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 107** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 108** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 109** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 110** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Archive Family: archive/audit; Authority Class: archive_historical; Freshness: provisional; Book Role: searchable_html_only
- Row 111** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 112** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 113** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 114** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 115** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 116** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 117** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 118** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 119** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 120** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 121** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 122** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 123** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 124** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 125** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 126** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 127** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 128** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 129** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 130** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 131** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 132** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 133** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 134** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 135** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 136** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 137** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 138** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 139** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 140** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 141** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 142** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 143** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 144** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 145** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 146** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 147** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 148** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 149** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 150** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 151** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 152** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 153** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 154** Path: docs/archive/audit/DIST2_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 155** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 156** Path: docs/archive/audit/DIST3_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 157** Path: docs/archive/audit/DIST4_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 158** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 159** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 160** Path: docs/archive/audit/DIST6_FINAL.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 161** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 162** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 163** Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 164** Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 165** Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 166** Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 167** Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 168** Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 169** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 170** Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 171** Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 172** Path: docs/archive/audit/DIST_PLATFORM_MATRIX_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 173** Path: docs/archive/audit/DIST_REFINE1_RETRO_AUDIT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 174** Path: docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md; Archive Family: archive/audit; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 175** Path: docs/archive/audit/DIST_VERIFY_win64.md; Archive Family: archive/audit; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 176** Path: docs/archive/audit/DOCS_AUDIT_PROMPT0.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only
- Row 177** Path: docs/archive/audit/DOC_CANON_ALIGNMENT_REPORT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 178** Path: docs/archive/audit/DOC_DRIFT.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 179** Path: docs/archive/audit/DOC_DRIFT_MATRIX.md; Archive Family: archive/audit; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Omitted** 312 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.13 Book Inclusion Plan

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_BOOK_INCLUSION_PLAN_v0.md - excerpted

6.14 Docs Book Inclusion Plan

The reader edition is curated. Every represented file remains in the manifest/source index, while dense or binary inputs are reference, HTML, or manifest-only.

Book Role	Count
reference_appendix	2275
summarized_reader	1810
main_reader	608
searchable_html_only	314
manifest_only	57
excluded_binary_or_archive	52

6.14.1 excludedbinaryor_archive

- Row 1** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 45.81 KB
- Row 2** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 147.89 KB
- Row 3** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 676.32 KB
- Row 4** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 247.73 KB
- Row 5** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 61.67 KB
- Row 6** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 1018.67 KB
- Row 7** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__single_zip_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 262.90 KB
- Row 8** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__complete_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 974.55 KB
- Row 9** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 506.08 KB
- Row 10** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__all_files_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 296.92 KB
- Row 11** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 53.60 KB
- Row 12** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 32.06 KB
- Row 13** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 47.74 KB
- Row 14** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/previous_export/Dominium_Modularity_AIDE_Refactorability_Architecture__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 45.81 KB
- Row 15** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 40.68 KB

- Row 16** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/previous_zip/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 41.21 KB
- Row 17** Path: docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 44.52 KB
- Row 18** Path: docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 30.08 KB
- Row 19** Path: docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 60.85 KB
- Row 20** Path: docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 31.20 KB
- Row 21** Path: docs/archive/conversations/_book/qa/main_001_title_page.png; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 53.30 KB
- Row 22** Path: docs/archive/conversations/_book/qa/main_002_toc_page.png; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 162.25 KB
- Row 23** Path: docs/archive/conversations/_book/qa/main_060_normal_chapter_page.png; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 143.96 KB
- Row 24** Path: docs/archive/conversations/_book/qa/main_547_dense_appendix_page.png; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 225.68 KB
- Row 25** Path: docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.png; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 243.63 KB
- Row 26** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.docx; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 216.00 KB
- Row 27** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.epub; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 1.87 MB
- Row 28** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.pdf; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 1.80 MB
- Row 29** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Reference_Appendix_v0.pdf; Family: conversation_corpus; Authority Class: derived_synthesis; Size: 712.17 KB
- Row 30** Path: docs/archive/conversations/architecture_ui_providers/prior_package/dominium_architecture_ui_providers_robot_os_strategy__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 52.79 KB
- Row 31** Path: docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 595.77 KB
- Row 32** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 55.94 KB
- Row 33** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__complete_handoff_with_companion.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 86.22 KB

- Row 34** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 44.82 KB
- Row 35** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/Dominium_Workbench_AIDE_Presentation_Provider_Strategy__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 36.07 KB
- Row 36** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__complete_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 94.60 KB
- Row 37** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__expanded_complete_bundle.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 26.04 MB
- Row 38** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__handoff_package.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 82.91 KB
- Row 39** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (1).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.57 MB
- Row 40** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (2).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.65 MB
- Row 41** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (3).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.32 MB
- Row 42** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (4).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.24 MB
- Row 43** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (5).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 1.98 MB
- Row 44** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (6).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.19 MB
- Row 45** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (7).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.35 MB
- Row 46** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (8).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.09 MB
- Row 47** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (9).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.27 MB
- Row 48** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_24 AM (10).png; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 2.47 MB

- Row 49** Path: docs/archive/conversations/engine_baseline_architecture/previous_handoff_package_original.zip; Family: conversation_corpus; Authority Class: conversation_advisory; Size: 38.79 KB
- Row 50** Path: docs/development/guides/book/dominium_book_old.zip; Family: development; Authority Class: development_guidance; Size: 818.29 KB
- Row 51** Path: docs/development/guides/context/dominium_newcontext.docx; Family: development; Authority Class: development_guidance; Size: 536.50 KB
- Row 52** Path: docs/development/guides/context/dominium_oldcontext.zip; Family: development; Authority Class: development_guidance; Size: 4.77 MB

6.14.2 main_reader

- Row 1** Path: docs/architecture/ADAPTER_PATTERN.md; Family: architecture; Authority Class: architecture_current; Size: 1.41 KB
- Row 2** Path: docs/architecture/ADOPTION_PROTOCOL.md; Family: architecture; Authority Class: architecture_current; Size: 2.37 KB
- Row 3** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.43 KB
- Row 4** Path: docs/architecture/AI_BUDGET_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.03 KB
- Row 5** Path: docs/architecture/AI_INTENT_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.09 KB
- Row 6** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Family: architecture; Authority Class: architecture_current; Size: 1.38 KB
- Row 7** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Family: architecture; Authority Class: architecture_current; Size: 1.82 KB
- Row 8** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 1.16 KB
- Row 9** Path: docs/architecture/APPLICATION_CONTRACTS.md; Family: architecture; Authority Class: architecture_current; Size: 1.25 KB
- Row 10** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 821 B
- Row 11** Path: docs/architecture/APP_CANON0.md; Family: architecture; Authority Class: architecture_current; Size: 2.31 KB
- Row 12** Path: docs/architecture/APP_CANON1.md; Family: architecture; Authority Class: architecture_current; Size: 2.07 KB
- Row 13** Path: docs/architecture/ARCH0_CONSTITUTION.md; Family: architecture; Authority Class: architecture_current; Size: 8.46 KB
- Row 14** Path: docs/architecture/ARCHITECTURE.md; Family: architecture; Authority Class: architecture_current; Size: 3.12 KB
- Row 15** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Family: architecture; Authority Class: architecture_current; Size: 1.46 KB
- Row 16** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Family: architecture; Authority Class: architecture_current; Size: 2.18 KB

- Row 17** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Family: architecture; Authority Class: architecture_current; Size: 1.62 KB
- Row 18** Path: docs/architecture/ARCHIVE_MANIFEST.md; Family: architecture; Authority Class: architecture_current; Size: 1.20 KB
- Row 19** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Size: 5.74 KB
- Row 20** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Family: architecture; Authority Class: architecture_current; Size: 1.75 KB
- Row 21** Path: docs/architecture/ARCH_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Size: 9.75 KB
- Row 22** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Family: architecture; Authority Class: architecture_current; Size: 5.55 KB
- Row 23** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Family: architecture; Authority Class: architecture_current; Size: 1.48 KB
- Row 24** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Size: 1.31 KB
- Row 25** Path: docs/architecture/ARTIFACT_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.12 KB
- Row 26** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Family: architecture; Authority Class: architecture_current; Size: 1.18 KB
- Row 27** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Family: architecture; Authority Class: architecture_current; Size: 1.83 KB
- Row 28** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Family: architecture; Authority Class: architecture_current; Size: 2.78 KB
- Row 29** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Family: architecture; Authority Class: architecture_current; Size: 2.32 KB
- Row 30** Path: docs/architecture/AUTHORITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.29 KB
- Row 31** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Family: architecture; Authority Class: architecture_current; Size: 3.34 KB
- Row 32** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Family: architecture; Authority Class: architecture_current; Size: 3.03 KB
- Row 33** Path: docs/architecture/BUDGET_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 3.34 KB
- Row 34** Path: docs/architecture/BUGREPORT_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.02 KB
- Row 35** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.88 KB
- Row 36** Path: docs/architecture/BUNDLE_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.48 KB
- Row 37** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Family: architecture; Authority Class: architecture_current; Size: 8.44 KB

- Row 38** Path: docs/architecture/CANON_CUT_LINE.md; Family: architecture; Authority Class: architecture_current; Size: 1.67 KB
- Row 39** Path: docs/architecture/CANON_INDEX.md; Family: architecture; Authority Class: architecture_current; Size: 110.59 KB
- Row 40** Path: docs/architecture/CAPABILITY_BASELINES.md; Family: architecture; Authority Class: architecture_current; Size: 926 B
- Row 41** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Family: architecture; Authority Class: architecture_current; Size: 1.16 KB
- Row 42** Path: docs/architecture/CHANGELOG_ARCH.md; Family: architecture; Authority Class: architecture_current; Size: 1.86 KB
- Row 43** Path: docs/architecture/CHANGE_PROTOCOL.md; Family: architecture; Authority Class: architecture_current; Size: 1.71 KB
- Row 44** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Family: architecture; Authority Class: architecture_current; Size: 1.22 KB
- Row 45** Path: docs/architecture/CHECKPOINTING_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.09 KB
- Row 46** Path: docs/architecture/CHECKPOINTS.md; Family: architecture; Authority Class: architecture_current; Size: 2.64 KB
- Row 47** Path: docs/architecture/CIVILIZATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.40 KB
- Row 48** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Size: 2.38 KB
- Row 49** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Size: 2.24 KB
- Row 50** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Family: architecture; Authority Class: architecture_current; Size: 1.80 KB
- Row 51** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 2.21 KB
- Row 52** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Family: architecture; Authority Class: architecture_current; Size: 1.58 KB
- Row 53** Path: docs/architecture/COMPATIBILITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.48 KB
- Row 54** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Family: architecture; Authority Class: architecture_current; Size: 1.67 KB
- Row 55** Path: docs/architecture/COMPONENTS.md; Family: architecture; Authority Class: architecture_current; Size: 3.05 KB
- Row 56** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.78 KB
- Row 57** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Family: architecture; Authority Class: architecture_current; Size: 2.48 KB
- Row 58** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.85 KB

- Row 59** Path: docs/architecture/CONTRACTS_INDEX.md; Family: architecture; Authority Class: architecture_current; Size: 13.05 KB
- Row 60** Path: docs/architecture/CONTROL_LAYERS.md; Family: architecture; Authority Class: architecture_current; Size: 2.74 KB
- Row 61** Path: docs/architecture/CORE_ABSTRACTIONS.md; Family: architecture; Authority Class: architecture_current; Size: 4.91 KB
- Row 62** Path: docs/architecture/CRASH_RECOVERY.md; Family: architecture; Authority Class: architecture_current; Size: 1.51 KB
- Row 63** Path: docs/architecture/CROSS_SHARD_LOG.md; Family: architecture; Authority Class: architecture_current; Size: 2.94 KB
- Row 64** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Family: architecture; Authority Class: architecture_current; Size: 1.39 KB
- Row 65** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Family: architecture; Authority Class: architecture_current; Size: 2.19 KB
- Row 66** Path: docs/architecture/DECAY_EROSION_REGEN.md; Family: architecture; Authority Class: architecture_current; Size: 1.03 KB
- Row 67** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.51 KB
- Row 68** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Family: architecture; Authority Class: architecture_current; Size: 1.49 KB
- Row 69** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Size: 2.48 KB
- Row 70** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 4.23 KB
- Row 71** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 2.28 KB
- Row 72** Path: docs/architecture/DEV_OPS_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 896 B
- Row 73** Path: docs/architecture/DIRECTORY_CONTEXT.md; Family: architecture; Authority Class: architecture_current; Size: 4.92 KB
- Row 74** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Family: architecture; Authority Class: architecture_current; Size: 1.61 KB
- Row 75** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.64 KB
- Row 76** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.41 KB
- Row 77** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Family: architecture; Authority Class: architecture_current; Size: 1.22 KB
- Row 78** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Family: architecture; Authority Class: architecture_current; Size: 805 B
- Row 79** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Family: architecture; Authority Class: architecture_current; Size: 1.63 KB

- Row 80** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Family: architecture; Authority Class: architecture_current; Size: 1.94 KB
- Row 81** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Family: architecture; Authority Class: architecture_current; Size: 2.09 KB
- Row 82** Path: docs/architecture/DOMAIN_VOLUMES.md; Family: architecture; Authority Class: architecture_current; Size: 1.75 KB
- Row 83** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 1.54 KB
- Row 84** Path: docs/architecture/ECONOMIC_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.84 KB
- Row 85** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Family: architecture; Authority Class: architecture_current; Size: 2.29 KB
- Row 86** Path: docs/architecture/ENERGY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.47 KB
- Row 87** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Family: architecture; Authority Class: architecture_current; Size: 1.30 KB
- Row 88** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Family: architecture; Authority Class: architecture_current; Size: 1.57 KB
- Row 89** Path: docs/architecture/EPISTEMICS_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.61 KB
- Row 90** Path: docs/architecture/EXECUTION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.90 KB
- Row 91** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 4.21 KB
- Row 92** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Family: architecture; Authority Class: architecture_current; Size: 2.37 KB
- Row 93** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Family: architecture; Authority Class: architecture_current; Size: 2.22 KB
- Row 94** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Size: 1.78 KB
- Row 95** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Family: architecture; Authority Class: architecture_current; Size: 1.41 KB
- Row 96** Path: docs/architecture/EXPLORATION_METRICS.md; Family: architecture; Authority Class: architecture_current; Size: 2.29 KB
- Row 97** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Family: architecture; Authority Class: architecture_current; Size: 2.17 KB
- Row 98** Path: docs/architecture/EXTEND_VS_CREATE.md; Family: architecture; Authority Class: architecture_current; Size: 1.08 KB
- Row 99** Path: docs/architecture/EXTENSION_MAP.md; Family: architecture; Authority Class: architecture_current; Size: 3.17 KB
- Row 100** Path: docs/architecture/EXTENSION_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 2.07 KB

- Row 101** Path: docs/architecture/FABRICATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.61 KB
- Row 102** Path: docs/architecture/FLOAT_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 1.01 KB
- Row 103** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Family: architecture; Authority Class: architecture_current; Size: 2.75 KB
- Row 104** Path: docs/architecture/FLUIDS_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.83 KB
- Row 105** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.68 KB
- Row 106** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Family: architecture; Authority Class: architecture_current; Size: 8.25 KB
- Row 107** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Family: architecture; Authority Class: architecture_current; Size: 1.62 KB
- Row 108** Path: docs/architecture/FUTURE_PROOFING.md; Family: architecture; Authority Class: architecture_current; Size: 2.29 KB
- Row 109** Path: docs/architecture/GENERATED_CODE_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 1.51 KB
- Row 110** Path: docs/architecture/GLOBAL_ID_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 2.71 KB
- Row 111** Path: docs/architecture/GLOSSARY.md; Family: architecture; Authority Class: architecture_current; Size: 2.19 KB
- Row 112** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Family: architecture; Authority Class: architecture_current; Size: 2.21 KB
- Row 113** Path: docs/architecture/GUI_BASELINE.md; Family: architecture; Authority Class: architecture_current; Size: 2.73 KB
- Row 114** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Family: architecture; Authority Class: architecture_current; Size: 2.38 KB
- Row 115** Path: docs/architecture/HAZARDS_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.38 KB
- Row 116** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.03 KB
- Row 117** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Family: architecture; Authority Class: architecture_current; Size: 1.88 KB
- Row 118** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 2.18 KB
- Row 119** Path: docs/architecture/IDE_PROJECTIONS.md; Family: architecture; Authority Class: architecture_current; Size: 921 B
- Row 120** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 3.38 KB
- Row 121** Path: docs/architecture/INDEXING_POLICY.md; Family: architecture; Authority Class: architecture_current; Size: 642 B

- Row 122** Path: docs/architecture/INFORMATION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.15 KB
- Row 123** Path: docs/architecture/INSTALLER_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 789 B
- Row 124** Path: docs/architecture/INSTALL_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.28 KB
- Row 125** Path: docs/architecture/INSTANCE_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.73 KB
- Row 126** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.64 KB
- Row 127** Path: docs/architecture/INTEREST_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.74 KB
- Row 128** Path: docs/architecture/INVARIANTS.md; Family: architecture; Authority Class: architecture_current; Size: 16.77 KB
- Row 129** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Family: architecture; Authority Class: architecture_current; Size: 3.82 KB
- Row 130** Path: docs/architecture/INVARIANT_REGISTRY.md; Family: architecture; Authority Class: architecture_current; Size: 10.75 KB
- Row 131** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 2.29 KB
- Row 132** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.08 KB
- Row 133** Path: docs/architecture/KNOWN_BLOCKERS.md; Family: architecture; Authority Class: architecture_current; Size: 749 B
- Row 134** Path: docs/architecture/KNOWN_WARNINGS.md; Family: architecture; Authority Class: architecture_current; Size: 877 B
- Row 135** Path: docs/architecture/LANGUAGE_STRATEGY.md; Family: architecture; Authority Class: architecture_current; Size: 1.35 KB
- Row 136** Path: docs/architecture/LAUNCHER_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 888 B
- Row 137** Path: docs/architecture/LAW_AND_META_LAW.md; Family: architecture; Authority Class: architecture_current; Size: 2.07 KB
- Row 138** Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Family: architecture; Authority Class: architecture_current; Size: 2.46 KB
- Row 139** Path: docs/architecture/LEGACY_SUPPORT_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.12 KB
- Row 140** Path: docs/architecture/LEGACY_SUPPORT_STRATEGY.md; Family: architecture; Authority Class: architecture_current; Size: 1.37 KB
- Row 141** Path: docs/architecture/LIFE_AND_POPULATION.md; Family: architecture; Authority Class: architecture_current; Size: 2.45 KB
- Row 142** Path: docs/architecture/LIVE_EVOLUTION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.21 KB

Row 143	Path: docs/architecture/LOCKFILES.md; Family: architecture; Authority Class: architecture_current; Size: 1.38 KB
Row 144	Path: docs/architecture/LOCKLIST.md; Family: architecture; Authority Class: architecture_current; Size: 1.51 KB
Row 145	Path: docs/architecture/LOCKLIST_OVERRIDES.json; Family: architecture; Authority Class: architecture_current; Size: 342 B
Row 146	Path: docs/architecture/MACRO_TIME_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.79 KB
Row 147	Path: docs/architecture/MIGRATION_TEMPLATE.md; Family: architecture; Authority Class: architecture_current; Size: 1.17 KB
Row 148	Path: docs/architecture/MMO_COMPATIBILITY.md; Family: architecture; Authority Class: architecture_current; Size: 2.23 KB
Row 149	Path: docs/architecture/MMO_SAFETY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.89 KB
Row 150	Path: docs/architecture/MODES_AS_PROFILES.md; Family: architecture; Authority Class: architecture_current; Size: 1.81 KB
Row 151	Path: docs/architecture/MODPACK_FORMAT.md; Family: architecture; Authority Class: architecture_current; Size: 954 B
Row 152	Path: docs/architecture/MODULE_BOUNDARIES_v1.md; Family: architecture; Authority Class: architecture_current; Size: 16.68 KB
Row 153	Path: docs/architecture/MODULE_INDEX_v1.md; Family: architecture; Authority Class: architecture_current; Size: 4.29 KB
Row 154	Path: docs/architecture/MOD_ECOSYSTEM_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 1.58 KB
Row 155	Path: docs/architecture/MOVEMENT_AS_LOGISTICS.md; Family: architecture; Authority Class: architecture_current; Size: 1.10 KB
Row 156	Path: docs/architecture/NAMESPACING_RULES.md; Family: architecture; Authority Class: architecture_current; Size: 1.08 KB
Row 157	Path: docs/architecture/NETWORKGRAPH_STANDARD.md; Family: architecture; Authority Class: architecture_current; Size: 3.16 KB
Row 158	Path: docs/architecture/NON_INTERFERENCE.md; Family: architecture; Authority Class: architecture_current; Size: 1.23 KB
Row 159	Path: docs/architecture/NO_MAGIC_TELEPORTS.md; Family: architecture; Authority Class: architecture_current; Size: 976 B
Row 160	Path: docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 1.22 KB
Row 161	Path: docs/architecture/OPS_TRANSACTION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.51 KB
Row 162	Path: docs/architecture/OVERVIEW_ARCHITECTURE.md; Family: architecture; Authority Class: architecture_current; Size: 1.40 KB
Row 163	Path: docs/architecture/PACK_FORMAT.md; Family: architecture; Authority Class: architecture_current; Size: 2.08 KB

Row 164	Path: docs/architecture/PERFORMANCE_METRICS.md; Family: architecture; Authority Class: architecture_current; Size: 2.85 KB
Row 165	Path: docs/architecture/PERFORMANCE_PROOF.md; Family: architecture; Authority Class: architecture_current; Size: 1.93 KB
Row 166	Path: docs/architecture/PIRACY_CONTAINMENT.md; Family: architecture; Authority Class: architecture_current; Size: 1.24 KB
Row 167	Path: docs/architecture/PLATFORM_RESPONSIBILITY.md; Family: architecture; Authority Class: architecture_current; Size: 4.41 KB
Row 168	Path: docs/architecture/POST_CLEAN_2_STATUS.md; Family: architecture; Authority Class: architecture_current; Size: 738 B
Row 169	Path: docs/architecture/PROCESS_ONLY_MUTATION.md; Family: architecture; Authority Class: architecture_current; Size: 2.07 KB
Row 170	Path: docs/architecture/PRODUCT_SHELL_CONTRACT.md; Family: architecture; Authority Class: architecture_current; Size: 8.82 KB
Row 171	Path: docs/architecture/PROJECTION_LIFECYCLE.md; Family: architecture; Authority Class: architecture_current; Size: 1.66 KB
Row 172	Path: docs/architecture/PROJECT_EXECUTION_BASELINE.md; Family: architecture; Authority Class: architecture_current; Size: 719 B
Row 173	Path: docs/architecture/QUANTITY_BUNDLES.md; Family: architecture; Authority Class: architecture_current; Size: 2.83 KB
Row 174	Path: docs/architecture/REALITY_FLOW.md; Family: architecture; Authority Class: architecture_current; Size: 2.14 KB
Row 175	Path: docs/architecture/REALITY_LAYER.md; Family: architecture; Authority Class: architecture_current; Size: 5.84 KB
Row 176	Path: docs/architecture/REALITY_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 3.63 KB
Row 177	Path: docs/architecture/REDUCTION_MODEL.md; Family: architecture; Authority Class: architecture_current; Size: 1.66 KB
Row 178	Path: docs/architecture/REFINEMENT_CONTRACTS.md; Family: architecture; Authority Class: architecture_current; Size: 1.97 KB
Row 179	Path: docs/architecture/REFRACTOR_STAGE.md; Family: architecture; Authority Class: architecture_current; Size: 1.00 KB
Omitted	361 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.15 Drift Matrix

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_DRIFT_MATRIX_v0.md - included

6.16 Docs Drift Matrix

This derived drift matrix highlights review areas. It does not resolve contradictions or promote claims.

- Row 1** Finding ID: DOC-CONTRA-0001; Class: archive_vs_current; Sources: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 2** Finding ID: DOC-CONTRA-0002; Class: archive_vs_current; Sources: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 3** Finding ID: DOC-CONTRA-0003; Class: archive_vs_current; Sources: docs/archive/audit/FORKING_PROVIDES_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 4** Finding ID: DOC-CONTRA-0004; Class: archive_vs_current; Sources: docs/archive/audit/INSTALL_MANIFEST_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 5** Finding ID: DOC-CONTRA-0005; Class: archive_vs_current; Sources: docs/archive/audit/INSTANCE_MANIFEST_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 6** Finding ID: DOC-CONTRA-0006; Class: archive_vs_current; Sources: docs/archive/audit/INSTITUTIONAL_COMMS_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 7** Finding ID: DOC-CONTRA-0007; Class: archive_vs_current; Sources: docs/archive/audit/MACROCAPSULE_BEHAVIOR_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 8** Finding ID: DOC-CONTRA-0008; Class: archive_vs_current; Sources: docs/archive/audit/SAVE_MANIFEST_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 9** Finding ID: DOC-CONTRA-0009; Class: archive_vs_current; Sources: docs/archive/audit/SIG7_RETRO_AUDIT.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 10** Finding ID: DOC-CONTRA-0010; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR_HARDENING_FINAL.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 11** Finding ID: DOC-CONTRA-0011; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR_SURFACE_MAP.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 12** Finding ID: DOC-CONTRA-0012; Class: archive_vs_current; Sources: docs/archive/audit/SYSTEM_TIER_ROI_BASELINE.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 13** Finding ID: DOC-CONTRA-0013; Class: archive_vs_current; Sources: docs/archive/restructure/FUTURE_LAYOUT_PROPOSAL.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 14** Finding ID: DOC-CONTRA-0014; Class: archive_vs_current; Sources: docs/archive/restructure/RESTRUCTURE_RISKS.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.

- Row 15** Finding ID: DOC-CONTRA-0015; Class: archive_vs_current; Sources: docs/archive/restructure/SHIM_POLICY.md; Severity: medium; Disposition: quarantine_for_review; Next Action: Review whether the header is historical residue; do not promote automatically.
- Row 16** Finding ID: DOC-CONTRA-0016; Class: duplicate_shadow; Sources: docs/repo/repo/APRX_INTEGRATION_HOOKS.md, docs/archive/repo/APRX_INTEGRATION_HOOKS.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 17** Finding ID: DOC-CONTRA-0017; Class: duplicate_shadow; Sources: docs/architecture/ARCHITECTURE.md, docs/archive/conversations/_wiki/topics/architecture.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 18** Finding ID: DOC-CONTRA-0018; Class: duplicate_shadow; Sources: docs/testing/ci/CI_ENFORCEMENT_MATRIX.md, docs/archive/stray_root_docs/CI_ENFORCEMENT_MATRIX.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 19** Finding ID: DOC-CONTRA-0019; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0_POPULATION_GENESIS.md, docs/archive/stray_root_docs/CIV0_POPULATION_GENESIS.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 20** Finding ID: DOC-CONTRA-0020; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0a_SURVIVAL_LOOP.md, docs/archive/stray_root_docs/CIV0a_SURVIVAL_LOOP.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 21** Finding ID: DOC-CONTRA-0021; Class: duplicate_shadow; Sources: docs/reference/specs/CIV1_CITIES_INFRA.md, docs/archive/stray_root_docs/CIV1_CITIES_INFRA.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 22** Finding ID: DOC-CONTRA-0022; Class: duplicate_shadow; Sources: docs/reference/specs/CIV2_GOVERNANCE.md, docs/archive/stray_root_docs/CIV2_GOVERNANCE.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 23** Finding ID: DOC-CONTRA-0023; Class: duplicate_shadow; Sources: docs/reference/specs/CIV3_KNOWLEDGE_TECH.md, docs/archive/stray_root_docs/CIV3_KNOWLEDGE_TECH.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 24** Finding ID: DOC-CONTRA-0024; Class: duplicate_shadow; Sources: docs/reference/specs/CIV4_SCALE_AND_LOGISTICS.md, docs/archive/stray_root_docs/CIV4_SCALE_AND_LOGISTICS.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 25** Finding ID: DOC-CONTRA-0025; Class: duplicate_shadow; Sources: docs/development/CONTRIBUTING.md, docs/archive/stray_root_docs/CONTRIBUTING.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 26** Finding ID: DOC-CONTRA-0026; Class: duplicate_shadow; Sources: docs/testing/ci/DETERMINISM_TEST_MATRIX.md, docs/archive/stray_root_docs/DETERMINISM_TEST_MATRIX.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.

- Row 27** Finding ID: DOC-CONTRA-0027; Class: duplicate_shadow; Sources: docs/architecture/INVARIANTS.md, docs/archive/architecture/INVARIANTS.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 28** Finding ID: DOC-CONTRA-0028; Class: duplicate_shadow; Sources: docs/development/guides/OFFLINE_AND_LOCAL_MP.md, docs/archive/stray_root_docs/OFFLINE_AND_LOCAL_MP.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 29** Finding ID: DOC-CONTRA-0029; Class: duplicate_shadow; Sources: docs/governance/policies/PERF_BUDGETS.md, docs/archive/stray_root_docs/PERF_BUDGETS.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 30** Finding ID: DOC-CONTRA-0030; Class: duplicate_shadow; Sources: docs/release/mvp/PRODUCT_BOOT_MATRIX.md, docs/archive/audit/convergence_steps/product_boot_matrix.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 31** Finding ID: DOC-CONTRA-0031; Class: duplicate_shadow; Sources: docs/README.md, docs/archive/README.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 32** Finding ID: DOC-CONTRA-0032; Class: duplicate_shadow; Sources: docs/reference/schema/SCHEMA_CANON_ALIGNMENT.md, docs/archive/audit/SCHEMA_CANON_ALIGNMENT.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 33** Finding ID: DOC-CONTRA-0033; Class: duplicate_shadow; Sources: docs/governance/policies/VALIDATION_AND_GOVERNANCE.md, docs/archive/stray_root_docs/VALIDATION_AND_GOVERNANCE.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 34** Finding ID: DOC-CONTRA-0034; Class: duplicate_shadow; Sources: docs/audit/VALIDATION_INVENTORY.md, docs/archive/audit/VALIDATION_INVENTORY.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 35** Finding ID: DOC-CONTRA-0035; Class: duplicate_shadow; Sources: docs/audit/VALIDATION_REPORT_FAST.md, docs/archive/audit/VALIDATION_REPORT_FAST.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 36** Finding ID: DOC-CONTRA-0036; Class: duplicate_shadow; Sources: docs/audit/VALIDATION_UNIFY_FINAL.md, docs/archive/audit/VALIDATION_UNIFY_FINAL.md; Severity: low; Disposition: review_shadow_before_promotion; Next Action: Use current path first; inspect archive only for provenance or promotion candidates.
- Row 37** Finding ID: DOC-CONTRA-0037; Class: unclear_same_tier_conflict; Sources: docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 38** Finding ID: DOC-CONTRA-0038; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 39** Finding ID: DOC-CONTRA-0039; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 40** Finding ID: DOC-CONTRA-0040; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 41** Finding ID: DOC-CONTRA-0041; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 42** Finding ID: DOC-CONTRA-0042; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 43** Finding ID: DOC-CONTRA-0043; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 44** Finding ID: DOC-CONTRA-0044; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 45** Finding ID: DOC-CONTRA-0045; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 46** Finding ID: DOC-CONTRA-0046; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 47** Finding ID: DOC-CONTRA-0047; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 48** Finding ID: DOC-CONTRA-0048; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 49** Finding ID: DOC-CONTRA-0049; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 50** Finding ID: DOC-CONTRA-0050; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 51** Finding ID: DOC-CONTRA-0051; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 52** Finding ID: DOC-CONTRA-0052; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 53** Finding ID: DOC-CONTRA-0053; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 54** Finding ID: DOC-CONTRA-0054; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 55** Finding ID: DOC-CONTRA-0055; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 56** Finding ID: DOC-CONTRA-0056; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 57** Finding ID: DOC-CONTRA-0057; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 58** Finding ID: DOC-CONTRA-0058; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 59** Finding ID: DOC-CONTRA-0059; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 60** Finding ID: DOC-CONTRA-0060; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 61** Finding ID: DOC-CONTRA-0061; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 62** Finding ID: DOC-CONTRA-0062; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 63** Finding ID: DOC-CONTRA-0063; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 64** Finding ID: DOC-CONTRA-0064; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 65** Finding ID: DOC-CONTRA-0065; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 66** Finding ID: DOC-CONTRA-0066; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 67** Finding ID: DOC-CONTRA-0067; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 68** Finding ID: DOC-CONTRA-0068; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 69** Finding ID: DOC-CONTRA-0069; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 70** Finding ID: DOC-CONTRA-0070; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 71** Finding ID: DOC-CONTRA-0071; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 72** Finding ID: DOC-CONTRA-0072; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 73** Finding ID: DOC-CONTRA-0073; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 74** Finding ID: DOC-CONTRA-0074; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 75** Finding ID: DOC-CONTRA-0075; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 76** Finding ID: DOC-CONTRA-0076; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 77** Finding ID: DOC-CONTRA-0077; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 78** Finding ID: DOC-CONTRA-0078; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 79** Finding ID: DOC-CONTRA-0079; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 80** Finding ID: DOC-CONTRA-0080; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 81** Finding ID: DOC-CONTRA-0081; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 82** Finding ID: DOC-CONTRA-0082; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 83** Finding ID: DOC-CONTRA-0083; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 84** Finding ID: DOC-CONTRA-0084; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 85** Finding ID: DOC-CONTRA-0085; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 86** Finding ID: DOC-CONTRA-0086; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 87** Finding ID: DOC-CONTRA-0087; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 88** Finding ID: DOC-CONTRA-0088; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 89** Finding ID: DOC-CONTRA-0089; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 90** Finding ID: DOC-CONTRA-0090; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 91** Finding ID: DOC-CONTRA-0091; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 92** Finding ID: DOC-CONTRA-0092; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 93** Finding ID: DOC-CONTRA-0093; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 94** Finding ID: DOC-CONTRA-0094; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 95** Finding ID: DOC-CONTRA-0095; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 96** Finding ID: DOC-CONTRA-0096; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 97** Finding ID: DOC-CONTRA-0097; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 98** Finding ID: DOC-CONTRA-0098; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 99** Finding ID: DOC-CONTRA-0099; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 100** Finding ID: DOC-CONTRA-0100; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 101** Finding ID: DOC-CONTRA-0101; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 102** Finding ID: DOC-CONTRA-0102; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 103** Finding ID: DOC-CONTRA-0103; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 104** Finding ID: DOC-CONTRA-0104; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 105** Finding ID: DOC-CONTRA-0105; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 106** Finding ID: DOC-CONTRA-0106; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 107** Finding ID: DOC-CONTRA-0107; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 108** Finding ID: DOC-CONTRA-0108; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 109** Finding ID: DOC-CONTRA-0109; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 110** Finding ID: DOC-CONTRA-0110; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report_human_readable_detailed_summary.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 111** Finding ID: DOC-CONTRA-0111; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation_00_consolidated_package_index.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 112** Finding ID: DOC-CONTRA-0112; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation_10_accompanying_human_readable_detailed_summary_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 113** Finding ID: DOC-CONTRA-0113; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 114** Finding ID: DOC-CONTRA-0114; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 115** Finding ID: DOC-CONTRA-0115; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report_10_accompanying_human_readable_summary_and_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 116** Finding ID: DOC-CONTRA-0116; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report_11_combined_bundle_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 117** Finding ID: DOC-CONTRA-0117; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture_00_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 118** Finding ID: DOC-CONTRA-0118; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture_01_human_readable_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 119** Finding ID: DOC-CONTRA-0119; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture_02_context_transfer_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 120** Finding ID: DOC-CONTRA-0120; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture_04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 121** Finding ID: DOC-CONTRA-0121; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 122** Finding ID: DOC-CONTRA-0122; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 123** Finding ID: DOC-CONTRA-0123; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 124** Finding ID: DOC-CONTRA-0124; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 125** Finding ID: DOC-CONTRA-0125; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 126** Finding ID: DOC-CONTRA-0126; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 127** Finding ID: DOC-CONTRA-0127; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 128** Finding ID: DOC-CONTRA-0128; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 129** Finding ID: DOC-CONTRA-0129; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 130** Finding ID: DOC-CONTRA-0130; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 131** Finding ID: DOC-CONTRA-0131; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 132** Finding ID: DOC-CONTRA-0132; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

- Row 133** Finding ID: DOC-CONTRA-0133; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 134** Finding ID: DOC-CONTRA-0134; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 135** Finding ID: DOC-CONTRA-0135; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.
- Row 136** Finding ID: DOC-CONTRA-0136; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Severity: low; Disposition: candidate_for_docs_hygiene_review; Next Action: Consider adding metadata in a later live-doc hygiene task if allowed.

6.17 Contradiction Matrix

Source

DERIVED advisory_synthesis_not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_CONTRADICTION_MATRIX_v0.md - included

6.18 Docs Contradiction Matrix

Contradiction classes include current-doc vs canon, archive vs current, conversation vs current, planning vs queue, generated evidence vs source, duplicate shadows, stale external claims, and unclear same-tier conflicts. Findings below are deterministic review signals, not adjudications.

- Row 1** Finding ID: DOC-CONTRA-0001; Class: archive_vs_current; Sources: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 2** Finding ID: DOC-CONTRA-0002; Class: archive_vs_current; Sources: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 3** Finding ID: DOC-CONTRA-0003; Class: archive_vs_current; Sources: docs/archive/audit/FORKING_PROVIDES_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 4** Finding ID: DOC-CONTRA-0004; Class: archive_vs_current; Sources: docs/archive/audit/INSTALL_MANIFEST_BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

- Row 5** Finding ID: DOC-CONTRA-0005; Class: archive_vs_current; Sources: docs/archive/audit/INSTANCE__MANIFEST__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 6** Finding ID: DOC-CONTRA-0006; Class: archive_vs_current; Sources: docs/archive/audit/INSTITUTIONAL__COMMS__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 7** Finding ID: DOC-CONTRA-0007; Class: archive_vs_current; Sources: docs/archive/audit/MACROCAPSULE__BEHAVIOR__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 8** Finding ID: DOC-CONTRA-0008; Class: archive_vs_current; Sources: docs/archive/audit/SAVE__MANIFEST__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 9** Finding ID: DOC-CONTRA-0009; Class: archive_vs_current; Sources: docs/archive/audit/SIG7__RETRO__AUDIT.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 10** Finding ID: DOC-CONTRA-0010; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR__HARDENING__FINAL.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 11** Finding ID: DOC-CONTRA-0011; Class: archive_vs_current; Sources: docs/archive/audit/SUPERVISOR__SURFACE__MAP.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 12** Finding ID: DOC-CONTRA-0012; Class: archive_vs_current; Sources: docs/archive/audit/SYSTEM__TIER__ROI__BASELINE.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 13** Finding ID: DOC-CONTRA-0013; Class: archive_vs_current; Sources: docs/archive/restructure/FUTURE__LAYOUT__PROPOSAL.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 14** Finding ID: DOC-CONTRA-0014; Class: archive_vs_current; Sources: docs/archive/restructure/RESTRUCTURE__RISKS.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?
- Row 15** Finding ID: DOC-CONTRA-0015; Class: archive_vs_current; Sources: docs/archive/restructure/SHIM__POLICY.md; Authority Source: AGENTS.md; docs/planning/AUTHORITY_ORDER.md; Claim: Archive path has status **CANONICAL**.; Severity: medium; Disposition: quarantine_for_review; User Review Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?

- Row 16** Finding ID: DOC-CONTRA-0016; Class: duplicate_shadow; Sources: docs/repo/repo/APRX_INTEGRATION_HOOKS.md, docs/archive/repo/APRX_INTEGRATION_HOOKS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `aprx_integration_hooks.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 17** Finding ID: DOC-CONTRA-0017; Class: duplicate_shadow; Sources: docs/architecture/ARCHITECTURE.md, docs/archive/conversations/_wiki/topics/architecture.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `architecture.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 18** Finding ID: DOC-CONTRA-0018; Class: duplicate_shadow; Sources: docs/testing/ci/CI_ENFORCEMENT_MATRIX.md, docs/archive/stray_root_docs/CI_ENFORCEMENT_MATRIX.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `ci_enforcement_matrix.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 19** Finding ID: DOC-CONTRA-0019; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0_POPULATION_GENESIS.md, docs/archive/stray_root_docs/CIV0_POPULATION_GENESIS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ0_population_genesis.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 20** Finding ID: DOC-CONTRA-0020; Class: duplicate_shadow; Sources: docs/reference/specs/CIV0a_SURVIVAL_LOOP.md, docs/archive/stray_root_docs/CIV0a_SURVIVAL_LOOP.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ0a_survival_loop.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 21** Finding ID: DOC-CONTRA-0021; Class: duplicate_shadow; Sources: docs/reference/specs/CIV1_CITIES_INFRA.md, docs/archive/stray_root_docs/CIV1_CITIES_INFRA.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ1_cities_infra.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 22** Finding ID: DOC-CONTRA-0022; Class: duplicate_shadow; Sources: docs/reference/specs/CIV2_GOVERNANCE.md, docs/archive/stray_root_docs/CIV2_GOVERNANCE.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ2_governance.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 23** Finding ID: DOC-CONTRA-0023; Class: duplicate_shadow; Sources: docs/reference/specs/CIV3_KNOWLEDGE_TECH.md, docs/archive/stray_root_docs/CIV3_KNOWLEDGE_TECH.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ3_knowledge_tech.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 24** Finding ID: DOC-CONTRA-0024; Class: duplicate_shadow; Sources: docs/reference/specs/CIV4_SCALE_AND_LOGISTICS.md, docs/archive/stray_root_docs/CIV4_SCALE_AND_LOGISTICS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `civ4_scale_and_logistics.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?

- Row 25** Finding ID: DOC-CONTRA-0025; Class: duplicate_shadow; Sources: docs/development/CONTRIBUTING.md, docs/archive/stray_root_docs/CONTRIBUTING.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `contributing.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 26** Finding ID: DOC-CONTRA-0026; Class: duplicate_shadow; Sources: docs/testing/ci/DETERMINISM_TEST_MATRIX.md, docs/archive/stray_root_docs/DETERMINISM_TEST_MATRIX.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `determinism_test_matrix.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 27** Finding ID: DOC-CONTRA-0027; Class: duplicate_shadow; Sources: docs/architecture/INVARIANTS.md, docs/archive/architecture/INVARIANTS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `invariants.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 28** Finding ID: DOC-CONTRA-0028; Class: duplicate_shadow; Sources: docs/development/guides/OFFLINE_AND_LOCAL_MP.md, docs/archive/stray_root_docs/OFFLINE_AND_LOCAL_MP.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `offline_and_local_mp.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 29** Finding ID: DOC-CONTRA-0029; Class: duplicate_shadow; Sources: docs/governance/policies/PERF_BUDGETS.md, docs/archive/stray_root_docs/PERF_BUDGETS.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `perf_budgets.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 30** Finding ID: DOC-CONTRA-0030; Class: duplicate_shadow; Sources: docs/release/mvp/PRODUCT_BOOT_MATRIX.md, docs/archive/audit/convergence_steps/product_boot_matrix.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `product_boot_matrix.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 31** Finding ID: DOC-CONTRA-0031; Class: duplicate_shadow; Sources: docs/README.md, docs/archive/README.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `readme.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 32** Finding ID: DOC-CONTRA-0032; Class: duplicate_shadow; Sources: docs/reference/schema/SCHEMA_CANON_ALIGNMENT.md, docs/archive/audit/SCHEMA_CANON_ALIGNMENT.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `schema_canon_alignment.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 33** Finding ID: DOC-CONTRA-0033; Class: duplicate_shadow; Sources: docs/governance/policies/VALIDATION_AND_GOVERNANCE.md, docs/archive/stray_root_docs/VALIDATION_AND_GOVERNANCE.md; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_and_governance.md`; Severity: low; Disposition: review_shadow_before_promotion; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?

- Row 34** Finding ID: DOC-CONTRA-0034; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_INVENTORY.md`, `docs/archive/audit/VALIDATION_INVENTORY.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_inventory.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 35** Finding ID: DOC-CONTRA-0035; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_REPORT_FAST.md`, `docs/archive/audit/VALIDATION_REPORT_FAST.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_report_fast.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 36** Finding ID: DOC-CONTRA-0036; Class: `duplicate_shadow`; Sources: `docs/audit/VALIDATION_UNIFY_FINAL.md`, `docs/archive/audit/VALIDATION_UNIFY_FINAL.md`; Authority Source: current docs outrank archive in their scope; archive remains historical; Claim: Archive and current docs share filename `validation_unify_final.md`; Severity: low; Disposition: `review_shadow_before_promotion`; User Review Question: Does the archive version contain useful historical context that should be summarized elsewhere?
- Row 37** Finding ID: DOC-CONTRA-0037; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 38** Finding ID: DOC-CONTRA-0038; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 39** Finding ID: DOC-CONTRA-0039; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 40** Finding ID: DOC-CONTRA-0040; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 41** Finding ID: DOC-CONTRA-0041; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 42** Finding ID: DOC-CONTRA-0042; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: `candidate_for_docs_hygiene_review`; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 43** Finding ID: DOC-CONTRA-0043; Class: `unclear_same_tier_conflict`; Sources: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md`; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/

freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 44 Finding ID: DOC-CONTRA-0044; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 45 Finding ID: DOC-CONTRA-0045; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 46 Finding ID: DOC-CONTRA-0046; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 47 Finding ID: DOC-CONTRA-0047; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 48 Finding ID: DOC-CONTRA-0048; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 49 Finding ID: DOC-CONTRA-0049; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 50 Finding ID: DOC-CONTRA-0050; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 51 Finding ID: DOC-CONTRA-0051; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 52 Finding ID: DOC-CONTRA-0052; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 53** Finding ID: DOC-CONTRA-0053; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 54** Finding ID: DOC-CONTRA-0054; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 55** Finding ID: DOC-CONTRA-0055; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 56** Finding ID: DOC-CONTRA-0056; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 57** Finding ID: DOC-CONTRA-0057; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 58** Finding ID: DOC-CONTRA-0058; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 59** Finding ID: DOC-CONTRA-0059; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 60** Finding ID: DOC-CONTRA-0060; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 61** Finding ID: DOC-CONTRA-0061; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 62** Finding ID: DOC-CONTRA-0062; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.;

Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 63** Finding ID: DOC-CONTRA-0063; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 64** Finding ID: DOC-CONTRA-0064; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 65** Finding ID: DOC-CONTRA-0065; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 66** Finding ID: DOC-CONTRA-0066; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 67** Finding ID: DOC-CONTRA-0067; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 68** Finding ID: DOC-CONTRA-0068; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 69** Finding ID: DOC-CONTRA-0069; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 70** Finding ID: DOC-CONTRA-0070; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 71** Finding ID: DOC-CONTRA-0071; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 72** Finding ID: DOC-CONTRA-0072; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 73** Finding ID: DOC-CONTRA-0073; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 74** Finding ID: DOC-CONTRA-0074; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 75** Finding ID: DOC-CONTRA-0075; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 76** Finding ID: DOC-CONTRA-0076; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 77** Finding ID: DOC-CONTRA-0077; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 78** Finding ID: DOC-CONTRA-0078; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 79** Finding ID: DOC-CONTRA-0079; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 80** Finding ID: DOC-CONTRA-0080; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 81** Finding ID: DOC-CONTRA-0081; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header,

making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 82** Finding ID: DOC-CONTRA-0082; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 83** Finding ID: DOC-CONTRA-0083; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 84** Finding ID: DOC-CONTRA-0084; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 85** Finding ID: DOC-CONTRA-0085; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 86** Finding ID: DOC-CONTRA-0086; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 87** Finding ID: DOC-CONTRA-0087; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 88** Finding ID: DOC-CONTRA-0088; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 89** Finding ID: DOC-CONTRA-0089; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 90** Finding ID: DOC-CONTRA-0090; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 91** Finding ID: DOC-CONTRA-0091; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 92** Finding ID: DOC-CONTRA-0092; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 93** Finding ID: DOC-CONTRA-0093; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 94** Finding ID: DOC-CONTRA-0094; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 95** Finding ID: DOC-CONTRA-0095; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 96** Finding ID: DOC-CONTRA-0096; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 97** Finding ID: DOC-CONTRA-0097; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 98** Finding ID: DOC-CONTRA-0098; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar__

System_Architecture__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 99 Finding ID: DOC-CONTRA-0099; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 100 Finding ID: DOC-CONTRA-0100; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 101 Finding ID: DOC-CONTRA-0101; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 102 Finding ID: DOC-CONTRA-0102; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 103 Finding ID: DOC-CONTRA-0103; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 104 Finding ID: DOC-CONTRA-0104; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 105 Finding ID: DOC-CONTRA-0105; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 106 Finding ID: DOC-CONTRA-0106; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_

System_Architecture__12_bundle_verification.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 107 Finding ID: DOC-CONTRA-0107; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 108 Finding ID: DOC-CONTRA-0108; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 109 Finding ID: DOC-CONTRA-0109; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 110 Finding ID: DOC-CONTRA-0110; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 111 Finding ID: DOC-CONTRA-0111; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 112 Finding ID: DOC-CONTRA-0112; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 113 Finding ID: DOC-CONTRA-0113; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 114 Finding ID: DOC-CONTRA-0114; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene__

review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 115** Finding ID: DOC-CONTRA-0115; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 116** Finding ID: DOC-CONTRA-0116; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 117** Finding ID: DOC-CONTRA-0117; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 118** Finding ID: DOC-CONTRA-0118; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 119** Finding ID: DOC-CONTRA-0119; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 120** Finding ID: DOC-CONTRA-0120; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 121** Finding ID: DOC-CONTRA-0121; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 122** Finding ID: DOC-CONTRA-0122; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

- Row 123** Finding ID: DOC-CONTRA-0123; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 124** Finding ID: DOC-CONTRA-0124; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 125** Finding ID: DOC-CONTRA-0125; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 126** Finding ID: DOC-CONTRA-0126; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 127** Finding ID: DOC-CONTRA-0127; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 128** Finding ID: DOC-CONTRA-0128; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 129** Finding ID: DOC-CONTRA-0129; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 130** Finding ID: DOC-CONTRA-0130; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?
- Row 131** Finding ID: DOC-CONTRA-0131; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe__

explorer_planning__04_registers.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 132 Finding ID: DOC-CONTRA-0132; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 133 Finding ID: DOC-CONTRA-0133; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 134 Finding ID: DOC-CONTRA-0134; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 135 Finding ID: DOC-CONTRA-0135; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

Row 136 Finding ID: DOC-CONTRA-0136; Class: unclear_same_tier_conflict; Sources: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Authority Source: metadata header audit; Claim: Markdown file lacks a Status header, making authority/freshness less explicit.; Severity: low; Disposition: candidate_for_docs_hygiene_review; User Review Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?

6.19 Staleness And Verification

Source

DERIVED advisory_synthesis_not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_STALENESS_AND_VERIFICATION_v0.md - excerpted

6.20 Docs Staleness and Verification

This register identifies material that should be verified before use as current guidance.

Row 1 Path: docs/.gitignore; Family: other; Freshness: unclear; Disposition: verify_before_current_use

Row 2 Path: docs/apps/UI_MODES.md; Family: apps; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 3** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Family: architecture; Freshness: superseded; Status: CANONICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 4** Path: docs/architecture/DIRECTORY_CONTEXT.md; Family: architecture; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 5** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Family: architecture; Freshness: superseded; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 6** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 7** Path: docs/architecture/LOCKLIST_OVERRIDES.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 8** Path: docs/architecture/SEMANTIC_STABILITY_LOCK.json; Family: architecture; Freshness: unclear; Disposition: verify_before_current_use
- Row 9** Path: docs/archive/README.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 10** Path: docs/archive/STATUS_NOW.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 11** Path: docs/archive/SURVIVAL_SLICE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 12** Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 13** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 14** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 15** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 16** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 17** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 18** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 19** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 20** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 21** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 22** Path: docs/archive/architecture/INVARIANTS.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 23** Path: docs/archive/architecture/MENTAL_MODEL.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 24** Path: docs/archive/architecture/NON_GOALS.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 25** Path: docs/archive/architecture/TERMINOLOGY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 26** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Family: archive; Freshness: superseded; Status: HISTORICAL; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 27** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 28** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 29** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 30** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 31** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 32** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 33** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 34** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 35** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 36** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 37** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 38** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 39** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 40** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 41** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 42** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 43** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use

- Row 44** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-01; Disposition: verify_before_current_use
- Row 45** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-25; Disposition: verify_before_current_use
- Row 46** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 47** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 48** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-12; Disposition: verify_before_current_use
- Row 49** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 50** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 51** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 52** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 53** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 54** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 55** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Family: archive; Freshness: provisional; Status: CANONICAL; Last Reviewed: 2026-03-12; Disposition: verify_before_current_use
- Row 56** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 57** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 58** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 59** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 60** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 61** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Family: archive; Freshness: provisional; Status: CANONICAL; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 62** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 63** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-11; Disposition: verify_before_current_use
- Row 64** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use

- Row 65** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 66** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 67** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 68** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 69** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 70** Path: docs/archive/audit/BOM_AG_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 71** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 72** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 73** Path: docs/archive/audit/BR0_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 74** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 75** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 76** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 77** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-07; Disposition: verify_before_current_use
- Row 78** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-09; Disposition: verify_before_current_use
- Row 79** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 80** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 81** Path: docs/archive/audit/CANON_MAP.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 82** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 83** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 84** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 85** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use

- Row 86** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 87** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 88** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 89** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 90** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 91** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 92** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 93** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 94** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 95** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 96** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 97** Path: docs/archive/audit/CI_RUN_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-30; Disposition: verify_before_current_use
- Row 98** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 99** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 100** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 101** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 102** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 103** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 104** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 105** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use

- Row 106** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 107** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 108** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-06; Disposition: verify_before_current_use
- Row 109** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 110** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 111** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 112** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 113** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 114** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 115** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 116** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 117** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-08; Disposition: verify_before_current_use
- Row 118** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Family: archive; Freshness: provisional; Disposition: verify_before_current_use
- Row 119** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-13; Disposition: verify_before_current_use
- Row 120** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 121** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 122** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 123** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 124** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 125** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use

- Row 126** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 127** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 128** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 129** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 130** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-16; Disposition: verify_before_current_use
- Row 131** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 132** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 133** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 134** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 135** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 136** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 137** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-28; Disposition: verify_before_current_use
- Row 138** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 139** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 140** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 141** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 142** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 143** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 144** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use
- Row 145** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-01; Disposition: verify_before_current_use

- Row 146** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-31; Disposition: verify_before_current_use
- Row 147** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 148** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-27; Disposition: verify_before_current_use
- Row 149** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-10; Disposition: verify_before_current_use
- Row 150** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-26; Disposition: verify_before_current_use
- Row 151** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 152** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-09; Disposition: verify_before_current_use
- Row 153** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 154** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-02-15; Disposition: verify_before_current_use
- Row 155** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-11; Disposition: verify_before_current_use
- Row 156** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 157** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-16; Disposition: verify_before_current_use
- Row 158** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 159** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 160** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-05-16; Disposition: verify_before_current_use
- Row 161** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 162** Path: docs/archive/audit/DIST2_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 163** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 164** Path: docs/archive/audit/DIST3_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 165** Path: docs/archive/audit/DIST4_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use

- Row 166** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 167** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 168** Path: docs/archive/audit/DIST6_FINAL.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 169** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 170** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 171** Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 172** Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 173** Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 174** Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 175** Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-14; Disposition: verify_before_current_use
- Row 176** Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 177** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-13; Disposition: verify_before_current_use
- Row 178** Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use
- Row 179** Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Family: archive; Freshness: provisional; Status: DERIVED; Last Reviewed: 2026-03-26; Disposition: verify_before_current_use

Omitted 309 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

6.21 Duplicate Shadows

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_audit/DOCS_DUPLICATE_SHADOWS_v0.md - included

6.22 Docs Duplicate Shadows

Duplicate shadows are same-filename overlaps between current docs and archive docs. They are review cues only.

- Row 1** Filename: `aprx_integration_hooks.md`; Current Paths: `docs/repo/repo/APRX_INTEGRATION_HOOKS.md`; Archive Paths: `docs/archive/repo/APRX_INTEGRATION_HOOKS.md`; Disposition: `current_first_archive_for_provenance`
- Row 2** Filename: `architecture.md`; Current Paths: `docs/architecture/ARCHITECTURE.md`; `docs/reference/specs/launcher/ARCHITECTURE.md`; Archive Paths: `docs/archive/conversations/_wiki/topics/architecture.md`; Disposition: `current_first_archive_for_provenance`
- Row 3** Filename: `ci_enforcement_matrix.md`; Current Paths: `docs/testing/ci/CI_ENFORCEMENT_MATRIX.md`; Archive Paths: `docs/archive/stray_root_docs/CI_ENFORCEMENT_MATRIX.md`; Disposition: `current_first_archive_for_provenance`
- Row 4** Filename: `civ0_population_genesis.md`; Current Paths: `docs/reference/specs/CIV0_POPULATION_GENESIS.md`; Archive Paths: `docs/archive/stray_root_docs/CIV0_POPULATION_GENESIS.md`; Disposition: `current_first_archive_for_provenance`
- Row 5** Filename: `civ0a_survival_loop.md`; Current Paths: `docs/reference/specs/CIV0a_SURVIVAL_LOOP.md`; Archive Paths: `docs/archive/stray_root_docs/CIV0a_SURVIVAL_LOOP.md`; Disposition: `current_first_archive_for_provenance`
- Row 6** Filename: `civ1_cities_infra.md`; Current Paths: `docs/reference/specs/CIV1_CITIES_INFRA.md`; Archive Paths: `docs/archive/stray_root_docs/CIV1_CITIES_INFRA.md`; Disposition: `current_first_archive_for_provenance`
- Row 7** Filename: `civ2_governance.md`; Current Paths: `docs/reference/specs/CIV2_GOVERNANCE.md`; Archive Paths: `docs/archive/stray_root_docs/CIV2_GOVERNANCE.md`; Disposition: `current_first_archive_for_provenance`
- Row 8** Filename: `civ3_knowledge_tech.md`; Current Paths: `docs/reference/specs/CIV3_KNOWLEDGE_TECH.md`; Archive Paths: `docs/archive/stray_root_docs/CIV3_KNOWLEDGE_TECH.md`; Disposition: `current_first_archive_for_provenance`
- Row 9** Filename: `civ4_scale_and_logistics.md`; Current Paths: `docs/reference/specs/CIV4_SCALE_AND_LOGISTICS.md`; Archive Paths: `docs/archive/stray_root_docs/CIV4_SCALE_AND_LOGISTICS.md`; Disposition: `current_first_archive_for_provenance`
- Row 10** Filename: `contributing.md`; Current Paths: `docs/development/CONTRIBUTING.md`; Archive Paths: `docs/archive/stray_root_docs/CONTRIBUTING.md`; Disposition: `current_first_archive_for_provenance`
- Row 11** Filename: `determinism_test_matrix.md`; Current Paths: `docs/testing/ci/DETERMINISM_TEST_MATRIX.md`; Archive Paths: `docs/archive/stray_root_docs/DETERMINISM_TEST_MATRIX.md`; Disposition: `current_first_archive_for_provenance`
- Row 12** Filename: `invariants.md`; Current Paths: `docs/architecture/INVARIANTS.md`; `docs/reference/specs/setup/INVARIANTS.md`; Archive Paths: `docs/archive/architecture/INVARIANTS.md`; Disposition: `current_first_archive_for_provenance`
- Row 13** Filename: `offline_and_local_mp.md`; Current Paths: `docs/development/guides/OFFLINE_AND_LOCAL_MP.md`; Archive Paths: `docs/archive/stray_root_docs/OFFLINE_AND_LOCAL_MP.md`; Disposition: `current_first_archive_for_provenance`
- Row 14** Filename: `perf_budgets.md`; Current Paths: `docs/governance/policies/PERF_BUDGETS.md`; Archive Paths: `docs/archive/stray_root_docs/PERF_BUDGETS.md`; Disposition: `current_first_archive_for_provenance`

- Row 15** Filename: `product_boot_matrix.md`; Current Paths: `docs/release/mvp/PRODUCT_BOOT_MATRIX.md`; Archive Paths: `docs/archive/audit/convergence_steps/product_boot_matrix.md`; Disposition: `current_first_archive_for_provenance`
- Row 16** Filename: `readme.md`; Current Paths: `docs/README.md`; `docs/apps/README.md`; `docs/audit/auditx/README.md`; `docs/content/README.md`; `docs/content/archive/README.md`; Archive Paths: `docs/archive/README.md`; `docs/archive/audit/auditx/README.md`; `docs/archive/audit/compat/README.md`; `docs/archive/audit/controlx/README.md`; `docs/archive/audit/performance/README.md`; Disposition: `current_first_archive_for_provenance`
- Row 17** Filename: `schema_canon_alignment.md`; Current Paths: `docs/reference/schema/SCHEMA_CANON_ALIGNMENT.md`; Archive Paths: `docs/archive/audit/SCHEMA_CANON_ALIGNMENT.md`; Disposition: `current_first_archive_for_provenance`
- Row 18** Filename: `validation_and_governance.md`; Current Paths: `docs/governance/policies/VALIDATION_AND_GOVERNANCE.md`; Archive Paths: `docs/archive/stray_root_docs/VALIDATION_AND_GOVERNANCE.md`; Disposition: `current_first_archive_for_provenance`
- Row 19** Filename: `validation_inventory.md`; Current Paths: `docs/audit/VALIDATION_INVENTORY.md`; Archive Paths: `docs/archive/audit/VALIDATION_INVENTORY.md`; Disposition: `current_first_archive_for_provenance`
- Row 20** Filename: `validation_report_fast.md`; Current Paths: `docs/audit/VALIDATION_REPORT_FAST.md`; Archive Paths: `docs/archive/audit/VALIDATION_REPORT_FAST.md`; Disposition: `current_first_archive_for_provenance`
- Row 21** Filename: `validation_unify_final.md`; Current Paths: `docs/audit/VALIDATION_UNIFY_FINAL.md`; Archive Paths: `docs/archive/audit/VALIDATION_UNIFY_FINAL.md`; Disposition: `current_first_archive_for_provenance`

6.23 Coverage Gaps

Source

DERIVED `advisory_synthesis_not_promoted` - Source: `docs/archive/docs_corpus/_audit/DOCS_COVERAGE_GAPS_v0.md` - excerpted

6.24 Docs Coverage Gaps

6.24.1 Gaps

- Markdown files missing **Status**: 463
- Unknown/unclassified files: 592
- Binary/non-text files represented by hash only: 68

6.24.2 Missing Status Header Candidates

- Row 1** Path: `docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md`; Family: `archive`; Book Role: `reference_appendix`
- Row 2** Path: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md`; Family: `conversation_corpus`; Book Role: `summarized_reader`

- Row 3** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 4** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 5** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 6** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 7** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 8** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 9** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 10** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 11** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 12** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 13** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 14** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 15** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 16** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 17** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 18** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 19** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 20** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 21** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 22** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 23** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 24** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 25** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 26** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 27** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 28** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 29** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 30** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 31** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 32** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 33** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 34** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 35** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 36** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 37** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 38** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 39** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 40** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 41** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 42** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 43** Path: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 44** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 45** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 46** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 47** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 48** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 49** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 50** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 51** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 52** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 53** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 54** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 55** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 56** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 57** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 58** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 59** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 60** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 61** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 62** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 63** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 64** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 65** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 66** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 67** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 68** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 69** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 70** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 71** Path: docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 72** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 73** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 74** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 75** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 76** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 77** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 78** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 79** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 80** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 81** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 82** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 83** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 84** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 85** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 86** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 87** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 88** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 89** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 90** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 91** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_human_readable_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 92** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 93** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 94** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 95** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 96** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 97** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 98** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 99** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 100** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 101** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 102** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 103** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 104** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 105** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 106** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 107** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 108** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 109** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 110** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 111** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__11_package_quality_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 112** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 113** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 114** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 115** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 116** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 117** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 118** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 119** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 120** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 121** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__10_accompanying_detailed_conversation_summary_and_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 122** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__11_package_integrity_check.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 123** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 124** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 125** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 126** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 127** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 128** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 129** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 130** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 131** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 132** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__10_accompanying_detailed_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 133** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 134** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 135** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 136** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 137** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 138** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 139** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 140** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 141** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 142** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 143** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 144** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 145** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 146** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 147** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 148** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 149** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__10_accompanying_detailed_conversation_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 150** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__11_complete_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 151** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 152** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 153** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 154** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 155** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 156** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 157** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 158** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 159** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 160** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 161** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__11_complete_bundle_verification_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 162** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__12_complete_companion_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 163** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__00_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 164** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 165** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__02_context_transfer_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 166** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 167** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__05_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 168** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__06_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader

- Row 169** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__07_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 170** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__08_future_chat_bootstrap_prompt.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 171** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__09_in_chat_reader.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 172** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__10_accompanying_detailed_summary_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 173** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__11_consolidated_bundle_manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 174** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__01_full_chat_report.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 175** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__03_aggregator_packet.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 176** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__04_registers.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 177** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__05_reader_brief.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 178** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__06_verification_and_audit.md; Family: conversation_corpus; Book Role: summarized_reader
- Row 179** Path: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__manifest.md; Family: conversation_corpus; Book Role: summarized_reader
- Omitted** 161 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

Chapter 7

Archive Archaeology Reports

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

7.1 Archive Atlas

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_ARCHIVE_ATLAS_v0.md - included

7.2 Docs Archive Atlas

docs/archive/** is historical/provenance material. It can inform future review, but it does not override current repo authority.

7.2.1 Archive Family Counts

Archive Family	Count
archive/refactor	1379
archive/audit	960
archive/conversations	761
other/archive_unknown	40
archive/restructure	23
archive/blueprint	22
archive/impact	20
archive/post-canon	5
archive/stray_root_docs	3
archive/omega	2
archive/prompts	2
archive/repo	2
archive/platform	1
archive/specs	1

7.2.2 Interpretation

- `archive/conversations` is the completed advisory conversation corpus.
- Blueprint, prompt, refactor, restructure, post-canon, and spec archives preserve historical design or migration context.
- Archive material may become a promotion candidate only through a later explicit review task.

7.3 Archive Families

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_ARCHIVE_FAMILIES_v0.md - excerpted

7.4 Docs Archive Families

7.4.1 archive/audit

- Files: 960
- Current relevance: historical/provenance unless crosswalked to current docs.
- Warning: do not treat as current truth without promotion.

Row 1 Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 2 Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 3 Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 4 Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 5 Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 6 Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 7 Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 8 Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 9 Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 10 Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

Row 11 Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 12** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 13** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 14** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 15** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 16** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 17** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 18** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 19** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 20** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 21** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 22** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 23** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 24** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 25** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 26** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 27** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 28** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 29** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 30** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 31** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 32** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only

- Row 33** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 34** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 35** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 36** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 37** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 38** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 39** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 40** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 41** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 42** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 43** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 44** Path: docs/archive/audit/BOM_AG_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 45** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 46** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 47** Path: docs/archive/audit/BR0_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 48** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 49** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 50** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 51** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 52** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 53** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 54** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 55** Path: docs/archive/audit/CANON_MAP.md; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only
- Row 56** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 57** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 58** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 59** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 60** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 61** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 62** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 63** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 64** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 65** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 66** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 67** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 68** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 69** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 70** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 71** Path: docs/archive/audit/CI_RUN_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 72** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 73** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 74** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 75** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 76** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 77** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 78** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 79** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 80** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 81** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 82** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 83** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 84** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 85** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 86** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 87** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 88** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 89** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 90** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 91** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 92** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Authority Class: archive_historical; Freshness: provisional; Book Role: searchable_html_only
- Row 93** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 94** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 95** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 96** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 97** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 98** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 99** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 100** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 101** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 102** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 103** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 104** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 105** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 106** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 107** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 108** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 109** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 110** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 111** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 112** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 113** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 114** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 115** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 116** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 117** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 118** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 119** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 120** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 121** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 122** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 123** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 124** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 125** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 126** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 127** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 128** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 129** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 130** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 131** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 132** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 133** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 134** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 135** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 136** Path: docs/archive/audit/DIST2_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 137** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix

- Row 138** Path: docs/archive/audit/DIST3_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 139** Path: docs/archive/audit/DIST4_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 140** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 141** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 142** Path: docs/archive/audit/DIST6_FINAL.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 143** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 144** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 145** Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 146** Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 147** Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 148** Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 149** Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 150** Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 151** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 152** Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 153** Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 154** Path: docs/archive/audit/DIST_PLATFORM_MATRIX_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 155** Path: docs/archive/audit/DIST_REFINE1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
- Row 156** Path: docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 157** Path: docs/archive/audit/DIST_VERIFY_win64.md; Authority Class: archive_historical; Freshness: provisional; Book Role: reference_appendix
- Row 158** Path: docs/archive/audit/DOCS_AUDIT_PROMPT0.md; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only

Row 159	Path: docs/archive/audit/DOC_CANON_ALIGNMENT_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 160	Path: docs/archive/audit/DOC_DRIFT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 161	Path: docs/archive/audit/DOC_DRIFT_MATRIX.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 162	Path: docs/archive/audit/DOC_GAPS.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 163	Path: docs/archive/audit/DOC_INDEX.md; Authority Class: archive_stale; Freshness: provisional; Book Role: searchable_html_only
Row 164	Path: docs/archive/audit/DOMAIN_FOUNDATION_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 165	Path: docs/archive/audit/DOMAIN_REGISTRY_REPORT.json; Authority Class: archive_historical; Freshness: provisional; Book Role: searchable_html_only
Row 166	Path: docs/archive/audit/DOMAIN_REGISTRY_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 167	Path: docs/archive/audit/DRIFT_REVALIDATION_BASELINE.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 168	Path: docs/archive/audit/DUPLICATE_IMPLEMENTATIONS_REPORT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 169	Path: docs/archive/audit/EARTH0_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 170	Path: docs/archive/audit/EARTH10_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 171	Path: docs/archive/audit/EARTH1_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 172	Path: docs/archive/audit/EARTH2_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 173	Path: docs/archive/audit/EARTH3_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 174	Path: docs/archive/audit/EARTH4_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 175	Path: docs/archive/audit/EARTH5_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 176	Path: docs/archive/audit/EARTH6_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 177	Path: docs/archive/audit/EARTH7_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 178	Path: docs/archive/audit/EARTH8_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Row 179	Path: docs/archive/audit/EARTH9_RETRO_AUDIT.md; Authority Class: archive_stale; Freshness: provisional; Book Role: reference_appendix
Omitted	222 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

7.4.2 archive/blueprint

- Files: 22
- Current relevance: historical/provenance unless crosswalked to current docs.
- Warning: do not treat as current truth without promotion.

Path	Authority Class	Freshness	Book Role
docs/archive/blueprint/ CAPABILITY_LADDER. md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ DISTRIBUTION_AND_ ARCHIVE_DIAGRAM.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ FINAL_PROMPT_ INVENTORY.md	archive_stale	provisional	searchable_html_only
docs/archive/blueprint/ FOUNDATION_PHASES. md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ FOUNDATION_ READINESS_MATRIX.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ LIVE_OPERATIONS_ DIAGRAM.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ MANUAL_REVIEW_ GATES.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ META_BLUEPRINT_ INDEX.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ META_BLUEPRINT_ SUMMARY.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ PIPE_DREAMS_ MATRIX.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ PRE_AND_POST_ SNAPSHOT_PHASES.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ PROMPT_ DEPENDENCY_TREE.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ PROMPT_EXECUTION_ CHECKLIST.md	archive_stale	provisional	searchable_html_only
docs/archive/blueprint/ PROMPT_RISK_ MATRIX.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ REPOSITORY_ GOVERNANCE_ DIAGRAM.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ REPO_REALITY_ RECONCILIATION_ GUIDE.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ RUNTIME_ ARCHITECTURE_ DIAGRAM.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ SERIES_DEPENDENCY_ MAP.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ SERIES_EXECUTION_ STRATEGY.md	archive_stale	provisional	reference_appendix
docs/archive/blueprint/ 	archive_stale	provisional	reference_appendix

7.4.3 archive/conversations

- Files: 761
- Current relevance: historical/provenance unless crosswalked to current docs.
- Warning: do not treat as current truth without promotion.

- Row 1** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 2** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 3** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 4** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__03_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 5** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 6** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 7** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 8** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 9** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 10** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 11** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 12** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 13** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__source_uploaded_preservation_prompt.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only

- Row 14** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 15** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__02_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 16** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 17** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 18** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 19** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 20** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 21** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 22** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 23** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__02_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 24** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 25** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 26** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 27** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 28** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 29** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 30** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader

- Row 31** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__02_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 32** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 33** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 34** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 35** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 36** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 37** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 38** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 39** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__02_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 40** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 41** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 42** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 43** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 44** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 45** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 46** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 47** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__02_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only

- Row 48** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 49** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 50** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 51** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 52** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 53** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 54** Path: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 55** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 56** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 57** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 58** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__03_spec_sheet.yaml; Authority Class: conversation_advisory; Freshness: provisional; Book Role: searchable_html_only
- Row 59** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 60** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 61** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 62** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader
- Row 63** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_reader

Row 64 Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Authority Class: conversation_advisory; Freshness: provisional; Book Role: summarized_read

Verify

This section is excerpted for readability. See the source path for the full report.

7.5 Archive Stale Or Useful

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_ARCHIVE_STALE_OR_USEFUL_v0.md - excerpted

7.6 Docs Archive Stale or Useful Register

- Row 1** Path: docs/archive/README.md; Archive Family: archive/stray_root_docs; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 2** Path: docs/archive/STATUS_NOW.md; Archive Family: archive/stray_root_docs; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 3** Path: docs/archive/SURVIVAL_SLICE.md; Archive Family: archive/stray_root_docs; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 4** Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 5** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 6** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 7** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 8** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 9** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 10** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 11** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 12** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 13** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted

- Row 14** Path: docs/archive/architecture/INVARIANTS.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 15** Path: docs/archive/architecture/MENTAL_MODEL.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 16** Path: docs/archive/architecture/NON_GOALS.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 17** Path: docs/archive/architecture/TERMINOLOGY.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 18** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Archive Family: other/archive_unknown; Freshness: superseded; Usefulness: stale_verify_before_use; Promotion Status: not_promoted
- Row 19** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 20** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 21** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 22** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 23** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 24** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 25** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 26** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 27** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 28** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 29** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 30** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 31** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 32** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 33** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 34** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 35** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 36** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 37** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 38** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 39** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 40** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 41** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 42** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 43** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 44** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 45** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 46** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 47** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 48** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 49** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 50** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 51** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 52** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 53** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 54** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 55** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 56** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 57** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 58** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 59** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 60** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 61** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 62** Path: docs/archive/audit/BOM_AG_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 63** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 64** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 65** Path: docs/archive/audit/BR0_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 66** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 67** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 68** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 69** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 70** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 71** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 72** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 73** Path: docs/archive/audit/CANON_MAP.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 74** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 75** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 76** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 77** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 78** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 79** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 80** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 81** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 82** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 83** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 84** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 85** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 86** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 87** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 88** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 89** Path: docs/archive/audit/CI_RUN_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 90** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 91** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 92** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 93** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 94** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 95** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 96** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 97** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 98** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 99** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 100** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 101** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 102** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 103** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 104** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 105** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 106** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 107** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 108** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 109** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 110** Path: docs/archive/audit/CONSISTENCY_MATRIX.json; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 111** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 112** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 113** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 114** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 115** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 116** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 117** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 118** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 119** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 120** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 121** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 122** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 123** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 124** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 125** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 126** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 127** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 128** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 129** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 130** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 131** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 132** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 133** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 134** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 135** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 136** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 137** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 138** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 139** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

- Row 140** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 141** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 142** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 143** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 144** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 145** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 146** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 147** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 148** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 149** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 150** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 151** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 152** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 153** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 154** Path: docs/archive/audit/DIST2_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 155** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 156** Path: docs/archive/audit/DIST3_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 157** Path: docs/archive/audit/DIST4_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 158** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 159** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
- Row 160** Path: docs/archive/audit/DIST6_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted

Row 161	Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 162	Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 163	Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 164	Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 165	Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 166	Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 167	Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 168	Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 169	Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 170	Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 171	Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 172	Path: docs/archive/audit/DIST_PLATFORM_MATRIX_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 173	Path: docs/archive/audit/DIST_REFINE1_RETRO_AUDIT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 174	Path: docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 175	Path: docs/archive/audit/DIST_VERIFY_win64.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 176	Path: docs/archive/audit/DOCS_AUDIT_PROMPT0.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 177	Path: docs/archive/audit/DOC_CANON_ALIGNMENT_REPORT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 178	Path: docs/archive/audit/DOC_DRIFT.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Row 179	Path: docs/archive/audit/DOC_DRIFT_MATRIX.md; Archive Family: archive/audit; Freshness: provisional; Usefulness: historical_context; Promotion Status: not_promoted
Omitted	295 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

7.7 Archive To Current Crosswalk

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_ARCHIVE_TO_CURRENT_CROSSWALK_v0.md - included

7.8 Docs Archive to Current Crosswalk

Archive Family	Likely Current Target	Current Role	Disposition
archive/audit	current validation/audit docs if still relevant	historical_provenance	do_not_promote_automatically
archive/blueprint	architecture/planning docs only through review	historical_provenance	do_not_promote_automatically
archive/conversations	docs/archive/conversations/_exports and later docs promotion review	historical_provenance	do_not_promote_automatically
archive/impact	current docs only through explicit review	historical_provenance	do_not_promote_automatically
archive/omega	current docs only through explicit review	historical_provenance	do_not_promote_automatically
archive/platform	current docs only through explicit review	historical_provenance	do_not_promote_automatically
archive/post-canon	current docs only through explicit review	historical_provenance	do_not_promote_automatically
archive/prompts	planning/prompt provenance only	historical_provenance	do_not_promote_automatically
archive/refactor	refactor planning only	historical_provenance	do_not_promote_automatically
archive/repo	current docs only through explicit review	historical_provenance	do_not_promote_automatically
archive/restructure	repo structure planning only	historical_provenance	do_not_promote_automatically
archive/specs	current specs/contracts only through review	historical_provenance	do_not_promote_automatically
archive/stray_root_docs	current docs only through explicit review	historical_provenance	do_not_promote_automatically
other/archive_unknown	current docs only through explicit review	historical_provenance	do_not_promote_automatically

7.9 Conversation Corpus Integration

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md - included

7.10 Docs Conversation Corpus Integration

The conversation corpus is treated as a derived advisory sub-corpus inside the full docs corpus.

7.10.1 Scope

- Conversation files represented: 761
- Generated conversation reports represented: 131
- Conversation export files represented: 10

7.10.2 Interpretation

- Advisory: yes
- Current authority: no
- Promotion status: not promoted
- Use: design intent, review backlog, decision and promotion candidates
- Non-use: canon, contract/schema, implementation, release, or queue override

7.10.3 Key Existing Surfaces

Surface	Role
docs/archive/conversations/_synthesis/**	derived synthesis and project picture
docs/archive/conversations/_decision/**	decision docket
docs/archive/conversations/_promotion/**	promotion review backlog
docs/archive/conversations/_reconciliation/**	conversation-vs-repo crosswalk
docs/archive/conversations/_audit/**	contradictions, staleness, uncertainty
docs/archive/conversations/_exports/**	conversation book bundle

Chapter 8

Reconciliation Reports

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

8.1 Repo Truth Crosswalk

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_REPO_TRUTH_CROSSWALK_v0.md - included

8.2 Docs Repo Truth Crosswalk

This crosswalk starts with current repo authority and uses archive/conversation material only as supporting historical context.

Topic ID	Topic	Source Paths	Classification	Disposition
project_identity	Project identity and purpose	README.md; docs/README.md	current_repo_truth	Use current repo orientation first; archive and conversations may only explain history.
canon_glossary_authority	Canon and glossary authority	docs/canon/constitution_v1.md; docs/canon/glossary_v1.md; AGENTS.md	current_repo_truth	Canon, glossary, and AGENTS outrank archive and generated outputs.
engine_game_runtime_product_boundaries	Engine/game/runtime/product boundaries	README.md; docs/architecture; docs/archive/conversations/_reconciliation	consistent_but_review_required	Boundary claims need current-doc support before promotion.
determinism_replay_provenance	Determinism, replay, and provenance	AGENTS.md; docs/canon/constitution_v1.md; docs/planning/ SNAPSHOT_INTAKE_PROTOCOL.md	current_repo_truth	Determinism and provenance constraints are binding where scoped by canon and governance.
process_only_mutation	Process-only mutation	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Authoritative truth mutation must occur through lawful deterministic Process execution.
law_authority_refusal_capabilities	Law, authority, refusal, and capability model	AGENTS.md; docs/canon/constitution_v1.md; docs/reference/contracts	current_repo_truth_with_review_needed	Current law and contracts govern; archive claims are advisory only.
pack_driven_integration	Pack-driven integration	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Optional content and capabilities must remain pack- and registry-driven.
profiles_over_modes	Profiles over runtime mode flags	AGENTS.md; docs/canon/constitution_v1.md	current_repo_truth	Hardcoded runtime mode branches remain prohibited.
workbench_aide_codex_tooling	Workbench/AIDE/Codex/tooling role	AGENTS.md; .aide/queue/current.toml; docs/archive/conversations/_synthesis	blocked_scope_sensitive	Tooling is active, but broad Workbench UI and native GUI work remain blocked by the queue.
conversation_corpus_role	Conversation corpus role	docs/archive/conversations/README.md; docs/archive/conversations/_exports	conversation_advisory_only	Conversation material is derived historical evidence, not current truth.
release_setup_launcher_platform	Release/setup/launcher/platform state	.aide/queue/current.toml; docs/release; docs/archive/conversations/_promotion	blocked_scope_sensitive	Release publication remains blocked unless a stronger current queue source opens it.
renderer_ui_native_gui_scope	Renderer/UI/native GUI scope	.aide/queue/current.toml; docs/archive/conversations/_reconciliation	blocked_by_current_queue	Renderer implementation and native GUI work remain blocked.
provider_package_runtime_scope	Provider/package runtime scope	.aide/queue/current.toml; docs/archive/conversations/_promotion	blocked_by_current_queue	Provider runtime, package runtime, and runtime module loading remain blocked.

8.3 Current Project Picture

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md - included

8.4 Docs Current Project Picture

Dominium's current documentation picture is authority layered. Canon, glossary, AGENTS.md, contract/schema law, current queue state, and validated repo artifacts are the highest-confidence sources. Archive and conversation material can explain how earlier ideas developed, but it cannot become current truth through this docs-corpus task.

8.4.1 Current Orientation

- Project orientation: README.md
- Documentation taxonomy: docs/README.md
- Canon: docs/canon/constitution_v1.md
- Glossary: docs/canon/glossary_v1.md
- Agent governance: AGENTS.md
- Queue state: .aide/queue/current.toml
- Foundation status: docs/repo/FOUNDATION_LOCK.md

8.4.2 Corpus Scale

- Files represented: 5116
- Markdown files: 4671
- Archive/conversation files: 3221

8.4.3 What Is Safe To Do With This Output

- Read the docs corpus as a map.
- Use archive material for provenance and review.
- Use generated contradictions and promotion queues to plan later tasks.
- Start later live-doc patches only through explicit narrow promotion tasks.

8.4.4 What This Output Does Not Do

- It does not promote archive claims.
- It does not rewrite canon, contracts, schema, implementation, release, or queue state.
- It does not open blocked renderer, gameplay, provider runtime, package runtime, broad Workbench UI, native GUI, or release publication work.

8.5 Canon Architecture Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_CANON_ARCHITECTURE_ALIGNMENT_v0.md - included

8.6 Docs Canon Architecture Alignment

This report maps high-authority documentation families without changing them.

8.6.1 Counts

- Canon files: 2
- Architecture files: 324
- Reference contract docs: 9

8.6.2 Canon Files

Path	Status	Stability	Binding Sources
docs/canon/constitution_v1.md	CANONICAL	stable	
docs/canon/glossary_v1.md	CANONICAL	stable	

8.6.3 Architecture Files

Row 1 Path: docs/architecture/ADAPTER_PATTERN.md; Status: DERIVED; Freshness: current; Risk: medium

Row 2 Path: docs/architecture/ADOPTION_PROTOCOL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 3 Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Status: DERIVED; Freshness: current; Risk: medium

Row 4 Path: docs/architecture/AI_BUDGET_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 5 Path: docs/architecture/AI_INTENT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 6 Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 7 Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 8 Path: docs/architecture/ANTI_ENTROPY_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 9 Path: docs/architecture/APPLICATION_CONTRACTS.md; Status: DERIVED; Freshness: current; Risk: medium

Row 10 Path: docs/architecture/APP_AUTOMATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 11	Path: docs/architecture/APP_CANON0.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 12	Path: docs/architecture/APP_CANON1.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 13	Path: docs/architecture/ARCH0_CONSTITUTION.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 14	Path: docs/architecture/ARCHITECTURE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 15	Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Status: DERIVED; Freshness: current; Risk: medium
Row 16	Path: docs/architecture/ARCHITECTURE_LAYERS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 17	Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 18	Path: docs/architecture/ARCHIVE_MANIFEST.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 19	Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 20	Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 21	Path: docs/architecture/ARCH_ENFORCEMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 22	Path: docs/architecture/ARCH_REPO_LAYOUT.md; Status: CANONICAL; Freshness: superseded; Risk: medium
Row 23	Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 24	Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Status: DERIVED; Freshness: current; Risk: medium
Row 25	Path: docs/architecture/ARTIFACT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 26	Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 27	Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 28	Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 29	Path: docs/architecture/AUTHORITY_IN_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 30	Path: docs/architecture/AUTHORITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 31	Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
Row 32	Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Status: DERIVED; Freshness: current; Risk: medium

- Row 33** Path: docs/architecture/BUDGET_POLICY.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 34** Path: docs/architecture/BUGREPORT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 35** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 36** Path: docs/architecture/BUNDLE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 37** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 38** Path: docs/architecture/CANON_CUT_LINE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 39** Path: docs/architecture/CANON_INDEX.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 40** Path: docs/architecture/CAPABILITY_BASELINES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 41** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 42** Path: docs/architecture/CHANGELOG_ARCH.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 43** Path: docs/architecture/CHANGE_PROTOCOL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 44** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 45** Path: docs/architecture/CHECKPOINTING_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 46** Path: docs/architecture/CHECKPOINTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 47** Path: docs/architecture/CIVILIZATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 48** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 49** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 50** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 51** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 52** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 53** Path: docs/architecture/COMPATIBILITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 54** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 55** Path: docs/architecture/COMPONENTS.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 56** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 57** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 58** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 59** Path: docs/architecture/CONTRACTS_INDEX.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 60** Path: docs/architecture/CONTROL_LAYERS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 61** Path: docs/architecture/CORE_ABSTRACTIONS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 62** Path: docs/architecture/CRASH_RECOVERY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 63** Path: docs/architecture/CROSS_SHARD_LOG.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 64** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 65** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 66** Path: docs/architecture/DECAY_EROSION_REGEN.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 67** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 68** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 69** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 70** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 71** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 72** Path: docs/architecture/DEV_OPS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 73** Path: docs/architecture/DIRECTORY_CONTEXT.md; Status: DERIVED; Freshness: superseded; Risk: medium
- Row 74** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Status: DERIVED; Freshness: superseded; Risk: medium
- Row 75** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 76** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 77** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 78** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 79** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 80** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 81** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 82** Path: docs/architecture/DOMAIN_VOLUMES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 83** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 84** Path: docs/architecture/ECONOMIC_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 85** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 86** Path: docs/architecture/ENERGY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 87** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 88** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 89** Path: docs/architecture/EPISTEMICS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 90** Path: docs/architecture/EXECUTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 91** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 92** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 93** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 94** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 95** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 96** Path: docs/architecture/EXPLORATION_METRICS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 97** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 98** Path: docs/architecture/EXTEND_VS_CREATE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 99** Path: docs/architecture/EXTENSION_MAP.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 100** Path: docs/architecture/EXTENSION_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 101** Path: docs/architecture/FABRICATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 102** Path: docs/architecture/FLOAT_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 103** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 104** Path: docs/architecture/FLUIDS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 105** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 106** Path: docs/architecture/FROZEN_CONTRACT_HASHES.json; Freshness: unclear; Risk: medium
- Row 107** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 108** Path: docs/architecture/FUTURE_PROOFING.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 109** Path: docs/architecture/GENERATED_CODE_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 110** Path: docs/architecture/GLOBAL_ID_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 111** Path: docs/architecture/GLOSSARY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 112** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 113** Path: docs/architecture/GUI_BASELINE.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 114** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 115** Path: docs/architecture/HAZARDS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 116** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 117** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 118** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 119** Path: docs/architecture/IDE_PROJECTIONS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 120** Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium

- Row 121** Path: docs/architecture/INDEXING_POLICY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 122** Path: docs/architecture/INFORMATION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 123** Path: docs/architecture/INSTALLER_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 124** Path: docs/architecture/INSTALL_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 125** Path: docs/architecture/INSTANCE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 126** Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 127** Path: docs/architecture/INTEREST_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 128** Path: docs/architecture/INVARIANTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 129** Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 130** Path: docs/architecture/INVARIANT_REGISTRY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 131** Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 132** Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 133** Path: docs/architecture/KNOWN_BLOCKERS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 134** Path: docs/architecture/KNOWN_WARNINGS.md; Status: DERIVED; Freshness: current; Risk: medium
- Row 135** Path: docs/architecture/LANGUAGE_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 136** Path: docs/architecture/LAUNCHER_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 137** Path: docs/architecture/LAW_AND_META_LAW.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 138** Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 139** Path: docs/architecture/LEGACY_SUPPORT_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 140** Path: docs/architecture/LEGACY_SUPPORT_STRATEGY.md; Status: CANONICAL; Freshness: current; Risk: medium
- Row 141** Path: docs/architecture/LIFE_AND_POPULATION.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 142	Path: docs/architecture/LIVE_EVOLUTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 143	Path: docs/architecture/LOCKFILES.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 144	Path: docs/architecture/LOCKLIST.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 145	Path: docs/architecture/LOCKLIST_OVERRIDES.json; Freshness: unclear; Risk: medium
Row 146	Path: docs/architecture/MACRO_TIME_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 147	Path: docs/architecture/MIGRATION_TEMPLATE.md; Status: DERIVED; Freshness: current; Risk: medium
Row 148	Path: docs/architecture/MMO_COMPATIBILITY.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 149	Path: docs/architecture/MMO_SAFETY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 150	Path: docs/architecture/MODES_AS_PROFILES.md; Status: DERIVED; Freshness: current; Risk: medium
Row 151	Path: docs/architecture/MODPACK_FORMAT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 152	Path: docs/architecture/MODULE_BOUNDARIES_v1.md; Status: DERIVED; Freshness: current; Risk: medium
Row 153	Path: docs/architecture/MODULE_INDEX_v1.md; Status: DERIVED; Freshness: current; Risk: medium
Row 154	Path: docs/architecture/MOD_ECOSYSTEM_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 155	Path: docs/architecture/MOVEMENT_AS_LOGISTICS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 156	Path: docs/architecture/NAMESPACING_RULES.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 157	Path: docs/architecture/NETWORKGRAPH_STANDARD.md; Status: DERIVED; Freshness: current; Risk: medium
Row 158	Path: docs/architecture/NON_INTERFERENCE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 159	Path: docs/architecture/NO_MAGIC_TELEPORTS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 160	Path: docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 161	Path: docs/architecture/OPS_TRANSACTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 162	Path: docs/architecture/OVERVIEW_ARCHITECTURE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 163	Path: docs/architecture/PACK_FORMAT.md; Status: CANONICAL; Freshness: current; Risk: medium

Row 164	Path: docs/architecture/PERFORMANCE_METRICS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 165	Path: docs/architecture/PERFORMANCE_PROOF.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 166	Path: docs/architecture/PIRACY_CONTAINMENT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 167	Path: docs/architecture/PLATFORM_RESPONSIBILITY.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 168	Path: docs/architecture/POST_CLEAN_2_STATUS.md; Status: DERIVED; Freshness: current; Risk: medium
Row 169	Path: docs/architecture/PROCESS_ONLY_MUTATION.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 170	Path: docs/architecture/PRODUCT_SHELL_CONTRACT.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 171	Path: docs/architecture/PROJECTION_LIFECYCLE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 172	Path: docs/architecture/PROJECT_EXECUTION_BASELINE.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 173	Path: docs/architecture/QUANTITY_BUNDLES.md; Status: DERIVED; Freshness: current; Risk: medium
Row 174	Path: docs/architecture/REALITY_FLOW.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 175	Path: docs/architecture/REALITY_LAYER.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 176	Path: docs/architecture/REALITY_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 177	Path: docs/architecture/REDUCTION_MODEL.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 178	Path: docs/architecture/REFINEMENT_CONTRACTS.md; Status: CANONICAL; Freshness: current; Risk: medium
Row 179	Path: docs/architecture/REFRACTOR_STAGE.md; Status: CANONICAL; Freshness: current; Risk: medium

Omitted 145 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

8.6.4 Reference Contract Docs

Path	Status	Freshness	Risk
docs/reference/contracts/CAPABILITY_NEGOTIATION_CONSTITUTION.md	CANONICAL	current	high
docs/reference/contracts/SEMANTIC_CONTRACT_MODEL.md	CANONICAL	current	high
docs/reference/contracts/authority_context.md	DERIVED	current	high
docs/reference/contracts/experience_profile.md	DERIVED	current	high
docs/reference/contracts/law_profile.md	DERIVED	current	high
docs/reference/contracts/lens_contract.md	DERIVED	current	high
docs/reference/contracts/refusal_contract.md	DERIVED	current	high
docs/reference/contracts/session_spec.md	DERIVED	current	high
docs/reference/contracts/versioning_and_migration.md	DERIVED	current	high

8.7 Archive Conversation Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_ARCHIVE_CONVERSATION_ALIGNMENT_v0.md - included

8.8 Docs Archive Conversation Alignment

Archive docs and the conversation corpus are aligned as historical/advisory evidence.

- Non-conversation archive files: 2460
- Conversation corpus files: 761
- Promotion status: not promoted

8.8.1 Alignment Rule

Archive docs can provide provenance. Conversation corpus outputs can provide design-intent summaries and review queues. Neither can override canon, contracts, schema, current queue state, or current docs in their authority scope.

8.9 Promotion Queue

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_PROMOTION_QUEUE_v0.md - excerpted

8.10 Docs Promotion Queue

This queue records later review candidates. It does not apply any live-doc patch.

- Row 1** Promotion ID: DOC-PROMOTE-0001; Source Path(s): docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 2** Promotion ID: DOC-PROMOTE-0002; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 3** Promotion ID: DOC-PROMOTE-0003; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 4** Promotion ID: DOC-PROMOTE-0004; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 5** Promotion ID: DOC-PROMOTE-0005; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 6** Promotion ID: DOC-PROMOTE-0006; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 7** Promotion ID: DOC-PROMOTE-0007; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 8** Promotion ID: DOC-PROMOTE-0008; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 9** Promotion ID: DOC-PROMOTE-0009; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 10** Promotion ID: DOC-PROMOTE-0010; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 11** Promotion ID: DOC-PROMOTE-0011; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 12** Promotion ID: DOC-PROMOTE-0012; Source Path(s): docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 13** Promotion ID: DOC-PROMOTE-0013; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 14** Promotion ID: DOC-PROMOTE-0014; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 15** Promotion ID: DOC-PROMOTE-0015; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 16** Promotion ID: DOC-PROMOTE-0016; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 17** Promotion ID: DOC-PROMOTE-0017; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 18** Promotion ID: DOC-PROMOTE-0018; Source Path(s): docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 19** Promotion ID: DOC-PROMOTE-0019; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 20** Promotion ID: DOC-PROMOTE-0020; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 21** Promotion ID: DOC-PROMOTE-0021; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 22** Promotion ID: DOC-PROMOTE-0022; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 23** Promotion ID: DOC-PROMOTE-0023; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 24** Promotion ID: DOC-PROMOTE-0024; Source Path(s): docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 25** Promotion ID: DOC-PROMOTE-0025; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 26** Promotion ID: DOC-PROMOTE-0026; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 27** Promotion ID: DOC-PROMOTE-0027; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 28** Promotion ID: DOC-PROMOTE-0028; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 29** Promotion ID: DOC-PROMOTE-0029; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 30** Promotion ID: DOC-PROMOTE-0030; Source Path(s): docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 31** Promotion ID: DOC-PROMOTE-0031; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 32** Promotion ID: DOC-PROMOTE-0032; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 33** Promotion ID: DOC-PROMOTE-0033; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 34** Promotion ID: DOC-PROMOTE-0034; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 35** Promotion ID: DOC-PROMOTE-0035; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 36** Promotion ID: DOC-PROMOTE-0036; Source Path(s): docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 37** Promotion ID: DOC-PROMOTE-0037; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 38** Promotion ID: DOC-PROMOTE-0038; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 39** Promotion ID: DOC-PROMOTE-0039; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 40** Promotion ID: DOC-PROMOTE-0040; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 41** Promotion ID: DOC-PROMOTE-0041; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 42** Promotion ID: DOC-PROMOTE-0042; Source Path(s): docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 43** Promotion ID: DOC-PROMOTE-0043; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 44** Promotion ID: DOC-PROMOTE-0044; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 45** Promotion ID: DOC-PROMOTE-0045; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 46** Promotion ID: DOC-PROMOTE-0046; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 47** Promotion ID: DOC-PROMOTE-0047; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 48** Promotion ID: DOC-PROMOTE-0048; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 49** Promotion ID: DOC-PROMOTE-0049; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 50** Promotion ID: DOC-PROMOTE-0050; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 51** Promotion ID: DOC-PROMOTE-0051; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 52** Promotion ID: DOC-PROMOTE-0052; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 53** Promotion ID: DOC-PROMOTE-0053; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 54** Promotion ID: DOC-PROMOTE-0054; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 55** Promotion ID: DOC-PROMOTE-0055; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 56** Promotion ID: DOC-PROMOTE-0056; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 57** Promotion ID: DOC-PROMOTE-0057; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 58** Promotion ID: DOC-PROMOTE-0058; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 59** Promotion ID: DOC-PROMOTE-0059; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 60** Promotion ID: DOC-PROMOTE-0060; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 61** Promotion ID: DOC-PROMOTE-0061; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 62** Promotion ID: DOC-PROMOTE-0062; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 63** Promotion ID: DOC-PROMOTE-0063; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 64** Promotion ID: DOC-PROMOTE-0064; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 65** Promotion ID: DOC-PROMOTE-0065; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 66** Promotion ID: DOC-PROMOTE-0066; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 67** Promotion ID: DOC-PROMOTE-0067; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 68** Promotion ID: DOC-PROMOTE-0068; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 69** Promotion ID: DOC-PROMOTE-0069; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 70** Promotion ID: DOC-PROMOTE-0070; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 71** Promotion ID: DOC-PROMOTE-0071; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 72** Promotion ID: DOC-PROMOTE-0072; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 73** Promotion ID: DOC-PROMOTE-0073; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 74** Promotion ID: DOC-PROMOTE-0074; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 75** Promotion ID: DOC-PROMOTE-0075; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 76** Promotion ID: DOC-PROMOTE-0076; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 77** Promotion ID: DOC-PROMOTE-0077; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 78** Promotion ID: DOC-PROMOTE-0078; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 79** Promotion ID: DOC-PROMOTE-0079; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 80** Promotion ID: DOC-PROMOTE-0080; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 81** Promotion ID: DOC-PROMOTE-0081; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 82** Promotion ID: DOC-PROMOTE-0082; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 83** Promotion ID: DOC-PROMOTE-0083; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 84** Promotion ID: DOC-PROMOTE-0084; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 85** Promotion ID: DOC-PROMOTE-0085; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 86** Promotion ID: DOC-PROMOTE-0086; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 87** Promotion ID: DOC-PROMOTE-0087; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 88** Promotion ID: DOC-PROMOTE-0088; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 89** Promotion ID: DOC-PROMOTE-0089; Source Path(s): docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 90** Promotion ID: DOC-PROMOTE-0090; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 91** Promotion ID: DOC-PROMOTE-0091; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_human_readable_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 92** Promotion ID: DOC-PROMOTE-0092; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 93** Promotion ID: DOC-PROMOTE-0093; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 94** Promotion ID: DOC-PROMOTE-0094; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 95** Promotion ID: DOC-PROMOTE-0095; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 96** Promotion ID: DOC-PROMOTE-0096; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 97** Promotion ID: DOC-PROMOTE-0097; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 98** Promotion ID: DOC-PROMOTE-0098; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 99** Promotion ID: DOC-PROMOTE-0099; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 100** Promotion ID: DOC-PROMOTE-0100; Source Path(s): docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 101** Promotion ID: DOC-PROMOTE-0101; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 102** Promotion ID: DOC-PROMOTE-0102; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 103** Promotion ID: DOC-PROMOTE-0103; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 104** Promotion ID: DOC-PROMOTE-0104; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 105** Promotion ID: DOC-PROMOTE-0105; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 106** Promotion ID: DOC-PROMOTE-0106; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 107** Promotion ID: DOC-PROMOTE-0107; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 108** Promotion ID: DOC-PROMOTE-0108; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 109** Promotion ID: DOC-PROMOTE-0109; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 110** Promotion ID: DOC-PROMOTE-0110; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__10_accompanying_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 111** Promotion ID: DOC-PROMOTE-0111; Source Path(s): docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__11_package_quality_check.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 112** Promotion ID: DOC-PROMOTE-0112; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 113** Promotion ID: DOC-PROMOTE-0113; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 114** Promotion ID: DOC-PROMOTE-0114; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 115** Promotion ID: DOC-PROMOTE-0115; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 116** Promotion ID: DOC-PROMOTE-0116; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 117** Promotion ID: DOC-PROMOTE-0117; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 118** Promotion ID: DOC-PROMOTE-0118; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 119** Promotion ID: DOC-PROMOTE-0119; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 120** Promotion ID: DOC-PROMOTE-0120; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 121** Promotion ID: DOC-PROMOTE-0121; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__10_accompanying_detailed_conversation_summary_and_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 122** Promotion ID: DOC-PROMOTE-0122; Source Path(s): docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__11_package_integrity_check.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 123** Promotion ID: DOC-PROMOTE-0123; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 124** Promotion ID: DOC-PROMOTE-0124; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 125** Promotion ID: DOC-PROMOTE-0125; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 126** Promotion ID: DOC-PROMOTE-0126; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 127** Promotion ID: DOC-PROMOTE-0127; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 128** Promotion ID: DOC-PROMOTE-0128; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 129** Promotion ID: DOC-PROMOTE-0129; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 130** Promotion ID: DOC-PROMOTE-0130; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 131** Promotion ID: DOC-PROMOTE-0131; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 132** Promotion ID: DOC-PROMOTE-0132; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__10_accompanying_detailed_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 133** Promotion ID: DOC-PROMOTE-0133; Source Path(s): docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__11_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 134** Promotion ID: DOC-PROMOTE-0134; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 135** Promotion ID: DOC-PROMOTE-0135; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 136** Promotion ID: DOC-PROMOTE-0136; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 137** Promotion ID: DOC-PROMOTE-0137; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 138** Promotion ID: DOC-PROMOTE-0138; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 139** Promotion ID: DOC-PROMOTE-0139; Source Path(s): docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 140** Promotion ID: DOC-PROMOTE-0140; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 141** Promotion ID: DOC-PROMOTE-0141; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 142** Promotion ID: DOC-PROMOTE-0142; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 143** Promotion ID: DOC-PROMOTE-0143; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 144** Promotion ID: DOC-PROMOTE-0144; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 145** Promotion ID: DOC-PROMOTE-0145; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 146** Promotion ID: DOC-PROMOTE-0146; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 147** Promotion ID: DOC-PROMOTE-0147; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 148** Promotion ID: DOC-PROMOTE-0148; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 149** Promotion ID: DOC-PROMOTE-0149; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__10_accompanying_detailed_conversation_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 150** Promotion ID: DOC-PROMOTE-0150; Source Path(s): docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__11_complete_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 151** Promotion ID: DOC-PROMOTE-0151; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 152** Promotion ID: DOC-PROMOTE-0152; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 153** Promotion ID: DOC-PROMOTE-0153; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 154** Promotion ID: DOC-PROMOTE-0154; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 155** Promotion ID: DOC-PROMOTE-0155; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 156** Promotion ID: DOC-PROMOTE-0156; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 157** Promotion ID: DOC-PROMOTE-0157; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 158** Promotion ID: DOC-PROMOTE-0158; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 159** Promotion ID: DOC-PROMOTE-0159; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 160** Promotion ID: DOC-PROMOTE-0160; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__10_accompanying_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 161** Promotion ID: DOC-PROMOTE-0161; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__11_complete_bundle_verification_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 162** Promotion ID: DOC-PROMOTE-0162; Source Path(s): docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__12_complete_companion_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 163** Promotion ID: DOC-PROMOTE-0163; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__00_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 164** Promotion ID: DOC-PROMOTE-0164; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header meta-data in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 165** Promotion ID: DOC-PROMOTE-0165; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__02_context_transfer_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header meta-data in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 166** Promotion ID: DOC-PROMOTE-0166; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 167** Promotion ID: DOC-PROMOTE-0167; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__05_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header meta-data in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 168** Promotion ID: DOC-PROMOTE-0168; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__06_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 169** Promotion ID: DOC-PROMOTE-0169; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__07_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 170** Promotion ID: DOC-PROMOTE-0170; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__08_future_chat_bootstrap_prompt.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 171** Promotion ID: DOC-PROMOTE-0171; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__09_in_chat_reader.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 172** Promotion ID: DOC-PROMOTE-0172; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__10_accompanying_detailed_summary_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 173** Promotion ID: DOC-PROMOTE-0173; Source Path(s): docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__11_consolidated_bundle_manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 174** Promotion ID: DOC-PROMOTE-0174; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__01_full_chat_report.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 175** Promotion ID: DOC-PROMOTE-0175; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__03_aggregator_packet.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

- Row 176** Promotion ID: DOC-PROMOTE-0176; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__04_registers.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 177** Promotion ID: DOC-PROMOTE-0177; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__05_reader_brief.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 178** Promotion ID: DOC-PROMOTE-0178; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__06_verification_and_audit.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted
- Row 179** Promotion ID: DOC-PROMOTE-0179; Source Path(s): docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__manifest.md; Type: docs_hygiene_candidate; Recommended Next Action: Add or review status/header metadata in a later allowed docs-only task.; Promotion Status: not_promoted

Omitted 21 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

Verify

This section is excerpted for readability. See the source path for the full report.

8.11 Decision Docket

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_DECISION_DOCKET_v0.md - included

8.12 Docs Decision Docket

Decision items are review prompts. The default disposition is defer unless a later explicit task opens the scope.

- Row 1** Decision ID: DOC-DECIDE-0001; Source/Finding: DOC-CONTRA-0001; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 2** Decision ID: DOC-DECIDE-0002; Source/Finding: DOC-CONTRA-0002; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 3** Decision ID: DOC-DECIDE-0003; Source/Finding: DOC-CONTRA-0003; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 4** Decision ID: DOC-DECIDE-0004; Source/Finding: DOC-CONTRA-0004; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review

- Row 5** Decision ID: DOC-DECIDE-0005; Source/Finding: DOC-CONTRA-0005; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 6** Decision ID: DOC-DECIDE-0006; Source/Finding: DOC-CONTRA-0006; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 7** Decision ID: DOC-DECIDE-0007; Source/Finding: DOC-CONTRA-0007; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 8** Decision ID: DOC-DECIDE-0008; Source/Finding: DOC-CONTRA-0008; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 9** Decision ID: DOC-DECIDE-0009; Source/Finding: DOC-CONTRA-0009; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 10** Decision ID: DOC-DECIDE-0010; Source/Finding: DOC-CONTRA-0010; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 11** Decision ID: DOC-DECIDE-0011; Source/Finding: DOC-CONTRA-0011; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 12** Decision ID: DOC-DECIDE-0012; Source/Finding: DOC-CONTRA-0012; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 13** Decision ID: DOC-DECIDE-0013; Source/Finding: DOC-CONTRA-0013; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 14** Decision ID: DOC-DECIDE-0014; Source/Finding: DOC-CONTRA-0014; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 15** Decision ID: DOC-DECIDE-0015; Source/Finding: DOC-CONTRA-0015; Question: Should this archive artifact remain historical or be superseded by a current doc cross-reference?; Decision Type: repo_authority_decision; Risk: medium; Recommended Default: defer_until_targeted_review
- Row 16** Decision ID: DOC-DECIDE-0016; Source/Finding: DOC-CONTRA-0016; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 17** Decision ID: DOC-DECIDE-0017; Source/Finding: DOC-CONTRA-0017; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 18** Decision ID: DOC-DECIDE-0018; Source/Finding: DOC-CONTRA-0018; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 19** Decision ID: DOC-DECIDE-0019; Source/Finding: DOC-CONTRA-0019; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review

- [illegible]

- Row 35** Decision ID: DOC-DECIDE-0035; Source/Finding: DOC-CONTRA-0035; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 36** Decision ID: DOC-DECIDE-0036; Source/Finding: DOC-CONTRA-0036; Question: Does the archive version contain useful historical context that should be summarized elsewhere?; Decision Type: future_docs_hygiene_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 37** Decision ID: DOC-DECIDE-0037; Source/Finding: DOC-CONTRA-0037; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 38** Decision ID: DOC-DECIDE-0038; Source/Finding: DOC-CONTRA-0038; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 39** Decision ID: DOC-DECIDE-0039; Source/Finding: DOC-CONTRA-0039; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 40** Decision ID: DOC-DECIDE-0040; Source/Finding: DOC-CONTRA-0040; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 41** Decision ID: DOC-DECIDE-0041; Source/Finding: DOC-CONTRA-0041; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 42** Decision ID: DOC-DECIDE-0042; Source/Finding: DOC-CONTRA-0042; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 43** Decision ID: DOC-DECIDE-0043; Source/Finding: DOC-CONTRA-0043; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 44** Decision ID: DOC-DECIDE-0044; Source/Finding: DOC-CONTRA-0044; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 45** Decision ID: DOC-DECIDE-0045; Source/Finding: DOC-CONTRA-0045; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 46** Decision ID: DOC-DECIDE-0046; Source/Finding: DOC-CONTRA-0046; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 47** Decision ID: DOC-DECIDE-0047; Source/Finding: DOC-CONTRA-0047; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 48** Decision ID: DOC-DECIDE-0048; Source/Finding: DOC-CONTRA-0048; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 49** Decision ID: DOC-DECIDE-0049; Source/Finding: DOC-CONTRA-0049; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review

- [illegible]

- Row 80** Decision ID: DOC-DECIDE-0080; Source/Finding: DOC-CONTRA-0080; Question: Should this doc get an explicit authority/status header in a later docs-only promotion wave?; Decision Type: repo_authority_decision; Risk: low; Recommended Default: defer_until_targeted_review
- Row 81** Decision ID: DOC-DECIDE-BLOCK-0001; Source/Finding: queue; Question: Should broad Workbench UI remain closed until a later queue phase explicitly opens it?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 82** Decision ID: DOC-DECIDE-BLOCK-0002; Source/Finding: queue; Question: Should renderer implementation remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 83** Decision ID: DOC-DECIDE-BLOCK-0003; Source/Finding: queue; Question: Should provider/package runtime work remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer
- Row 84** Decision ID: DOC-DECIDE-BLOCK-0004; Source/Finding: queue; Question: Should release publication remain blocked?; Decision Type: future_queue_decision; Risk: high; Recommended Default: defer

8.13 Blocked Scope Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_reconciliation/DOCS_BLOCKED_SCOPE_ALIGNMENT_v0.md - included

8.14 Docs Blocked Scope Alignment

The current queue blocks these broad work areas. Docs-corpus outputs record them for navigation only.

- Row 1** Blocked Scope: broad_workbench_ui; Authority Source: .aide/queue/current.toml; Matching Docs Paths: 1; Examples: docs/development/workbench_module_guidelines.md; Disposition: blocked_by_current_queue
- Row 2** Blocked Scope: runtime_module_loader; Authority Source: .aide/queue/current.toml; Matching Docs Paths: 0; Disposition: blocked_by_current_queue
- Row 3** Blocked Scope: provider_runtime; Authority Source: .aide/queue/current.toml; Matching Docs Paths: 52; Examples: docs/architecture/TERRAIN_PROVIDER_CHAIN.md; docs/architecture/provider_conformance_law.md; docs/architecture/provider_model.md; docs/architecture/provider_selection_model.md; docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md; docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md; docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md; docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__03_spec_sheet.yaml; Disposition: blocked_by_current_queue
- Row 4** Blocked Scope: package_runtime; Authority Source: .aide/queue/current.toml; Matching Docs Paths: 0; Disposition: blocked_by_current_queue
- Row 5** Blocked Scope: gameplay; Authority Source: .aide/queue/current.toml; Matching Docs Paths: 11; Examples: docs/archive/audit/MVP_GAMEPLAY0_RETRO_AUDIT.md; docs/archive/audit/MVP_GAMEPLAY__BASELINE.md; docs/archive/audit/MVP_GAMEPLAY_LOOP_RUN.md; docs/archive/audit/MVP_GAMEPLAY_VERIFY.md; docs/game/gameplay/CONSTRUCTION_MODEL.md; docs/game/gameplay/FAILURE_AND_MAINTENANCE.md; docs/game/gameplay/ITERATION_MODEL.md; docs/game/gameplay/NETWORKS.md; Disposition: blocked_by_current_queue

- Row 6** Blocked Scope: `renderer_implementation`; Authority Source: `.aide/queue/current.toml`; Matching Docs Paths: 27; Examples: `docs/apps/CLIENT_RENDERER_UI.md`; `docs/architecture/RENDERER_RESPONSIBILITY.md`; `docs/archive/audit/PLATFORM_RENDERER_BACKENDS_BASELINE.md`; `docs/archive/audit/PLATFORM_RENDERER_MATRIX.md`; `docs/archive/audit/PLATFORM_RENDERER_SURFACE.md`; `docs/archive/audit/RENDERER_BASELINE_REPORT.md`; `docs/archive/conversations/_reader/by_chat/app_runtime_platform_renderers.md`; `docs/archive/conversations/_reader/by_chat/platform_renderer_api_plan.md`; Disposition: `blocked_by_current_queue`
- Row 7** Blocked Scope: `native_gui`; Authority Source: `.aide/queue/current.toml`; Matching Docs Paths: 0; Disposition: `blocked_by_current_queue`
- Row 8** Blocked Scope: `release_publication`; Authority Source: `.aide/queue/current.toml`; Matching Docs Paths: 2; Examples: `docs/release/PUBLICATION_AND_TRUST_EXECUTION_OPERATIONALIZATION_GATES.md`; `docs/release/PUBLICATION_TRUST_AND_LICENSING_GATES.md`; Disposition: `blocked_by_current_queue`

Chapter 9

Docs-Corpus Wiki

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

9.1 Archive Archaeology

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/archive_archaeology.md - included

9.2 Archive Archaeology

Archive material is historical and provenance-bearing. See `_archive/DOCS_ARCHIVE_ATLAS_v0.md`, `_archive/DOCS_ARCHIVE_FAMILIES_v0.md`, and `_archive/DOCS_ARCHIVE_TO_CURRENT_CROSSWALK_v0.md`.

9.3 Contradictions

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/contradictions.md - included

9.4 Contradictions

Contradiction and drift findings are in `_audit/DOCS_CONTRADICTION_MATRIX_v0.md` and `_audit/DOCS_DRIFT_MATRIX_v0.md`.

9.5 Conversation Corpus

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/conversation_corpus.md - included

9.6 Conversation Corpus

The conversation corpus is advisory derived history. It is represented in this docs corpus and has its own book bundle under docs/archive/conversations/_exports/.

9.7 Current Authority

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/current_authority.md - included

9.8 Current Authority

Current authority begins with canon, glossary, AGENTS.md, contracts/schema law, the current queue, and validated repo artifacts. See _reconciliation/DOCS_REPO_TRUTH_CROSSWALK_v0.md and _audit/DOCS_AUTHORITY_MAP_v0.md.

9.9 Decisions

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/decisions.md - included

9.10 Decisions

Decision prompts are collected in _reconciliation/DOCS_DECISION_DOCKET_v0.md. They preserve defer as the default where current authority or queue state does not open a scope.

9.11 Archive Audit

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_audit.md - included

9.12 archive/audit

Archive family `archive/audit` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.13 Archive Blueprint

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/docs_corpus/_wiki/families/archive_blueprint.md` - included

9.14 archive/blueprint

Archive family `archive/blueprint` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.15 Archive Conversations

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/docs_corpus/_wiki/families/archive_conversations.md` - included

9.16 archive/conversations

Archive family `archive/conversations` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.17 Archive Impact

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/docs_corpus/_wiki/families/archive_impact.md` - included

9.18 archive/impact

Archive family `archive/impact` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.19 Archive Omega

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_omega.md - included

9.20 archive/omega

Archive family `archive/omega` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.21 Archive Platform

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_platform.md - included

9.22 archive/platform

Archive family `archive/platform` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.23 Archive Post Canon

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_post_canon.md - included

9.24 archive/post-canon

Archive family `archive/post-canon` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.25 Archive Prompts

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_prompts.md - included

9.26 archive/prompts

Archive family `archive/prompts` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.27 Archive Refactor

Source

```
DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/
archive_refactor.md - included
```

9.28 archive/refactor

Archive family `archive/refactor` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.29 Archive Repox

Source

```
DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/
archive_repos.md - included
```

9.30 archive/repos

Archive family `archive/repos` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.31 Archive Restructure

Source

```
DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/
archive_restructure.md - included
```

9.32 archive/restructure

Archive family `archive/restructure` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.33 Archive Specs

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_specs.md - included

9.34 archive/specs

Archive family `archive/specs` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.35 Archive Stray Root DOCS

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/archive_stray_root_docs.md - included

9.36 archive/strayrootdocs

Archive family `archive/stray_root_docs` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.37 Other Archive Unknown

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/families/other_archive_unknown.md - included

9.38 other/archive__unknown

Archive family `other/archive_unknown` is historical/provenance material. See `_archive/DOCS_ARCHIVE_FAMILIES_v0.md` for file listings.

9.39 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/index.md - included

9.40 Docs Corpus Wiki

This repo-local wiki navigates the derived docs-corpus outputs.

9.40.1 Start Here

- Current Authority `current_authority.md`
- Archive Archaeology `archive_archaeology.md`
- Conversation Corpus `conversation_corpus.md`
- Decisions `decisions.md`
- Promotion Candidates `promotion_candidates.md`
- Contradictions `contradictions.md`
- Staleness and Verification `staleness_and_verification.md`
- Source Index `source_index.md`
- Reading Paths `reading_paths.md`

9.41 Promotion Candidates

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/promotion_candidates.md - included

9.42 Promotion Candidates

Promotion candidates are review items only. See `_reconciliation/DOCS_PROMOTION_QUEUE_v0.md`; no live docs are patched by this corpus task.

9.43 Reading Paths

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/reading_paths.md - included

9.44 Reading Paths

Reading Path	Start With
Start Here	<code>_book/chapters/00_front_matter.md</code> , then <code>_reconciliation/DOCS_CURRENT_PROJECT_PICTURE_v0.md</code> .
Current Authority Reader	<code>_audit/DOCS_AUTHORITY_MAP_v0.md</code> and <code>_reconciliation/DOCS_REPO_TRUTH_CROSSWALK_v0.md</code> .
Canon and Architecture Reader	<code>_reconciliation/DOCS_CANON_ARCHITECTURE_ALIGNMENT_v0.md</code> .
Runtime/Product Reader	<code>_wiki/topics/runtime_product_tooling.md</code> .
Workbench/AIDE/Codex Reader	<code>_wiki/topics/workbench_aide_codex.md</code> .
Release/Setup/Launcher Reader	<code>_wiki/topics/release_setup_launcher.md</code> .
World/Simulation/Domain Reader	<code>_wiki/topics/world_simulation_domain.md</code> .
Archive Archaeology Reader	<code>_archive/DOCS_ARCHIVE_ATLAS_v0.md</code> .
Conversation Corpus Reader	<code>_archive/DOCS_CONVERSATION_CORPUS_INTEGRATION_v0.md</code> .
Decision Review Reader	<code>_reconciliation/DOCS_DECISION_DOCKET_v0.md</code> .
Promotion Review Reader	<code>_reconciliation/DOCS_PROMOTION_QUEUE_v0.md</code> .
Contradiction/Staleness Reader	<code>_audit/DOCS_CONTRADICTION_MATRIX_v0.md</code> and <code>_audit/DOCS_STALENESS_AND_VERIFICATION_v0.md</code> .
Source Provenance Reader	<code>_intake/DOCS_SOURCE_INDEX_v0.md</code> .

9.45 Source Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/source_index.md - included

9.46 Source Index

The full source index is `_intake/DOCS_SOURCE_INDEX_v0.md`; machine-readable metadata is `_intake/DOCS_CORPUS_MANIFEST.json`.

9.47 Staleness And Verification

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/staleness_and_verification.md - included

9.48 Staleness and Verification

Use `_audit/DOCS_STALENESS_AND_VERIFICATION_v0.md` before relying on archive, generated, or unclear-status material.

9.49 Authority And Governance

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/authority_and_governance.md - included

9.50 Authority And Governance

Canon, glossary, AGENTS.md, authority order, and snapshot intake govern interpretation.

9.51 Contracts Schema

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/contracts_schema.md - included

9.52 Contracts Schema

Contracts/schema references remain authority-sensitive; docs-corpus output is only a map.

9.53 Release Setup Launcher

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/release_setup_launcher.md - included

9.54 Release Setup Launcher

Release/setup/launcher claims require current release/control-plane authority and cannot open release publication scope.

9.55 Runtime Product Tooling

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/runtime_product_tooling.md - included

9.56 Runtime Product Tooling

Runtime/product/tooling docs are mapped as current guidance unless blocked by queue or scoped by stronger contracts.

9.57 Workbench AIDE Codex

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/workbench_aide_codex.md - included

9.58 Workbench Aide Codex

Workbench/AIDE/Codex materials are useful but broad Workbench UI and native GUI work remain blocked by queue state.

9.59 World Simulation Domain

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/docs_corpus/_wiki/topics/world_simulation_domain.md - included

9.60 World Simulation Domain

World/reality/civilization/worldgen claims require semantic-domain authority and current queue allowance.

Chapter 10

Conversation Corpus Generated Layers

Source

Reference material. Source paths are preserved as provenance, but repeated metadata is compacted.

10.1 Contradiction Matrix

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/
CONTRADICTION_MATRIX.md - excerpted

10.2 Contradiction Matrix

Findings are review queues, not resolved doctrine.

- Row 1** ID: CONTRA-0001; Class: conversation_vs_current_queue; Source: advanced_simulation_infrastructure; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: medium; Disposition: `preserve_as_history`; require current queue authority before action
- Row 2** ID: CONTRA-0002; Class: stale_external_claim; Source: advanced_simulation_infrastructure; Claim: Archived conversation contains potentially stale external or baseline claim: C89.; Conflict Target: `README.md / current platform and language baseline`; Severity: low; Disposition: quarantined until current repo and external facts are checked
- Row 3** ID: CONTRA-0003; Class: stale_external_claim; Source: advanced_simulation_infrastructure; Claim: Archived conversation contains potentially stale external or baseline claim: C++98.; Conflict Target: `README.md / current platform and language baseline`; Severity: low; Disposition: quarantined until current repo and external facts are checked
- Row 4** ID: CONTRA-0004; Class: stale_external_claim; Source: advanced_simulation_infrastructure; Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.; Conflict Target: `README.md / current platform and language baseline`; Severity: low; Disposition: quarantined until current repo and external facts are checked
- Row 5** ID: CONTRA-0005; Class: conversation_vs_current_queue; Source: app_runtime_platform_renderers; Claim: Archived conversation discusses work related to blocked scope `runtime_module_loader`.; Conflict Target: `.aide/queue/current.toml`; Severity: medium; Disposition: `preserve_as_history`; require current queue authority before action

- Row 6** ID: CONTRA-0006; Class: `conversation_vs_current_queue`; Source: `app_runtime_platform_renderers`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 7** ID: CONTRA-0007; Class: `conversation_vs_current_queue`; Source: `app_runtime_platform_renderers`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 8** ID: CONTRA-0008; Class: `conversation_vs_current_queue`; Source: `app_runtime_platform_renderers`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 9** ID: CONTRA-0009; Class: `stale_external_claim`; Source: `app_runtime_platform_renderers`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 10** ID: CONTRA-0010; Class: `conversation_vs_current_queue`; Source: `app_testx_codehygiene`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 11** ID: CONTRA-0011; Class: `conversation_vs_current_queue`; Source: `app_testx_codehygiene`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 12** ID: CONTRA-0012; Class: `stale_external_claim`; Source: `app_testx_codehygiene`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 13** ID: CONTRA-0013; Class: `stale_external_claim`; Source: `app_testx_codehygiene`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 14** ID: CONTRA-0014; Class: `stale_external_claim`; Source: `app_testx_codehygiene`; Claim: Archived conversation contains potentially stale external or baseline claim: `DX12`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 15** ID: CONTRA-0015; Class: `stale_external_claim`; Source: `app_testx_codehygiene`; Claim: Archived conversation contains potentially stale external or baseline claim: `iOS`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 16** ID: CONTRA-0016; Class: `conversation_vs_current_queue`; Source: `architecture_codex_prompts`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 17** ID: CONTRA-0017; Class: `conversation_vs_current_queue`; Source: `architecture_codex_prompts`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 18** ID: CONTRA-0018; Class: `stale_external_claim`; Source: `architecture_codex_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 19** ID: CONTRA-0019; Class: `stale_external_claim`; Source: `architecture_codex_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 20** ID: CONTRA-0020; Class: `stale_external_claim`; Source: `architecture_codex_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `ISO C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 21** ID: CONTRA-0021; Class: `conversation_vs_current_queue`; Source: `architecture_ui_providers`; Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 22** ID: CONTRA-0022; Class: `conversation_vs_current_queue`; Source: `architecture_ui_providers`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 23** ID: CONTRA-0023; Class: `conversation_vs_current_queue`; Source: `architecture_ui_providers`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 24** ID: CONTRA-0024; Class: `conversation_vs_current_queue`; Source: `architecture_ui_providers`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 25** ID: CONTRA-0025; Class: `conversation_vs_current_queue`; Source: `architecture_ui_providers`; Claim: Archived conversation discusses work related to blocked scope `native_gui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 26** ID: CONTRA-0026; Class: `stale_external_claim`; Source: `architecture_ui_providers`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 27** ID: CONTRA-0027; Class: `stale_external_claim`; Source: `architecture_ui_providers`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 28** ID: CONTRA-0028; Class: `stale_external_claim`; Source: `architecture_ui_providers`; Claim: Archived conversation contains potentially stale external or baseline claim: `DX12.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 29** ID: CONTRA-0029; Class: `stale_external_claim`; Source: `architecture_ui_providers`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked

- Row 30** ID: CONTRA-0030; Class: `stale_external_claim`; Source: `Build_and_Future_Proofing`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 31** ID: CONTRA-0031; Class: `stale_external_claim`; Source: `Build_and_Future_Proofing`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 32** ID: CONTRA-0032; Class: `stale_external_claim`; Source: `Build_and_Future_Proofing`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 33** ID: CONTRA-0033; Class: `conversation_vs_current_queue`; Source: `canonical_structure_and_framework`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 34** ID: CONTRA-0034; Class: `conversation_vs_current_queue`; Source: `canonical_structure_and_framework`; Claim: Archived conversation discusses work related to blocked scope `package_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 35** ID: CONTRA-0035; Class: `conversation_vs_current_queue`; Source: `canonical_structure_and_framework`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 36** ID: CONTRA-0036; Class: `conversation_vs_current_queue`; Source: `canonical_structure_and_framework`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 37** ID: CONTRA-0037; Class: `conversation_vs_current_queue`; Source: `canonical_structure_and_framework`; Claim: Archived conversation discusses work related to blocked scope `native_gui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 38** ID: CONTRA-0038; Class: `stale_external_claim`; Source: `canonical_structure_and_framework`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 39** ID: CONTRA-0039; Class: `stale_external_claim`; Source: `canonical_structure_and_framework`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 40** ID: CONTRA-0040; Class: `stale_external_claim`; Source: `canonical_structure_and_framework`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 41** ID: CONTRA-0041; Class: `conversation_vs_current_queue`; Source: `Chronology_Celestial_Systems`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 42** ID: CONTRA-0042; Class: `conversation_vs_current_queue`; Source: `development_routes`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 43** ID: CONTRA-0043; Class: `stale_external_claim`; Source: `development_routes`; Claim: Archived conversation contains potentially stale external or baseline claim: `iOS.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 44** ID: CONTRA-0044; Class: `stale_external_claim`; Source: `documentation_standards_readme`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 45** ID: CONTRA-0045; Class: `stale_external_claim`; Source: `documentation_standards_readme`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 46** ID: CONTRA-0046; Class: `stale_external_claim`; Source: `documentation_standards_readme`; Claim: Archived conversation contains potentially stale external or baseline claim: `ISO C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 47** ID: CONTRA-0047; Class: `stale_external_claim`; Source: `documentation_standards_readme`; Claim: Archived conversation contains potentially stale external or baseline claim: `iOS.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 48** ID: CONTRA-0048; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_I`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 49** ID: CONTRA-0049; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_I`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 50** ID: CONTRA-0050; Class: `stale_external_claim`; Source: `Dominium_Architecture_I`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 51** ID: CONTRA-0051; Class: `stale_external_claim`; Source: `Dominium_Architecture_I`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 52** ID: CONTRA-0052; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_II`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 53** ID: CONTRA-0053; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_II`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 54** ID: CONTRA-0054; Class: `stale_external_claim`; Source: `Dominium_Architecture_II`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 55** ID: CONTRA-0055; Class: `stale_external_claim`; Source: `Dominium_Architecture_II`; Claim: Archived conversation contains potentially stale external or baseline claim: `Windows 98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 56** ID: CONTRA-0056; Class: `stale_external_claim`; Source: `Dominium_Architecture_II`; Claim: Archived conversation contains potentially stale external or baseline claim: `Windows NT 2000.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 57** ID: CONTRA-0057; Class: `stale_external_claim`; Source: `Dominium_Architecture_II`; Claim: Archived conversation contains potentially stale external or baseline claim: `DX12.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 58** ID: CONTRA-0058; Class: `stale_external_claim`; Source: `Dominium_Architecture_II`; Claim: Archived conversation contains potentially stale external or baseline claim: `Android.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 59** ID: CONTRA-0059; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_III`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 60** ID: CONTRA-0060; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_III`; Claim: Archived conversation discusses work related to blocked scope `release_publication.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 61** ID: CONTRA-0061; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 62** ID: CONTRA-0062; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 63** ID: CONTRA-0063; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `Win98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 64** ID: CONTRA-0064; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `Windows 98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 65** ID: CONTRA-0065; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `Windows NT 2000.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked

- Row 66** ID: CONTRA-0066; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `Mac OS 9.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 67** ID: CONTRA-0067; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `Mac OS 8.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 68** ID: CONTRA-0068; Class: `stale_external_claim`; Source: `Dominium_Architecture_III`; Claim: Archived conversation contains potentially stale external or baseline claim: `DX12.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 69** ID: CONTRA-0069; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 70** ID: CONTRA-0070; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 71** ID: CONTRA-0071; Class: `conversation_vs_current_queue`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation discusses work related to blocked scope `native_gui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 72** ID: CONTRA-0072; Class: `stale_external_claim`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation contains potentially stale external or baseline claim: `CP/M.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 73** ID: CONTRA-0073; Class: `stale_external_claim`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation contains potentially stale external or baseline claim: `Android.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 74** ID: CONTRA-0074; Class: `stale_external_claim`; Source: `Dominium_Architecture_IV`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 75** ID: CONTRA-0075; Class: `conversation_vs_current_queue`; Source: `Dominium_Complete_Conversation`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 76** ID: CONTRA-0076; Class: `stale_external_claim`; Source: `Dominium_Complete_Conversation`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 77** ID: CONTRA-0077; Class: `stale_external_claim`; Source: `Dominium_Complete_Conversation`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked

- Row 78** ID: CONTRA-0078; Class: `stale_external_claim`; Source: `dominium_domino_codex_planning`; Claim: Archived conversation contains potentially stale external or baseline claim: C89.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 79** ID: CONTRA-0079; Class: `stale_external_claim`; Source: `dominium_domino_codex_planning`; Claim: Archived conversation contains potentially stale external or baseline claim: C++98.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 80** ID: CONTRA-0080; Class: `stale_external_claim`; Source: `dominium_domino_codex_planning`; Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 81** ID: CONTRA-0081; Class: `stale_external_claim`; Source: `dominium_domino_codex_planning`; Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 82** ID: CONTRA-0082; Class: `stale_external_claim`; Source: `dominium_domino_codex_planning`; Claim: Archived conversation contains potentially stale external or baseline claim: `Android.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 83** ID: CONTRA-0083; Class: `conversation_vs_current_queue`; Source: `dominium_full_conversation`; Claim: Archived conversation discusses work related to blocked scope `runtime_module_loader.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 84** ID: CONTRA-0084; Class: `conversation_vs_current_queue`; Source: `dominium_full_conversation`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 85** ID: CONTRA-0085; Class: `conversation_vs_current_queue`; Source: `dominium_full_conversation`; Claim: Archived conversation discusses work related to blocked scope `package_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 86** ID: CONTRA-0086; Class: `conversation_vs_current_queue`; Source: `dominium_full_conversation`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 87** ID: CONTRA-0087; Class: `conversation_vs_current_queue`; Source: `dominium_full_conversation`; Claim: Archived conversation discusses work related to blocked scope `native_gui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 88** ID: CONTRA-0088; Class: `stale_external_claim`; Source: `dominium_full_conversation`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: quarantined until current repo and external facts are checked
- Row 89** ID: CONTRA-0089; Class: `conversation_vs_current_queue`; Source: `dominium_setup`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 90** ID: CONTRA-0090; Class: `conversation_vs_current_queue`; Source: `dominium_setup`; Claim: Archived conversation discusses work related to blocked scope `release_publication`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 91** ID: CONTRA-0091; Class: `stale_external_claim`; Source: `dominium_setup`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 92** ID: CONTRA-0092; Class: `conversation_vs_current_queue`; Source: `Domino_Dominium_Workbench`; Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 93** ID: CONTRA-0093; Class: `conversation_vs_current_queue`; Source: `Domino_Dominium_Workbench`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 94** ID: CONTRA-0094; Class: `conversation_vs_current_queue`; Source: `Domino_Dominium_Workbench`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 95** ID: CONTRA-0095; Class: `conversation_vs_current_queue`; Source: `Domino_Dominium_Workbench`; Claim: Archived conversation discusses work related to blocked scope `native_gui`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 96** ID: CONTRA-0096; Class: `stale_external_claim`; Source: `Domino_Dominium_Workbench`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 97** ID: CONTRA-0097; Class: `conversation_vs_current_queue`; Source: `domino_engine_refactor_prompts`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 98** ID: CONTRA-0098; Class: `stale_external_claim`; Source: `domino_engine_refactor_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 99** ID: CONTRA-0099; Class: `stale_external_claim`; Source: `domino_engine_refactor_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 100** ID: CONTRA-0100; Class: `stale_external_claim`; Source: `domino_engine_refactor_prompts`; Claim: Archived conversation contains potentially stale external or baseline claim: `ISO C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 101** ID: CONTRA-0101; Class: `conversation_vs_current_queue`; Source: `engine_baseline_architecture`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 102** ID: CONTRA-0102; Class: `conversation_vs_current_queue`; Source: `engine_baseline_architecture`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 103** ID: CONTRA-0103; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 104** ID: CONTRA-0104; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `runtime_module_loader`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 105** ID: CONTRA-0105; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 106** ID: CONTRA-0106; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `package_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 107** ID: CONTRA-0107; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 108** ID: CONTRA-0108; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 109** ID: CONTRA-0109; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `native_gui`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 110** ID: CONTRA-0110; Class: `conversation_vs_current_queue`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation discusses work related to blocked scope `release_publication`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 111** ID: CONTRA-0111; Class: `stale_external_claim`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 112** ID: CONTRA-0112; Class: `stale_external_claim`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 113** ID: CONTRA-0113; Class: `stale_external_claim`; Source: `Foundation_Workbench_Codex`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`

- Row 114** ID: CONTRA-0114; Class: `conversation_vs_current_queue`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 115** ID: CONTRA-0115; Class: `conversation_vs_current_queue`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 116** ID: CONTRA-0116; Class: `conversation_vs_current_queue`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 117** ID: CONTRA-0117; Class: `conversation_vs_current_queue`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 118** ID: CONTRA-0118; Class: `stale_external_claim`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 119** ID: CONTRA-0119; Class: `stale_external_claim`; Source: `Framework_Open_Source_Provider`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 120** ID: CONTRA-0120; Class: `conversation_vs_current_queue`; Source: `gui_binary_content`; Claim: Archived conversation discusses work related to blocked scope `gameplay.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 121** ID: CONTRA-0121; Class: `conversation_vs_current_queue`; Source: `gui_binary_content`; Claim: Archived conversation discusses work related to blocked scope `native_gui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 122** ID: CONTRA-0122; Class: `stale_external_claim`; Source: `gui_binary_content`; Claim: Archived conversation contains potentially stale external or baseline claim: `iOS.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 123** ID: CONTRA-0123; Class: `stale_external_claim`; Source: `gui_binary_content`; Claim: Archived conversation contains potentially stale external or baseline claim: `Android.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 124** ID: CONTRA-0124; Class: `stale_external_claim`; Source: `gui_binary_content`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK.`; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 125** ID: CONTRA-0125; Class: `conversation_vs_current_queue`; Source: `Language_Platform_Architecture`; Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui.`; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

- Row 126** ID: CONTRA-0126; Class: `conversation_vs_current_queue`; Source: `Language_Platform_Architecture`; Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 127** ID: CONTRA-0127; Class: `conversation_vs_current_queue`; Source: `Language_Platform_Architecture`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 128** ID: CONTRA-0128; Class: `conversation_vs_current_queue`; Source: `Language_Platform_Architecture`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 129** ID: CONTRA-0129; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 130** ID: CONTRA-0130; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 131** ID: CONTRA-0131; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `Windows 98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 132** ID: CONTRA-0132; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `Mac OS 9`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 133** ID: CONTRA-0133; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `iOS`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 134** ID: CONTRA-0134; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `Android`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 135** ID: CONTRA-0135; Class: `stale_external_claim`; Source: `Language_Platform_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`
- Row 136** ID: CONTRA-0136; Class: `conversation_vs_current_queue`; Source: `launcher_app_layer`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action
- Row 137** ID: CONTRA-0137; Class: `stale_external_claim`; Source: `launcher_app_layer`; Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`

Row 138 ID: CONTRA-0138; Class: `conversation_vs_current_queue`; Source: `Launcher_Setup_Architecture`; Claim: Archived conversation discusses work related to blocked scope `gameplay`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

Row 139 ID: CONTRA-0139; Class: `conversation_vs_current_queue`; Source: `Launcher_Setup_Architecture`; Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.; Conflict Target: `.aide/queue/current.toml`; Severity: `medium`; Disposition: `preserve_as_history`; require current queue authority before action

Row 140 ID: CONTRA-0140; Class: `stale_external_claim`; Source: `Launcher_Setup_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts are checked`

Row 141 ID: CONTRA-0141; Class: `stale_external_claim`; Source: `Launcher_Setup_Architecture`; Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.; Conflict Target: `README.md / current platform and language baseline`; Severity: `low`; Disposition: `quarantined until current repo and external facts ar`

Verify

This section is excerpted for readability. See the source path for the full report.

10.3 Coverage Gaps

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_audit/COVERAGE_GAPS.md` - included

10.4 Coverage Gaps

Coverage gaps identify incomplete or structurally unclear archived packages.

Folder	Status	Warnings	Missing Expected Kinds
--------	--------	----------	------------------------

10.5 Doc Drift Report

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_audit/DOC_DRIFT_REPORT.md` - excerpted

10.6 Document Drift Report

This report flags archived claims that may drift from current README, queue, language baseline, or authority order.

10.6.1 CONTRA-0001 - conversationvscurrent__queue

- Source conversation: `advanced_simulation_infrastructure`
- Source file: `docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.2 CONTRA-0002 - staleexternalclaim

- Source conversation: `advanced_simulation_infrastructure`
- Source file: `docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.3 CONTRA-0003 - staleexternalclaim

- Source conversation: `advanced_simulation_infrastructure`
- Source file: `docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.4 CONTRA-0004 - staleexternalclaim

- Source conversation: `advanced_simulation_infrastructure`
- Source file: `docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.5 CONTRA-0005 - conversationvscurrent__queue

- Source conversation: `app_runtime_platform_renderers`
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.6 CONTRA-0006 - conversationvscurrent__queue

- Source conversation: `app_runtime_platform_renderers`
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.7 CONTRA-0007 - conversationvscurrent__queue

- Source conversation: `app_runtime_platform_renderers`
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.8 CONTRA-0008 - conversationvscurrent__queue

- Source conversation: `app_runtime_platform_renderers`
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.9 CONTRA-0009 - staleexternalclaim

- Source conversation: `app_runtime_platform_renderers`
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: `quarantined` until current repo and external facts are checked

10.6.10 CONTRA-0010 - conversationvscurrent__queue

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.11 CONTRA-0011 - conversationvscurrent__queue

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.12 CONTRA-0012 - staleexternalclaim

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.13 CONTRA-0013 - staleexternalclaim

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.14 CONTRA-0014 - staleexternalclaim

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.15 CONTRA-0015 - staleexternalclaim

- Source conversation: `app_testx_codehygiene`
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.16 CONTRA-0016 - conversationvscurrent__queue

- Source conversation: `architecture_codex_prompts`
- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.17 CONTRA-0017 - conversationvscurrent__queue

- Source conversation: `architecture_codex_prompts`
- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.18 CONTRA-0018 - staleexternalclaim

- Source conversation: `architecture_codex_prompts`
- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.19 CONTRA-0019 - staleexternalclaim

- Source conversation: `architecture_codex_prompts`
- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.20 CONTRA-0020 - staleexternalclaim

- Source conversation: `architecture_codex_prompts`
- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.21 CONTRA-0021 - conversationvscurrent__queue

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `broad_workbench_ui`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.22 CONTRA-0022 - conversationvscurrent__queue

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `provider_runtime`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.23 CONTRA-0023 - conversationvscurrent__queue

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.24 CONTRA-0024 - conversationvscurrent__queue

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.25 CONTRA-0025 - conversationvscurrent__queue

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `native_gui`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.26 CONTRA-0026 - staleexternalclaim

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.27 CONTRA-0027 - staleexternalclaim

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.28 CONTRA-0028 - staleexternalclaim

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.29 CONTRA-0029 - staleexternalclaim

- Source conversation: `architecture_ui_providers`
- Source file: `docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.30 CONTRA-0030 - staleexternalclaim

- Source conversation: `Build_and_Future_Proofing`
- Source file: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.31 CONTRA-0031 - staleexternalclaim

- Source conversation: Build_and_Future_Proofing
- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: README.md / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.32 CONTRA-0032 - staleexternalclaim

- Source conversation: Build_and_Future_Proofing
- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Conflict target: README.md / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.33 CONTRA-0033 - conversationvscurrent__queue

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation discusses work related to blocked scope provider_runtime.
- Conflict target: .aide/queue/current.toml
- Recommended disposition: preserve_as_history; require current queue authority before action

10.6.34 CONTRA-0034 - conversationvscurrent__queue

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation discusses work related to blocked scope package_runtime.
- Conflict target: .aide/queue/current.toml
- Recommended disposition: preserve_as_history; require current queue authority before action

10.6.35 CONTRA-0035 - conversationvscurrent__queue

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation discusses work related to blocked scope gameplay.
- Conflict target: .aide/queue/current.toml
- Recommended disposition: preserve_as_history; require current queue authority before action

10.6.36 CONTRA-0036 - conversationvscurrent__queue

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.37 CONTRA-0037 - conversationvscurrent__queue

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation discusses work related to blocked scope `native_gui`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.38 CONTRA-0038 - staleexternalclaim

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.39 CONTRA-0039 - staleexternalclaim

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.40 CONTRA-0040 - staleexternalclaim

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.41 CONTRA-0041 - conversationvscurrent__queue

- Source conversation: `Chronology_Celestial_Systems`
- Source file: `docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.42 CONTRA-0042 - conversationvscurrent__queue

- Source conversation: `development_routes`
- Source file: `docs/archive/conversations/development_routes/dominium_development_routes__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.43 CONTRA-0043 - staleexternalclaim

- Source conversation: `development_routes`
- Source file: `docs/archive/conversations/development_routes/dominium_development_routes__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `iOS`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.44 CONTRA-0044 - staleexternalclaim

- Source conversation: `documentation_standards_readme`
- Source file: `docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.45 CONTRA-0045 - staleexternalclaim

- Source conversation: `documentation_standards_readme`
- Source file: `docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.46 CONTRA-0046 - staleexternalclaim

- Source conversation: `documentation_standards_readme`
- Source file: `docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.47 CONTRA-0047 - staleexternalclaim

- Source conversation: `documentation_standards_readme`
- Source file: `docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.48 CONTRA-0048 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.49 CONTRA-0049 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.50 CONTRA-0050 - staleexternalclaim

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.51 CONTRA-0051 - staleexternalclaim

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.52 CONTRA-0052 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.53 CONTRA-0053 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.54 CONTRA-0054 - staleexternalclaim

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.55 CONTRA-0055 - staleexternalclaim

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Windows 98`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.56 CONTRA-0056 - staleexternalclaim

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Windows NT 2000`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: `quarantined until current repo and external facts are checked`

10.6.57 CONTRA-0057 - staleexternalclaim

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `DX12`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: `quarantined until current repo and external facts are checked`

10.6.58 CONTRA-0058 - staleexternalclaim

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Android`.
- Conflict target: `README.md` / `current platform and language baseline`
- Recommended disposition: `quarantined until current repo and external facts are checked`

10.6.59 CONTRA-0059 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history; require current queue authority before action`

10.6.60 CONTRA-0060 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `release_publication`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history; require current queue authority before action`

10.6.61 CONTRA-0061 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.62 CONTRA-0062 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.63 CONTRA-0063 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Win98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.64 CONTRA-0064 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.65 CONTRA-0065 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows NT 2000.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.66 CONTRA-0066 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 9.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.67 CONTRA-0067 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 8.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.68 CONTRA-0068 - staleexternalclaim

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.69 CONTRA-0069 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.70 CONTRA-0070 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.71 CONTRA-0071 - conversationvscurrent__queue

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation discusses work related to blocked scope `native_gui`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.72 CONTRA-0072 - staleexternalclaim

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `CP/M`.
- Conflict target: `README.md / current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.73 CONTRA-0073 - staleexternalclaim

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Android`.
- Conflict target: `README.md / current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.74 CONTRA-0074 - staleexternalclaim

- Source conversation: `Dominium_Architecture_IV`
- Source file: `docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.
- Conflict target: `README.md / current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.75 CONTRA-0075 - conversationvscurrent__queue

- Source conversation: `Dominium_Complete_Conversation`
- Source file: `docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: Archived conversation discusses work related to blocked scope `gameplay`.
- Conflict target: `.aide/queue/current.toml`
- Recommended disposition: `preserve_as_history`; require current queue authority before action

10.6.76 CONTRA-0076 - staleexternalclaim

- Source conversation: `Dominium_Complete_Conversation`
- Source file: `docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.77 CONTRA-0077 - staleexternalclaim

- Source conversation: `Dominium_Complete_Conversation`
- Source file: `docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.78 CONTRA-0078 - staleexternalclaim

- Source conversation: `dominium_domino_codex_planning`
- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.79 CONTRA-0079 - staleexternalclaim

- Source conversation: `dominium_domino_codex_planning`
- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.80 CONTRA-0080 - staleexternalclaim

- Source conversation: `dominium_domino_codex_planning`
- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Conflict target: `README.md` / current platform and language baseline
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.81 CONTRA-0081 - staleexternalclaim

- Source conversation: `dominium_domino_codex_planning`
- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning_human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Conflict target: `README.md / current platform and language baseline`
- Recommended disposition: quarantined until current repo and external facts are checked

10.6.82 CONTRA-0082 - staleexternalclaim

- Source conversation: `dominium_domino_codex_planning`
- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning_human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Conflict target: `README.md / current platform and language baseline`
- Recommende

Verify

This section is excerpted for readability. See the source path for the full report.

10.7 Duplicate Topics

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_audit/`
 DUPLICATE_TOPICS.md - excerpted

10.8 Duplicate Topics

A duplicated topic is not a defect. It is a signal that synthesis requires cross-source review.

10.8.1 architecture

- `advanced_simulation_infrastructure` - Dominium Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominium APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominium/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominium Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominium Build and Future-Proofing Architecture

- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane

- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repoX_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.2 content

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility

- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominion Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repos_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.3 `contracts_schema`

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture

- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience

- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.4 determinism

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff

- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repos_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.5 governance

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine

- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repo_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.6 platform

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning

- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repos_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning

10.8.7 release

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture

- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repos_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.8 `setup_launcher`

- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture

- `Dominium_Architecture_IV` - Dominion Architecture IV
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repoX_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture

10.8.9 simulation

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II

- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repoX_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture

10.8.10 timekeeping

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `platform_support` - Dominion Platform Support Planning
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning

- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.11 tooling

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I
- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `Dominium_Architecture_IV` - Dominion Architecture IV
- `Dominium_Complete_Conversation` - Dominion Canon, Repository Alignment, and Portability Doctrine
- `dominium_domino_codex_planning` - Dominion + Domino Codex Planning and Handoff
- `dominium_full_conversation` - Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion
- `dominium_setup` - Dominion Setup Architecture and Handoff
- `Domino_Dominium_Workbench` - Domino Dominion Workbench
- `domino_engine_refactor_prompts` - Dominion/Domino Engine Refactor Planning
- `engine_baseline_architecture` - Domino/Dominium Engine Baseline, Architecture, and Feasibility
- `Foundation_Workbench_Codex` - Dominion Foundation Lock, Workbench Spine, and Parallel Codex Handoff
- `Framework_Open_Source_Provider` - Domino Framework and Open-Source Provider Architecture
- `gui_binary_content` - Dominion Content and GUI Rebuild Planning
- `Language_Platform_Architecture` - Dominion Language, Platform, and Architecture Baseline

- `launcher_app_layer` - Dominion Launcher Application-Layer Handoff
- `Launcher_Setup_Architecture` - Dominion Launcher and Setup Architecture
- `Modularity_AIDE_Refactorability` - Dominion Modularity, AIDE Refactorability, and Future-Proof Architecture
- `omega_xi_pi_architecture_future` - Dominion Omega/Xi/Pi Architecture & Future-Proofing Planning
- `OS_Interface_Repo_Architecture` - Dominion OS-like Architecture, Repository Convergence, and Interface Operating Layer
- `platform_renderer_api_plan` - Dominion Codex Platform Renderer API Plan
- `Portability_Assurance_Future_Proof` - Domino/Dominium Portability, Assurance, and Future-Proof Architecture
- `readme_ports_determinism` - Dominion README Architecture, Ports, and Determinism
- `Refactor_Architecture` - Dominion + Domino Refactor Architecture
- `Refactor_Control_Plane` - AIDE, XStack, and Dominion Refactor Control Plane
- `Release_Identity_and_Versioning` - Dominion XStack Release Identity and Versioning
- `testx_repoX_governance` - Dominion TestX/RepoX Governance and Handoff Chat
- `Timekeeping_and_2038_Resilience` - Dominion Timekeeping and 2038 Resilience
- `UE6_Domino_Deterministic_Universe` - Dominion UE6, Domino, and Deterministic Universe Feasibility
- `ui_editor_tool_editor_planning` - Dominion UI Editor and Tool Editor Planning
- `Universe_Explorer_Planning` - Dominion Universe Explorer Planning and Repo Handoff
- `Workbench_AIDE_Product_Spine` - Dominion Architecture, Workbench, AIDE, and Product-Spine Planning
- `World_Architecture` - Dominion World Architecture
- `xstack_lab_galaxy` - Dominion XStack and Lab Galaxy Handoff

10.8.12 ui

- `advanced_simulation_infrastructure` - Dominion Advanced Simulation and Infrastructure Architecture
- `app_runtime_platform_renderers` - Dominion APP0 Runtime, Platform, and Renderer Architecture
- `app_testx_codehygiene` - Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning
- `architecture_codex_prompts` - Dominion/Domino Architecture and Codex Prompt Roadmap
- `architecture_ui_providers` - Dominion Architecture, UI, Providers, and Robot OS Strategy
- `Build_and_Future_Proofing` - Dominion Build and Future-Proofing Architecture
- `canonical_structure_and_framework` - Dominion Canonical Architecture, Repository Foundation, and Provider Model
- `Chronology_Celestial_Systems` - Dominion Chronology & Celestial Systems
- `development_routes` - Dominion Development Routes and Continuity Preservation
- `documentation_standards_readme` - Documentation Standards, README Strategy, and Handoff Packaging
- `Dominium_Architecture_I` - Dominion Architecture I

- `Dominium_Architecture_II` - Dominion Architecture II
- `Dominium_Architecture_III` - Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture
- `'Dominium_Arch`

Verify

This section is excerpted for readability. See the source path for the full report.

10.9 Intake Acceptance Review

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/INTAKE_ACCEPTANCE_REVIEW.md - included

10.10 Intake Acceptance Review

Result: PASS_WITH_WARNINGS

This review assesses whether the generated conversation-corpus intake is complete and useful enough to support derived synthesis. It does not promote conversation claims.

10.10.1 Summary

Check	Result
Conversation folders represented	45
Source files represented	604
Source files re-counted from disk	604
SHA-256 lines	604
Complete packages	45
Partial packages	0
Unclear packages	0
Source file warnings	0
Reader pages expected / actual	45 / 45
Promotion candidates	135
Contradiction findings	227
Generated Markdown files reviewed	112
Link issues	0

10.10.2 Acceptance Findings

- All top-level source packages represented: **True**.
- All source files hashed: **True**.
- Manifest re-scan matches committed manifest: **True**.
- Reader pages are present and advisory-scoped: **True**.

- Wiki topic pages cover manifest topics: **True**.
- Link integrity is clean for generated Markdown: **True**.
- Promotion queue is useful as raw intake, but not clean enough for direct promotion: **True**.
- Contradiction findings are actionable as a review backlog, but remain heuristic and need triage before use as doctrine evidence.

10.10.3 Warnings Before Synthesis

- Noisy or archival-process promotion candidates: 17.
- Overlong promotion candidates: 44.
- Promotion candidates with repo conflict still `not_checked`: 135.
- Reader placeholder counts: `{'no_stable_decision_lines': 0, 'no_explicit_uncertainty_lines': 0, 'no_explicit_future_work_lines': 0, 'no_rejected_or_superseded_lines': 1}`.
- Contradiction findings are broad and keyword-assisted; use them as review triggers, not resolved conclusions.

10.10.4 Decision

PASS_WITH_WARNINGS

The corpus is ready for derived synthesis if synthesis cites reader/wiki/audit sources directly, keeps repo truth separate from conversation-derived intent, and treats the promotion queue as raw review material. It is not ready for direct live-doc promotion.

10.10.5 Recommended Fixes Before Promotion

- Triage promotion candidates into serious, historical, stale, noisy, and needs-user-decision buckets.
- Reconcile high-value claims against canon, current queue, contracts, schema law, and implementation only in a separate task.
- Keep the current acceptance result visible in the synthesis book front matter.

10.10.6 Recommended Next Task

CONVERSATION-SYNTHESIS-BOOK-01

10.11 Link Integrity Review

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/LINK_INTEGRITY_REVIEW.md - included

10.12 Link Integrity Review

Result: PASS

Generated Markdown files checked: 112

Broken or unsafe links: 0

No broken or unsafe generated Markdown links were detected.

10.13 Promotion Queue Quality Review

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/
PROMOTION_QUEUE_QUALITY_REVIEW.md - included

10.14 Promotion Queue Quality Review

Result: PASS_WITH_WARNINGS

The promotion queue is a raw candidate backlog. It is useful for finding review material but too noisy for direct promotion.

10.14.1 Counts

- Candidates: 135
- Source conversations represented: 45
- Noisy or archival-process candidates: 17
- Overlong candidates: 44
- Candidates with not_checked repo conflict: 135

10.14.2 Noisy Candidate Samples

- PROMOTE-0002 `advanced_simulation_infrastructure`: Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for f
- PROMOTE-0008 `app_testx_codehygiene`: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable
- PROMOTE-0017 `Build_and_Future_Proofing`: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP pac
- PROMOTE-0031 `Dominium_Architecture_I`: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those
- PROMOTE-0034 `Dominium_Architecture_II`: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workst

- PROMOTE-0048 `dominium_domino_codex_planning`: However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actual
- PROMOTE-0052 `dominium_setup`: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outp
- PROMOTE-0060 `domino_engine_refactor_prompts`: After the architecture and prompts were created, the user asked for a maximum-fidelity context transfer packet. The assistant produced one. The user then asked for a downloadable report package; the assistant generated p
- PROMOTE-0062 `engine_baseline_architecture`: The final user action uploaded `Pasted text.txt`, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for thi
- PROMOTE-0067 `Framework_Open_Source_Provider`: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- PROMOTE-0079 `Launcher_Setup_Architecture`: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtim
- PROMOTE-0082 `Modularity_AIDE_Refactorability`: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, d

10.14.3 Assessment

Promotion candidates should be triaged before reconciliation. Many entries are useful design-intent leads, but some are preservation-process notes or broad narrative summaries rather than clean patchable claims.

10.14.4 Recommended Fix

Create `PROMOTION_TRIAGE_v0.md` after synthesis and classify candidates as serious, preserve-as-history, stale, noisy, rejected, or needs-user-decision.

10.15 Reader Quality Review

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_audit/READER_QUALITY_REVIEW.md` - included

10.16 Reader Quality Review

Result: `PASS_WITH_WARNINGS`

Reader pages are present for every manifest conversation and preserve advisory authority language.

10.16.1 Counts

- Expected reader pages: 45
- Actual reader pages: 45
- Missing reader pages: 0
- Extra reader pages: 0
- Readers missing advisory language: 0
- Short reader pages: 0

10.16.2 Placeholder Signals

- no_stable_decision_lines: 0
- no_explicit_uncertainty_lines: 0
- no_explicit_future_work_lines: 0
- no_rejected_or_superseded_lines: 1

10.16.3 Assessment

The reader layer is human-readable enough for synthesis orientation. It remains generated prose and should be checked against source files before any claim is promoted.

10.17 Staleness And Verification

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/
STALENESS_AND_VERIFICATION.md - excerpted

10.18 Staleness And Verification

External platform, SDK, release, language-baseline, and implementation claims are stale until verified.

10.18.1 Packages With Explicit Uncertainty

advancedsimulationinfrastructure

UNVERIFIED No repository files were inspected in this chat. No code was implemented. Proposed paths, module names, command names, file names, VM concepts, and data schemas are design proposals until checked against the actual codebase.

UNVERIFIED Exact solvers, fixed-point formats, module paths, data schemas, and tick ordering remain to be verified and specified.

UNVERIFIED The exact gameplay rules runtime was not specified. The command examples were conceptual.

UNVERIFIED The exact cross-section schema, attachment schema, and packing rules remain unresolved.

UNVERIFIED Microsegment length, VM design, storage layout, budget values, and actual code integration remain open.

UNVERIFIED Actual standards packs, rule schema, semantic key format, localization, and AI interaction remain unresolved.

- Then it produced a prompt for another GPT-5.2 chat that already had a refactor/optimization plan. That prompt told the other chat to amend its existing plan instead of restarting, and to verify coverage of arbitrary placement, unified spatial primitives, co-location, signage, buildings, and determinism/performance.

UNVERIFIED The architecture has not been verified against the actual repository. The exact implementation details remain unresolved: Q formats, orientation math, command schemas, VM instruction set, microsegment length, carrier ownership, junction archetypes, facility modules, and DECOR/device promotion policy.

appruntimeplatform_renderers

- What remains uncertain is whether the current repository already enforces these boundaries mechanically. The actual code needs inspection.
- The unresolved issue is sharding semantics. APP0 requires sharding hooks, but the chat did not decide whether shards are spatial, logical, temporal, jurisdictional, or something else. The report preserved the idea that APP0 can provide sharding plumbing without inventing simulation semantics.
- The unresolved issue is the trust and integrity model for setup. The chat did not decide whether content verification should use hashes, signatures, local manifests, network verification, or another model.
- The unresolved issue is the exact elevation/audit model. The chat did not decide how tools authenticate, request write permissions, log actions, or interact with law enforcement modules.
- The unresolved issue is the exact renderer capability schema. The chat proposed ideas but did not finalize fields, priorities, or target matrices.
- The user asked to look at the old code snapshot in project attachments. A prior assistant claimed to inspect it, but later preservation documents marked that claim as **UNCERTAIN / UNVERIFIED**.
- This became one of the most important unresolved issues. Almost every implementation question depends on the real code: directory layout, build system, languages, existing platform/render layers, client/server dependencies, and engine/game public APIs. The next real step is repository verification.
- INFERENCE:** The user wants future assistants to be epistemically careful: not inventing repository facts, not treating proposals as decisions, and not losing uncertainty.

apptestxcodehygiene

- The main unresolved goal is practical execution: which prompts have actually been run, which files exist, and what implementation should happen next.
- Setup handles install, verify, repair, rollback, upgrade, downgrade, uninstall, and status. Launcher can invoke Setup, but must not replicate its mutation logic. This prevents two products from disagreeing about installation state.
- First, verify whether `libs/contracts` and `libs/appcore` already exist. Then implement the pure contract headers and appcore skeleton. This should include:
- Before implementing app RepoX integration, verify actual RepoX metadata paths, TestX invocation, VALIDATE-0 commands, and BUILD-ID-0 files. Without that, an implementation prompt would guess.
- Use labels like FACT, INFERENCE, UNCERTAIN, PROJECT-CONTEXT in reports.
- From the user profile and instructions, future assistants should verify time-sensitive/current facts with web where relevant. This chat itself is mostly internal project planning, so external citations are not central.

- EXEC, ECSX, KERN, ADOPT, DIST, HWCAPS, EXIST, DOMAIN, TRAVEL, TIME, OMNI, LIFE, CIV, WAR, AGENT, TOOL, MOD, FINAL prompt families were generated earlier. They are important as historical design artifacts, but actual repo execution is unverified.
- The chat produced downloadable handoff files and later an in-chat reader. Those files are useful for aggregation but are not themselves project source code. The package's main caveat is that it does not verify actual repository state.

architecturecodexprompts

- **UNCERTAIN / UNVERIFIED:** No repository code was inspected or modified in this chat. The prompts and architecture are plans and artifacts, not proof that implementation exists. The actual repository state, build system, existing code quality, GUI backend availability, TLV schemas, and whether any prompts have been applied remain unverified.
- Uncertainty remains about actual repository code and build system, but the layering itself is a strong established principle.
- Unresolved issues include exact TLV schema field tags, exact registry implementation, base pack structure, and whether engine comments/docs may use examples with domain words.
- The main uncertainty is implementation: the prompts define it, but no code was verified.
- Unresolved details include exact process IO schemas, machine runtime state, and the relationship between autonomous machines and agent-operated jobs.
- Unresolved: exact nesting policy, allowed packing modes, and how far to model real packing constraints.
- Uncertainty remains about freeform geometry versus grid shell as the long-term building representation.
- The exact destruction and structural-load models remain unresolved and part of Path D.

architectureuiproviders

- The exact first playable slice remains unresolved. The first provider wedge is clear, but exact sequence between client/workbench gameplay, Robot OS, and gameplay mechanics still needs a formal milestone. The exact Lua version, Linux baseline, current repo status, and external library/version support need verification. The exact degree of Unreal involvement remains unclear.
- 1. Verify and pin external library/toolchain facts.
- It remains uncertain how much the user wants Unreal in the near-term after raylib-first discussion. It also remains uncertain whether Lua 5.4 or 5.5 is preferred; the user appears to value pinning and stability more than "latest" for script ABI.

BuildandFuture_Proofing

- Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- The unresolved goals are implementation goals: deciding which recommendations become canon, adding public-surface/dependency/build contracts, validating the current live repo state, and applying the proposed cleanup tasks. The preservation package is complete, but the engineering work it describes remains pending.
- **2. Verify current repo state.** Confirm the actual current HEAD, build proof, smoke tests, and outstanding warnings before acting.

- 10. **Feed this report into the master spec book aggregator.** Preserve uncertainty labels and avoid merging suggestions as decisions.
- The preservation output must distinguish FACT, INFERENCE, UNCERTAIN/UNVERIFIED, and PROJECT-CONTEXT.
- A future assistant may rely on stale repo state. Mitigation: verify live HEAD, docs, and CI before implementation.
- What live repo facts should I verify before implementing these tasks?
- The final uploaded prompt asked for this preservation package. The key thing to preserve is that most architecture proposals are recommendations, not accepted user decisions yet. The next best action is to decide which recommendations become canon, then implement either **STRUCTURE-01: Public Surface Registry** or the build tuple contract work, after verifying the current live repo state.

canonicalstructureand__framework

- INFERENCE: The user wanted a durable method for deciding future structure changes, not just a one-time layout. They also wanted the assistant to become more rigorous: distinguish decisions from brainstorming, stop over-planning without execution, and preserve uncertainty. The user also wanted a structure that supports other Domino-based games and possibly different engine implementations.
- A persistent uncertainty is the exact current repo state. The user supplied many status reports and directory exports, but several exports were internally inconsistent or stale at various points. The chat therefore repeatedly emphasized structure report integrity and verification before trusting tree analyses.
- 1. Verify fast-strict/RepoX/structure report status from a clean current export.
- The user dislikes vague reassurance and wants uncertainty labelled.
- UNCERTAIN: The final exact convention for **external/upstream** versus **external/vendor** should be checked against current repo policy.
- UNCERTAIN: Whether Lua should be pinned to 5.4 or 5.5 is not settled in this chat.
- UNCERTAIN: Whether pack-internal **content/** directories are legitimate pack law or legacy remains to be verified.
- User-reported commits and status summaries: these include commits like 6e0dd93, 1406490, 3243fab, ce9ca, and others. Treat them as FACTs reported in the chat, but verify live repo state before acting.

ChronologyCelestialSystems

- The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- What remains uncertain is the exact verified object list. The assistant generated a real Milky Way system list, but that list must be checked before becoming data.
- The unresolved issue is exact fidelity. The chat specified what should exist conceptually, but not the final data schema, map resolution, object attributes, or implementation priority.
- What remains unresolved is the exact mathematical implementation of these frames and how much relativistic fidelity should exist in phase one.
- The uncertainty is high relative to Earth. Many names and structures were assistant-generated and should be reviewed before implementation.

- The unresolved issue is implementation reality. The actual Plan G/The Game codebase was not visible here, so any implementation plan must be reconciled with real architecture.
- The only major unresolved part is the leap rule.
- The user wants rigorous, structured, fact-aware assistance. The user specifically requested preservation of uncertainty labels and does not want assistant suggestions treated as user decisions.

development_routes

- The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- The assistant produced a large Context Transfer Packet. It preserved the technical route proposal, the caveats around its uncertainty, the proposed phase order, the open questions, the risks, the artifacts, and the next actions.
- The assistant created those files and reported that the chat label was inferred as **Dominium Development Routes**. The package was said to be safe for aggregation **with caveats**. The main caveats were that the substantive project transcript was short, Route C was not user-confirmed, and Dominium's genre, core loop, stack, implementation state, files, platforms, team, and timeline were not established.
- UNCERTAIN / UNVERIFIED: Route C was not accepted by the user as final.
- UNCERTAIN / UNVERIFIED: the required level of determinism for Dominium was not established. It might need full cross-platform deterministic replay, or it might only need ordinary save/load correctness, or something between those extremes.
- The outputs included a Context Transfer Packet and a downloadable package with multiple files. The files are less important than the purpose: preserve the exact status of the discussion, including uncertainty and assistant-proposal status, so future assistants do not accidentally distort the project.
- The second explicit goal was to preserve the chat before retirement. The user did not want a normal summary. They wanted a maximum-fidelity transfer packet that would prevent loss of decisions, constraints, unresolved issues, rationale, and next actions. This was addressed by the Context Transfer Packet.
- Some goals changed over time. The chat began as architecture guidance, became a state-transfer task, became a packaging task, became an in-chat inspection task, and now becomes a plain-English briefing task. The underlying continuity goal stayed consistent: preserve the useful substance without losing uncertainty.

documentationstandardsreadme

- The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- The chat began with the user asking how to have Codex generate documentation for every file in the project. The user wanted metadata, functions, definitions, dependencies, and other maintainability information documented. The core uncertainty was placement: should documentation live in separate sister files, or should it live in file headers and function headers?
- UNCERTAIN / UNVERIFIED: Whether the project has similarly named files or modules is unknown.
- What remains uncertain is how the actual project currently organizes public headers, internal headers, and docs. That must be verified from the repository.

- What remains unverified is the actual project name, supported platforms, license, maturity, and current repository layout. Those cannot be responsibly written without inspecting the repo.
- The decision depends on an assumption: that the project's public APIs are declared in headers. That is likely for a C/C++ codebase, but the actual public/private boundary is still unverified.
- What must happen first: verify source roots, exclusions, CMake structure, CI environment variables, and Python availability.
- What could go wrong: treating assistant suggestions as final requirements or merging contradictory chat claims without preserving uncertainty.

DominiumArchitectureI

- What remains uncertain is the exact final scope of all simulation systems. Many systems were described in ambitious terms, but not all details are final or internally consistent. The systems layer especially needs canonicalisation before coding.
- What remains uncertain is the current real-world status and capabilities of "Codex 5.1 Max." That is an external tool fact and requires verification before future use.
- The key later decision was to skip top-level `.txt` devspec files because original Markdown files already existed in `/docs/...`. The visible chat does not show the full content of those docs. They should be preserved as referenced artifacts, but their exact content is **UNCERTAIN / UNVERIFIED**.
- This affects `dlocale`, font rendering, platform path handling, data locale JSON files, mod APIs, UI, and documentation. The unresolved part is exactly how much retro support is actually feasible. Claims about old OSes, toolchains, SDL2, OpenGL, Direct3D, and macOS versions require external verification.
- A large portion of the chat consisted of producing specs for those files. Each spec was meant to tell Codex how to implement that file. The conclusion is that the repository architecture is broad but structured. The unresolved issue is that many later files remain pending.
- The unresolved issue is API consistency. Generated specs for memory and serialization are inconsistent across files, and some platform/render specs contain outdated or unverified external assumptions.
- The most important unresolved issue is duplication and contradiction. `dweather`, `dhydro`, and `dai_core` were generated in more than one form. The package does not choose a final version. A future assistant should not implement any of those blindly.
- The user decided to skip the top-level `.txt` files because original Markdown docs already exist in `/docs/...`. This decision is final for the current workflow, but it depends on those docs actually existing and being current. That is **UNCERTAIN / UNVERIFIED** because the docs were not inspected in this chat.

DominiumArchitectureII

- What remains uncertain is the exact code-level API and component layouts. The chat produced specs and prompts, not final source code.
- This is an important implementation detail, but some of it remains unverified. Lua 5.4.4 portability to old compilers needs testing. The exact Lua data schemas still need definition. The docs also still have JSON-oriented format sections, so the Lua-vs-JSON policy needs reconciliation.
- The biggest unresolved goals are practical:
- Verify DX9/Windows 2000, SDL2, Lua/toolchain compatibility.
- FACT: This was answered in response to Codex's clarifying questions. It is a concrete implementation direction, though Lua 5.4.4 portability remains unverified.

- 1. ****Verify and apply V4 docs.**
- The user repeatedly requested maximum-fidelity reports, registers, handoff packets, and human-readable summaries. The user wants labelled uncertainty and does not want future assistants to invent missing context.
- or forget that Lua-vs-JSON remains unresolved.

DominiumArchitectureIII

- The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This became important later, because many implementation ideas were discussed without confirmed access to the repo contents.
- This created one of the main unresolved issues. DX12 was discussed earlier, but omitted from the latest renderer list. X11 and Wayland were discussed earlier, but the latest platform categories are POSIX, SDL1, SDL2, and Native. Therefore, the final status is:
- DX12 is **UNCERTAIN / UNVERIFIED** and should not be assumed.
- X11/Wayland placement is unresolved.
- The prior assistant summarized these files as containing two different launcher concepts: an engine-rendered launcher view and a native Win32 launcher. It also claimed the CMake file built the Win32 source for non-Windows targets. However, this report must preserve that as **UNCERTAIN / UNVERIFIED**, because the files were not re-inspected during final packaging.
- This is final as a user-stated product goal. Feasibility still requires verification.
- Those outputs are important artifacts, but they are not the substance of the design. Their purpose is to preserve this chat's decisions, uncertainty, and future work for later aggregation into a master Project Spec Book.
- What remains uncertain is not the constraint itself, but how existing repository code currently enforces it. That requires code inspection.

DominiumArchitectureIV

- The conclusion was clear and accepted: **Domino is the reusable engine; Dominium is the game/product layer.** What remains uncertain is the actual repository state. The chat planned the split, but did not verify whether the repo already matches it.
- The unresolved issue is that the actual repo was not inspected in this chat. The planned structure may not match the current files.
- The unresolved issue is practical feasibility, especially for retro targets and Carbon OS. Their actual toolchains and system calls remain unverified.
- The unresolved issue is the exact IR payload layout and how far limited renderers should go. A CGA or MDA backend cannot realistically support modern 3D in the same way as Vulkan. The agreed approach is explicit capability flags and graceful fallback or no-op behaviour.
- The unresolved issue is the exact manifest/schema format. JSON, TOML, and INI-like examples appeared in prompts, but no final schema choice was made.
- The unresolved issue is that external packaging details require verification. WiX, macOS notarization, Linux packaging, and AppImage tooling are all external-world facts and may be stale.

- The package and this report should help future assistants continue without re-reading the whole chat. However, they must preserve uncertainty: actual repo state is unverified, some transcript sections were skipped, external tooling facts may be stale, and assistant suggestions are not user decisions unless accepted or built upon.
- It is also reasonable to infer that the user wants the future project spec book to preserve rationale, not just lists of decisions. The later handoff requests emphasised visible rationale, rejected options, uncertainty, and changes of direction.

DominiumCompleteConversation

- Uncertainty: the raw pasted prompt is not the current repo authority unless materialized in repo canon. The later audit found that it had in fact been materialized under `docs/canon/constitution_v1.md`.
- Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under `apps/`, while an earlier inspected code path under root `client/` was available and `apps/client` was not fetched successfully. This must be verified against the current physical tree.
- Unresolved goals include verifying the latest physical repo tree, proving runtime implementation maturity, formalizing public ABI/API boundaries, completing layout/naming cleanup, and building a second Domino-based product to prove reuse.
- 1. Verify the current physical repo tree against layout docs and `contracts/repo/layout.contract.toml`.
- The user likely wants future assistants to challenge weak framing, preserve uncertainty, avoid shallow "best practice" lists, and focus on decisions that survive future rewrites.
- "Create a gated plan for verifying current repo layout and exceptions."

dominiumdominocodex_planning

- The most important things to remember are: the project's strict architecture constraints, the Milestone-0 prompt sequence, the later shared CLI/TUI/GUI/input/render prompt sequences, the missing pack-system prompt, the unified startup policy, the unresolved repo-verification issue, and the need to treat generated prompts as plans rather than proof of implementation.
- The assistant generated the first two prompts. The third was never produced because the conversation changed direction. That missing third prompt remains an important unresolved item.
- However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assistants must verify `dominium.zip` or the active checkout before relying on the platform/render/API answer.
- What remains uncertain is how much of this architecture already exists in the current repo and how much is still planned. The chat produced prompts and plans, but it did not prove execution.
- The unresolved issue is whether those prompts were ever run and whether the generated code, if any, conforms to the project's strict C89/C++98 and determinism requirements.
- The unresolved complication is C89 portability. Standard C89 does not provide `long long`, but `u64`, `i64`, and `q48_16` require 64-bit representation. Future work must decide whether to allow compiler extensions, emulate 64-bit values for strict retro targets, or define platform tiers with conditional support.
- The unresolved issue is that the prompt's minimal manifest parser and hardcoded platform path are only a starting point. A real implementation must generalize product discovery, avoid duplicated path logic, and preserve compatibility/versioning rules.
- The unresolved issue is whether the prompts are too broad and whether the existing repo already has overlapping modules. Future work should inspect the repo before applying these prompts.

dominiumfullconversation

- Verify live repo state, then review/run `FULL-GATE-LEGACY-TEST-ROUTE-01`, then generate `PACK-INTERNAL-LAYOUT-CANON-01` if the queue/status supports the maintenance lane.
- Preserve uncertainty labels.
- Future chats could easily misunderstand this conversation by treating Workbench as a GUI framework, treating raylib as the engine, resuming broad structure cleanup, skipping projection conformance, or assuming live repo status from stale pasted reports. The mitigation is to verify repo state first, preserve the contract/service/projection/provider distinctions, and follow the task queue.
- The best next action is to verify live repo state, then review or run `FULL-GATE-LEGACY-TEST-ROUTE-01`, then generate `PACK-INTERNAL-LAYOUT-CANON-01` if status supports it.

dominium_setup

- **FACT:** The setup system was repeatedly defined as the only component allowed to install files, modify system/installation state, own installed-file metadata, repair installs, verify artifacts, uninstall, downgrade, upgrade, and roll back. This is the most important architectural rule from the chat.
- What remains uncertain is the actual current implementation state in the repository after the applied Codex prompts. The design is clear, but the repo must still be inspected.
- **FACT:** The final canonical setup layout uses `setup/core/{fetch,verify,install,rollback}`, `setup/include/{dsk,dsu}`, `setup/packages`, `setup/platform`, `setup/tests`, and `setup/ui`.
- The unresolved part is whether the actual repository now matches this canonical layout.
- **UNCERTAIN / UNVERIFIED:** Exact Visual Studio 2026 behavior and toolchain details should be verified in the current environment before relying on them.
- **UNCERTAIN / UNVERIFIED:** The user stated the prompts were applied, but this chat did not show the final repository tree or build results.
- **UNCERTAIN / UNVERIFIED:** The actual schema files under `schema/setup/` need to be checked.
- Several goals remain unresolved because the actual repo was not inspected here. We do not know whether the applied Codex prompts fully succeeded, whether setup builds, whether schemas exist, whether `libs/contracts` is complete, or whether setup/launcher CLI smoke tests pass.

DominoDominiumWorkbench

- **Reliability note: This is a human-readable consolidation, not a live repository audit. Repo-current statements that came from pasted material or prior-chat excerpts remain UNVERIFIED**** until checked against the live `julesc013/dominium` repo and current AIDE/validator outputs.
- Verify current live repo status and task gate state.
- > Verify repo state, then generate `COMMAND-RESULT-VIEW-SLICE-01`.

dominoenginerefactor_prompts

- The answer also introduced a deterministic bytecode VM as the preferred way to support modded behavior. A question was raised about whether native-code plugins should also be allowed, but the user did not answer. That remains unresolved.
- What remains uncertain is the actual repository state. The chat designed architecture and prompts, but did not inspect source code. Therefore the plan needs repo verification before implementation.

- The unresolved work is to generate detailed subsystem implementation prompts for heat, power, fluids, atmospheres, vehicles, and structural loads after the core engine spine is implemented.
- The remaining uncertainty is plugin policy. A deterministic VM was proposed, but whether native-code plugins are allowed remains unresolved.
- What remains uncertain is the exact thresholds and content policies for when things promote or demote.
- The unresolved issue is how much of STRUCT compilation should be implemented first. The prompt plan is broad; a real implementation may need a smaller first milestone.
- ignoring FACT/INFERENCE/UNCERTAIN labels;
- UNCERTAIN / UNVERIFIED:** The package files were generated in the sandbox during the prior step, but repository files were not created or inspected.

enginebaselinearchitecture

- Uncertainty: the repo has many modules and some historical/legacy surfaces, so exact implementation maturity varies by subsystem. The distinction should remain a formal requirement in a master spec.
- Uncertainty: the full determinism envelope across all current modules was not independently re-run in this chat. User-supplied local validation results should be preserved but verified before being used as audit proof.
- Uncertainty: this remains strategic architecture, not an implemented decision.
- Unresolved goals include:
- User wants uncertainty labelled and framing corrected when evidence disagrees.
- UNCERTAIN: whether the user wants Unreal integration at all as a client/editor.
- UNCERTAIN: exact tolerance for using external geometry libraries.
- UNCERTAIN: whether broad repo restructuring will be desired after Milestone 0.

FoundationWorkbenchCodex

- What remains uncertain is how quickly this architecture will move from contracts and fixtures into runtime implementations and product slices. The next chat should not assume runtime provider resolvers, package runtime, or Workbench shell exist.
- verify latest live repo state after user-pasted Wave 1 completion;
- 1. Verify live repo state.
- The user wants direct, evidence-grounded, audit-ready answers; timestamps/model labels; explicit uncertainty; no repeated clarification unless necessary; large continuous Codex prompt blocks when generating prompts; targeted tests instead of full suites; and rapid progress toward Workbench/code.
- The user is likely to reject slow, report-only, overcautious process. Future assistants should produce executable next prompts quickly after verifying state.
- It is uncertain how many concurrent Codex workers the user will actually run at once and whether the user wants coordinator prompts or worker prompts next.
- The most important continuation is: verify current `origin/main`, confirm Wave 1 and Workbench validation state, then generate or run `COMMAND-RESULT-VIEW-SLICE-01`.

FrameworkOpenSource_Provider

- The chat inspected `julesc013/dominium` and found evidence of existing abstractions such as system and graphics layers, stubs, and soft-backed backends. The finding was that raylib could fill concrete provider gaps without replacing the architecture. However, current repo facts are stale/uncertain and must be verified, especially the C17/C++17 vs C90/C++98 baseline contradiction.
- The exact first implementation branch, versions, and dependency pins are unresolved. The exact Domino Framework ABI is unresolved. The exact Lua version is unresolved. The current repository baseline must be verified. The formal policy for GPL/LGPL/unclear license material is unresolved. The sparse simulation and CAD systems need formal specs and prototypes.
- The raylib decision was also directionally accepted. The user repeatedly expressed enthusiasm for raylib and asked about using as much of raylib infrastructure as possible. The caveat is that raylib is a provider suite, not architecture. This affects rendering, audio, input, asset preview, and Workbench bootstrap.
- 1. Verify repo baseline and dependency versions.
- The user requires source-grounded, audit-ready, uncertainty-labelled responses. The preservation prompt explicitly requires FACT/INFERENCE/UNCERTAIN/PROJECT-CONTEXT labels, no invented facts, no treating brainstorming as decisions, and no over-compression. The prompt also requires a human-readable report first and downloadable files if possible ?filecite?turn29file0?.
- The most blocking unresolved issues are repo baseline verification, exact dependency pins, minimal framework ABI, provider profile order, deterministic simulation spec, and license policy.
- Verify the current `julesc013/dominium` CMake language baseline.

guibinarycontent

- GPT-5.5 Pro - 2026-05-27 00:00:00 Australia/Melbourne; time UNVERIFIED
- whether knowledge systems should include uncertainty, false beliefs, or lost knowledge,
- This stage established a pattern that continues throughout the chat: the user does not want impressive-looking prompts that hide unresolved design choices. The user wants the assumptions exposed before anything is formalized.
- The assistant agreed with the general direction, but added caveats. The most important were:
- Those caveats were not final user decisions, but they are important warnings.
- The conclusion was not "run the prompt now." The conclusion was that CONTENT0 is a strong foundation but needs discussion before finalization. The assistant-generated rewrite is useful but not final. The unresolved issues need to be resolved before Codex or any implementation work touches the repository.
- What remains uncertain is how exactly to encode these ideas in schemas and data. For example, it is not yet decided how deterministic seed hierarchies work, how macro content refines into micro content, or how timeline causality should be represented.
- The unresolved issue is the shared backend/UI contract. Without that, the GUI plan is only a list of technologies.

LanguagePlatformArchitecture

- The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- Exact tolerance for exceptions/RTTI inside private C++17 code remains unsettled. Exact platform floors and raylib/SDL2 priority remain unresolved.
- Verify the Windows 7 and macOS 10.9 toolchain/library assumptions using official sources.

launcherapplayer

- These prompts matter because they superseded earlier advice. They also created a new practical priority: verify that the applied prompts actually succeeded.
- This changed the correct future behavior. The next assistant must not redesign. It must implement, audit, maintain, document, verify, and harden.
- This matters because it prevents platform-specific drift. If CLI has `verify`, GUI must not implement a different hidden version of `verify`. If GUI has a pack enable flow, it should map to the same command/intent as CLI and TUI.
- The final purity prompt required those to be moved or quarantined. However, actual repo success remains unverified in this chat.
- The important change is that the conversation moved from "What architecture should we use?" to "Architecture is locked; how do we verify and harden the implementation?"
- The largest unresolved goal is verifying the actual repo. The user stated that two Codex prompts were applied, but this chat did not independently verify the filesystem, build, tests, scripts, or launcher docs.
- Another unresolved goal is confirming whether the launcher hardening prompt has been applied.
- A third unresolved goal is confirming whether command graph, UI IR, binding validation, zero-pack tests, RepoX changelog display, and BUILD-ID mismatch refusal are implemented.

LauncherSetupArchitecture

- Uncertainty:** The exact repository layout and existing implementation were not inspected in this chat.
- Uncertainty:** The final language boundary for setup remains unresolved after the later C89/dsys/dgfx launcher direction.
- Uncertainty:** The exact mapping into runtime binaries remains unverified.
- Uncertainty:** Accounts/social/wiki/forum/direct messaging are future-facing and were not converted into the final five-tab implementation plan.
- Uncertainty:** Earlier setup designs used JSON manifests. Later dsys/dgfx architecture leaned toward TLV `.dmeta` files.
- Uncertainty:** Actual plugin ABI details and dynamic loading support depend on dsys/repo APIs.
- Uncertainty:** Actual dsys/dgfx APIs were not inspected.
- Conclusion reached:** This chat is now documented and can be merged later, but with caveats.

ModularityAIDERefactorability

- The live repo still needs verification. The exact AIDE files, contracts, validators, and migration tasks must be implemented. It remains unresolved which existing roots and tools map to which final homes, which APIs become stable, which code is reusable across products/games/projects, and which prior assistant recommendations should become formal requirements after user review.

- 1. **TASK-09** - Verify live repo baseline: current branch, root inventory, validators, CTest status, generated artifacts.
- The user prefers source-grounded, audit-ready decisions; bounded uncertainty; explicit task prompts; and reusable engineering doctrine. Future assistants should avoid shallow affirmation and should distinguish accepted user decisions from assistant recommendations.
- Important caveat: the only current uploaded file available for this task is `Pasted text.txt`, which contains the preservation-package prompt. Earlier generated handoff files, ZIP packages, or uploaded docs referenced in prior conversation are not available in this chat unless the user re-uploads them.
- The most serious risk is that a future assistant treats this chat as if it verified the live repo. It did not. The second serious risk is that it hardens every assistant suggestion into a requirement. Several items are strong recommendations aligned with user goals, but still require implementation review. Future chats must preserve labels and verify stale facts.
- Future assistants must verify live repo state before implementing cleanup.

omegaxiarchitecturefuture

- Preserve FACT / INFERENCE / UNCERTAIN labels.
- Do not invent or flatten uncertainty.
- 7. "List all artifacts I should verify in GitHub main."
- 9. "What should I verify before starting Sigma?"

OSInterfaceRepo_Architecture

- The unresolved goals are implementation-level. The repo still needs command dispatch unification, product boot proof, portable projection proof, AppShell rendered-mode law update, Workbench module contracts, document/patch/result/refusal schemas, and a boot-to-replay MVP. It also needs continued exception retirement, CTest/RepoX remediation, and verification of current build status.
- 2. Repair canonical verify test discovery.
- The user wants uncertainty labels and correction of incorrect framing.
- This preservation task specifically required FACT / INFERENCE / UNCERTAIN / PROJECT-CONTEXT labels, stable IDs, registers, spec sheets, an aggregator packet, self-audit, and downloadable files if tools are available.
- UNCERTAIN: Whether the user wants to rename `engine` conceptually to `kernel` in code, or only use `kernel` as a conceptual layer.
- UNCERTAIN: Whether the final public product name should be Dominion Workbench, Dominion Studio, Domino Workbench, or something else.
- UNCERTAIN: How aggressive the next actual code refactor should be versus staged adapters and codegen.

platformrendererapi_plan

- This is not a fatal problem for the prompt pack, because the prompts themselves repeatedly tell Codex to discover

Verify

This section is excerpted for readability. See the source path for the full report.

10.19 Uncertainty Register

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_audit/UNCERTAINTY_REGISTER.md - excerpted

10.20 Uncertainty Register

Uncertainty entries are extracted from archived reports and require current repo verification.

10.20.1 advancedsimulationinfrastructure

- Source file: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt

UNVERIFIED No repository files were inspected in this chat. No code was implemented. Proposed paths, module names, command names, file names, VM concepts, and data schemas are design proposals until checked against the actual codebase.

UNVERIFIED Exact solvers, fixed-point formats, module paths, data schemas, and tick ordering remain to be verified and specified.

UNVERIFIED The exact gameplay rules runtime was not specified. The command examples were conceptual.

UNVERIFIED The exact cross-section schema, attachment schema, and packing rules remain unresolved.

UNVERIFIED Microsegment length, VM design, storage layout, budget values, and actual code integration remain open.

UNVERIFIED Actual standards packs, rule schema, semantic key format, localization, and AI interaction remain unresolved.

- Then it produced a prompt for another GPT-5.2 chat that already had a refactor/optimization plan. That prompt told the other chat to amend its existing plan instead of restarting, and to verify coverage of arbitrary placement, unified spatial primitives, co-location, signage, buildings, and determinism/performance.

UNVERIFIED The architecture has not been verified against the actual repository. The exact implementation details remain unresolved: Q formats, orientation math, command schemas, VM instruction set, microsegment length, carrier ownership, junction archetypes, facility modules, and DECOR/device promotion policy.

UNVERIFIED Exact Q formats were not finalized.

UNVERIFIED The exact VM is unresolved.

- The most important practical next step is to inspect the current repository. This chat proposed module names and file paths, but did not verify them.

FACT The user asked later reports to preserve uncertainty labels: FACT, INFERENCE, UNCERTAIN / UNVERIFIED, and PROJECT-CONTEXT.

10.20.2 appruntimeplatform_renderers

- Source file: docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt
- What remains uncertain is whether the current repository already enforces these boundaries mechanically. The actual code needs inspection.

- The unresolved issue is sharding semantics. APP0 requires sharding hooks, but the chat did not decide whether shards are spatial, logical, temporal, jurisdictional, or something else. The report preserved the idea that APP0 can provide sharding plumbing without inventing simulation semantics.
- The unresolved issue is the trust and integrity model for setup. The chat did not decide whether content verification should use hashes, signatures, local manifests, network verification, or another model.
- The unresolved issue is the exact elevation/audit model. The chat did not decide how tools authenticate, request write permissions, log actions, or interact with law enforcement modules.
- The unresolved issue is the exact renderer capability schema. The chat proposed ideas but did not finalize fields, priorities, or target matrices.
- The user asked to look at the old code snapshot in project attachments. A prior assistant claimed to inspect it, but later preservation documents marked that claim as **UNCERTAIN / UNVERIFIED**.
- This became one of the most important unresolved issues. Almost every implementation question depends on the real code: directory layout, build system, languages, existing platform/render layers, client/server dependencies, and engine/game public APIs. The next real step is repository verification.
- INFERENCE:** The user wants future assistants to be epistemically careful: not inventing repository facts, not treating proposals as decisions, and not losing uncertainty.
- The exact module architecture remains unresolved. The exact platform/renderer support matrix remains unresolved. The exact relationship to the current repository remains unresolved because the old snapshot has not been verified. The exact setup trust model, tool audit model, sharding semantics, and client prediction policy remain unresolved.
- This affects the client, server, launcher, setup, and tools. The client can display and interact; the server can host authority; the launcher can start sessions; setup can install and verify; tools can inspect and audit. But none of them should invent unauthorized simulation outcomes.
- The assumption behind this decision is that engine/game code can be hosted through stable public APIs. Whether the current repo already supports that is **UNCERTAIN / UNVERIFIED**.
- The unresolved caveat is prediction. If client-side prediction is later needed, it must be designed carefully as non-authoritative and probably separated from authority-committing simulation code.

10.20.3 apptestxcodehygiene

- Source file: docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt
- The main unresolved goal is practical execution: which prompts have actually been run, which files exist, and what implementation should happen next.
- Setup handles install, verify, repair, rollback, upgrade, downgrade, uninstall, and status. Launcher can invoke Setup, but must not replicate its mutation logic. This prevents two products from disagreeing about installation state.
- First, verify whether `libs/contracts` and `libs/appcore` already exist. Then implement the pure contract headers and appcore skeleton. This should include:
- Before implementing app RepoX integration, verify actual RepoX metadata paths, TestX invocation, VALIDATE-0 commands, and BUILD-ID-0 files. Without that, an implementation prompt would guess.
- Use labels like FACT, INFERENCE, UNCERTAIN, PROJECT-CONTEXT in reports.
- From the user profile and instructions, future assistants should verify time-sensitive/current facts with web where relevant. This chat itself is mostly internal project planning, so external citations are not central.

- EXEC, ECSX, KERN, ADOPT, DIST, HWCAPS, EXIST, DOMAIN, TRAVEL, TIME, OMNI, LIFE, CIV, WAR, AGENT, TOOL, MOD, FINAL prompt families were generated earlier. They are important as historical design artifacts, but actual repo execution is unverified.
- The chat produced downloadable handoff files and later an in-chat reader. Those files are useful for aggregation but are not themselves project source code. The package’s main caveat is that it does not verify actual repository state.
- The most important unresolved issue is actual repository state. We do not know which prompts were run, which files exist, or which systems are implemented.
- The latest project-context says `CANON_INDEX.md` is the single source of truth. The package does not verify its existence. This should be checked before using docs as canon.
- The versioning model is stated as canon, but actual implementation is unverified.
- The project is too complex for vague summaries. Future assistants should preserve IDs, artifacts, and caveats.

10.20.4 architecturecodexprompts

- Source file: `docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- UNCERTAIN / UNVERIFIED: No repository code was inspected or modified in this chat. The prompts and architecture are plans and artifacts, not proof that implementation exists. The actual repository state, build system, existing code quality, GUI backend availability, TLV schemas, and whether any prompts have been applied remain unverified.
- Uncertainty remains about actual repository code and build system, but the layering itself is a strong established principle.
- Unresolved issues include exact TLV schema field tags, exact registry implementation, base pack structure, and whether engine comments/docs may use examples with domain words.
- The main uncertainty is implementation: the prompts define it, but no code was verified.
- Unresolved details include exact process IO schemas, machine runtime state, and the relationship between autonomous machines and agent-operated jobs.
- Unresolved: exact nesting policy, allowed packing modes, and how far to model real packing constraints.
- Uncertainty remains about freeform geometry versus grid shell as the long-term building representation.
- The exact destruction and structural-load models remain unresolved and part of Path D.
- Unverified: actual save file format and current repo serialization code.
- The most important caveat is that actual repo state is unknown.
- Unverified: actual hash design and validators have not been implemented in this chat.
- UNCERTAIN / UNVERIFIED: Actual implementation remains unresolved. The prompts are ready, but no code was verified.

10.20.5 architectureuiproviders

- Source file: docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- The exact first playable slice remains unresolved. The first provider wedge is clear, but exact sequence between client/workbench gameplay, Robot OS, and gameplay mechanics still needs a formal milestone. The exact Lua version, Linux baseline, current repo status, and external library/version support need verification. The exact degree of Unreal involvement remains unclear.
- 1. Verify and pin external library/toolchain facts.
- It remains uncertain how much the user wants Unreal in the near-term after raylib-first discussion. It also remains uncertain whether Lua 5.4 or 5.5 is preferred; the user appears to value pinning and stability more than "latest" for script ABI.

10.20.6 BuildandFuture__Proofing

- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- The unresolved goals are implementation goals: deciding which recommendations become canon, adding public-surface/dependency/build contracts, validating the current live repo state, and applying the proposed cleanup tasks. The preservation package is complete, but the engineering work it describes remains pending.
- 2. **Verify current repo state.** Confirm the actual current HEAD, build proof, smoke tests, and outstanding warnings before acting.
- 10. **Feed this report into the master spec book aggregator.** Preserve uncertainty labels and avoid merging suggestions as decisions.
- The preservation output must distinguish FACT, INFERENCE, UNCERTAIN/UNVERIFIED, and PROJECT-CONTEXT.
- A future assistant may rely on stale repo state. Mitigation: verify live HEAD, docs, and CI before implementation.
- What live repo facts should I verify before implementing these tasks?
- The final uploaded prompt asked for this preservation package. The key thing to preserve is that most architecture proposals are recommendations, not accepted user decisions yet. The next best action is to decide which recommendations become canon, then implement either STRUCTURE-01: Public Surface Registry or the build tuple contract work, after verifying the current live repo state.

10.20.7 canonicalstructureand__framework

- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- INFERENCE: The user wanted a durable method for deciding future structure changes, not just a one-time layout. They also wanted the assistant to become more rigorous: distinguish decisions from brainstorming, stop over-planning without execution, and preserve uncertainty. The user also wanted a structure that supports other Domino-based games and possibly different engine implementations.

- A persistent uncertainty is the exact current repo state. The user supplied many status reports and directory exports, but several exports were internally inconsistent or stale at various points. The chat therefore repeatedly emphasized structure report integrity and verification before trusting tree analyses.
- 1. Verify fast-strict/RepoX/structure report status from a clean current export.
- The user dislikes vague reassurance and wants uncertainty labelled.
- UNCERTAIN: The final exact convention for `external/upstream` versus `external/vendor` should be checked against current repo policy.
- UNCERTAIN: Whether Lua should be pinned to 5.4 or 5.5 is not settled in this chat.
- UNCERTAIN: Whether pack-internal `content/` directories are legitimate pack law or legacy remains to be verified.
- User-reported commits and status summaries: these include commits like `6e0dd93`, `1406490`, `3243fab`, `ce9ca`, and others. Treat them as FACTs reported in the chat, but verify live repo state before acting.
- Is full CTest currently green? The chat repeatedly says no or not run; verify before any release/trust claim.
- Are stale AuditX/identity evidence and launcher marker debt still blocking fast strict? User reports changed over time; verify live.
- Is the final live queue pointing to `PROJECTION-CONFORMANCE-01`, `PRESENTATION-CONTRACT-01`, or a maintenance task? Verify current `.aide/queue/current.toml`.
- Should `external/upstream` or `external/vendor` be canonical? Verify current repo convention.

10.20.8 ChronologyCelestialSystems

- Source file: `docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt`
- The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- What remains uncertain is the exact verified object list. The assistant generated a real Milky Way system list, but that list must be checked before becoming data.
- The unresolved issue is exact fidelity. The chat specified what should exist conceptually, but not the final data schema, map resolution, object attributes, or implementation priority.
- What remains unresolved is the exact mathematical implementation of these frames and how much relativistic fidelity should exist in phase one.
- The uncertainty is high relative to Earth. Many names and structures were assistant-generated and should be reviewed before implementation.
- The unresolved issue is implementation reality. The actual Plan G/The Game codebase was not visible here, so any implementation plan must be reconciled with real architecture.
- The only major unresolved part is the leap rule.
- The user wants rigorous, structured, fact-aware assistance. The user specifically requested preservation of uncertainty labels and does not want assistant suggestions treated as user decisions.
- Future assistants should not invent Plan G details, assume codebase language constraints, hardcode unverified astronomy, treat all assistant-generated calendars as final, flatten tentative items into decisions, or reveal time/date in UI without in-world justification.

- The most important unresolved issue is the real Plan G/The Game architecture. This chat could not inspect it. Any implementation plan must first compare this design to the actual project.
- The second major unresolved issue is the exact HPC-E leap rule. The calendar structure is set, but the leap cadence is not. This must be decided before implementation.
- The third unresolved issue is the exact time-scale mapping for Gregorian January 1, 2000 AD. The user specified the civil date, but not the exact technical instant. This affects deterministic world start.

10.20.9 development_routes

- Source file: `docs/archive/conversations/development_routes/dominium_development_routes__human_readable_chat_report.txt`
- The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- The assistant produced a large Context Transfer Packet. It preserved the technical route proposal, the caveats around its uncertainty, the proposed phase order, the open questions, the risks, the artifacts, and the next actions.
- The assistant created those files and reported that the chat label was inferred as **Dominium Development Routes**. The package was said to be safe for aggregation **with caveats**. The main caveats were that the substantive project transcript was short, Route C was not user-confirmed, and Dominium's genre, core loop, stack, implementation state, files, platforms, team, and timeline were not established.
- **UNCERTAIN / UNVERIFIED**: Route C was not accepted by the user as final.
- **UNCERTAIN / UNVERIFIED**: the required level of determinism for Dominium was not established. It might need full cross-platform deterministic replay, or it might only need ordinary save/load correctness, or something between those extremes.
- The outputs included a Context Transfer Packet and a downloadable package with multiple files. The files are less important than the purpose: preserve the exact status of the discussion, including uncertainty and assistant-proposal status, so future assistants do not accidentally distort the project.
- The second explicit goal was to preserve the chat before retirement. The user did not want a normal summary. They wanted a maximum-fidelity transfer packet that would prevent loss of decisions, constraints, unresolved issues, rationale, and next actions. This was addressed by the Context Transfer Packet.
- Some goals changed over time. The chat began as architecture guidance, became a state-transfer task, became a packaging task, became an in-chat inspection task, and now becomes a plain-English briefing task. The underlying continuity goal stayed consistent: preserve the useful substance without losing uncertainty.
- The chat-specific reporting decisions were more settled. The user explicitly required that the package be limited to this chat, use labels for fact/inference/uncertainty, preserve assistant suggestions as suggestions, and avoid inventing facts. These are firm process decisions because they came directly from the user.
- The user's strongest visible concern is epistemic discipline: do not invent, do not silently infer, do not promote suggestions into decisions, and do not erase uncertainty.
- Before building anything, the project needs a clearer definition of Dominium. The first unresolved technical step is to define the genre and core player loop. This matters because a grand strategy game, colony sim, city-builder, RTS, political simulator, and economic simulation all imply different state models and time scales.
- The largest unresolved issue is whether Dominium is actually simulation-heavy enough to justify the proposed kernel-first deterministic route. The assistant assumed that kind of complexity, but the visible conversation does not prove it. The user needs to confirm or correct that assumption.

10.20.10 documentationstandardsreadme

- Source file: docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt
- The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- The chat began with the user asking how to have Codex generate documentation for every file in the project. The user wanted metadata, functions, definitions, dependencies, and other maintainability information documented. The core uncertainty was placement: should documentation live in separate sister files, or should it live in file headers and function headers?
- **UNCERTAIN / UNVERIFIED:** Whether the project has similarly named files or modules is unknown.
- What remains uncertain is how the actual project currently organizes public headers, internal headers, and docs. That must be verified from the repository.
- What remains unverified is the actual project name, supported platforms, license, maturity, and current repository layout. Those cannot be responsibly written without inspecting the repo.
- The decision depends on an assumption: that the project's public APIs are declared in headers. That is likely for a C/C++ codebase, but the actual public/private boundary is still unverified.
- What must happen first: verify source roots, exclusions, CMake structure, CI environment variables, and Python availability.
- What could go wrong: treating assistant suggestions as final requirements or merging contradictory chat claims without preserving uncertainty.
- **FACT:** The user wants facts checked and uncertainty preserved.
- **INFERENCE:** The user values preserving rejected options and uncertainty because they expect to aggregate many old chats later.
- **UNCERTAIN / UNVERIFIED:** Actual repository language standards, compiler settings, source roots, and assembly presence still need verification.
- This is one of the most concrete artifacts. It describes how Codex should create a Python checker, integrate it into CMake, document it, and verify behavior.

10.20.11 DominionArchitectureI

- Source file: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt
- What remains uncertain is the exact final scope of all simulation systems. Many systems were described in ambitious terms, but not all details are final or internally consistent. The systems layer especially needs canonicalisation before coding.
- What remains uncertain is the current real-world status and capabilities of "Codex 5.1 Max." That is an external tool fact and requires verification before future use.
- The key later decision was to skip top-level .txt devspec files because original Markdown files already existed in /docs/.... The visible chat does not show the full content of those docs. They should be preserved as referenced artifacts, but their exact content is **UNCERTAIN / UNVERIFIED**.
- This affects dlocale, font rendering, platform path handling, data locale JSON files, mod APIs, UI, and documentation. The unresolved part is exactly how much retro support is actually feasible. Claims about old OSes, toolchains, SDL2, OpenGL, Direct3D, and macOS versions require external verification.

- A large portion of the chat consisted of producing specs for those files. Each spec was meant to tell Codex how to implement that file. The conclusion is that the repository architecture is broad but structured. The unresolved issue is that many later files remain pending.
- The unresolved issue is API consistency. Generated specs for memory and serialization are inconsistent across files, and some platform/render specs contain outdated or unverified external assumptions.
- The most important unresolved issue is duplication and contradiction. `dweather`, `dhydro`, and `dai_core` were generated in more than one form. The package does not choose a final version. A future assistant should not implement any of those blindly.
- The user decided to skip the top-level `.txt` files because original Markdown docs already exist in `/docs/..`. This decision is final for the current workflow, but it depends on those docs actually existing and being current. That is **UNCERTAIN / UNVERIFIED** because the docs were not inspected in this chat.
- The user explicitly required that the final handoff/report preserve facts, decisions, preferences, rejected options, unresolved issues, artifacts, and rationale. The user required labels for FACT, INFERENCE, UNCERTAIN / UNVERIFIED, and PROJECT-CONTEXT. The user required that assistant suggestions not be treated as user decisions unless accepted.
- All artifacts should feed into the future Project Spec Book only after uncertainty and contradictions are handled. The file-spec prompts are especially important, but they require API cleanup before implementation.
- The most important unresolved issue is canonicalisation. `dweather`, `dhydro`, and `dai_core` each have duplicate conflicting specs. A future assistant needs to compare the versions and either select one or merge them carefully.
- The next unresolved issue is core API consistency. `dmem` and `dserialize` are used inconsistently across generated specs. This must be fixed before coding.

10.20.12 DominiumArchitectureII

- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- What remains uncertain is the exact code-level API and component layouts. The chat produced specs and prompts, not final source code.
- This is an important implementation detail, but some of it remains unverified. Lua 5.4.4 portability to old compilers needs testing. The exact Lua data schemas still need definition. The docs also still have JSON-oriented format sections, so the Lua-vs-JSON policy needs reconciliation.
- The biggest unresolved goals are practical:
- Verify DX9/Windows 2000, SDL2, Lua/toolchain compatibility.
- FACT: This was answered in response to Codex's clarifying questions. It is a concrete implementation direction, though Lua 5.4.4 portability remains unverified.
- 1. ****Verify and apply V4 docs.**
- The user repeatedly requested maximum-fidelity reports, registers, handoff packets, and human-readable summaries. The user wants labelled uncertainty and does not want future assistants to invent missing context.
- or forget that Lua-vs-JSON remains unresolved.
- The most important unresolved issue is **actual repo state**. The chat generated many documents, but it is unknown whether they were applied to disk. Before Codex implements anything, the repo must be inspected.

- Another major unresolved issue is **Lua data versus JSON formats**. The user explicitly wants Lua for all MVP data, but generated `DATA_FORMATS.md` and data specs include JSON-style formats. This may be acceptable if JSON is long-term and Lua is MVP, but the docs must say that clearly.
- The exact MVP component set is also unresolved. The chat implies Transform, occupancy, power node, fluid node, data node, worker/agent, building/device, prefab IDs, inventory/job state, and possibly simple vehicle/path components, but exact fields are not final.
- Major unresolved issues are actual repo state, Lua-vs-JSON policy, render command/camera API, external compatibility, MVP component fields, and licence validity.

10.20.13 DominiumArchitectureIII

- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This became important later, because many implementation ideas were discussed without confirmed access to the repo contents.
- This created one of the main unresolved issues. DX12 was discussed earlier, but omitted from the latest renderer list. X11 and Wayland were discussed earlier, but the latest platform categories are POSIX, SDL1, SDL2, and Native. Therefore, the final status is:
- DX12 is **UNCERTAIN / UNVERIFIED** and should not be assumed.
- X11/Wayland placement is unresolved.
- The prior assistant summarized these files as containing two different launcher concepts: an engine-rendered launcher view and a native Win32 launcher. It also claimed the CMake file built the Win32 source for non-Windows targets. However, this report must preserve that as **UNCERTAIN / UNVERIFIED**, because the files were not re-inspected during final packaging.
- This is final as a user-stated product goal. Feasibility still requires verification.
- Those outputs are important artifacts, but they are not the substance of the design. Their purpose is to preserve this chat's decisions, uncertainty, and future work for later aggregation into a master Project Spec Book.
- What remains uncertain is not the constraint itself, but how existing repository code currently enforces it. That requires code inspection.
- Uncertainty remains around how the uploaded launcher code currently maps to this desired UI. The prior assistant said the uploaded native launcher had different tabs, including Console and missing Accounts, but this must be verified.
- Uncertainty remains around aliases. Earlier names such as `dom-launcher` and `dom-setup` might be kept as aliases, but that was not finalized.
- The major unresolved issue is taxonomy: how exactly POSIX, SDL1, SDL2, and Native map to Win32, Cocoa, Carbon, X11, Wayland, headless, and retro platforms.
- The unresolved part is feasibility. Supporting Linux 2.4, Mac OS 8.5, Windows 3, and MS-DOS requires separate toolchain research. The chat did not verify that every target can be built.

10.20.14 DominiumArchitectureIV

- Source file: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt
- The conclusion was clear and accepted: **Domino is the reusable engine; Dominium is the game/product layer**. What remains uncertain is the actual repository state. The chat planned the split, but did not verify whether the repo already matches it.
- The unresolved issue is that the actual repo was not inspected in this chat. The planned structure may not match the current files.
- The unresolved issue is practical feasibility, especially for retro targets and Carbon OS. Their actual toolchains and system calls remain unverified.
- The unresolved issue is the exact IR payload layout and how far limited renderers should go. A CGA or MDA backend cannot realistically support modern 3D in the same way as Vulkan. The agreed approach is explicit capability flags and graceful fallback or no-op behaviour.
- The unresolved issue is the exact manifest/schema format. JSON, TOML, and INI-like examples appeared in prompts, but no final schema choice was made.
- The unresolved issue is that external packaging details require verification. WiX, macOS notarization, Linux packaging, and AppImage tooling are all external-world facts and may be stale.
- The package and this report should help future assistants continue without re-reading the whole chat. However, they must preserve uncertainty: actual repo state is unverified, some transcript sections were skipped, external tooling facts may be stale, and assistant suggestions are not user decisions unless accepted or built upon.
- It is also reasonable to infer that the user wants the future project spec book to preserve rationale, not just lists of decisions. The later handoff requests emphasised visible rationale, rejected options, uncertainty, and changes of direction.
- Before doing it, verify the repo state. The generated prompts assume specific directories and may need adaptation.
- Important items labelled as fact, inference, or uncertainty.
- The **Phase 4 setup prompts** describe setup core and wrappers for Windows, macOS, Linux, and retro targets. They should be used only after verifying current external packaging tool details.
- The chat also created downloadable report files and handoff packages. For understanding the substance of the chat, the important thing is not the files themselves but the information they preserved: roadmap, decisions, tasks, constraints, risks, and unresolved issues.

10.20.15 DominiumCompleteConversation

- Source file: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md
- Uncertainty: the raw pasted prompt is not the current repo authority unless materialized in repo canon. The later audit found that it had in fact been materialized under docs/canon/constitution_v1.md.
- Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under apps/, while an earlier inspected code path under root client/ was available and apps/client was not fetched successfully. This must be verified against the current physical tree.
- Unresolved goals include verifying the latest physical repo tree, proving runtime implementation maturity, formalizing public ABI/API boundaries, completing layout/naming cleanup, and building a second Domino-based product to prove reuse.

- 1. Verify the current physical repo tree against layout docs and `contracts/repo/layout.contract.toml`.
- The user likely wants future assistants to challenge weak framing, preserve uncertainty, avoid shallow "best practice" lists, and focus on decisions that survive future rewrites.
- "Create a gated plan for verifying current repo layout and exceptions."

10.20.16 dominiumdominocodex_planning

- Source file: `docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- The most important things to remember are: the project's strict architecture constraints, the Milestone-0 prompt sequence, the later shared CLI/TUI/GUI/input/render prompt sequences, the missing pack-system prompt, the unified startup policy, the unresolved repo-verification issue, and the need to treat generated prompts as plans rather than proof of implementation.
- The assistant generated the first two prompts. The third was never produced because the conversation changed direction. That missing third prompt remains an important unresolved item.
- However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assistants must verify `dominium.zip` or the active checkout before relying on the platform/render/API answer.
- What remains uncertain is how much of this architecture already exists in the current repo and how much is still planned. The chat produced prompts and plans, but it did not prove execution.
- The unresolved issue is whether those prompts were ever run and whether the generated code, if any, conforms to the project's strict C89/C++98 and determinism requirements.
- The unresolved complication is C89 portability. Standard C89 does not provide `long long`, but `u64`, `i64`, and `q48_16` require 64-bit representation. Future work must decide whether to allow compiler extensions, emulate 64-bit values for strict retro targets, or define platform tiers with conditional support.
- The unresolved issue is that the prompt's minimal manifest parser and hardcoded platform path are only a starting point. A real implementation must generalize product discovery, avoid duplicated path logic, and preserve compatibility/versioning rules.
- The unresolved issue is whether the prompts are too broad and whether the existing repo already has overlapping modules. Future work should inspect the repo before applying these prompts.
- What remains uncertain is how much of this already exists in the repo and how realistic cross-platform IME is for early implementation. IME is often platform-specific and complex, so the generated prompt should probably be applied carefully or split.
- The unresolved issue is API alignment. The prompt proposed new APIs, but the actual repo's dgfx API may already differ. The final report therefore recommends verifying current render headers and backend code before applying the prompt.
- The unresolved work is to generate this prompt, ideally after inspecting actual content/pack docs and source files. The prompt should probably be staged, because pack integration touches content loading, dependency resolution, audio, rendering, shader compilation, GUI themes, vector icons, and streaming.
- This topic remains important but unresolved in implementation. The policy is strong, but the implementation prompt needs repair to avoid linking problems. The safer approach is to keep the generic mode-selection algorithm independent of product-specific symbols, likely through callback tables or product-local dispatchers.

10.20.17 dominiumfullconversation

- Source file: docs/archive/conversations/dominium_full_conversation/companion_report/dominium_full_conversation_companion_report__01_complete_human_report.md
- Verify live repo state, then review/run FULL-GATE-LEGACY-TEST-ROUTE-01, then generate PACK-INTERNAL-LAYOUT-CANON-01 if the queue/status supports the maintenance lane.
- Preserve uncertainty labels.
- Future chats could easily misunderstand this conversation by treating Workbench as a GUI framework, treating raylib as the engine, resuming broad structure cleanup, skipping projection conformance, or assuming live repo status from stale pasted reports. The mitigation is to verify repo state first, preserve the contract/service/projection/provider distinctions, and follow the task queue.
- The best next action is to verify live repo state, then review or run FULL-GATE-LEGACY-TEST-ROUTE-01, then generate PACK-INTERNAL-LAYOUT-CANON-01 if status supports it.

10.20.18 dominium_setup

- Source file: docs/archive/conversations/dominium_setup/dominium_setup_handoff__human_readable_chat_report.txt
- FACT: The setup system was repeatedly defined as the only component allowed to install files, modify system/installation state, own installed-file metadata, repair installs, verify artifacts, uninstall, downgrade, upgrade, and roll back. This is the most important architectural rule from the chat.
- What remains uncertain is the actual current implementation state in the repository after the applied Codex prompts. The design is clear, but the repo must still be inspected.
- FACT: The final canonical setup layout uses `setup/core/{fetch,verify,install,rollback}`, `setup/include/{dsk,dsu}`, `setup/packages`, `setup/platform`, `setup/tests`, and `setup/ui`.
- The unresolved part is whether the actual repository now matches this canonical layout.
- UNCERTAIN / UNVERIFIED: Exact Visual Studio 2026 behavior and toolchain details should be verified in the current environment before relying on them.
- UNCERTAIN / UNVERIFIED: The user stated the prompts were applied, but this chat did not show the final repository tree or build results.
- UNCERTAIN / UNVERIFIED: The actual schema files under `schema/setup/` need to be checked.
- Several goals remain unresolved because the actual repo was not inspected here. We do not know whether the applied Codex prompts fully succeeded, whether setup builds, whether schemas exist, whether `libs/contracts` is complete, or whether setup/launcher CLI smoke tests pass.
- FACT: The chat repeatedly established that setup is the only component allowed to install, upgrade, downgrade, repair, verify, uninstall, roll back, and own installed-file metadata.
- FACT: The final setup layout is `setup/core/{fetch,verify,install,rollback}`, `setup/include/{dsk,dsu}`, `setup/packages`, `setup/platform`, `setup/tests`, and `setup/ui`.
- This affects future application work, but some exact implementation paths remain unverified.
- Another tradeoff was between broad future support and current implementation scope. The architecture allows legacy platforms, storefronts, and offline/online acquisition, but many implementatio

Verify

This section is excerpted for readability. See the source path for the full report.

10.21 Decision Docket

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md - included

Source Class: conversation_corpus_synthesis

10.22 Decision Docket v0

This docket turns unresolved conversation-derived claims into review questions. It does not decide or promote them.

Decision items: 30

10.22.1 architecture/boundaries

DECISION-0001

- Source promotion/claim IDs: PROMOTE-0001
- Source conversations: advanced_simulation_infrastructure
- Question: What disposition should be chosen for this unresolved claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: not directly blocked by queue keyword match
- Recommended default: defer_pending_user_decision
- Decision owner: user_decision
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
- promote_later_after_authority_review
- preserve_as_history
- defer
- Consequences:
- promote_later_after_authority_review: creates a future docs-only or planning review task; still does not authorize implementation.
- preserve_as_history: keeps the archive readable but removes pressure to patch current docs.
- defer: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0002

- Source promotion/claim IDs: `PROMOTE-0005`
- Source conversations: `app_runtime_platform_renderers`
- Question: Should this conversation-derived claim remain archive-only until `gameplay` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `gameplay`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `gameplay`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0003

- Source promotion/claim IDs: `PROMOTE-0006`
- Source conversations: `app_runtime_platform_renderers`
- Question: What disposition should be chosen for this unresolved claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:

- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0004

- Source promotion/claim IDs: `PROMOTE-0015`
- Source conversations: `architecture_ui_providers`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
 - Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0007

- Source promotion/claim IDs: `PROMOTE-0025`
- Source conversations: `development_routes`
- Question: What disposition should be chosen for this unresolved claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0009

- Source promotion/claim IDs: `PROMOTE-0043`
- Source conversations: `Dominium_Complete_Conversation`
- Question: What disposition should be chosen for this unresolved claim: This chat was about preserving and re-grounding *Dominium*'s architecture around a very old constitutional contract, then checking whether the current GitHub repository still foll...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.

- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0010

- Source promotion/claim IDs: `PROMOTE-0049`
- Source conversations: `dominium_full_conversation`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0014

- Source promotion/claim IDs: PROMOTE-0069
- Source conversations: Framework_Open_Source_Provider
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0015

- Source promotion/claim IDs: PROMOTE-0075
- Source conversations: Language_Platform_Architecture
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0018

- Source promotion/claim IDs: `PROMOTE-0113`
- Source conversations: `testx_repo_governance`
- Question: What disposition should be chosen for this unresolved claim: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, a...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0019

- Source promotion/claim IDs: `PROMOTE-0120`
- Source conversations: `UE6_Domino_Deterministic_Universe`
- Question: Should this conversation-derived claim remain archive-only until `gameplay` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `gameplay`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `gameplay`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0024

- Source promotion/claim IDs: `blocked_scope:gameplay`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `gameplay` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `gameplay` as `BLOCKED` and the corpus produced 35 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `gameplay: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

10.22.2 Workbench/AIDE/Codex/tooling

DECISION-0011

- Source promotion/claim IDs: `PROMOTE-0056`
- Source conversations: `Domino_Dominium_Workbench`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0012

- Source promotion/claim IDs: `PROMOTE-0057`
- Source conversations: `Domino_Dominium_Workbench`
- Question: Should this conversation-derived claim remain archive-only until `native_gui` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `native_gui`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `native_gui`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0013

- Source promotion/claim IDs: `PROMOTE-0065`
- Source conversations: `Foundation_Workbench_Codex`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:

- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0020

- Source promotion/claim IDs: `PROMOTE-0121`
- Source conversations: `ui_editor_tool_editor_planning`
- Question: What disposition should be chosen for this unresolved claim: The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED**: No generated prompt is...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0021

- Source promotion/claim IDs: `PROMOTE-0123`
- Source conversations: `ui_editor_tool_editor_planning`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The user uploaded screenshot bundles for setup and launcher. **UNCERTAIN / UNVERIFIED:** The screenshots were not inspected in this chat. The assistant still produced a logical...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0023

- Source promotion/claim IDs: `blocked_scope:broad_workbench_ui`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `broad_workbench_ui` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `broad_workbench_ui` as `BLOCKED` and the corpus produced 7 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `broad_workbench_ui: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.

- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

10.22.3 `renderer/UI/platform`

DECISION-0008

- Source promotion/claim IDs: `PROMOTE-0028`
- Source conversations: `documentation_standards_readme`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repo...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0025

- Source promotion/claim IDs: `blocked_scope:native_gui`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `native_gui` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `native_gui` as `BLOCKED` and the corpus produced 14 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `native_gui: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

DECISION-0029

- Source promotion/claim IDs: `blocked_scope:renderer_implementation`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `renderer_implementation` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `renderer_implementation` as `BLOCKED` and the corpus produced 18 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `renderer_implementation: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`

- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
 - `keep_blocked`
 - `docs_only_crosswalk`
 - `defer`
- Consequences:
 - `keep_blocked`: prevents old conversation claims from opening implementation scope.
 - `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
 - `defer`: postpones judgment until the queue is revised.

10.22.4 provider/content/packs

DECISION-0005

- Source promotion/claim IDs: `PROMOTE-0020`
- Source conversations: `canonical_structure_and_framework`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Why it matters: The claim touches currently blocked scope: `provider_runtime`.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `provider_runtime`
- Recommended default: `defer_until_queue_opens`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0017

- Source promotion/claim IDs: `PROMOTE-0097`
- Source conversations: `Portability_Assurance_Future_Proof`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, `AGENTS.md`, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0026

- Source promotion/claim IDs: `blocked_scope:package_runtime`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `package_runtime` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `package_runtime` as `BLOCKED` and the corpus produced 4 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `package_runtime: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.

- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

DECISION-0027

- Source promotion/claim IDs: `blocked_scope:provider_runtime`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `provider_runtime` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `provider_runtime` as `BLOCKED` and the corpus produced 21 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `provider_runtime: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

DECISION-0030

- Source promotion/claim IDs: `blocked_scope:runtime_module_loader`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `runtime_module_loader` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `runtime_module_loader` as `BLOCKED` and the corpus produced 5 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `runtime_module_loader: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`
- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

10.22.5 world/time/civilization simulation**DECISION-0006**

- Source promotion/claim IDs: `PROMOTE-0024`
- Source conversations: `Chronology_Celestial_Systems`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`

- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0022

- Source promotion/claim IDs: PROMOTE-0125
- Source conversations: `Universe_Explorer_Planning`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and P...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
 - `promote_later_after_authority_review`
 - `preserve_as_history`
 - `defer`
- Consequences:
 - `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
 - `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
 - `defer`: leaves the claim unresolved until stronger authority or user decision exists.

10.22.6 release/setup/launcher

DECISION-0016

- Source promotion/claim IDs: `PROMOTE-0076`
- Source conversations: `launcher_app_layer`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the la...?
- Why it matters: The claim frames unresolved future work or a decision boundary.
- Current repo authority status: conversation-derived advisory claim; current repo authority not modified
- Queue status: `not directly blocked by queue keyword match`
- Recommended default: `defer_pending_user_decision`
- Decision owner: `user_decision`
- Risk if unresolved: Semantic drift or blocked-scope leakage if treated as current truth too early.
- Evidence needed: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.
- Options:
- `promote_later_after_authority_review`
- `preserve_as_history`
- `defer`
- Consequences:
- `promote_later_after_authority_review`: creates a future docs-only or planning review task; still does not authorize implementation.
- `preserve_as_history`: keeps the archive readable but removes pressure to patch current docs.
- `defer`: leaves the claim unresolved until stronger authority or user decision exists.

DECISION-0028

- Source promotion/claim IDs: `blocked_scope:release_publication`
- Source conversations: `current queue plus conversation audit findings`
- Question: Should `release_publication` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Why it matters: The current queue marks `release_publication` as `BLOCKED` and the corpus produced 8 related candidate/finding signals.
- Current repo authority status: `.aide/queue/current.toml` is current repo authority for this scope gate.
- Queue status: `release_publication: BLOCKED`
- Recommended default: `keep_blocked`
- Decision owner: `future_queue_decision`

- Risk if unresolved: Implementation or live-doc scope could be opened by historical momentum rather than current authority.
- Evidence needed: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.
- Options:
- `keep_blocked`
- `docs_only_crosswalk`
- `defer`
- Consequences:
- `keep_blocked`: prevents old conversation claims from opening implementation scope.
- `docs_only_crosswalk`: allows explanatory archive/current-doc mapping without implementation or promotion.
- `defer`: postpones judgment until the queue is revised.

10.23 Decision Options Matrix

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_decision/DECISION_OPTIONS_MATRIX_v0.md - included

Source Class: conversation_corpus_synthesis

10.24 Decision Options Matrix v0

Matrix view of available decision options. Tables support review but do not replace the docket explanations.

- Row 1** ID: DECISION-0001; Group: architecture/boundaries; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 2** ID: DECISION-0002; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: gameplay; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 3** ID: DECISION-0003; Group: architecture/boundaries; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 4** ID: DECISION-0004; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 5** ID: DECISION-0005; Group: provider/content/packs; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer

- Row 6** ID: DECISION-0006; Group: world/time/civilization simulation; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 7** ID: DECISION-0007; Group: architecture/boundaries; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 8** ID: DECISION-0008; Group: renderer/UI/platform; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 9** ID: DECISION-0009; Group: architecture/boundaries; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 10** ID: DECISION-0010; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 11** ID: DECISION-0011; Group: Workbench/AIDE/Codex/tooling; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 12** ID: DECISION-0012; Group: Workbench/AIDE/Codex/tooling; Owner: future_queue_decision; Queue Status: native_gui; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 13** ID: DECISION-0013; Group: Workbench/AIDE/Codex/tooling; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 14** ID: DECISION-0014; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 15** ID: DECISION-0015; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: provider_runtime; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 16** ID: DECISION-0016; Group: release/setup/launcher; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 17** ID: DECISION-0017; Group: provider/content/packs; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 18** ID: DECISION-0018; Group: architecture/boundaries; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 19** ID: DECISION-0019; Group: architecture/boundaries; Owner: future_queue_decision; Queue Status: gameplay; Recommended Default: defer_until_queue_opens; Options: promote_later_after_authority_review, preserve_as_history, defer
- Row 20** ID: DECISION-0020; Group: Workbench/AIDE/Codex/tooling; Owner: user_decision; Queue Status: not directly blocked by queue keyword match; Recommended Default: defer_pending_user_decision; Options: promote_later_after_authority_review, preserve_as_history, defer

- Row 21** ID: DECISION-0021; Group: Workbench/AIDE/Codex/tooling; Owner: `user_decision`; Queue Status: not directly blocked by queue keyword match; Recommended Default: `defer_pending_user_decision`; Options: `promote_later_after_authority_review`, `preserve_as_history`, `defer`
- Row 22** ID: DECISION-0022; Group: world/time/civilization simulation; Owner: `user_decision`; Queue Status: not directly blocked by queue keyword match; Recommended Default: `defer_pending_user_decision`; Options: `promote_later_after_authority_review`, `preserve_as_history`, `defer`
- Row 23** ID: DECISION-0023; Group: Workbench/AIDE/Codex/tooling; Owner: `future_queue_decision`; Queue Status: `broad_workbench_ui`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 24** ID: DECISION-0024; Group: architecture/boundaries; Owner: `future_queue_decision`; Queue Status: `gameplay`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 25** ID: DECISION-0025; Group: renderer/UI/platform; Owner: `future_queue_decision`; Queue Status: `native_gui`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 26** ID: DECISION-0026; Group: provider/content/packs; Owner: `future_queue_decision`; Queue Status: `package_runtime`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 27** ID: DECISION-0027; Group: provider/content/packs; Owner: `future_queue_decision`; Queue Status: `provider_runtime`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 28** ID: DECISION-0028; Group: release/setup/launcher; Owner: `future_queue_decision`; Queue Status: `release_publication`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 29** ID: DECISION-0029; Group: renderer/UI/platform; Owner: `future_queue_decision`; Queue Status: `renderer_implementation`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`
- Row 30** ID: DECISION-0030; Group: provider/content/packs; Owner: `future_queue_decision`; Queue Status: `runtime_module_loader`: `BLOCKED`; Recommended Default: `keep_blocked`; Options: `keep_blocked`, `docs_only_crosswalk`, `defer`

10.25 Decision Summary

Source

DERIVED `advisory_synthesis_not_promoted` - Source: `docs/archive/conversations/_decision/DECISION_SUMMARY_v0.md` - included

Source Class: `conversation_corpus_synthesis`

10.26 Decision Summary v0

Summary of the generated decision docket. No decision is accepted here.

10.26.1 Counts

- Total decisions: 30
- Workbench/AIDE/Codex/tooling: 6
- architecture/boundaries: 12
- provider/content/packs: 5
- release/setup/launcher: 2
- renderer/UI/platform: 3
- world/time/civilization simulation: 2

10.26.2 Owner Counts

- future_queue_decision: 18
- user_decision: 12

10.26.3 Recommended Defaults

- defer_pending_user_decision: 12
- defer_until_queue_opens: 10
- keep_blocked: 8

10.26.4 Top 10 Decisions

- DECISION-0001 **architecture/boundaries**: What disposition should be chosen for this unresolved claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The...?
- DECISION-0002 **architecture/boundaries**: Should this conversation-derived claim remain archive-only until gameplay is explicitly opened?
- DECISION-0003 **architecture/boundaries**: What disposition should be chosen for this unresolved claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.?
- DECISION-0004 **architecture/boundaries**: Should this conversation-derived claim remain archive-only until provider_runtime is explicitly opened?
- DECISION-0005 **provider/content/packs**: Should this conversation-derived claim remain archive-only until provider_runtime is explicitly opened?
- DECISION-0006 **world/time/civilization simulation**: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.?
- DECISION-0007 **architecture/boundaries**: What disposition should be chosen for this unresolved claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict...?
- DECISION-0008 **renderer/UI/platform**: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repo...?

- **DECISION-0009 architecture/boundaries:** What disposition should be chosen for this unresolved claim: This chat was about preserving and re-grounding Dominion’s architecture around a very old constitutional contract, then checking whether the current GitHub repository still foll...?
- **DECISION-0010 architecture/boundaries:** Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?

10.26.5 Safe Near-Term Docs-Only Clarifications

- None in this docket. Current generated decisions are user decisions, queue decisions, or deferrals.
- Items touching blocked queue scope must remain explanatory or deferred; no implementation scope is opened.

10.26.6 Recommended Deferrals

- **DECISION-0001:** What disposition should be chosen for this unresolved claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The...?
- **DECISION-0002:** Should this conversation-derived claim remain archive-only until `gameplay` is explicitly opened?
- **DECISION-0003:** What disposition should be chosen for this unresolved claim: Future work must define the client’s allowed dependency surface and whether it can access any simulation-adjacent prediction layer.?
- **DECISION-0004:** Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- **DECISION-0005:** Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- **DECISION-0006:** Should this conversation-derived claim become a future review item, remain historical, or be deferred: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.?
- **DECISION-0007:** What disposition should be chosen for this unresolved claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict...?
- **DECISION-0008:** Should this conversation-derived claim become a future review item, remain historical, or be deferred: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repo...?
- **DECISION-0009:** What disposition should be chosen for this unresolved claim: This chat was about preserving and re-grounding Dominion’s architecture around a very old constitutional contract, then checking whether the current GitHub repository still foll...?
- **DECISION-0010:** Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- **DECISION-0011:** Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- **DECISION-0012:** Should this conversation-derived claim remain archive-only until `native_gui` is explicitly opened?

10.27 Deferred Decisions

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_decision/DEFERRED_DECISIONS_v0.md - included

Source Class: conversation_corpus_synthesis

10.28 Deferred Decisions v0

These decisions should stay deferred unless a human or stronger repo authority opens them.

10.28.1 DECISION-0001

- Group: `architecture/boundaries`
- Question: What disposition should be chosen for this unresolved claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.2 DECISION-0002

- Group: `architecture/boundaries`
- Question: Should this conversation-derived claim remain archive-only until `gameplay` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `gameplay`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.3 DECISION-0003

- Group: `architecture/boundaries`
- Question: What disposition should be chosen for this unresolved claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.4 DECISION-0004

- Group: `architecture/boundaries`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.5 DECISION-0005

- Group: `provider/content/packs`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.6 DECISION-0006

- Group: `world/time/civilization simulation`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.7 DECISION-0007

- Group: `architecture/boundaries`
- Question: What disposition should be chosen for this unresolved claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.8 DECISION-0008

- Group: `renderer/UI/platform`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repo...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.9 DECISION-0009

- Group: `architecture/boundaries`
- Question: What disposition should be chosen for this unresolved claim: This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still foll...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.10 DECISION-0010

- Group: `architecture/boundaries`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.11 DECISION-0011

- Group: `Workbench/AIDE/Codex/tooling`
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.12 DECISION-0012

- Group: Workbench/AIDE/Codex/tooling
- Question: Should this conversation-derived claim remain archive-only until `native_gui` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `native_gui`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.13 DECISION-0013

- Group: Workbench/AIDE/Codex/tooling
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.14 DECISION-0014

- Group: architecture/boundaries
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.15 DECISION-0015

- Group: architecture/boundaries
- Question: Should this conversation-derived claim remain archive-only until `provider_runtime` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `provider_runtime`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.16 DECISION-0016

- Group: `release/setup/launcher`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the la...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.17 DECISION-0017

- Group: `provider/content/packs`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.18 DECISION-0018

- Group: `architecture/boundaries`
- Question: What disposition should be chosen for this unresolved claim: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, a...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.19 DECISION-0019

- Group: `architecture/boundaries`
- Question: Should this conversation-derived claim remain archive-only until `gameplay` is explicitly opened?
- Recommended default: `defer_until_queue_opens`
- Queue status: `gameplay`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.20 DECISION-0020

- Group: Workbench/AIDE/Codex/tooling
- Question: What disposition should be chosen for this unresolved claim: The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.21 DECISION-0021

- Group: Workbench/AIDE/Codex/tooling
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: The user uploaded screenshot bundles for setup and launcher. **UNCERTAIN / UNVERIFIED:** The screenshots were not inspected in this chat. The assistant still produced a logical...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.22 DECISION-0022

- Group: `world/time/civilization simulation`
- Question: Should this conversation-derived claim become a future review item, remain historical, or be deferred: A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and P...?
- Recommended default: `defer_pending_user_decision`
- Queue status: `not directly blocked by queue keyword match`
- Evidence that would resolve it: Check canon, glossary, AGENTS.md, current queue, target current docs, and source conversation before any promotion.

10.28.23 DECISION-0023

- Group: Workbench/AIDE/Codex/tooling
- Question: Should `broad_workbench_ui` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `broad_workbench_ui: BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.24 DECISION-0024

- Group: `architecture/boundaries`
- Question: Should `gameplay` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `gameplay: BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.25 DECISION-0025

- Group: `renderer/UI/platform`
- Question: Should `native_gui` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `native_gui: BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.26 DECISION-0026

- Group: `provider/content/packs`
- Question: Should `package_runtime` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `package_runtime: BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.27 DECISION-0027

- Group: `provider/content/packs`
- Question: Should `provider_runtime` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `provider_runtime: BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.28 DECISION-0028

- Group: `release/setup/launcher`
- Question: Should `release_publication` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `release_publication:` `BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.29 DECISION-0029

- Group: `renderer/UI/platform`
- Question: Should `renderer_implementation` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `renderer_implementation:` `BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.28.30 DECISION-0030

- Group: `provider/content/packs`
- Question: Should `runtime_module_loader` remain blocked for all conversation-derived work until a future reviewed queue phase opens it?
- Recommended default: `keep_blocked`
- Queue status: `runtime_module_loader:` `BLOCKED`
- Evidence that would resolve it: Review current queue, blocked-scope alignment, and any target prompt before changing disposition.

10.29 Candidate Patch Plan**Source**

DERIVED `advisory_synthesis_not_promoted` - Source: `docs/archive/conversations/_promotion/CANDIDATE_PATCH_PLAN.md` - included

10.30 Candidate Patch Plan

No live-doc patch plan is authorized by this intake.

Later patch planning must start from reviewed promotion IDs and must not patch canon, contracts, schemas, implementation, release, or current queue files without explicit stronger authority.

10.31 Needs User Decision

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/NEEDS_USER_DECISION_v0.md - included

Source Class: conversation_corpus_synthesis

10.32 Needs User Decision v0

These raw candidates either touch blocked scope or frame unresolved future work. They require user or repo-authority review before any promotion.

10.32.1 PROMOTE-0001 - advancedsimulationinfrastructure

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.

10.32.2 PROMOTE-0005 - appruntimeplatform_renderers

- Classification: `blocked_by_current_queue`
- Blocked scopes: `gameplay`
- Reason: The claim touches currently blocked scope: `gameplay`.
- Claim: The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.

10.32.3 PROMOTE-0006 - appruntimeplatform_renderers

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.

10.32.4 PROMOTE-0015 - architectureuiproviders

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui, rlgl, rlsw, and related libraries can accelerate visible progress, but if they leak into game law, UI documents, saves, replays, or public contracts, they become architectural capture. The chosen compromise is to use them as providers behind Dominion-owned services and conformance tests.

10.32.5 PROMOTE-0020 - canonicalstructureand_framework

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.

10.32.6 PROMOTE-0024 - ChronologyCelestialSystems

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.

10.32.7 PROMOTE-0025 - development_routes

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.

10.32.8 PROMOTE-0028 - documentationstandardsreadme

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.

10.32.9 PROMOTE-0043 - DominionCompleteConversation

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: This chat was about preserving and re-grounding Dominion’s architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.

10.32.10 PROMOTE-0049 - dominiumfullconversation

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.

10.32.11 PROMOTE-0056 - DominoDominiumWorkbench

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.

10.32.12 PROMOTE-0057 - DominoDominiumWorkbench

- Classification: `blocked_by_current_queue`
- Blocked scopes: `native_gui`
- Reason: The claim touches currently blocked scope: `native_gui`.
- Claim: The second central decision is that CLI, TUI, rendered GUI, OS-native GUI, and headless automation must be **projections of the same command/result/refusal/document/view spine**. A GUI button, a TUI hotkey, a CLI command, a headless JSON job, and a future OS-native widget action should route through the same command/service path and produce the same typed result, diagnostics, refusals, logs, and evidence.

10.32.13 PROMOTE-0065 - FoundationWorkbenchCodex

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.

10.32.14 PROMOTE-0069 - FrameworkOpenSource_Provider

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: The chat inspected `julesc013/dominium` and found evidence of existing abstractions such as system and graphics layers, stubs, and soft-backed backends. The finding was that raylib could fill concrete provider gaps without replacing the architecture. However, current repo facts are stale/uncertain and must be verified, especially the C17/C++17 vs C90/C++98 baseline contradiction.

10.32.15 PROMOTE-0075 - LanguagePlatformArchitecture

- Classification: `blocked_by_current_queue`
- Blocked scopes: `provider_runtime`
- Reason: The claim touches currently blocked scope: `provider_runtime`.
- Claim: Finally, the user pasted advice favoring C99 or C++11 due to raylib/SDL and legacy targets. The answer rejected a pivot. Raylib and SDL2 being C APIs only means provider boundaries should be C-callable; it does not force the whole engine or game to C99. The final recommendation remained C17 + C++17, with raylib/SDL2 treated as providers and with external deployment claims placed into the verification queue.

10.32.16 PROMOTE-0076 - launcherapplayer

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.

10.32.17 PROMOTE-0097 - PortabilityAssuranceFuture_Proof

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.

10.32.18 PROMOTE-0113 - testxrepoxgovernance

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.

10.32.19 PROMOTE-0120 - UE6DominoDeterministic_Universe

- Classification: `blocked_by_current_queue`
- Blocked scopes: `gameplay`
- Reason: The claim touches currently blocked scope: `gameplay`.
- Claim: Conclusion: machine gameplay must be designed as a scalable graph simulation, not as unrestricted physics.

10.32.20 PROMOTE-0121 - uieditortooleditorplanning

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.

10.32.21 PROMOTE-0123 - uieditortooleditorplanning

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.
- Claim: The user uploaded screenshot bundles for setup and launcher. **UNCERTAIN / UNVERIFIED:** The screenshots were not inspected in this chat. The assistant still produced a logical layout description, and the user accepted it as useful. Future work should inspect the bundles before claiming exact screenshot fidelity.

10.32.22 PROMOTE-0125 - UniverseExplorerPlanning

- Classification: `needs_user_decision`
- Blocked scopes: `none`
- Reason: The claim frames unresolved future work or a decision boundary.

- Claim: A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.

10.33 Non Promoted Context

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/NON_PROMOTED_CONTEXT.md - included

10.34 Non-Promoted Context

All archived conversations remain preserved as historical context unless separately promoted.

- advanced_simulation_infrastructure: complete, promotion status not_reviewed.
- app_runtime_platform_renderers: complete, promotion status not_reviewed.
- app_testx_codehygiene: complete, promotion status not_reviewed.
- architecture_codex_prompts: complete, promotion status not_reviewed.
- architecture_ui_providers: complete, promotion status not_reviewed.
- Build_and_Future_Proofing: complete, promotion status not_reviewed.
- canonical_structure_and_framework: complete, promotion status not_reviewed.
- Chronology_Celestial_Systems: complete, promotion status not_reviewed.
- development_routes: complete, promotion status not_reviewed.
- documentation_standards_readme: complete, promotion status not_reviewed.
- Dominium_Architecture_I: complete, promotion status not_reviewed.
- Dominium_Architecture_II: complete, promotion status not_reviewed.
- Dominium_Architecture_III: complete, promotion status not_reviewed.
- Dominium_Architecture_IV: complete, promotion status not_reviewed.
- Dominium_Complete_Conversation: complete, promotion status not_reviewed.
- dominium_domino_codex_planning: complete, promotion status not_reviewed.
- dominium_full_conversation: complete, promotion status not_reviewed.
- dominium_setup: complete, promotion status not_reviewed.
- Domino_Dominium_Workbench: complete, promotion status not_reviewed.
- domino_engine_refactor_prompts: complete, promotion status not_reviewed.
- engine_baseline_architecture: complete, promotion status not_reviewed.
- Foundation_Workbench_Codex: complete, promotion status not_reviewed.

- Framework_Open_Source_Provider: complete, promotion status not_reviewed.
- gui_binary_content: complete, promotion status not_reviewed.
- Language_Platform_Architecture: complete, promotion status not_reviewed.
- launcher_app_layer: complete, promotion status not_reviewed.
- Launcher_Setup_Architecture: complete, promotion status not_reviewed.
- Modularity_AIDE_Refactorability: complete, promotion status not_reviewed.
- omega_xi_pi_architecture_future: complete, promotion status not_reviewed.
- OS_Interface_Repo_Architecture: complete, promotion status not_reviewed.
- platform_renderer_api_plan: complete, promotion status not_reviewed.
- platform_support: complete, promotion status not_reviewed.
- Portability_Assurance_Future_Proof: complete, promotion status not_reviewed.
- readme_ports_determinism: complete, promotion status not_reviewed.
- Refactor_Architecture: complete, promotion status not_reviewed.
- Refactor_Control_Plane: complete, promotion status not_reviewed.
- Release_Identity_and_Versioning: complete, promotion status not_reviewed.
- testx_repos_governance: complete, promotion status not_reviewed.
- Timekeeping_and_2038_Resilience: complete, promotion status not_reviewed.
- UE6_Domino_Deterministic_Universe: complete, promotion status not_reviewed.
- ui_editor_tool_editor_planning: complete, promotion status not_reviewed.
- Universe_Explorer_Planning: complete, promotion status not_reviewed.
- Workbench_AIDE_Product_Spine: complete, promotion status not_reviewed.
- World_Architecture: complete, promotion status not_reviewed.
- xstack_lab_galaxy: complete, promotion status not_reviewed.

10.35 Promotion Not Ready

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/PROMOTION_NOT_READY_v0.md - included

Source Class: conversation_corpus_synthesis

10.36 Promotion Not Ready v0

These candidates are not ready for Wave 1 because they are blocked, noisy, stale, under-evidenced, or require user decisions.

- PROMOTE-0001 `needs_user_decision advanced_simulation_infrastructure`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0002 `reject_as_noise advanced_simulation_infrastructure`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0005 `blocked_by_queue app_runtime_platform_renderers`: The claim touches currently blocked scope: gameplay.
- PROMOTE-0006 `needs_user_decision app_runtime_platform_renderers`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0007 `schema_candidate app_testx_codehygiene`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0008 `reject_as_noise app_testx_codehygiene`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0009 `contract_candidate app_testx_codehygiene`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0010 `insufficient_evidence architecture_codex_prompts`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0011 `insufficient_evidence architecture_codex_prompts`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0012 `archive_only architecture_codex_prompts`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0013 `insufficient_evidence architecture_ui_providers`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0014 `insufficient_evidence architecture_ui_providers`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0015 `blocked_by_queue architecture_ui_providers`: The claim touches currently blocked scope: provider_runtime.
- PROMOTE-0016 `archive_only Build_and_Future_Proofing`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0017 `reject_as_noise Build_and_Future_Proofing`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0018 `archive_only Build_and_Future_Proofing`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0019 `insufficient_evidence canonical_structure_and_framework`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0020 `blocked_by_queue canonical_structure_and_framework`: The claim touches currently blocked scope: provider_runtime.
- PROMOTE-0021 `schema_candidate canonical_structure_and_framework`: The claim appears compatible with current repo doctrine but has not been checked against target docs.

- PROMOTE-0022 `insufficient_evidence Chronology_Celestial_Systems`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0023 `insufficient_evidence Chronology_Celestial_Systems`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0024 `needs_user_decision Chronology_Celestial_Systems`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0025 `needs_user_decision development_routes`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0026 `insufficient_evidence development_routes`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0027 `archive_only development_routes`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0028 `needs_user_decision documentation_standards_readme`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0029 `contract_candidate documentation_standards_readme`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0030 `insufficient_evidence documentation_standards_readme`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0031 `reject_as_noise Dominium_Architecture_I`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0033 `insufficient_evidence Dominium_Architecture_I`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0034 `reject_as_noise Dominium_Architecture_II`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0036 `insufficient_evidence Dominium_Architecture_II`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0037 `insufficient_evidence Dominium_Architecture_III`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0039 `insufficient_evidence Dominium_Architecture_III`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0040 `insufficient_evidence Dominium_Architecture_IV`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0041 `insufficient_evidence Dominium_Architecture_IV`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0042 `insufficient_evidence Dominium_Architecture_IV`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0043 `needs_user_decision Dominium_Complete_Conversation`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0044 `contract_candidate Dominium_Complete_Conversation`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0045 `insufficient_evidence Dominium_Complete_Conversation`: The candidate is too broad or underspecified for a patch proposal.

- PROMOTE-0046 `insufficient_evidence dominium_domino_codex_planning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0047 `insufficient_evidence dominium_domino_codex_planning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0048 `reject_as_noise dominium_domino_codex_planning`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0049 `blocked_by_queue dominium_full_conversation`: The claim touches currently blocked scope: `provider_runtime`.
- PROMOTE-0051 `insufficient_evidence dominium_full_conversation`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0052 `reject_as_noise dominium_setup`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0053 `archive_only dominium_setup`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0055 `contract_candidate Domino_Dominium_Workbench`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0056 `blocked_by_queue Domino_Dominium_Workbench`: The claim touches currently blocked scope: `provider_runtime`.
- PROMOTE-0057 `blocked_by_queue Domino_Dominium_Workbench`: The claim touches currently blocked scope: `native_gui`.
- PROMOTE-0058 `insufficient_evidence domino_engine_refactor_prompts`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0059 `contract_candidate domino_engine_refactor_prompts`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0060 `reject_as_noise domino_engine_refactor_prompts`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0061 `insufficient_evidence engine_baseline_architecture`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0062 `reject_as_noise engine_baseline_architecture`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0064 `insufficient_evidence Foundation_Workbench_Codex`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0065 `blocked_by_queue Foundation_Workbench_Codex`: The claim touches currently blocked scope: `provider_runtime`.
- PROMOTE-0066 `contract_candidate Foundation_Workbench_Codex`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0067 `reject_as_noise Framework_Open_Source_Provider`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0068 `insufficient_evidence Framework_Open_Source_Provider`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0069 `blocked_by_queue Framework_Open_Source_Provider`: The claim touches currently blocked scope: `provider_runtime`.

- PROMOTE-0070 `insufficient_evidence gui_binary_content`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0071 `insufficient_evidence gui_binary_content`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0072 `insufficient_evidence gui_binary_content`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0074 `contract_candidate Language_Platform_Architecture`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0075 `blocked_by_queue Language_Platform_Architecture`: The claim touches currently blocked scope: `provider_runtime`.
- PROMOTE-0076 `needs_user_decision launcher_app_layer`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0077 `archive_only launcher_app_layer`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0078 `schema_candidate launcher_app_layer`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0079 `reject_as_noise Launcher_Setup_Architecture`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0080 `insufficient_evidence Launcher_Setup_Architecture`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0081 `contract_candidate Launcher_Setup_Architecture`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0082 `reject_as_noise Modularity_AIDE_Refactorability`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0083 `insufficient_evidence Modularity_AIDE_Refactorability`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0085 `insufficient_evidence omega_xi_pi_architecture_future`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0086 `insufficient_evidence omega_xi_pi_architecture_future`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0087 `insufficient_evidence omega_xi_pi_architecture_future`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0089 `contract_candidate OS_Interface_Repo_Architecture`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0090 `contract_candidate OS_Interface_Repo_Architecture`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0091 `reject_as_noise platform_renderer_api_plan`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0092 `insufficient_evidence platform_renderer_api_plan`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0093 `insufficient_evidence platform_renderer_api_plan`: The candidate is too broad or underspecified for a patch proposal.

- PROMOTE-0094 `insufficient_evidence platform_support`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0095 `insufficient_evidence platform_support`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0096 `insufficient_evidence platform_support`: The claim contains an external, language, platform, or baseline term that may be stale.
- PROMOTE-0097 `needs_user_decision Portability_Assurance_Future_Proof`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0098 `insufficient_evidence Portability_Assurance_Future_Proof`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0099 `insufficient_evidence Portability_Assurance_Future_Proof`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0101 `reject_as_noise readme_ports_determinism`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0103 `insufficient_evidence Refactor_Architecture`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0104 `archive_only Refactor_Architecture`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0106 `insufficient_evidence Refactor_Control_Plane`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0107 `insufficient_evidence Refactor_Control_Plane`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0108 `archive_only Refactor_Control_Plane`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0109 `insufficient_evidence Release_Identity_and_Versioning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0110 `insufficient_evidence Release_Identity_and_Versioning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0111 `insufficient_evidence Release_Identity_and_Versioning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0113 `needs_user_decision testx_repos_governance`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0116 `insufficient_evidence Timekeeping_and_2038_Resilience`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0117 `reject_as_noise Timekeeping_and_2038_Resilience`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0118 `reject_as_noise UE6_Domino_Deterministic_Universe`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0119 `insufficient_evidence UE6_Domino_Deterministic_Universe`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0120 `blocked_by_queue UE6_Domino_Deterministic_Universe`: The claim touches currently blocked scope: gameplay.

- PROMOTE-0121 `needs_user_decision ui_editor_tool_editor_planning`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0122 `insufficient_evidence ui_editor_tool_editor_planning`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0123 `needs_user_decision ui_editor_tool_editor_planning`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0124 `archive_only Universe_Explorer_Planning`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0125 `needs_user_decision Universe_Explorer_Planning`: The claim frames unresolved future work or a decision boundary.
- PROMOTE-0126 `contract_candidate Universe_Explorer_Planning`: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- PROMOTE-0127 `insufficient_evidence Workbench_AIDE_Product_Spine`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0128 `insufficient_evidence Workbench_AIDE_Product_Spine`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0129 `reject_as_noise Workbench_AIDE_Product_Spine`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0130 `insufficient_evidence World_Architecture`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0132 `insufficient_evidence World_Architecture`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0133 `insufficient_evidence xstack_lab_galaxy`: The candidate is too broad or underspecified for a patch proposal.
- PROMOTE-0134 `reject_as_noise xstack_lab_galaxy`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.
- PROMOTE-0135 `reject_as_noise xstack_lab_galaxy`: The candidate describes preservation or archival-process mechanics rather than a clean project claim.

10.37 Promotion Queue

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_promotion/PROMOTION_QUEUE.md` - excerpted

10.38 Promotion Queue

Promotion candidates are not promoted. They are review items for later explicit work.

10.38.1 PROMOTE-0001 - The user then asked whether arbitrary placement was possible or whether

- Source conversation: advanced_simulation_infrastructure
- Source file: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.2 PROMOTE-0002 - Finally, the chat shifted into archival mode: it produced a maximum-fide

- Source conversation: advanced_simulation_infrastructure
- Source file: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.3 PROMOTE-0003 - [INFERENCE] The conclusion was not a finalized implementation but a work

- Source conversation: advanced_simulation_infrastructure
- Source file: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: [INFERENCE] The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.4 PROMOTE-0004 - The central topic was APP0: the application/runtime/platform/renderer layer

- Source conversation: app_runtime_platform_renderers
- Source file: docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.5 PROMOTE-0005 - The most important conclusion was that APP0 must remain outside the core

- Source conversation: app_runtime_platform_renderers
- Source file: docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.6 PROMOTE-0006 - Future work must define the client's allowed dependency surface and whet

- Source conversation: app_runtime_platform_renderers
- Source file: docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.7 PROMOTE-0007 - A large set of prompts was then generated to lock down architecture, det

- Source conversation: app_testx_codehygiene
- Source file: docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.8 PROMOTE-0008 - Because the chat was huge, the user asked for a maximum-fidelity context

- Source conversation: app_testx_codehygiene
- Source file: docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.9 PROMOTE-0009 - The central project is a deterministic universe engine/game. The user's

- Source conversation: app_testx_codehygiene
- Source file: docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The central project is a deterministic universe engine/game. The user's ambition is not just a normal game but a world runtime that can represent everything from a single-room scenario to an AI-only universe to an MMO. The project is meant to support real-world defaults, arbitrary modding, procedural and defined content, strong epistemics, and long-term replayability.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.10 PROMOTE-0010 - The most important thing to remember is this: ****this chat is the archite**

- Source conversation: architecture_codex_prompts
- Source file: docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex__prompts__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.11 PROMOTE-0011 - FACT: The user opened by pasting an "Extended Master Starter Prompt - Do

- Source conversation: architecture_codex_prompts
- Source file: docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.12 PROMOTE-0012 - FACT: The user asked, succinctly, how a player would build a complete ma

- Source conversation: architecture_codex_prompts
- Source file: docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: FACT: The user asked, succinctly, how a player would build a complete machine workshop. The assistant described a progression: extract raw materials, process them into industrial materials, produce mechanical components, produce electrical components, establish power distribution, establish logistics, assemble machine frames and machines, add measurement/control tooling, then scale horizontally and vertically.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.13 PROMOTE-0013 - The language baseline decision matters because it changes what old rende

- Source conversation: architecture_ui_providers
- Source file: docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.14 PROMOTE-0014 - The Robot OS and robotic seed-civilisation decisions are the most import

- Source conversation: architecture_ui_providers
- Source file: docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.15 PROMOTE-0015 - The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui,

- Source conversation: architecture_ui_providers
- Source file: docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui, rlgl, rlsw, and related libraries can accelerate visible progress, but if they leak into game law, UI documents, saves, replays, or public contracts, they become architectural capture. The chosen compromise is to use them as providers behind Dominion-owned services and conformance tests.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.16 PROMOTE-0016 - Plain-language limitation: this package is reliable as a preservation of

- Source conversation: Build_and_Future_Proofing
- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.17 PROMOTE-0017 - The final uploaded prompt requested a complete preservation package for

- Source conversation: Build_and_Future_Proofing
- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.18 PROMOTE-0018 - The final explicit goal was preservation: create a maximum-fidelity pack

- Source conversation: Build_and_Future_Proofing
- Source file: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The final explicit goal was preservation: create a maximum-fidelity package for this chat so the user can understand it later, ask questions in this chat, merge it with other old-chat reports, and eventually build a master project spec book.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.19 PROMOTE-0019 - This produced a pattern: generate a large Codex/AIDE task, the user ran

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.20 PROMOTE-0020 - The final provider directory doctrine became service-first: 'runtime/<se

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.21 PROMOTE-0021 - Packs are distributable authored payloads. The preferred pack layout bec

- Source conversation: canonical_structure_and_framework
- Source file: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Source heading: automatic decision extraction
- Claim: Packs are distributable authored payloads. The preferred pack layout became category-based, such as `content/packs/<category>/<pack_id>/`. Pack IDs must not depend on paths. Saves and replays must use stable IDs, schema versions, canonical serialization, deterministic hashes, and explicit migration/refusal policies. Backward compatibility must be a compatibility corpus plus tests, not intention.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.22 PROMOTE-0022 - This reinforced the core celestial-content rule: locations should exist

- Source conversation: Chronology_Celestial_Systems
- Source file: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.23 PROMOTE-0023 - This became the spatial foundation for later time/calendar decisions bec

- Source conversation: Chronology_Celestial_Systems
- Source file: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.24 PROMOTE-0024 - The assistant formalized this as the Perfect Earth Calendar, later calle

- Source conversation: Chronology_Celestial_Systems
- Source file: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.25 PROMOTE-0025 - Before relying on this chat as project authority, a future assistant or

- Source conversation: development_routes
- Source file: docs/archive/conversations/development_routes/dominium_development_routes___human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.26 PROMOTE-0026 - The first answer was assertive. It stated that Dominium must follow Rout

- Source conversation: development_routes
- Source file: docs/archive/conversations/development_routes/dominium_development_routes___human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.27 PROMOTE-0027 - The initial technical answer proposed a layered stack. It started with m

- Source conversation: development_routes
- Source file: docs/archive/conversations/development_routes/dominium_development_routes___human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The initial technical answer proposed a layered stack. It started with mathematical and temporal primitives, then moved into the deterministic simulation kernel, then world state, systems, persistence and replay, tooling, presentation, content, and finally distribution, modding, and multiplayer.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.28 PROMOTE-0028 - The key thing to remember: this chat produced the standards and prompts

- Source conversation: documentation_standards_readme
- Source file: docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff___human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.29 PROMOTE-0029 - FACT: The chat established that public API contracts should live in he

- Source conversation: documentation_standards_readme
- Source file: docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: **FACT:** The chat established that public API contracts should live in headers.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.30 PROMOTE-0030 - FACT: Source files should document implementation rationale, non-obvio

- Source conversation: documentation_standards_readme
- Source file: docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: **FACT:** Source files should document implementation rationale, non-obvious invariants, and hazards.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.31 PROMOTE-0031 - During this stage, the work was still broadly about "the project spec."

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- Claim type: `conversation_claim`
- Proposed target: `not_selected`
- Authority domain: `planning`
- Current repo conflict: `not_checked`
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: `not_reviewed`

10.38.32 PROMOTE-0032 - The user also made a clear versioning decision. **FACT: The user wante**

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- Claim type: `conversation_claim`
- Proposed target: `not_selected`
- Authority domain: `planning`
- Current repo conflict: `not_checked`
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: `not_reviewed`

10.38.33 PROMOTE-0033 - The key change came when the user decided that Codex could not read the

- Source conversation: `Dominium_Architecture_I`
- Source file: `docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: The key change came when the user decided that Codex could not read the entire conversation at once. **FACT:** The user said they would copy and paste the transcript with timestamps and would not edit it manually, but because Codex could not read the whole context at once, they would not bother asking Codex to compile a full book directly from the whole chat.
- Claim type: `conversation_claim`
- Proposed target: `not_selected`
- Authority domain: `planning`
- Current repo conflict: `not_checked`
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: `not_reviewed`

10.38.34 PROMOTE-0034 - The last part of the chat was handoff extraction. The user asked for dis

- Source conversation: `Dominium_Architecture_II`
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- Claim type: `conversation_claim`
- Proposed target: `not_selected`
- Authority domain: `planning`
- Current repo conflict: `not_checked`
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: `not_reviewed`

10.38.35 PROMOTE-0035 - The entire conversation is anchored by the requirement that Dominium mus

- Source conversation: Dominium_Architecture_II
- Source file: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.36 PROMOTE-0036 - The chat discussed fixed tick phases, virtual lanes, merge order, comman

- Source conversation: Dominium_Architecture_II
- Source file: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt
- Source heading: automatic decision extraction
- Claim: The chat discussed fixed tick phases, virtual lanes, merge order, command buffers, event queues, and deterministic serialization. The simulation must not depend on render FPS, wall-clock time, OS scheduler behaviour, GPU state, or floating-point quirks. This explains many later decisions: C89 core, integer/fixed-point math, no sim floats, no platform headers in simulation, and renderer as pure observer.
- Claim type: conversation_claim
- Proposed target: not_selected
- Authority domain: planning
- Current repo conflict: not_checked
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: not_reviewed

10.38.37 PROMOTE-0037 - The view system then expanded beyond the launcher. FACT: The user wa

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- Claim type: `conversation_claim`
- Proposed target: `not_selected`
- Authority domain: `planning`
- Current repo conflict: `not_checked`
- Why it may matter: The claim recurs as a decision-like statement in the archived package.
- Risks: Chat claims may be stale, superseded, or contradicted by current repo artifacts.
- Required review: human review plus authority-order check
- Recommended disposition: `not_reviewed`

10.38.38 PROMOTE-0038 - This context matters because the rest of the conversation happened insid

- Source conversation: `Dominium_Architecture_III`
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Source heading: automatic decision extraction
- Claim: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic

Verify

This section is excerpted for readability. See the source path for the full report.

10.39 Promotion Review Board

Source

DERIVED `advisory_synthesis_not_promoted` - Source: `docs/archive/conversations/_promotion/PROMOTION_REVIEW_BOARD_v0.md` - excerpted

Source Class: `conversation_corpus_synthesis`

10.40 Promotion Review Board v0

This board converts raw promotion candidates into bounded review items. It does not patch or promote live docs.

10.40.1 Counts

- Total candidates: 135
- `architecture_doc_candidate`: 16
- `archive_only`: 9
- `blocked_by_queue`: 10
- `contract_candidate`: 11
- `docs_clarification_candidate`: 1
- `insufficient_evidence`: 53
- `needs_user_decision`: 12
- `planning_doc_candidate`: 1
- `reject_as_noise`: 19
- `schema_candidate`: 3

10.40.2 Review Items

PROMOTE-0001 - `needsuserdecision`

- Source conversation: `advanced_simulation_infrastructure`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.

PROMOTE-0002 - `rejectasnoise`

- Source conversation: `advanced_simulation_infrastructure`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage

- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.

PROMOTE-0003 - `architectedoccandidate`

- Source conversation: `advanced_simulation_infrastructure`
- Proposed target path: `docs/architecture/** after target selection`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: [INFERENCE] The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.

PROMOTE-0004 - `architectedoccandidate`

- Source conversation: `app_runtime_platform_renderers`
- Proposed target path: `docs/architecture/** after target selection`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: The central topic was APP0: the application/runtime/platform/renderer layer of Dominion. This topic came up because the user provided a formal prompt defining what APP0 should do.

PROMOTE-0005 - `blockedbyqueue`

- Source conversation: `app_runtime_platform_renderers`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: blocked queue scope
- Queue risk: `blocked`
- Validation required: preserve as archive evidence; no live target validation

- Recommended next action: `hold_or_review`
- Claim: The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.

PROMOTE-0006 - needsuserdecision

- Source conversation: `app_runtime_platform_renderers`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.

PROMOTE-0007 - schema__candidate

- Source conversation: `app_testx_codehygiene`
- Proposed target path: `schema/**` or `schemas/**` after authority review
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: authority review plus targeted schema/contract parser and FAST
- Recommended next action: `hold_or_review`
- Claim: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.

PROMOTE-0008 - rejectasnoise

- Source conversation: `app_testx_codehygiene`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`

- Claim: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.

PROMOTE-0009 - contract__candidate

- Source conversation: `app_testx_codehygiene`
- Proposed target path: `contracts/**` or `docs/reference/contracts/**` after authority review
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: authority review plus targeted schema/contract parser and FAST
- Recommended next action: `hold_or_review`
- Claim: The central project is a deterministic universe engine/game. The user's ambition is not just a normal game but a world runtime that can represent everything from a single-room scenario to an AI-only universe to an MMO. The project is meant to support real-world defaults, arbitrary modding, procedural and defined content, strong epistemics, and long-term replayability.

PROMOTE-0010 - insufficient__evidence

- Source conversation: `architecture_codex_prompts`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.

PROMOTE-0011 - insufficient__evidence

- Source conversation: `architecture_codex_prompts`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation

- Recommended next action: `hold_or_review`
- Claim: FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.

PROMOTE-0012 - `archive_only`

- Source conversation: `architecture_codex_prompts`
- Proposed target path: `docs/archive/conversations/**`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: FACT: The user asked, succinctly, how a player would build a complete machine workshop. The assistant described a progression: extract raw materials, process them into industrial materials, produce mechanical components, produce electrical components, establish power distribution, establish logistics, assemble machine frames and machines, add measurement/control tooling, then scale horizontally and vertically.

PROMOTE-0013 - `insufficient_evidence`

- Source conversation: `architecture_ui_providers`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.

PROMOTE-0014 - `insufficient_evidence`

- Source conversation: `architecture_ui_providers`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`

- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.

PROMOTE-0015 - blockedbyqueue

- Source conversation: `architecture_ui_providers`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: blocked queue scope
- Queue risk: `blocked`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui, rlgl, rlsw, and related libraries can accelerate visible progress, but if they leak into game law, UI documents, saves, replays, or public contracts, they become architectural capture. The chosen compromise is to use them as providers behind Dominion-owned services and conformance tests.

PROMOTE-0016 - archive_only

- Source conversation: `Build_and_Future_Proofing`
- Proposed target path: `docs/archive/conversations/**`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.

PROMOTE-0017 - rejectasnoise

- Source conversation: `Build_and_Future_Proofing`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage

- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.

PROMOTE-0018 - `archive_only`

- Source conversation: `Build_and_Future_Proofing`
- Proposed target path: `docs/archive/conversations/**`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The final explicit goal was preservation: create a maximum-fidelity package for this chat so the user can understand it later, ask questions in this chat, merge it with other old-chat reports, and eventually build a master project spec book.

PROMOTE-0019 - `insufficient_evidence`

- Source conversation: `canonical_structure_and_framework`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.

PROMOTE-0020 - `blockedbyqueue`

- Source conversation: `canonical_structure_and_framework`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: blocked queue scope

- Queue risk: `blocked`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.

PROMOTE-0021 - `schema_candidate`

- Source conversation: `canonical_structure_and_framework`
- Proposed target path: `schema/**` or `schemas/**` after authority review
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: authority review plus targeted schema/contract parser and FAST
- Recommended next action: `hold_or_review`
- Claim: Packs are distributable authored payloads. The preferred pack layout became category-based, such as `content/packs/<category>/<pack_id>/`. Pack IDs must not depend on paths. Saves and replays must use stable IDs, schema versions, canonical serialization, deterministic hashes, and explicit migration/refusal policies. Backward compatibility must be a compatibility corpus plus tests, not intention.

PROMOTE-0022 - `insufficient_evidence`

- Source conversation: `Chronology_Celestial_Systems`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.

PROMOTE-0023 - `insufficient_evidence`

- Source conversation: `Chronology_Celestial_Systems`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`

- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.

PROMOTE-0024 - needsuserdecision

- Source conversation: `Chronology_Celestial_Systems`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.

PROMOTE-0025 - needsuserdecision

- Source conversation: `development_routes`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.

PROMOTE-0026 - insufficient_evidence

- Source conversation: `development_routes`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`

- Claim: The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.

PROMOTE-0027 - archive_only

- Source conversation: `development_routes`
- Proposed target path: `docs/archive/conversations/**`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The initial technical answer proposed a layered stack. It started with mathematical and temporal primitives, then moved into the deterministic simulation kernel, then world state, systems, persistence and replay, tooling, presentation, content, and finally distribution, modding, and multiplayer.

PROMOTE-0028 - needsuserdecision

- Source conversation: `documentation_standards_readme`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.

PROMOTE-0029 - contract_candidate

- Source conversation: `documentation_standards_readme`
- Proposed target path: `contracts/**` or `docs/reference/contracts/**` after authority review
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: authority review plus targeted schema/contract parser and FAST
- Recommended next action: `hold_or_review`
- Claim: FACT: The chat established that public API contracts should live in headers.

PROMOTE-0030 - insufficient__evidence

- Source conversation: `documentation_standards_readme`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: **FACT:** Source files should document implementation rationale, non-obvious invariants, and hazards.

PROMOTE-0031 - rejectasnoise

- Source conversation: `Dominium_Architecture_I`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.

PROMOTE-0032 - architectedoccandidate

- Source conversation: `Dominium_Architecture_I`
- Proposed target path: `docs/architecture/** after target selection`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.

PROMOTE-0033 - insufficient__evidence

- Source conversation: `Dominium_Architecture_I`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The key change came when the user decided that Codex could not read the entire conversation at once. **FACT:** The user said they would copy and paste the transcript with timestamps and would not edit it manually, but because Codex could not read the whole context at once, they would not bother asking Codex to compile a full book directly from the whole chat.

PROMOTE-0034 - rejectasnoise

- Source conversation: `Dominium_Architecture_II`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.

PROMOTE-0035 - architectedoccandidate

- Source conversation: `Dominium_Architecture_II`
- Proposed target path: `docs/architecture/**` after target selection
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

PROMOTE-0036 - insufficient__evidence

- Source conversation: `Dominium_Architecture_II`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The chat discussed fixed tick phases, virtual lanes, merge order, command buffers, event queues, and deterministic serialization. The simulation must not depend on render FPS, wall-clock time, OS scheduler behaviour, GPU state, or floating-point quirks. This explains many later decisions: C89 core, integer/fixed-point math, no sim floats, no platform headers in simulation, and renderer as pure observer.

PROMOTE-0037 - insufficient__evidence

- Source conversation: `Dominium_Architecture_III`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.

PROMOTE-0038 - architectedoccandidate

- Source conversation: `Dominium_Architecture_III`
- Proposed target path: `docs/architecture/**` after target selection
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.

PROMOTE-0039 - insufficient__evidence

- Source conversation: `Dominium_Architecture_III`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This became important later, because many implementation ideas were discussed without confirmed access to the repo contents.

PROMOTE-0040 - insufficient__evidence

- Source conversation: `Dominium_Architecture_IV`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.

PROMOTE-0041 - insufficient__evidence

- Source conversation: `Dominium_Architecture_IV`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.

PROMOTE-0042 - insufficient__evidence

- Source conversation: `Dominium_Architecture_IV`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The user then asked how to structure Codex prompts. The final high-level roadmap became:

PROMOTE-0043 - needsuserdecision

- Source conversation: `Dominium_Complete_Conversation`
- Proposed target path: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.

PROMOTE-0044 - contract__candidate

- Source conversation: `Dominium_Complete_Conversation`
- Proposed target path: `contracts/** or docs/reference/contracts/** after authority review`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: authority review plus targeted schema/contract parser and FAST
- Recommended next action: `hold_or_review`
- Claim: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.

PROMOTE-0045 - insufficient__evidence

- Source conversation: `Dominium_Complete_Conversation`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under `apps/`, while an earlier inspected code path under root `client/` was available and `apps/client` was not fetched successfully. This must be verified against the current physical tree.

PROMOTE-0046 - insufficient__evidence

- Source conversation: `dominium_domino_codex_planning`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.

PROMOTE-0047 - insufficient__evidence

- Source conversation: `dominium_domino_codex_planning`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.

PROMOTE-0048 - rejectasnoise

- Source conversation: `dominium_domino_codex_planning`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UN-VERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assistants must verify `dominium.zip` or the active checkout before relying on the platform/render/API answer.

PROMOTE-0049 - blockedbyqueue

- Source conversation: `dominium_full_conversation`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: blocked queue scope
- Queue risk: `blocked`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.

PROMOTE-0050 - architectedoccandidate

- Source conversation: `dominium_full_conversation`
- Proposed target path: `docs/architecture/**` after target selection
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended next action: `create_microtask`
- Claim: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.

PROMOTE-0051 - insufficient__evidence

- Source conversation: `dominium_full_conversation`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: The discussion then moved into AIDE. The user wanted to automate as much as possible through Codex and AIDE. We developed a task operating model: AIDE creates WorkUnits, tracks attempts, blockers, evidence, repairs, resumes, checkpoints, and promotion decisions. Codex executes bounded tasks. Development can continue with classified partials and repairable blockers; promotion to main requires evidence.

PROMOTE-0052 - rejectasnoise

- Source conversation: `dominium_setup`
- Proposed target path: `none`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.

PROMOTE-0053 - archive__only

- Source conversation: `dominium_setup`
- Proposed target path: `docs/archive/conversations/**`
- Current authority support: not yet verified against target docs
- Current authority conflict: none detected by triage
- Queue risk: `none_detected`
- Validation required: preserve as archive evidence; no live target validation
- Recommended next action: `hold_or_review`
- Claim: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logic

Verify

This section is excerpted for readability. See the source path for the full report.

10.41 Promotion Target Map

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/
PROMOTION_TARGET_MAP_v0.md - included

Source Class: conversation_corpus_synthesis

10.42 Promotion Target Map v0

Target paths are candidate destinations only. They do not authorize edits.

- Row 1** Candidate: PROMOTE-0001; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 2** Candidate: PROMOTE-0002; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 3** Candidate: PROMOTE-0003; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 4** Candidate: PROMOTE-0004; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 5** Candidate: PROMOTE-0005; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 6** Candidate: PROMOTE-0006; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 7** Candidate: PROMOTE-0007; Category: schema_candidate; Proposed Target: schema/** or schemas/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 8** Candidate: PROMOTE-0008; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 9** Candidate: PROMOTE-0009; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 10** Candidate: PROMOTE-0010; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 11** Candidate: PROMOTE-0011; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 12** Candidate: PROMOTE-0012; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 13** Candidate: PROMOTE-0013; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 14** Candidate: PROMOTE-0014; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 15** Candidate: PROMOTE-0015; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review

- Row 16 Candidate: PROMOTE-0016; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 17 Candidate: PROMOTE-0017; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 18 Candidate: PROMOTE-0018; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 19 Candidate: PROMOTE-0019; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 20 Candidate: PROMOTE-0020; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 21 Candidate: PROMOTE-0021; Category: schema_candidate; Proposed Target: schema/** or schemas/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 22 Candidate: PROMOTE-0022; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 23 Candidate: PROMOTE-0023; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 24 Candidate: PROMOTE-0024; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 25 Candidate: PROMOTE-0025; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 26 Candidate: PROMOTE-0026; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 27 Candidate: PROMOTE-0027; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 28 Candidate: PROMOTE-0028; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 29 Candidate: PROMOTE-0029; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 30 Candidate: PROMOTE-0030; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 31 Candidate: PROMOTE-0031; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 32 Candidate: PROMOTE-0032; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 33 Candidate: PROMOTE-0033; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 34 Candidate: PROMOTE-0034; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 35 Candidate: PROMOTE-0035; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask

- Row 36** Candidate: PROMOTE-0036; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 37** Candidate: PROMOTE-0037; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 38** Candidate: PROMOTE-0038; Category: `architecture_doc_candidate`; Proposed Target: `docs/architecture/** after target selection`; Queue Risk: `none_detected`; Next Action: `create_microtask`
- Row 39** Candidate: PROMOTE-0039; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 40** Candidate: PROMOTE-0040; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 41** Candidate: PROMOTE-0041; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 42** Candidate: PROMOTE-0042; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 43** Candidate: PROMOTE-0043; Category: `needs_user_decision`; Proposed Target: `docs/archive/conversations/_decision/DECISION_DOCKET_v0.md`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 44** Candidate: PROMOTE-0044; Category: `contract_candidate`; Proposed Target: `contracts/** or docs/reference/contracts/** after authority review`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 45** Candidate: PROMOTE-0045; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 46** Candidate: PROMOTE-0046; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 47** Candidate: PROMOTE-0047; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 48** Candidate: PROMOTE-0048; Category: `reject_as_noise`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 49** Candidate: PROMOTE-0049; Category: `blocked_by_queue`; Proposed Target: `none`; Queue Risk: `blocked`; Next Action: `hold_or_review`
- Row 50** Candidate: PROMOTE-0050; Category: `architecture_doc_candidate`; Proposed Target: `docs/architecture/** after target selection`; Queue Risk: `none_detected`; Next Action: `create_microtask`
- Row 51** Candidate: PROMOTE-0051; Category: `insufficient_evidence`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 52** Candidate: PROMOTE-0052; Category: `reject_as_noise`; Proposed Target: `none`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 53** Candidate: PROMOTE-0053; Category: `archive_only`; Proposed Target: `docs/archive/conversations/**`; Queue Risk: `none_detected`; Next Action: `hold_or_review`
- Row 54** Candidate: PROMOTE-0054; Category: `planning_doc_candidate`; Proposed Target: `docs/planning/** after target selection`; Queue Risk: `none_detected`; Next Action: `create_microtask`
- Row 55** Candidate: PROMOTE-0055; Category: `contract_candidate`; Proposed Target: `contracts/** or docs/reference/contracts/** after authority review`; Queue Risk: `none_detected`; Next Action: `hold_or_review`

- Row 56** Candidate: PROMOTE-0056; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 57** Candidate: PROMOTE-0057; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 58** Candidate: PROMOTE-0058; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 59** Candidate: PROMOTE-0059; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 60** Candidate: PROMOTE-0060; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 61** Candidate: PROMOTE-0061; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 62** Candidate: PROMOTE-0062; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 63** Candidate: PROMOTE-0063; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 64** Candidate: PROMOTE-0064; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 65** Candidate: PROMOTE-0065; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 66** Candidate: PROMOTE-0066; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 67** Candidate: PROMOTE-0067; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 68** Candidate: PROMOTE-0068; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 69** Candidate: PROMOTE-0069; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 70** Candidate: PROMOTE-0070; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 71** Candidate: PROMOTE-0071; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 72** Candidate: PROMOTE-0072; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 73** Candidate: PROMOTE-0073; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 74** Candidate: PROMOTE-0074; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 75** Candidate: PROMOTE-0075; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review

- Row 76 Candidate: PROMOTE-0076; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 77 Candidate: PROMOTE-0077; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 78 Candidate: PROMOTE-0078; Category: schema_candidate; Proposed Target: schema/** or schemas/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 79 Candidate: PROMOTE-0079; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 80 Candidate: PROMOTE-0080; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 81 Candidate: PROMOTE-0081; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 82 Candidate: PROMOTE-0082; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 83 Candidate: PROMOTE-0083; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 84 Candidate: PROMOTE-0084; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 85 Candidate: PROMOTE-0085; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 86 Candidate: PROMOTE-0086; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 87 Candidate: PROMOTE-0087; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 88 Candidate: PROMOTE-0088; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 89 Candidate: PROMOTE-0089; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 90 Candidate: PROMOTE-0090; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 91 Candidate: PROMOTE-0091; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 92 Candidate: PROMOTE-0092; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 93 Candidate: PROMOTE-0093; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 94 Candidate: PROMOTE-0094; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 95 Candidate: PROMOTE-0095; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review

- Row 96 Candidate: PROMOTE-0096; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 97 Candidate: PROMOTE-0097; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 98 Candidate: PROMOTE-0098; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 99 Candidate: PROMOTE-0099; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 100 Candidate: PROMOTE-0100; Category: docs_clarification_candidate; Proposed Target: README.md or docs/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 101 Candidate: PROMOTE-0101; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 102 Candidate: PROMOTE-0102; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 103 Candidate: PROMOTE-0103; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 104 Candidate: PROMOTE-0104; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 105 Candidate: PROMOTE-0105; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 106 Candidate: PROMOTE-0106; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 107 Candidate: PROMOTE-0107; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 108 Candidate: PROMOTE-0108; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 109 Candidate: PROMOTE-0109; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 110 Candidate: PROMOTE-0110; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 111 Candidate: PROMOTE-0111; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 112 Candidate: PROMOTE-0112; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 113 Candidate: PROMOTE-0113; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 114 Candidate: PROMOTE-0114; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 115 Candidate: PROMOTE-0115; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 116 Candidate: PROMOTE-0116; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review

- Row 117 Candidate: PROMOTE-0117; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 118 Candidate: PROMOTE-0118; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 119 Candidate: PROMOTE-0119; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 120 Candidate: PROMOTE-0120; Category: blocked_by_queue; Proposed Target: none; Queue Risk: blocked; Next Action: hold_or_review
- Row 121 Candidate: PROMOTE-0121; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 122 Candidate: PROMOTE-0122; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 123 Candidate: PROMOTE-0123; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 124 Candidate: PROMOTE-0124; Category: archive_only; Proposed Target: docs/archive/conversations/**; Queue Risk: none_detected; Next Action: hold_or_review
- Row 125 Candidate: PROMOTE-0125; Category: needs_user_decision; Proposed Target: docs/archive/conversations/_decision/DECISION_DOCKET_v0.md; Queue Risk: none_detected; Next Action: hold_or_review
- Row 126 Candidate: PROMOTE-0126; Category: contract_candidate; Proposed Target: contracts/** or docs/reference/contracts/** after authority review; Queue Risk: none_detected; Next Action: hold_or_review
- Row 127 Candidate: PROMOTE-0127; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 128 Candidate: PROMOTE-0128; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 129 Candidate: PROMOTE-0129; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 130 Candidate: PROMOTE-0130; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 131 Candidate: PROMOTE-0131; Category: architecture_doc_candidate; Proposed Target: docs/architecture/** after target selection; Queue Risk: none_detected; Next Action: create_microtask
- Row 132 Candidate: PROMOTE-0132; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 133 Candidate: PROMOTE-0133; Category: insufficient_evidence; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 134 Candidate: PROMOTE-0134; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review
- Row 135 Candidate: PROMOTE-0135; Category: reject_as_noise; Proposed Target: none; Queue Risk: none_detected; Next Action: hold_or_review

10.43 Promotion Triage

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/PROMOTION_TRIAGE_v0.md - included

Source Class: conversation_corpus_synthesis

10.44 Promotion Triage v0

This triage reduces the raw promotion queue into review classes. It does not promote claims.

10.44.1 Counts

- blocked_by_current_queue: 10
- consistent_with_repo_but_not_formalized: 41
- insufficient_evidence: 46
- needs_user_decision: 12
- rejected_noise: 19
- stale_or_superseded: 7

10.44.2 Recommended Review Order

1. Review TOP_PROMOTION_CANDIDATES_v0.md TOP_PROMOTION_CANDIDATES_v0.md.
2. Review NEEDS_USER_DECISION_v0.md NEEDS_USER_DECISION_v0.md.
3. Preserve REJECTED_NOISE_v0.md REJECTED_NOISE_v0.md as historical/non-promoted extraction noise.
4. Use CLAIM_REVIEW_MATRIX_v0.md ../reconciliation/CLAIM_REVIEW_MATRIX_v0.md before any live-doc patch task.

10.45 Promotion Wave 1 Candidates

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/PROMOTION_WAVE_1_CANDIDATES_v0.md - included

Source Class: conversation_corpus_synthesis

10.46 Promotion Wave 1 Candidates v0

Wave 1 candidates are docs-only review candidates that appear least blocked by current queue. They still require separate microtasks.

10.46.1 PROMOTE-0003 - architectedoccandidate

- Source conversation: `advanced_simulation_infrastructure`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0003`
- Claim: [INFERENCE] The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.

10.46.2 PROMOTE-0004 - architectedoccandidate

- Source conversation: `app_runtime_platform_renderers`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0004`
- Claim: The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.

10.46.3 PROMOTE-0032 - architectedoccandidate

- Source conversation: `Dominium_Architecture_I`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0032`
- Claim: The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.

10.46.4 PROMOTE-0035 - architectedoccandidate

- Source conversation: `Dominium_Architecture_II`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0035`
- Claim: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

10.46.5 PROMOTE-0038 - architecturedoccandidate

- Source conversation: `Dominium_Architecture_III`
- Proposed target: `docs/architecture/** after target selection`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0038`
- Claim: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.

10.46.6 PROMOTE-0050 - architecturedoccandidate

- Source conversation: `dominium_full_conversation`
- Proposed target: `docs/architecture/** after target selection`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0050`
- Claim: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.

10.46.7 PROMOTE-0054 - planningdoccandidate

- Source conversation: `dominium_setup`
- Proposed target: `docs/planning/** after target selection`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0054`
- Claim: The user later asked where to create Visual Studio and Xcode apps after opening the repo as a folder. The assistant advised that Visual Studio and Xcode projects should be generated through CMake, not hand-authored or treated as authoritative source files. This decision became consistent with later Codex prompts.

10.46.8 PROMOTE-0063 - architecturedoccandidate

- Source conversation: `engine_baseline_architecture`
- Proposed target: `docs/architecture/** after target selection`
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0063`
- Claim: The central architecture distinction was that Domino should be a reusable deterministic simulation substrate, while Dominion should be one game/product layer built on it. This came up immediately when the user asked for a total description of the project. It mattered because the user wants the code to be reusable for future games and possibly other engine projects.

10.46.9 PROMOTE-0073 - architecturedoccandidate

- Source conversation: `Language_Platform_Architecture`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0073`
- Claim: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

10.46.10 PROMOTE-0084 - architecturedoccandidate

- Source conversation: `Modularity_AIDE_Refactorability`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0084`
- Claim: The discussion proposed target-based CMake and module boundaries rather than path mythology. Public headers, private headers, allowed dependencies, and forbidden dependencies should be explicit. Apps must remain thin. Engine must not depend on game/apps/runtime UI. Runtime adapts host/platform/rendering without owning simulation truth.

10.46.11 PROMOTE-0088 - architecturedoccandidate

- Source conversation: `OS_Interface_Repo_Architecture`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0088`
- Claim: `DECISION-01` - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.

10.46.12 PROMOTE-0100 - docsclarificationcandidate

- Source conversation: `readme_ports_determinism`
- Proposed target: `README.md` or `docs/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0100`
- Claim: The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, `/ports` metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.

10.46.13 PROMOTE-0102 - architectedoccandidate

- Source conversation: `readme_ports_determinism`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: DOC-PROMOTION-PROMOTE-0102
- Claim: The central artifact was the root `README.md`. The `README` describes **Domino** as the deterministic engine core and **Dominium** as the official game/tooling/runtime layer. It is written as a high-level architecture document, not a low-level implementation spec.

10.46.14 PROMOTE-0105 - architectedoccandidate

- Source conversation: `Refactor_Architecture`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: DOC-PROMOTION-PROMOTE-0105
- Claim: FACT:** All products should use shared `dsys` and `dgfx`. No product-specific platform or renderer code path.

10.46.15 PROMOTE-0112 - architectedoccandidate

- Source conversation: `testx_repos_governance`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: DOC-PROMOTION-PROMOTE-0112
- Claim: FACT:** The user is building Dominium / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.

10.46.16 PROMOTE-0114 - architectedoccandidate

- Source conversation: `testx_repos_governance`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: DOC-PROMOTION-PROMOTE-0114
- Claim: The user had another chat working on content and systems, and asked for a prompt to inform that chat of everything decided so far. A similar prompt was generated for the applications/platforms/renderers chat. These prompts established authoritative boundaries:

10.46.17 PROMOTE-0115 - architectedoccandidate

- Source conversation: `Timekeeping_and_2038_Resilience`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0115`
- Claim: A future assistant should understand that this chat contributes a time architecture doctrine for Dominium: `**ACT` is authority; `DSYS` time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.

10.46.18 PROMOTE-0131 - architectedoccandidate

- Source conversation: `World_Architecture`
- Proposed target: `docs/architecture/**` after target selection
- Validation required: source check, authority-order check, link check, generated output validator, FAST
- Recommended microtask: `DOC-PROMOTION-PROMOTE-0131`
- Claim: Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.

10.47 Rejected Noise

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_promotion/REJECTED_NOISE_v0.md` - included

Source Class: `conversation_corpus_synthesis`

10.48 Rejected Noise v0

These entries are rejected only as promotion candidates. They remain preserved as archive history.

- PROMOTE-0002 `advanced_simulation_infrastructure`: Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- PROMOTE-0008 `app_testx_codehygiene`: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is
- PROMOTE-0017 `Build_and_Future_Proofing`: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that expor
- PROMOTE-0031 `Dominium_Architecture_I`: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the

- PROMOTE-0034 *Dominium_Architecture_II*: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, op
- PROMOTE-0048 *dominium_domino_codex_planning*: However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assi
- PROMOTE-0052 *dominium_setup*: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, cons
- PROMOTE-0060 *domino_engine_refactor_prompts*: After the architecture and prompts were created, the user asked for a maximum-fidelity context transfer packet. The assistant produced one. The user then asked for a downloadable report package; the assistant generated package files and a ZIP. The user later a
- PROMOTE-0062 *engine_baseline_architecture*: The final user action uploaded `Pasted text.txt`, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task
- PROMOTE-0067 *Framework_Open_Source_Provider*: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- PROMOTE-0079 *Launcher_Setup_Architecture*: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher
- PROMOTE-0082 *Modularity_AIDE_Refactorability*: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat r
- PROMOTE-0091 *platform_renderer_api_plan*: The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: ****the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not e**
- PROMOTE-0101 *readme_ports_determinism*: After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- PROMOTE-0117 *Timekeeping_and_2038_Resilience*: The final topic is this export task. The user requested a human-readable report first, followed by registers, spec prep, context-transfer packet, aggregator packet, self-audit, and files. This package is designed to let the chat be read later without reopening
- PROMOTE-0118 *UE6_Domino_Deterministic_Universe*: **FACT**: This package preserves the currently visible chat about whether Dominium should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artif
- PROMOTE-0129 *Workbench_AIDE_Product_Spine*: The user then requested this full preservation package so a new chat could continue without re-explaining everything. This final handoff is itself part of the preservation output.
- PROMOTE-0134 *xstack_lab_galaxy*: After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user
- PROMOTE-0135 *xstack_lab_galaxy*: Finally, the user asked not for another package, but for an in-chat reader version of the package. The assistant rendered a structured in-chat reader. The user then asked for this current response: a human-readable, intuitive narrative report.

10.49 Rejected Or Quarantined Claims

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/REJECTED_OR_QUARANTINED_CLAIMS.md - excerpted

10.50 Rejected Or Quarantined Claims

No claims are rejected as doctrine here. Conflicting or stale claims are quarantined for review.

10.50.1 CONTRA-0002

- Class: stale_external_claim
- Source: advanced_simulation_infrastructure / docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.2 CONTRA-0003

- Class: stale_external_claim
- Source: advanced_simulation_infrastructure / docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.3 CONTRA-0004

- Class: stale_external_claim
- Source: advanced_simulation_infrastructure / docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.4 CONTRA-0009

- Class: stale_external_claim
- Source: app_runtime_platform_renderers / docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.5 CONTRA-0012

- Class: `stale_external_claim`
- Source: `app_testx_codehygiene / docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.6 CONTRA-0013

- Class: `stale_external_claim`
- Source: `app_testx_codehygiene / docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.7 CONTRA-0014

- Class: `stale_external_claim`
- Source: `app_testx_codehygiene / docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Disposition: quarantined until current repo and external facts are checked

10.50.8 CONTRA-0015

- Class: `stale_external_claim`
- Source: `app_testx_codehygiene / docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.9 CONTRA-0018

- Class: `stale_external_claim`
- Source: `architecture_codex_prompts / docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.10 CONTRA-0019

- Class: `stale_external_claim`
- Source: `architecture_codex_prompts / docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.11 CONTRA-0020

- Class: `stale_external_claim`
- Source: `architecture_codex_prompts / docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.12 CONTRA-0026

- Class: `stale_external_claim`
- Source: `architecture_ui_providers / docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.13 CONTRA-0027

- Class: `stale_external_claim`
- Source: `architecture_ui_providers / docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.14 CONTRA-0028

- Class: `stale_external_claim`
- Source: `architecture_ui_providers / docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Disposition: quarantined until current repo and external facts are checked

10.50.15 CONTRA-0029

- Class: `stale_external_claim`
- Source: `architecture_ui_providers / docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.16 CONTRA-0030

- Class: `stale_external_claim`
- Source: `Build_and_Future_Proofing / docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.17 CONTRA-0031

- Class: `stale_external_claim`
- Source: `Build_and_Future_Proofing / docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.18 CONTRA-0032

- Class: `stale_external_claim`
- Source: `Build_and_Future_Proofing / docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.19 CONTRA-0038

- Class: `stale_external_claim`
- Source: `canonical_structure_and_framework / docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.20 CONTRA-0039

- Class: `stale_external_claim`
- Source: `canonical_structure_and_framework / docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.21 CONTRA-0040

- Class: `stale_external_claim`
- Source: `canonical_structure_and_framework / docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.22 CONTRA-0043

- Class: `stale_external_claim`
- Source: `development_routes / docs/archive/conversations/development_routes/dominium_development_routes__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.23 CONTRA-0044

- Class: `stale_external_claim`
- Source: `documentation_standards_readme / docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.24 CONTRA-0045

- Class: `stale_external_claim`
- Source: `documentation_standards_readme / docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.25 CONTRA-0046

- Class: `stale_external_claim`
- Source: `documentation_standards_readme / docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.26 CONTRA-0047

- Class: `stale_external_claim`
- Source: `documentation_standards_readme / docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.27 CONTRA-0050

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_I / docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.28 CONTRA-0051

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_I / docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.29 CONTRA-0054

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_II / docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.30 CONTRA-0055

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_II / docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- Disposition: quarantined until current repo and external facts are checked

10.50.31 CONTRA-0056

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_II / docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows NT 2000.
- Disposition: quarantined until current repo and external facts are checked

10.50.32 CONTRA-0057

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_II / docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Disposition: quarantined until current repo and external facts are checked

10.50.33 CONTRA-0058

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_II / docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.34 CONTRA-0061

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_III / docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.35 CONTRA-0062

- Class: stale_external_claim
- Source: Dominion_Architecture_III / docs/archive/conversations/Dominion_Architecture_III/Dominion_Architecture_III__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.36 CONTRA-0063

- Class: stale_external_claim
- Source: Dominion_Architecture_III / docs/archive/conversations/Dominion_Architecture_III/Dominion_Architecture_III__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: Win98.
- Disposition: quarantined until current repo and external facts are checked

10.50.37 CONTRA-0064

- Class: stale_external_claim
- Source: Dominion_Architecture_III / docs/archive/conversations/Dominion_Architecture_III/Dominion_Architecture_III__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- Disposition: quarantined until current repo and external facts are checked

10.50.38 CONTRA-0065

- Class: stale_external_claim
- Source: Dominion_Architecture_III / docs/archive/conversations/Dominion_Architecture_III/Dominion_Architecture_III__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows NT 2000.
- Disposition: quarantined until current repo and external facts are checked

10.50.39 CONTRA-0066

- Class: stale_external_claim
- Source: Dominion_Architecture_III / docs/archive/conversations/Dominion_Architecture_III/Dominion_Architecture_III__human_readable_chat_report.txt
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 9.
- Disposition: quarantined until current repo and external facts are checked

10.50.40 CONTRA-0067

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_III / docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 8.
- Disposition: quarantined until current repo and external facts are checked

10.50.41 CONTRA-0068

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_III / docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- Disposition: quarantined until current repo and external facts are checked

10.50.42 CONTRA-0072

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_IV / docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.43 CONTRA-0073

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_IV / docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.44 CONTRA-0074

- Class: `stale_external_claim`
- Source: `Dominium_Architecture_IV / docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.45 CONTRA-0076

- Class: `stale_external_claim`
- Source: `Dominium_Complete_Conversation / docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.46 CONTRA-0077

- Class: `stale_external_claim`
- Source: `Dominium_Complete_Conversation / docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.47 CONTRA-0078

- Class: `stale_external_claim`
- Source: `dominium_domino_codex_planning / docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.48 CONTRA-0079

- Class: `stale_external_claim`
- Source: `dominium_domino_codex_planning / docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.49 CONTRA-0080

- Class: `stale_external_claim`
- Source: `dominium_domino_codex_planning / docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.50 CONTRA-0081

- Class: `stale_external_claim`
- Source: `dominium_domino_codex_planning / docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.51 CONTRA-0082

- Class: `stale_external_claim`
- Source: `dominium_domino_codex_planning / docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.52 CONTRA-0088

- Class: `stale_external_claim`
- Source: `dominium_full_conversation / docs/archive/conversations/dominium_full_conversation/companion_report/dominium_full_conversation_companion_report__01_complete_human_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.53 CONTRA-0091

- Class: `stale_external_claim`
- Source: `dominium_setup / docs/archive/conversations/dominium_setup/dominium_setup_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.54 CONTRA-0096

- Class: `stale_external_claim`
- Source: `Domino_Dominium_Workbench / docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.55 CONTRA-0098

- Class: `stale_external_claim`
- Source: `domino_engine_refactor_prompts / docs/archive/conversations/domino_engine_refactor_prompts/dominium_domino_engine_refactor_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.56 CONTRA-0099

- Class: `stale_external_claim`
- Source: `domino_engine_refactor_prompts / docs/archive/conversations/domino_engine_refactor_prompts/dominium_domino_engine_refactor_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.57 CONTRA-0100

- Class: `stale_external_claim`
- Source: `domino_engine_refactor_prompts / docs/archive/conversations/domino_engine_refactor_prompts/dominium_domino_engine_refactor_prompts__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.58 CONTRA-0111

- Class: `stale_external_claim`
- Source: `Foundation_Workbench_Codex / docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.59 CONTRA-0112

- Class: `stale_external_claim`
- Source: `Foundation_Workbench_Codex / docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.60 CONTRA-0113

- Class: `stale_external_claim`
- Source: `Foundation_Workbench_Codex / docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.61 CONTRA-0118

- Class: `stale_external_claim`
- Source: `Framework_Open_Source_Provider / docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.62 CONTRA-0119

- Class: `stale_external_claim`
- Source: `Framework_Open_Source_Provider / docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.63 CONTRA-0122

- Class: `stale_external_claim`
- Source: `gui_binary_content / docs/archive/conversations/gui_binary_content/dominium_gui_binary_content_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.64 CONTRA-0123

- Class: `stale_external_claim`
- Source: `gui_binary_content / docs/archive/conversations/gui_binary_content/dominium_gui_binary_content_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.65 CONTRA-0124

- Class: `stale_external_claim`
- Source: `gui_binary_content / docs/archive/conversations/gui_binary_content/dominium_gui_binary_content_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.66 CONTRA-0129

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.67 CONTRA-0130

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.68 CONTRA-0131

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- Disposition: quarantined until current repo and external facts are checked

10.50.69 CONTRA-0132

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 9.
- Disposition: quarantined until current repo and external facts are checked

10.50.70 CONTRA-0133

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.71 CONTRA-0134

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.72 CONTRA-0135

- Class: `stale_external_claim`
- Source: `Language_Platform_Architecture / docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.73 CONTRA-0137

- Class: `stale_external_claim`
- Source: `launcher_app_layer / docs/archive/conversations/launcher_app_layer/dominium_launcher_app_layer_handoff__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.74 CONTRA-0140

- Class: `stale_external_claim`
- Source: `Launcher_Setup_Architecture / docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.75 CONTRA-0141

- Class: `stale_external_claim`
- Source: `Launcher_Setup_Architecture / docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.76 CONTRA-0142

- Class: `stale_external_claim`
- Source: `Launcher_Setup_Architecture / docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.77 CONTRA-0143

- Class: `stale_external_claim`
- Source: `Launcher_Setup_Architecture / docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.78 CONTRA-0146

- Class: `stale_external_claim`
- Source: `Modularity_AIDE_Refactorability / docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.79 CONTRA-0152

- Class: `stale_external_claim`
- Source: `OS_Interface_Repo_Architecture / docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 8.
- Disposition: quarantined until current repo and external facts are checked

10.50.80 CONTRA-0153

- Class: `stale_external_claim`
- Source: `OS_Interface_Repo_Architecture / docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Android`.
- Disposition: quarantined until current repo and external facts are checked

10.50.81 CONTRA-0154

- Class: `stale_external_claim`
- Source: `OS_Interface_Repo_Architecture / docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.
- Disposition: quarantined until current repo and external facts are checked

10.50.82 CONTRA-0158

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.
- Disposition: quarantined until current repo and external facts are checked

10.50.83 CONTRA-0159

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C++98`.
- Disposition: quarantined until current repo and external facts are checked

10.50.84 CONTRA-0160

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `ISO C89`.
- Disposition: quarantined until current repo and external facts are checked

10.50.85 CONTRA-0161

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.86 CONTRA-0162

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.87 CONTRA-0163

- Class: `stale_external_claim`
- Source: `platform_renderer_api_plan / docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- Disposition: quarantined until current repo and external facts are checked

10.50.88 CONTRA-0167

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.89 CONTRA-0168

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- Disposition: quarantined until current repo and external facts are checked

10.50.90 CONTRA-0169

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `Android`.
- Disposition: quarantined until current repo and external facts are checked

10.50.91 CONTRA-0170

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `WebGPU`.
- Disposition: quarantined until current repo and external facts are checked

10.50.92 CONTRA-0171

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `console program`.
- Disposition: quarantined until current repo and external facts are checked

10.50.93 CONTRA-0172

- Class: `stale_external_claim`
- Source: `platform_support / docs/archive/conversations/platform_support/dominium_platform_support_planning__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: `SDK`.
- Disposition: quarantined until current repo and external facts are checked

10.50.94 CONTRA-0174

- Class: `stale_external_claim`
- Source: `Portability_Assurance_Future_Proof / docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: `C89`.
- Disposition: quarantined until current repo and external facts are checked

10.50.95 CONTRA-0175

- Class: `stale_external_claim`
- Source: `Portability_Assurance_Future_Proof / docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.96 CONTRA-0176

- Class: `stale_external_claim`
- Source: `readme_ports_determinism / docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.97 CONTRA-0177

- Class: `stale_external_claim`
- Source: `readme_ports_determinism / docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- Disposition: quarantined until current repo and external facts are checked

10.50.98 CONTRA-0178

- Class: `stale_external_claim`
- Source: `readme_ports_determinism / docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.99 CONTRA-0179

- Class: `stale_external_claim`
- Source: `readme_ports_determinism / docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: 286.
- Disposition: quarantined until current repo and external facts are checked

10.50.100 CONTRA-0180

- Class: `stale_external_claim`
- Source: `Refactor_Architecture / docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: C89.
- Disposition: quarantined until current repo and external facts are checked

10.50.101 CONTRA-0181

- Class: `stale_external_claim`
- Source: `Refactor_Architecture / docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- Disposition: quarantined until current repo and external facts are checked

10.50.102 CONTRA-0182

- Class: `stale_external_claim`
- Source: `Refactor_Architecture / docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__human_readable_chat_report.txt`
- Claim: Archived conversation contains potentially stale external or baseline claim: Android.
- Disposition: quarantined until current repo and external facts are checked

10.50.103 ‘CONTRA-0183**Verify**

This section is excerpted for readability. See the source path for the full report.

10.51 Review Decisions**Source**

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_promotion/REVIEW_DECISIONS.md` - included

10.52 Review Decisions

No conversation claims have been promoted by this intake.

Future review decisions must record:

- promotion ID;
- reviewer;

- date;
- source evidence;
- stronger repo authority checked;
- disposition;
- target paths, if any;
- validation performed.

10.53 Top Promotion Candidates

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_promotion/TOP_PROMOTION_CANDIDATES_v0.md - included

Source Class: conversation_corpus_synthesis

10.54 Top Promotion Candidates v0

These are the cleanest automatically triaged candidates. They are still not promoted.

10.54.1 PROMOTE-0003 - advancedsimulationinfrastructure

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- Claim: [INFERENCE] The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.

10.54.2 PROMOTE-0027 - development_routes

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: docs/archive/conversations/development_routes/dominium_development_routes__human_readable_chat_report.txt
- Claim: The initial technical answer proposed a layered stack. It started with mathematical and temporal primitives, then moved into the deterministic simulation kernel, then world state, systems, persistence and replay, tooling, presentation, content, and finally distribution, modding, and multiplayer.

10.54.3 PROMOTE-0035 - DominionArchitectureII

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt`
- Claim: The entire conversation is anchored by the requirement that Dominion must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

10.54.4 PROMOTE-0038 - DominionArchitectureIII

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt`
- Claim: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.

10.54.5 PROMOTE-0059 - dominoenginerefactor__prompts

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/domino_engine_refactor_prompts/dominium_domino_engine_refactor_prompts__human_readable_chat_report.txt`
- Claim: This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.

10.54.6 PROMOTE-0066 - FoundationWorkbenchCodex

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md`

- Claim: The topic came up because the project needed a model that could support world simulation, modding, tooling, Workbench, release, portability, and future games without repeating endless refactors. The conclusion was that stable contracts and semantic IDs must be separated from replaceable private implementation.

10.54.7 PROMOTE-0088 - OSInterfaceRepo_Architecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.

10.54.8 PROMOTE-0089 - OSInterfaceRepo_Architecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.

10.54.9 PROMOTE-0090 - OSInterfaceRepo_Architecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md`
- Claim: DECISION-03 - Repo ownership layout.** The user pushed for repository convergence; the discussion established that folders should map to ownership and contract boundaries. This decision is final enough to guide work, but details remain subject to machine-readable layout contracts.

10.54.10 PROMOTE-0102 - readmeportsdeterminism

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism_human_readable_chat_report.txt`
- Claim: The central artifact was the root `README.md`. The `README` describes **Domino** as the deterministic engine core and **Dominium** as the official game/tooling/runtime layer. It is written as a high-level architecture document, not a low-level implementation spec.

10.54.11 PROMOTE-0115 - Timekeepingand2038_Resilience

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__01_human_readable_report.md`
- Claim: A future assistant should understand that this chat contributes a time architecture doctrine for Dominium: ****ACT** is authority; **DSYS** time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.

10.54.12 PROMOTE-0004 - appruntimeplatform_renderers

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_human_readable_chat_report.txt`
- Claim: The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.

10.54.13 PROMOTE-0007 - apptestxcodehygiene

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff_human_readable_chat_report.txt`

- Claim: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.

10.54.14 PROMOTE-0009 - apptestxcodehygiene

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt`
- Claim: The central project is a deterministic universe engine/game. The user's ambition is not just a normal game but a world runtime that can represent everything from a single-room scenario to an AI-only universe to an MMO. The project is meant to support real-world defaults, arbitrary modding, procedural and defined content, strong epistemics, and long-term replayability.

10.54.15 PROMOTE-0018 - BuildandFuture__Proofing

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md`
- Claim: The final explicit goal was preservation: create a maximum-fidelity package for this chat so the user can understand it later, ask questions in this chat, merge it with other old-chat reports, and eventually build a master project spec book.

10.54.16 PROMOTE-0021 - canonicalstructureand__framework

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md`
- Claim: Packs are distributable authored payloads. The preferred pack layout became category-based, such as `content/packs/<category>/<pack_id>/. Pack IDs must not depend on paths. Saves and replays must use stable IDs, schema versions, canonical serialization, deterministic hashes, and explicit migration/refusal policies. Backward compatibility must be a compatibility corpus plus tests, not intention.`

10.54.17 PROMOTE-0029 - documentationstandardsreadme

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff__human_readable_chat_report.txt`
- Claim: **FACT:** The chat established that public API contracts should live in headers.

10.54.18 PROMOTE-0044 - DominionCompleteConversation

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md`
- Claim: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.

10.54.19 PROMOTE-0053 - dominium_setup

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/dominium_setup/dominium_setup_handoff__human_readable_chat_report.txt`
- Claim: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.

10.54.20 PROMOTE-0054 - dominium_setup

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/dominium_setup/dominium_setup_handoff__human_readable_chat_report.txt`
- Claim: The user later asked where to create Visual Studio and Xcode apps after opening the repo as a folder. The assistant advised that Visual Studio and Xcode projects should be generated through CMake, not hand-authored or treated as authoritative source files. This decision became consistent with later Codex prompts.

10.54.21 PROMOTE-0063 - enginebaselinearchitecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/engine_baseline_architecture/domino_dominium_engine_baseline_architecture__01_human_readable_report.md`
- Claim: The central architecture distinction was that Domino should be a reusable deterministic simulation substrate, while Dominium should be one game/product layer built on it. This came up immediately when the user asked for a total description of the project. It mattered because the user wants the code to be reusable for future games and possibly other engine projects.

10.54.22 PROMOTE-0073 - LanguagePlatformArchitecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

10.54.23 PROMOTE-0074 - LanguagePlatformArchitecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: `docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md`
- Claim: The user then consolidated a broad future plan around Domino, Dominium, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.

10.54.24 PROMOTE-0078 - launcherapplayer

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.

- Source file: docs/archive/conversations/launcher_app_layer/dominium_launcher_app_layer_handoff_human_readable_chat_report.txt
- Claim: This phase mattered because it framed the launcher not as a menu program but as a **control plane** for installed products, packs, profiles, compatibility, and launch contracts. However, later canon tightened the permitted communication routes: cross-product communication must go through `schema/` and `libs/contracts`, not arbitrary plugin conventions.

10.54.25 PROMOTE-0081 - LauncherSetupArchitecture

- Classification: `consistent_with_repo_but_not_formalized`
- Recommended disposition: `candidate_for_reconciliation`
- Reason: The claim appears compatible with current repo doctrine but has not been checked against target docs.
- Source file: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture_human_readable_chat_report.txt
- Claim: The assistant responded by stress-testing this philosophy. It pointed out determinism risks around Lua, plugins, time sources, and ABI details, and suggested more explicit contracts for file headers, TLV sections, runtime CLI capabilities, plugin exported symbols, and setup/launcher boundaries. These were assistant proposals, not all user-stated decisions, but the user continued building on that direction.

10.55 Conversation Reader Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_reader/conversation_reader_index.md - included

10.56 Conversation Reader Index

Reader pages are prose-first advisory views over archived conversations.

- Row 1** Reader: Dominium Advanced Simulation and Infrastructure Architecture by_chat/advanced_simulation_infrastructure.m
Source Folder: docs/archive/conversations/advanced_simulation_infrastructure; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, workbench; Promotion Status: `not_reviewed`
- Row 2** Reader: Dominium APP0 Runtime, Platform, and Renderer Architecture by_chat/app_runtime_platform_renderers.md; Source Folder: docs/archive/conversations/app_runtime_platform_renderers; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: `not_reviewed`
- Row 3** Reader: Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning by_chat/app_testx_codehygiene.m
Source Folder: docs/archive/conversations/app_testx_codehygiene; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: `not_reviewed`
- Row 4** Reader: Dominium/Domino Architecture and Codex Prompt Roadmap by_chat/architecture_codex_prompts.md; Source Folder: docs/archive/conversations/architecture_codex_prompts; Topics: architecture, content, contracts_schema, determinism, governance, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: `not_reviewed`

- Row 5** Reader: Dominium Architecture, UI, Providers, and Robot OS Strategy by_chat/architecture_ui_providers.md; Source Folder: docs/archive/conversations/architecture_ui_providers; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 6** Reader: Dominium Build and Future-Proofing Architecture by_chat/build_and_future_proofing.md; Source Folder: docs/archive/conversations/Build_and_Future_Proofing; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 7** Reader: Dominium Canonical Architecture, Repository Foundation, and Provider Model by_chat/canonical_structure_and_framework; Source Folder: docs/archive/conversations/canonical_structure_and_framework; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, xstack_aide; Promotion Status: not_reviewed
- Row 8** Reader: Dominium Chronology & Celestial Systems by_chat/chronology_celestial_systems.md; Source Folder: docs/archive/conversations/Chronology_Celestial_Systems; Topics: architecture, content, contracts_schema, governance, platform, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 9** Reader: Dominium Development Routes and Continuity Preservation by_chat/development_routes.md; Source Folder: docs/archive/conversations/development_routes; Topics: architecture, content, contracts_schema, determinism, governance, release, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 10** Reader: Documentation Standards, README Strategy, and Handoff Packaging by_chat/documentation_standards_readme; Source Folder: docs/archive/conversations/documentation_standards_readme; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui; Promotion Status: not_reviewed
- Row 11** Reader: Dominium Architecture I by_chat/dominium_architecture_i.md; Source Folder: docs/archive/conversations/Dominium_Architecture_I; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 12** Reader: Dominium Architecture II by_chat/dominium_architecture_ii.md; Source Folder: docs/archive/conversations/Dominium_Architecture_II; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 13** Reader: Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture by_chat/dominium_architecture_iii; Source Folder: docs/archive/conversations/Dominium_Architecture_III; Topics: architecture, content, determinism, governance, platform, release, setup_launcher, simulation, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 14** Reader: Dominium Architecture IV by_chat/dominium_architecture_iv.md; Source Folder: docs/archive/conversations/Dominium_Architecture_IV; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 15** Reader: Dominium Canon, Repository Alignment, and Portability Doctrine by_chat/dominium_complete_conversation.md; Source Folder: docs/archive/conversations/Dominium_Complete_Conversation; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: not_reviewed
- Row 16** Reader: Dominium + Domino Codex Planning and Handoff by_chat/dominium_domino_codex_planning.md; Source Folder: docs/archive/conversations/dominium_domino_codex_planning; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed

- Row 17** Reader: Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and by_chat/dominium_full_conversation.md; Source Folder: docs/archive/conversations/dominium_full_conversation; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen, xstack_aide; Promotion Status: not_reviewed
- Row 18** Reader: Dominium Setup Architecture and Handoff by_chat/dominium_setup.md; Source Folder: docs/archive/conversations/dominium_setup; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 19** Reader: Domino Dominium Workbench by_chat/domino_dominium_workbench.md; Source Folder: docs/archive/conversations/Domino_Dominium_Workbench; Topics: architecture, content, contracts_schema, determinism, governance, platform, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 20** Reader: Dominium/Domino Engine Refactor Planning by_chat/domino_engine_refactor_prompts.md; Source Folder: docs/archive/conversations/domino_engine_refactor_prompts; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 21** Reader: Domino/Dominium Engine Baseline, Architecture, and Feasibility by_chat/engine_baseline_architecture.md; Source Folder: docs/archive/conversations/engine_baseline_architecture; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, workbench; Promotion Status: not_reviewed
- Row 22** Reader: Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff by_chat/foundation_workbench_codex.md; Source Folder: docs/archive/conversations/Foundation_Workbench_Codex; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, workbench, worldgen, xstack_aide; Promotion Status: not_reviewed
- Row 23** Reader: Domino Framework and Open-Source Provider Architecture by_chat/framework_open_source_provider.md; Source Folder: docs/archive/conversations/Framework_Open_Source_Provider; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 24** Reader: Dominium Content and GUI Rebuild Planning by_chat/gui_binary_content.md; Source Folder: docs/archive/conversations/gui_binary_content; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed
- Row 25** Reader: Dominium Language, Platform, and Architecture Baseline by_chat/language_platform_architecture.md; Source Folder: docs/archive/conversations/Language_Platform_Architecture; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, workbench, worldgen, xstack_aide; Promotion Status: not_reviewed
- Row 26** Reader: Dominium Launcher Application-Layer Handoff by_chat/launcher_app_layer.md; Source Folder: docs/archive/conversations/launcher_app_layer; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 27** Reader: Dominium Launcher and Setup Architecture by_chat/launcher_setup_architecture.md; Source Folder: docs/archive/conversations/Launcher_Setup_Architecture; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed
- Row 28** Reader: Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture by_chat/modularity_aide_refactorability.md; Source Folder: docs/archive/conversations/Modularity_AIDE_Refactorability; Topics: architecture,

content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: **not_reviewed**

Row 29 Reader: Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning by_chat/omega_xi_pi_architecture_future.m

Source Folder: docs/archive/conversations/omega_xi_pi_architecture_future; Topics: architecture, content, contracts_schema, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: **not_reviewed**

Row 30 Reader: Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer by_chat/os_interfa

Source Folder: docs/archive/conversations/OS_Interface_Repo_Architecture; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, tooling, ui, workbench; Promotion Status: **not_reviewed**

Row 31 Reader: Dominium Codex Platform Renderer API Plan by_chat/platform_renderer_api_plan.md; Source Folder:

docs/archive/conversations/platform_renderer_api_plan; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: **not_reviewed**

Row 32 Reader: Dominium Platform Support Planning by_chat/platform_support.md; Source Folder: docs/archive/

conversations/platform_support; Topics: architecture, content, contracts_schema, governance, platform, release, simulation, timekeeping, ui, worldgen; Promotion Status: **not_reviewed**

Row 33 Reader: Domino/Dominium Portability, Assurance, and Future-Proof Architecture by_chat/portability_assurance_fut

Source Folder: docs/archive/conversations/Portability_Assurance_Future_Proof; Topics: architecture, content, contracts_schema, determinism, governance, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: **not_reviewed**

Row 34 Reader: Dominium README Architecture, Ports, and Determinism by_chat/readme_ports_determinism.md;

Source Folder: docs/archive/conversations/readme_ports_determinism; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: **not_reviewed**

Row 35 Reader: Dominium + Domino Refactor Architecture by_chat/refactor_architecture.md; Source Folder: docs/

archive/conversations/Refactor_Architecture; Topics: architecture, content, contracts_schema, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench; Promotion Status: **not_reviewed**

Row 36 Reader: AIDE, XStack, and Dominium Refactor Control Plane by_chat/refactor_control_plane.md; Source

Folder: docs/archive/conversations/Refactor_Control_Plane; Topics: architecture, content, contracts_schema, governance, release, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: **not_reviewed**

Row 37 Reader: Dominium XStack Release Identity and Versioning by_chat/release_identity_and_versioning.md; Source

Folder: docs/archive/conversations/Release_Identity_and_Versioning; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: **not_reviewed**

Row 38 Reader: Dominium TestX/RepoX Governance and Handoff Chat by_chat/testx_repos_governance.md; Source

Folder: docs/archive/conversations/testx_repos_governance; Topics: architecture, content, determinism, governance, platform, release, setup_launcher, simulation, tooling, ui, worldgen, xstack_aide; Promotion Status: **not_reviewed**

Row 39 Reader: Dominium Timekeeping and 2038 Resilience by_chat/timekeeping_and_2038_resilience.md; Source

Folder: docs/archive/conversations/Timekeeping_and_2038_Resilience; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: **not_reviewed**

Row 40 Reader: Dominium UE6, Domino, and Deterministic Universe Feasibility by_chat/ue6_domino_deterministic_universe.m
 Source Folder: docs/archive/conversations/UE6_Domino_Deterministic_Universe; Topics: architecture, content, determinism, governance, platform, release, simulation, timekeeping, tooling, ui, worldgen; Promotion Status: not_reviewed

Row 41 Reader: Dominium UI Editor and Tool Editor Planning by_chat/ui_editor_tool_editor_planning.md; Source Folder: docs/archive/conversations/ui_editor_tool_editor_planning; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed

Row 42 Reader: Dominium Universe Explorer Planning and Repo Handoff by_chat/universe_explorer_planning.md; Source Folder: docs/archive/conversations/Universe_Explorer_Planning; Topics: architecture, content, contracts_schema, governance, platform, release, simulation, tooling, ui, workbench, worldgen, xstack_aide; Promotion Status: not_reviewed

Row 43 Reader: Dominium Architecture, Workbench, AIDE, and Product-Spine Planning by_chat/workbench_aide_product_spine.m
 Source Folder: docs/archive/conversations/Workbench_AIDE_Product_Spine; Topics: architecture, content, contracts_schema, determinism, governance, platform, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen, xstack_aide; Promotion Status: not_reviewed

Row 44 Reader: Dominium World Architecture by_chat/world_architecture.md; Source Folder: docs/archive/conversations/World_Architecture; Topics: architecture, content, contracts_schema, determinism, governance, release, setup_launcher, simulation, timekeeping, tooling, ui, workbench, worldgen; Promotion Status: not_reviewed

Row 45 Reader: Dominium XStack and Lab Galaxy Handoff by_chat/xstack_lab_galaxy.md; Source Folder: docs/archive/conversations/xstack_lab_galaxy; Topics: architecture, content, contracts_schema, determinism, governance, release, timekeeping, tooling, ui, worldgen, xstack_aide; Promotion Status: not_reviewed

10.57 Blocked Scope Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_reconciliation/BLOCKED_SCOPE_ALIGNMENT_v0.md - included

Source Class: conversation_corpus_synthesis

10.58 Blocked Scope Alignment v0

Current queue state blocks broad feature work. Conversation-derived claims that touch these areas remain historical unless a later reviewed task opens scope.

Blocked Scope	Queue State	Candidate/Finding Signals	Required Disposition
broad_workbench_ui	BLOCKED	7	preserve_or_reconcile_only
gameplay	BLOCKED	35	preserve_or_reconcile_only
native_gui	BLOCKED	14	preserve_or_reconcile_only
package_runtime	BLOCKED	4	preserve_or_reconcile_only
provider_runtime	BLOCKED	21	preserve_or_reconcile_only
release_publication	BLOCKED	8	preserve_or_reconcile_only
renderer_implementation	BLOCKED	18	preserve_or_reconcile_only
runtime_module_loader	BLOCKED	5	preserve_or_reconcile_only

No row authorizes implementation. This is a guardrail for later claim review.

10.59 Claim Review Matrix

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_reconciliation/CLAIM_REVIEW_MATRIX_v0.md - excerpted

Source Class: conversation_corpus_synthesis

10.60 Claim Review Matrix v0

Each row is a raw promotion candidate classified for review. None are promoted.

Row 1 ID: PROMOTE-0001; Source: advanced_simulation_infrastructure; Classification: needs_user_decision; Disposition: ask_or_reconcile_before_promotion; Claim: The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] Th...

Row 2 ID: PROMOTE-0002; Source: advanced_simulation_infrastructure; Classification: rejected_noise; Disposition: preserve_as_history; Claim: Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.

Row 3 ID: PROMOTE-0003; Source: advanced_simulation_infrastructure; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: [INFERENCE] The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.

Row 4 ID: PROMOTE-0004; Source: app_runtime_platform_renderers; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: The central topic was APP0:

the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.

- Row 5** ID: PROMOTE-0005; Source: `app_runtime_platform_renderers`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay s...
- Row 6** ID: PROMOTE-0006; Source: `app_runtime_platform_renderers`; Classification: `needs_user_decision`; Disposition: `ask_or_reconcile_before_promotion`; Claim: Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.
- Row 7** ID: PROMOTE-0007; Source: `app_testx_codehygiene`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts we...
- Row 8** ID: PROMOTE-0008; Source: `app_testx_codehygiene`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report...
- Row 9** ID: PROMOTE-0009; Source: `app_testx_codehygiene`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The central project is a deterministic universe engine/game. The user's ambition is not just a normal game but a world runtime that can represent everything from a single-room scenario to an AI-only universe to an MMO. The project is meant to support real-w...
- Row 10** ID: PROMOTE-0010; Source: `architecture_codex_prompts`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, w...
- Row 11** ID: PROMOTE-0011; Source: `architecture_codex_prompts`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed...
- Row 12** ID: PROMOTE-0012; Source: `architecture_codex_prompts`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: **FACT:** The user asked, succinctly, how a player would build a complete machine workshop. The assistant described a progression: extract raw materials, process them into industrial materials, produce mechanical components, produce electrical components, estab...
- Row 13** ID: PROMOTE-0013; Source: `architecture_ui_providers`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision sim...
- Row 14** ID: PROMOTE-0014; Source: `architecture_ui_providers`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, re...
- Row 15** ID: PROMOTE-0015; Source: `architecture_ui_providers`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The central tradeoff was speed versus purity. Raylib,

SDL2, Lua, raygui, rlgl, rlsw, and related libraries can accelerate visible progress, but if they leak into game law, UI documents, saves, replays, or public contracts, they become architectural capture....

- Row 16** ID: PROMOTE-0016; Source: Build_and_Future_Proofing; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled...
- Row 17** ID: PROMOTE-0017; Source: Build_and_Future_Proofing; Classification: rejected_noise; Disposition: preserve_as_history; Claim: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that ex...
- Row 18** ID: PROMOTE-0018; Source: Build_and_Future_Proofing; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: The final explicit goal was preservation: create a maximum-fidelity package for this chat so the user can understand it later, ask questions in this chat, merge it with other old-chat reports, and eventually build a master project spec book.
- Row 19** ID: PROMOTE-0019; Source: canonical_structure_and_framework; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" ...
- Row 20** ID: PROMOTE-0020; Source: canonical_structure_and_framework; Classification: blocked_by_current_queue; Disposition: needs_review_before_any_action; Claim: The final provider directory doctrine became service-first: runtime/<service>/providers/<provider>/, not runtime/<vendor>/<service>/. Provider choices belong in release/profiles/ or content/profiles/, not app path names. External code belongs under ...
- Row 21** ID: PROMOTE-0021; Source: canonical_structure_and_framework; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: Packs are distributable authored payloads. The preferred pack layout became category-based, such as content/packs/<category>/<pack_id>/. Pack IDs must not depend on paths. Saves and replays must use stable IDs, schema versions, canonical serialization, de...
- Row 22** ID: PROMOTE-0022; Source: Chronology_Celestial_Systems; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- Row 23** ID: PROMOTE-0023; Source: Chronology_Celestial_Systems; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- Row 24** ID: PROMOTE-0024; Source: Chronology_Celestial_Systems; Classification: needs_user_decision; Disposition: ask_or_reconcile_before_promotion; Claim: The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- Row 25** ID: PROMOTE-0025; Source: development_routes; Classification: needs_user_decision; Disposition: ask_or_reconcile_before_promotion; Claim: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding ma...
- Row 26** ID: PROMOTE-0026; Source: development_routes; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UN...

- Row 27** ID: PROMOTE-0027; Source: `development_routes`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The initial technical answer proposed a layered stack. It started with mathematical and temporal primitives, then moved into the deterministic simulation kernel, then world state, systems, persistence and replay, tooling, presentation, content, and finally ...
- Row 28** ID: PROMOTE-0028; Source: `documentation_standards_readme`; Classification: `needs_user_decision`; Disposition: `ask_or_reconcile_before_promotion`; Claim: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, licen...
- Row 29** ID: PROMOTE-0029; Source: `documentation_standards_readme`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: **FACT:** The chat established that public API contracts should live in headers.
- Row 30** ID: PROMOTE-0030; Source: `documentation_standards_readme`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: **FACT:** Source files should document implementation rationale, non-obvious invariants, and hazards.
- Row 31** ID: PROMOTE-0031; Source: `Dominium_Architecture_I`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in t...
- Row 32** ID: PROMOTE-0032; Source: `Dominium_Architecture_I`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames...
- Row 33** ID: PROMOTE-0033; Source: `Dominium_Architecture_I`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The key change came when the user decided that Codex could not read the entire conversation at once. **FACT:** The user said they would copy and paste the transcript with timestamps and would not edit it manually, but because Codex could not read the whole ...
- Row 34** ID: PROMOTE-0034; Source: `Dominium_Architecture_II`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints,...
- Row 35** ID: PROMOTE-0035; Source: `Dominium_Architecture_II`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern pla...
- Row 36** ID: PROMOTE-0036; Source: `Dominium_Architecture_II`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: The chat discussed fixed tick phases, virtual lanes, merge order, command buffers, event queues, and deterministic serialization. The simulation must not depend on render FPS, wall-clock time, OS scheduler behaviour, GPU state, or floating-point quirks. Thi...
- Row 37** ID: PROMOTE-0037; Source: `Dominium_Architecture_III`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays,...
- Row 38** ID: PROMOTE-0038; Source: `Dominium_Architecture_III`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground

for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the...

- Row 39** ID: PROMOTE-0039; Source: `Dominium_Architecture_III`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This...
- Row 40** ID: PROMOTE-0040; Source: `Dominium_Architecture_IV`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer...
- Row 41** ID: PROMOTE-0041; Source: `Dominium_Architecture_IV`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline....
- Row 42** ID: PROMOTE-0042; Source: `Dominium_Architecture_IV`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user then asked how to structure Codex prompts. The final high-level roadmap became:
- Row 43** ID: PROMOTE-0043; Source: `Dominium_Complete_Conversation`; Classification: `needs_user_decision`; Disposition: `ask_or_reconcile_before_promotion`; Claim: This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineeri...
- Row 44** ID: PROMOTE-0044; Source: `Dominium_Complete_Conversation`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where...
- Row 45** ID: PROMOTE-0045; Source: `Dominium_Complete_Conversation`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under `apps/`, while an earlier inspected code path under root `client/` was available and `apps/client` was not fetched successfully. This m...
- Row 46** ID: PROMOTE-0046; Source: `dominium_domino_codex_planning`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts...
- Row 47** ID: PROMOTE-0047; Source: `dominium_domino_codex_planning`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, b...
- Row 48** ID: PROMOTE-0048; Source: `dominium_domino_codex_planning`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future a...
- Row 49** ID: PROMOTE-0049; Source: `dominium_full_conversation`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, ...

- Row 50** ID: PROMOTE-0050; Source: `dominium_full_conversation`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the...
- Row 51** ID: PROMOTE-0051; Source: `dominium_full_conversation`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The discussion then moved into AIDE. The user wanted to automate as much as possible through Codex and AIDE. We developed a task operating model: AIDE creates WorkUnits, tracks attempts, blockers, evidence, repairs, resumes, checkpoints, and promotion decis...
- Row 52** ID: PROMOTE-0052; Source: `dominium_setup`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, c...
- Row 53** ID: PROMOTE-0053; Source: `dominium_setup`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- Row 54** ID: PROMOTE-0054; Source: `dominium_setup`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The user later asked where to create Visual Studio and Xcode apps after opening the repo as a folder. The assistant advised that Visual Studio and Xcode projects should be generated through CMake, not hand-authored or treated as authoritative source files. ...
- Row 55** ID: PROMOTE-0055; Source: `Domino_Dominium_Workbench`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matri...
- Row 56** ID: PROMOTE-0056; Source: `Domino_Dominium_Workbench`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the r...
- Row 57** ID: PROMOTE-0057; Source: `Domino_Dominium_Workbench`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The second central decision is that CLI, TUI, rendered GUI, OS-native GUI, and headless automation must be **projections of the same command/result/refusal/doc spine**. A GUI button, a TUI hotkey, a CLI command, a headless JSON job, and a future O...
- Row 58** ID: PROMOTE-0058; Source: `domino_engine_refactor_prompts`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hard...
- Row 59** ID: PROMOTE-0059; Source: `domino_engine_refactor_prompts`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes t...
- Row 60** ID: PROMOTE-0060; Source: `domino_engine_refactor_prompts`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: After the architecture and prompts were created, the user asked for a maximum-fidelity context transfer packet. The assistant produced one. The user then asked for a downloadable report package; the assistant generated package files and a ZIP. The user late...

- Row 61** ID: PROMOTE-0061; Source: `engine_baseline_architecture`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making t...
- Row 62** ID: PROMOTE-0062; Source: `engine_baseline_architecture`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current t...
- Row 63** ID: PROMOTE-0063; Source: `engine_baseline_architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The central architecture distinction was that Domino should be a reusable deterministic simulation substrate, while Dominium should be one game/product layer built on it. This came up immediately when the user asked for a total description of the project. I...
- Row 64** ID: PROMOTE-0064; Source: `Foundation_Workbench_Codex`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, wh...
- Row 65** ID: PROMOTE-0065; Source: `Foundation_Workbench_Codex`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed resul.
..
- Row 66** ID: PROMOTE-0066; Source: `Foundation_Workbench_Codex`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The topic came up because the project needed a model that could support world simulation, modding, tooling, Workbench, release, portability, and future games without repeating endless refactors. The conclusion was that stable contracts and semantic IDs must...
- Row 67** ID: PROMOTE-0067; Source: `Framework_Open_Source_Provider`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- Row 68** ID: PROMOTE-0068; Source: `Framework_Open_Source_Provider`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- Row 69** ID: PROMOTE-0069; Source: `Framework_Open_Source_Provider`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: The chat inspected `julesc013/dominium` and found evidence of existing abstractions such as system and graphics layers, stubs, and soft-backed backends. The finding was that raylib could fill concrete provider gaps without replacing the architecture. Howeve.
..
- Row 70** ID: PROMOTE-0070; Source: `gui_binary_content`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed `CONTENT0` and identified several issues that could cause bad assumpti...
- Row 71** ID: PROMOTE-0071; Source: `gui_binary_content`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: what start scenarios must explicitly exclude,
- Row 72** ID: PROMOTE-0072; Source: `gui_binary_content`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: This shifted the content work from "populate required files" to "design a

scalable content representation system." It also made clear that procedural generation and defined data are not enemies in the user's vision. The desired architecture must allow them ...

- Row 73** ID: PROMOTE-0073; Source: `Language_Platform_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must...
- Row 74** ID: PROMOTE-0074; Source: `Language_Platform_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibilit...
- Row 75** ID: PROMOTE-0075; Source: `Language_Platform_Architecture`; Classification: `blocked_by_current_queue`; Disposition: `needs_review_before_any_action`; Claim: Finally, the user pasted advice favoring C99 or C++11 due to raylib/SDL and legacy targets. The answer rejected a pivot. Raylib and SDL2 being C APIs only means provider boundaries should be C-callable; it does not force the whole engine or game to C99. The...
- Row 76** ID: PROMOTE-0076; Source: `launcher_app_layer`; Classification: `needs_user_decision`; Disposition: `ask_or_reconcile_before_promotion`; Claim: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verif...
- Row 77** ID: PROMOTE-0077; Source: `launcher_app_layer`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form or...
- Row 78** ID: PROMOTE-0078; Source: `launcher_app_layer`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: This phase mattered because it framed the launcher not as a menu program but as a **control plane** for installed products, packs, profiles, compatibility, and launch contracts. However, later canon tightened the permitted communication routes: cross-produc...
- Row 79** ID: PROMOTE-0079; Source: `Launcher_Setup_Architecture`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launc...
- Row 80** ID: PROMOTE-0080; Source: `Launcher_Setup_Architecture`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: FACT:** The user's initial architecture text emphasized:
- Row 81** ID: PROMOTE-0081; Source: `Launcher_Setup_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The assistant responded by stress-testing this philosophy. It pointed out determinism risks around Lua, plugins, time sources, and ABI details, and suggested more explicit contracts for file headers, TLV sections, runtime CLI capabilities, plugin exported s...
- Row 82** ID: PROMOTE-0082; Source: `Modularity_AIDE_Refactorability`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-cha...
- Row 83** ID: PROMOTE-0083; Source: `Modularity_AIDE_Refactorability`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor ...

- Row 84** ID: PROMOTE-0084; Source: Modularity_AIDE_Refactorability; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The discussion proposed target-based CMake and module boundaries rather than path mythology. Public headers, private headers, allowed dependencies, and forbidden dependencies should be explicit. Apps must remain thin. Engine must not depend on game/apps/run...
- Row 85** ID: PROMOTE-0085; Source: `omega_xi_pi_architecture_future`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto curre...
- Row 86** ID: PROMOTE-0086; Source: `omega_xi_pi_architecture_future`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- Row 87** ID: PROMOTE-0087; Source: `omega_xi_pi_architecture_future`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: 4. Preserve all plans, tasks, constraints, risks, decisions, artifacts, and future directions across chats.
- Row 88** ID: PROMOTE-0088; Source: `OS_Interface_Repo_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but no...
- Row 89** ID: PROMOTE-0089; Source: `OS_Interface_Repo_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- Row 90** ID: PROMOTE-0090; Source: `OS_Interface_Repo_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: DECISION-03 - Repo ownership layout.** The user pushed for repository convergence; the discussion established that folders should map to ownership and contract boundaries. This decision is final enough to guide work, but details remain subject to machine-re...
- Row 91** ID: PROMOTE-0091; Source: `platform_renderer_api_plan`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, no...
- Row 92** ID: PROMOTE-0092; Source: `platform_renderer_api_plan`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: These ideas became the architectural heart of the final plan.
- Row 93** ID: PROMOTE-0093; Source: `platform_renderer_api_plan`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: Stable ABI boundaries must use C ABI, POD structs, explicit function tables, and `u32 abi_version` plus `u32 struct_size` first.
- Row 94** ID: PROMOTE-0094; Source: `platform_support`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated...
- Row 95** ID: PROMOTE-0095; Source: `platform_support`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.

- Row 96** ID: PROMOTE-0096; Source: `platform_support`; Classification: `stale_or_superseded`; Disposition: `verify_before_use`; Claim: FACT: The user's list included legacy and current consoles, handhelds, firmware/OS names, Android software variants, Apple OSes, Web runtimes, AR/VR hardware, XR platforms, and graphics/runtime APIs. FACT: It was a list of desired coverage or consideration,...
- Row 97** ID: PROMOTE-0097; Source: `Portability_Assurance_Future_Proof`; Classification: `needs_user_decision`; Disposition: `ask_or_reconcile_before_promotion`; Claim: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- Row 98** ID: PROMOTE-0098; Source: `Portability_Assurance_Future_Proof`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: Status: Assistant recommendation; not separately accepted after answer.
- Row 99** ID: PROMOTE-0099; Source: `Portability_Assurance_Future_Proof`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: Rationale: Replacement must be objectively testable.
- Row 100** ID: PROMOTE-0100; Source: `readme_ports_determinism`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, `/ports` metadata-only if retained, Section 9 normative, lock...
- Row 101** ID: PROMOTE-0101; Source: `readme_ports_determinism`; Classification: `rejected_noise`; Disposition: `preserve_as_history`; Claim: After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- Row 102** ID: PROMOTE-0102; Source: `readme_ports_determinism`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: The central artifact was the root README.md. The README describes **Domino** as the deterministic engine core and **Dominium** as the official game/tooling/runtime layer. It is written as a high-level architecture document, not a low-level implementation ...
- Row 103** ID: PROMOTE-0103; Source: `Refactor_Architecture`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompt...
- Row 104** ID: PROMOTE-0104; Source: `Refactor_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: FACT:** This early discussion created the future UI/packs design context.
- Row 105** ID: PROMOTE-0105; Source: `Refactor_Architecture`; Classification: `consistent_with_repo_but_not_formalized`; Disposition: `candidate_for_reconciliation`; Claim: FACT:** All products should use shared `dsys` and `dgfx`. No product-specific platform or renderer code path.
- Row 106** ID: PROMOTE-0106; Source: `Refactor_Control_Plane`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and obser...
- Row 107** ID: PROMOTE-0107; Source: `Refactor_Control_Plane`; Classification: `insufficient_evidence`; Disposition: `preserve_as_history`; Claim: The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to...

- Row 108** ID: PROMOTE-0108; Source: Refactor_Control_Plane; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: The user eventually named AIDE: Automated Integrated Development Environment. The accepted split became: XStack remains Dominion's strict local governance/proof profile; AIDE becomes the portable public layer. AIDE would live in its own repo, be usable as a...
- Row 109** ID: PROMOTE-0109; Source: Release_Identity_and_Versioning; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. ...
- Row 110** ID: PROMOTE-0110; Source: Release_Identity_and_Versioning; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility version...
- Row 111** ID: PROMOTE-0111; Source: Release_Identity_and_Versioning; Classification: insufficient_evidence; Disposition: preserve_as_history; Claim: The user suggested that suites might use a separate consumer-facing or marketing version, while each component could use stricter SemVer. The chat accepted this as a mature pattern: suites are curated bundles, while components may have technical versions. T...
- Row 112** ID: PROMOTE-0112; Source: testx_repos_governance; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across...
- Row 113** ID: PROMOTE-0113; Source: testx_repos_governance; Classification: needs_user_decision; Disposition: ask_or_reconcile_before_promotion; Claim: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclu...
- Row 114** ID: PROMOTE-0114; Source: testx_repos_governance; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: The user had another chat working on content and systems, and asked for a prompt to inform that chat of everything decided so far. A similar prompt was generated for the applications/platforms/renderers chat. These prompts established authoritative boundaries:
- Row 115** ID: PROMOTE-0115; Source: Timekeeping_and_2038_Resilience; Classification: consistent_with_repo_but_not_formalized; Disposition: candidate_for_reconciliation; Claim: A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never dri...
- Row 116** ID: PROMOTE-0116; Source: Timekeeping_and_2038_Resilience; Classification: insufficient_evidence; Disposition: preserve_as_history

Verify

This section is excerpted for readability. See the source path for the full report.

10.61 Current Canon Alignment

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_reconciliation/CURRENT_CANON_ALIGNMENT_v0.md - included

Source Class: conversation_corpus_synthesis

10.62 Current Canon Alignment v0

This review identifies broad areas where the conversation-derived synthesis appears aligned with current canon, and where caution remains.

10.62.1 Aligned Signals

- Determinism, replay, and provenance recur in the corpus and are directly supported by constitution axioms.
- Truth/perceived/render separation recurs in UI, renderer, and Workbench conversations and is explicitly canonical.
- Process-only mutation and law-gated authority are compatible with the archive's repeated refusal of UI-owned truth.
- Pack-driven integration recurs in content/provider/modding conversations and is canonical in high-level doctrine.
- AIDE/Codex/XStack as bounded repo-control surfaces aligns with AGENTS.md when they remain non-authoritative.

10.62.2 Caution Areas

- Conversation claims about implementation sequencing must obey current queue constraints.
- Claims about renderer, native GUI, provider runtime, package runtime, gameplay, and release publication are blocked until stronger current authority opens them.
- Old language/platform/baseline claims require current verification before reuse.
- Synthesis terms not present in the glossary cannot become canonical without controlled glossary work.

10.63 Repo Authority Crosswalk

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_reconciliation/REPO_AUTHORITY_CROSSWALK_v0.md - included

Source Class: conversation_corpus_synthesis

10.64 Repo Authority Crosswalk v0

This crosswalk compares the derived synthesis to current authority surfaces. It does not promote any conversation claim.

Authority Surface	Current Role	How The Synthesis Uses It	Promotion Effect
<u>constitution_v1.md</u> ../../../../canon/constitution_v1.md	Highest architectural/ execution contract	Establishes determinism, process mutation, authority, refusal, render separation, packs	None
<u>glossary_v1.md</u> ../../../../canon/glossary_v1.md	Canonical vocabulary	Anchors terms such as Engine, Client, Contract, AuthorityContext, Domain	None
<u>AGENTS.md</u> ../../../../AGENTS.md	Agent governance and authority ordering	Prevents chat claims from overriding repo truth	None
<u>AUTHORITY_ORDER.md</u> ../../../../planning/AUTHORITY_ORDER.md	Conflict resolution and precedence	Requires reconciliation before promotion	None
<u>SNAPSHOT_INTAKE_PROTOCOL.md</u> ../../../../planning/SNAPSHOT_INTAKE_PROTOCOL.md	Snapshot and provenance take protocol	Treats conversation exports as materialized evidence only	None
<u>.aide/queue/current.toml</u> ../../../../.aide/queue/current.toml	Current queue and blocked state	Blocks broad feature work despite old chat intent	None
<u>PROJECT_SYNTHESIS_BOOK_v0.md</u> ../_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md	Derivative synthesis	Human-readable historical project picture	None

10.64.1 Classification Counts

- blocked_by_current_queue: 10
- consistent_with_repo_but_not_formalized: 41
- insufficient_evidence: 46
- needs_user_decision: 12
- rejected_noise: 19
- stale_or_superseded: 7

10.65 Contradictions To Reconcile

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/
CONTRADICTIONS_TO_RECONCILE_v0.md - included

Source Class: conversation_corpus_synthesis

10.66 Contradictions To Reconcile v0

This document summarizes contradiction classes that should feed the reconciliation crosswalk. It does not resolve them.

10.66.1 Counts By Class

- conversation_vs_conversation: 2
- conversation_vs_current_queue: 102

- `conversation_vs_docs`: 2
- `stale_external_claim`: 121

10.66.2 Highest-Priority Classes

- `conversation_vs_current_queue`: old work suggestions that touch currently blocked scope.
- `conversation_vs_docs`: old baseline or architecture statements that may drift from current README/canon.
- `stale_external_claim`: external platform, SDK, language, renderer, or runtime claims needing current verification.
- `conversation_vs_conversation`: disagreements among old conversations that need review before promotion.

10.66.3 Sample Findings

- CONTRA-0001 `conversation_vs_current_queue advanced_simulation_infrastructure`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim advanced_simulation_infrastructure`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim advanced_simulation_infrastructure`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim advanced_simulation_infrastructure`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue app_runtime_platform_renderers`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue app_runtime_platform_renderers`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue app_runtime_platform_renderers`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue app_runtime_platform_renderers`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim app_runtime_platform_renderers`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue app_testx_codehygiene`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue app_testx_codehygiene`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim app_testx_codehygiene`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim app_testx_codehygiene`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim app_testx_codehygiene`: Archived conversation contains potentially stale external or baseline claim: DX12.

- CONTRA-0015 `stale_external_claim app_testx_codehygiene`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue architecture_codex_prompts`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue architecture_codex_prompts`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim architecture_codex_prompts`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim architecture_codex_prompts`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim architecture_codex_prompts`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0021 `conversation_vs_current_queue architecture_ui_providers`: Archived conversation discusses work related to blocked scope `broad_workbench_ui`.
- CONTRA-0022 `conversation_vs_current_queue architecture_ui_providers`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0023 `conversation_vs_current_queue architecture_ui_providers`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0024 `conversation_vs_current_queue architecture_ui_providers`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0025 `conversation_vs_current_queue architecture_ui_providers`: Archived conversation discusses work related to blocked scope `native_gui`.
- CONTRA-0026 `stale_external_claim architecture_ui_providers`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0027 `stale_external_claim architecture_ui_providers`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0028 `stale_external_claim architecture_ui_providers`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0029 `stale_external_claim architecture_ui_providers`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0030 `stale_external_claim Build_and_Future_Proofing`: Archived conversation contains potentially stale external or baseline claim: C89.

10.66.4 Reconciliation Rule

Resolve nothing by convenience. Check canon, glossary, AGENTS, authority order, current queue, contracts/schema law, and targeted current docs before promoting any claim.

10.67 Current Project Atlas

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_synthesis/CURRENT_PROJECT_ATLAS_v0.md` - included

Source Class: `conversation_corpus_synthesis`

10.68 Current Project Atlas v0

This atlas is a reader map. It is not canon and does not promote archived conversation claims.

10.68.1 Read Order

1. README.md ../../../../README.md for current project orientation.
2. constitution_v1.md ../../../../canon/constitution_v1.md and glossary_v1.md ../../../../canon/glossary_v1.md for binding meaning.
3. AGENTS.md ../../../../AGENTS.md and AUTHORITY_ORDER.md ../../../../planning/AUTHORITY_ORDER.md for repo/agent authority rules.
4. .aide/queue/current.toml ../../../../.aide/queue/current.toml for current scope gates.
5. DECISION_DOCKET_v0.md ../_decision/DECISION_DOCKET_v0.md and PROMOTION_REVIEW_BOARD_v0.md ../_promotion/PROMOTION_REVIEW_BOARD_v0.md for archive-derived adjudication.

10.68.2 What Dominion Is

Current repo truth: Dominion is a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate. It is about lawful simulation of invention, production, logistics, economics, settlement, trust, communication, and institutional power.

Conversation-derived context: the archive expands that picture into a long-horizon product ecosystem: engine substrate, official game/domain layer, Workbench, setup/launcher, content packs, portability, release identity, and repo-governed assistant workflows. That context is historical and advisory.

10.68.3 What Domino Is

Domino is the reusable deterministic substrate: execution ordering, storage, replay, ABI-facing boundaries, and engine mechanisms. Archived conversations consistently treat Domino as reusable infrastructure rather than a one-off game binary.

10.68.4 Active Surfaces

Surface	Current Meaning	Archive Context
engine/	deterministic substrate	reusable Domino foundation
game/	Dominion domain rules and interpretation	official game/product layer
runtime/	shell/platform/adapters/diagnostics/ storage host integration	platform and projection glue, not truth owner
apps/	thin product composition	client/server/launcher/setup/ workbench entrypoints
contracts/ and schema/	machine-readable law and compatibility meaning	promotion candidates need high review
docs/archive/conversations/ tools/	derived conversation evidence validators and repo tooling	source layer for synthesis, not authority repeatable audit/generation/control surfaces

10.68.5 Current Work Gates

- Foundation lock status signal: `PASS_WITH_WARNINGS`.

- Current blocked queue scopes: `broad_workbench_ui`, `gameplay`, `native_gui`, `package_runtime`, `provider_runtime`, `release_publication`, `renderer_implementation`, `runtime_module_loader`.
- Safe now: archive reading, decision review, promotion review, reconciliation crosswalks, docs-only microtask preparation, and validators.
- Not safe now: implementation work in blocked scopes, canon/schema/contract rewrites from archive claims, release publication, renderer implementation, gameplay, provider/package runtime, broad Workbench UI, native GUI.

10.68.6 Unresolved Decisions

- Decision docket items: 30.
- Workbench/AIDE/Codex/tooling: 6.
- architecture/boundaries: 12.
- provider/content/packs: 5.
- release/setup/launcher: 2.
- renderer/UI/platform: 3.
- world/time/civilization simulation: 2.

10.68.7 Promotion State

- Raw promotion candidates: 135.
- Wave 1 docs-only candidates: 18.
- architecture_doc_candidate: 16.
- archive_only: 9.
- blocked_by_queue: 10.
- contract_candidate: 11.
- docs_clarification_candidate: 1.
- insufficient_evidence: 53.
- needs_user_decision: 12.
- planning_doc_candidate: 1.
- reject_as_noise: 19.
- schema_candidate: 3.

10.68.8 What Requires Review Before Promotion

- Any claim touching canon, glossary, authority order, contracts, schema law, current queue, release, implementation, or blocked scope.
- Any old language/platform/baseline claim.
- Any claim whose target path is only a wildcard such as `docs/architecture/**` or `contracts/**`.
- Any Wave 1 candidate before source text and target docs are inspected together.

10.68.9 Recommended Next Steps

1. Manually review the decision docket and choose defer/preserve/promote-later dispositions.
2. Select a small subset of Wave 1 candidates for docs-only microtasks.
3. For each microtask, name the source claim ID, exact target doc, authority support, non-goals, validation, and promotion status update.
4. Keep implementation blocked unless the current queue opens it.

10.69 Executive Brief

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/EXECUTIVE_BRIEF_v0.md - included

Source Class: conversation_corpus_synthesis

10.70 Executive Brief v0

The conversation archive now supports a derived project picture: Dominion is a deterministic, contract-governed simulation game and operating environment on top of Domino. The old conversations consistently point toward a broad product: simulation engine, official game/domain layer, Workbench, setup/launcher, content packs, release identity, portability, and repo governance.

This brief is not authority. Current truth remains in README.md ../../../../README.md, constitution_v1.md ../../../../canon/constitution_v1.md, glossary_v1.md ../../../../canon/glossary_v1.md, AGENTS.md ../../../../AGENTS.md, contracts, schema law, and current queue state.

10.70.1 Current Signal

- Source conversations: 45
- Source files: 604
- Acceptance result: PASS_WITH_WARNINGS
- Promotion candidates: 135
- Audit findings: 227
- Blocked current queue scopes: broad_workbench_ui, gameplay, native_gui, package_runtime, provider_runtime, release_publication, renderer_implementation, runtime_module_loader

10.70.2 Main Takeaway

The archive is ready for understanding and synthesis. It is not ready for direct promotion. The next review surface should compare the synthesis against current repo authority and reduce the raw promotion queue into a smaller decision backlog.

10.71 Full Project Picture

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/FULL_PROJECT_PICTURE_v0.md - included

Source Class: conversation_corpus_synthesis

10.72 Full Project Picture v0

This map combines current repo orientation with conversation-derived design intent. When they differ, current repo authority wins.

10.72.1 Product Identity

Domino is the deterministic substrate. Dominium is the official game, product, and domain layer. Workbench is a governed validation and inspection environment. Setup and launcher compose product instances. Tools validate, generate, audit, and migrate. Contracts and schema law define public identity and compatibility meaning.

10.72.2 Boundary Map

Surface	Current Role	Conversation-Derived Intent	Current Caution
Engine / Domino	Deterministic substrate	Reusable law-bound simulation foundation	Do not collapse into product UI
Game / Dominium	Domain rules and official product meaning	Invention, logistics, institutions, world systems	Gameplay remains blocked by current queue
Client / Renderer	Presentation and intent issuing	Rich visualization and projection	Renderer implementation is blocked
Server	Authoritative multiplayer validation	Law and authority keeper	Must preserve deterministic proof
Workbench	Validation and inspection surface	Rich operator and authoring future	Broad Workbench UI is blocked
Setup / Launcher	Product composition and local orchestration	Install, repair, profiles, instances	Runtime package behavior remains constrained
Content / Packs	Authored payload and pack-driven composition	Mods, providers, data-driven expansion	Provider/package runtime blocked
AIDE / Codex / XStack	Repo-control and patch workflow aids	Evidence-producing governance layer	No authority replacement

10.72.3 Topic Map

- **architecture** (45 conversations): system boundaries, product shape, engine/game/client/server separation, and repository structure. Sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_infrastructure.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene ../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/dominium_architecture_ui_providers.md](#), [Dominium Architecture, UI, Providers, and Robot OS Strategy ../_reader/by_chat/architecture_ui_providers.md](#).

- **content** (45 conversations): packs, mods, authored payload, GUI/content boundaries, and provider/content separation. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **ui** (45 conversations): presentation, tools, editor concepts, perceived model surfaces, and command/result display. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **governance** (44 conversations): authority order, canon, contracts, refusal, review gates, and agent operation. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **simulation** (44 conversations): deterministic domains, processes, machines, physical systems, economy, and civilization dynamics. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **tooling** (44 conversations): Codex/AIDE/XStack/TestX/RepoX/AuditX tooling and patch workflow. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **release** (43 conversations): version identity, packaging, setup, update, publication, and release-control concerns. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **contracts_schema** (42 conversations): machine-readable contracts, schemas, compatibility, manifests, and registries. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.

- determinism** (39 conversations): replay, ordering, proof, fixed identity, RNG discipline, and thread-count invariance. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- platform** (39 conversations): runtime shell, platform adapter, renderer boundary, operating-system support, and portability. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`, Dominium Build and Future-Proofing Architecture `../_reader/by_chat/build_and_future_proofing.md`.
- worldgen** (39 conversations): world, universe, celestial, terrain, chronology, and large-scale reality modeling. Sources: Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`, Dominium Build and Future-Proofing Architecture `../_reader/by_chat/build_and_future_proofing.md`.
- timekeeping** (35 conversations): calendar, chronology, timestamp durability, 2038 resilience, and time-domain law. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Canonical Architecture, Repository Foundation, and Provider Model `../_reader/by_chat/canonical_structure_and_framework.md`.
- setup_launcher** (25 conversations): setup, repair, rollback, launcher profiles, instances, and product orchestration. Sources: Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Canonical Architecture, Repository Foundation, and Provider Model `../_reader/by_chat/canonical_structure_and_framework.md`, Documentation Standards, README Strategy, and Handoff Packaging `../_reader/by_chat/documentation_standards_readme_strategy_and_handoff_packaging.md`.
- workbench** (20 conversations): operator-facing validation, evidence, inspection, and later authoring surfaces. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`, Dominium Canonical Architecture, Repository Foundation, and Provider Model `../_reader/by_chat/canonical_structure_and_framework.md`, Dominium Development Routes and Continuity Preservation `../_reader/by_chat/development_routes.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`.
- xstack_aide** (14 conversations): repo-control and assistant-operation systems around AIDE, XStack, AuditX, RepoX, and TestX. Sources: Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene_planning.md`, Dominium Canonical Architecture, Repository Foundation, and Provider Model `../_reader/by_chat/canonical_structure_and_framework.md`, Dominium Canon, Repository Alignment, and Portability Doctrine `../_reader/by_chat/dominium_complete_conversation.md`, Dominium Workbench, AIDE, Presentation Architecture, Provider Scaffolding, and TestX `../_reader/by_chat/dominium_full_conversation.md`, Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff `../_reader/by_chat/foundation_workbench_codex.md`.

10.72.4 Blocked Versus Open

Open for derived archive work: reading, synthesis, crosswalks, contradiction review, promotion triage, and narrow docs-only planning. Blocked by current queue: broad Workbench UI, runtime module loader, provider runtime, package runtime, gameplay, renderer implementation, native GUI, and release publication.

10.73 Project Synthesis Book

Source

```
DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/PROJECT_SYNTHESIS_BOOK_v0.md - included
```

Source Class: conversation_corpus_synthesis

10.74 Dominion Conversation Corpus Synthesis Book v0

This book is a derived reading guide over the archived conversation corpus. It is not canon, not architecture doctrine, not a contract, and not an implementation plan.

10.74.1 1. Status And Authority

- Acceptance review result: `PASS_WITH_WARNINGS`.
- Authority class: `advisory_synthesis`.
- Promotion status: `not_promoted`.
- Current repo artifacts outrank every conversation-derived statement in this book.

10.74.2 2. Executive Overview

The archive describes Dominion as a long-horizon deterministic simulation product: a game, engine-backed operating environment, validation workbench, content platform, and governance-heavy repository. Across the conversations, the recurring intent is not to build a renderer-owned game loop or a pile of UI screens. The recurring intent is to preserve lawful simulation truth, expose it through command/result/evidence surfaces, and let products project that truth without mutating it.

The current repo already establishes the strongest version of that principle through canon, glossary, README, and queue state. The conversation corpus adds historical design intent around world scale, Workbench, setup/launcher, release identity, provider/content boundaries, and future UI/editor experiences. Those claims remain advisory until reconciled and promoted.

10.74.3 3. What Dominion Is Trying To Be

Repo-established truth: Dominion is the official game/product/domain layer on top of Domino, the reusable deterministic substrate. It is concerned with invention, production, logistics, economics, settlement, trust, communication, and institutional power emerging from lawful simulation.

Conversation-derived intent: the archive repeatedly extends that picture toward a broad universe-scale simulation platform, with real-world defaults, arbitrary authored packs, robust tooling, deterministic evidence, long-term portability, and a Workbench that makes the project inspectable and operable.

10.74.4 4. Core Mental Model

The current README gives the clearest spine: intent -> command -> capability/refusal check -> service or deterministic process -> result/document/snapshot -> diagnostics/evidence -> view/action model -> projection -> shell. The conversations mostly orbit that same model, even when they discuss UI, renderer, platform, setup, or release packaging.

10.74.5 5. Engine / Game / Runtime / Product Boundaries

Repo truth keeps Engine, Game, Client, Server, Workbench, setup, launcher, tools, contracts, and content in separate roles. Conversation-derived material reinforces the boundary: renderer and UI project state, clients issue intents, server/game/engine law remains authoritative, and tools validate or inspect rather than silently mutate truth.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_and_infrastructure_architecture.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Architecture and UI Providers ../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Build and Future-Proofing Architecture ../_reader/by_chat/build_and_future_proofing_architecture.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_and_foundation.md](#), [Dominium Chronology & Celestial Systems ../_reader/by_chat/chronology_celestial_systems.md](#).

10.74.6 6. Determinism, Replay, And Provenance

The canon makes determinism primary: ordering, reductions, RNG streams, replay, hash partitions, and provenance are non-negotiable. The corpus adds historical emphasis on deterministic world scale, portable builds, replay proofs, verification artifacts, and avoiding hidden fallback behavior.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_and_infrastructure_architecture.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Architecture and UI Providers ../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Build and Future-Proofing Architecture ../_reader/by_chat/build_and_future_proofing.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_and_foundation.md](#), [Dominium Development Routes and Continuity Preservation ../_reader/by_chat/development_routes.md](#).

10.74.7 7. Law, Authority, Refusal, And Capability Model

Current repo truth says authority permits attempts, law decides accept/refuse/transform, and refusals must be deterministic and auditable. Conversations often use different local language, but the recurring direction is aligned: no convenience bypass, no generated output as truth, and no old prompt as authority.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_infrastructure_architecture.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Architecture and UI Providers ../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Build and Future-Proofing Architecture ../_reader/by_chat/build_and_future_proofing_architecture.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_and_foundation.md](#), [Dominium Chronology & Celestial Systems ../_reader/by_chat/chronology_celestial_systems.md](#).

10.74.8 8. World, Reality, Scale, And Refinement Model

Conversation-derived intent is expansive: worlds, planets, celestial systems, universe explorer concepts, chronology, spatial refinement, simulation domains, macro/micro transitions, and real-world defaults recur across the archive. This is a design-intent signal, not current implementation authority.

Representative sources: [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) [../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) [../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap](#) [../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Architecture UI Providers](#) [../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Build and Future-Proofing Architecture](#) [../_reader/by_chat/build_and_future_proofing.md](#), [Dominium Chronology & Celestial Systems](#) [../_reader/by_chat/chronology_celestial_systems.md](#), [Dominium Development Routes and Continuity Preservation](#) [../_reader/by_chat/development_routes.md](#), [Dominium Architecture I](#) [../_reader/by_chat/dominium_architecture_i.md](#).

10.74.9 9. Timekeeping, Chronology, And 2038 Resilience

Time appears as both a simulation domain and a platform durability concern. The archive repeatedly points to chronology, calendars, celestial alignment, 2038 resilience, and timestamp policy. Current promotion must verify all such claims against current contracts and language/platform baselines.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture](#) [../_reader/by_chat/advanced_simulation_infrastructure.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) [../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) [../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap](#) [../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) [../_reader/by_chat/canonical_structure_and_framework.md](#), [Dominium Chronology & Celestial Systems](#) [../_reader/by_chat/chronology_celestial_systems.md](#), [Dominium Development Routes and Continuity Preservation](#) [../_reader/by_chat/development_routes.md](#), [Documentation Standards](#) [../_reader/by_chat/documentation_standards_readme.md](#).

10.74.10 10. Civilization, Institutions, Economy, Logistics

The corpus frames Dominium around emergent production, logistics, economics, settlement, communication, trust, institutions, and power. These are project identity themes; they are not authorization to open gameplay or runtime work while the current queue blocks it.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture](#) [../_reader/by_chat/advanced_simulation_infrastructure.md](#), [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) [../_reader/by_chat/app_runtime_platform_renderers.md](#), [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) [../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium/Domino Architecture and Codex Prompt Roadmap](#) [../_reader/by_chat/architecture_codex_prompts.md](#), [Dominium Architecture UI Providers](#) [../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Build and Future-Proofing Architecture](#) [../_reader/by_chat/build_and_future_proofing.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) [../_reader/by_chat/canonical_structure_and_framework.md](#), [Dominium Chronology & Celestial Systems](#) [../_reader/by_chat/chronology_celestial_systems.md](#).

10.74.11 11. UI, Renderer, Workbench, And Tools

The conversations strongly prefer a rich Workbench and eventual editor/operator surfaces. Current authority is narrower: broad Workbench UI, renderer implementation, and native GUI remain blocked. Therefore synthesis may describe intent, but follow-up tasks must stay contract/planning scoped until the queue opens implementation scope.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture](#) [../_reader/by_chat/advanced_simulation_infrastructure.md](#), [Dominium Architecture, UI, Providers, and Robot OS Strategy](#) [../_reader/by_chat/architecture_ui_providers.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) [../_reader/by_chat/canonical_structure_and_framework.md](#), [Dominium Development Routes and Continuity Preservation](#) [../_reader/by_chat/development_routes.md](#), [Dominium Architecture IV](#) [../_reader/by_chat/dominium_architecture_iv.md](#), [Dominium Domino Codex Planning](#) [../_reader/by_chat/dominium_domino_codex_planning.md](#), [Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy](#) [../_reader/by_chat/workbench_aide_presentation_architecture_provider_strategy.md](#).

../_reader/by_chat/dominium_full_conversation.md, [Domino Dominium Workbench](#) ../_reader/by_chat/domino_dominium_workbench.md.

10.74.12 12. AIDE, Codex, Governance, And Patch Workflow

The archive treats AIDE/Codex/XStack as repo-control and patch-execution aids. Current repo truth agrees that they do not replace canon, contracts, review gates, or validation. Their correct role is bounded evidence-producing work, not direct semantic authority.

Representative sources: [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) ../_reader/by_chat/app_dominium_architecture_application_layer_testx_and_codehygiene_planning.md, [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) ../_reader/by_chat/canonical_structure_and_foundation_workbench_codex.md, [Dominium Canon, Repository Alignment, and Portability Doctrine](#) ../_reader/by_chat/dominium_complete_conversation.md, [Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Comp](#) ../_reader/by_chat/dominium_full_conversation.md, [Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff](#) ../_reader/by_chat/foundation_workbench_codex.md, [Dominium Language, Platform, and Architecture Baseline](#) ../_reader/by_chat/language_platform_and_architecture_baseline.md, [Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture](#) ../_reader/by_chat/modularity_aide_refactorability_and_future_proofing_planning.md, [Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning](#) ../_reader/by_chat/omega_xi_pi_architecture_future.md.

10.74.13 13. Release, Setup, Launcher, Platform, Portability

Conversations cover setup, launcher, release identity, versioning, portability, platform support, and public distribution. Current queue still blocks release publication, so these remain planning and audit material unless a later reviewed task opens the scope.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture](#) ../_reader/by_chat/advanced_simulation_and_infrastructure_architecture.md, [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) ../_reader/by_chat/app_runtime_platform_renderers.md, [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) ../_reader/by_chat/app_testx_codehygiene.md, [Dominium/Domino Architecture and Codex Prompt Roadmap](#) ../_reader/by_chat/architecture_codex_prompts.md, [Dominium Architecture UI Providers](#) ../_reader/by_chat/architecture_ui_providers.md, [Dominium Build and Future-Proofing Architecture](#) ../_reader/by_chat/build_and_future_proofing_architecture.md, [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) ../_reader/by_chat/canonical_structure_and_foundation_workbench_codex.md, [Dominium Development Routes and Continuity Preservation](#) ../_reader/by_chat/development_routes.md.

10.74.14 14. Content, Packs, Modding, Providers

The corpus repeatedly returns to pack-driven composition, authored content, providers, binary/content boundaries, and modding. Canon requires pack-driven integration and explicit refusal for missing packs. Current queue blocks package runtime and provider runtime, so promotion must be careful.

Representative sources: [Dominium Advanced Simulation and Infrastructure Architecture](#) ../_reader/by_chat/advanced_simulation_and_infrastructure_architecture.md, [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) ../_reader/by_chat/app_runtime_platform_renderers.md, [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) ../_reader/by_chat/app_testx_codehygiene.md, [Dominium/Domino Architecture and Codex Prompt Roadmap](#) ../_reader/by_chat/architecture_codex_prompts.md, [Dominium Architecture UI Providers](#) ../_reader/by_chat/architecture_ui_providers.md, [Dominium Build and Future-Proofing Architecture](#) ../_reader/by_chat/build_and_future_proofing_architecture.md, [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) ../_reader/by_chat/canonical_structure_and_foundation_workbench_codex.md, [Dominium Chronology & Celestial Systems](#) ../_reader/by_chat/chronology_celestial_systems.md.

10.74.15 15. What Was Decided Across Conversations

The strongest recurring conversation-level decisions are advisory: keep simulation truth deterministic, separate rendering from authority, keep Workbench a projection/inspection/control surface rather than truth owner, preserve source provenance, and avoid direct promotion from old chats. These are valuable because they align with current repo doctrine, but alignment is not the same as promotion.

10.74.16 16. What Is Still Unresolved

- Promotion candidate triage: The raw promotion queue contains useful leads but also preservation-process noise. Source: ../_promotion/PROMOTION_QUEUE.md ../_promotion/PROMOTION_QUEUE.md.
- Workbench scope: Old conversations discuss Workbench as rich operator surface, but the current queue blocks broad Workbench UI. Source: ../_wiki/topics/workbench.md ../_wiki/topics/workbench.md.
- Renderer and platform boundary: Conversations repeatedly discuss renderer/platform plans, while current authority keeps rendering presentational and implementation scope blocked. Source: ../_wiki/topics/platform.md ../_wiki/topics/platform.md.
- Provider and content boundaries: Provider, pack, and content discussions need separation from runtime module loading and package runtime blocks. Source: ../_wiki/topics/content.md ../_wiki/topics/content.md.
- World scale and fidelity roadmap: Universe, world, chronology, and simulation conversations need sequencing against current contracts and queue limits. Source: ../_wiki/topics/worldgen.md ../_wiki/topics/worldgen.md.
- Release/publication meaning: Release/versioning conversations should remain planning until release publication authority opens. Source: ../_wiki/topics/release.md ../_wiki/topics/release.md.

10.74.17 17. Contradictions And Drift

The audit layer contains review triggers, not resolved contradictions. The main risk classes are conversation claims against current queue restrictions, stale external/platform claims, old docs/baseline drift, and conversation-vs-conversation disagreements.

- `conversation_vs_conversation`: 2 findings.
- `conversation_vs_current_queue`: 102 findings.
- `conversation_vs_docs`: 2 findings.
- `stale_external_claim`: 121 findings.

10.74.18 18. Stale Claims And Verification Queue

External platform, SDK, renderer, language baseline, release, provider, package runtime, and implementation claims must be rechecked. The synthesis should use those old claims to identify questions, not to assert current facts.

10.74.19 19. Promotion Candidates

The raw queue contains 135 generated candidates in PROMOTION_QUEUE.md ../_promotion/PROMOTION_QUEUE.md. Acceptance review found the queue useful but noisy. It should be triaged before any candidate patch work.

10.74.20 20. Recommended Reconciliation Roadmap

1. Keep this synthesis advisory and archive-scoped.
2. Build a claim review matrix against canon, glossary, AGENTS, current queue, contracts, schema law, and targeted current docs.
3. Triage promotion candidates into serious, historical, stale, noisy, rejected, and needs-user-decision groups.
4. Patch live docs only through narrow promotion tasks with named source claims and validation.

10.74.21 21. Appendices

Current repo truth, as used by this synthesis:

- README.md ../../../../README.md describes Dominium as a deterministic, contract-governed simulation game and operating environment built on the Domino deterministic substrate.
- docs/canon/constitution_v1.md ../../../../canon/constitution_v1.md binds determinism, process-only mutation, law-gated authority, no runtime mode flags, pack-driven integration, explicit refusal, and truth/perceived/render separation.
- docs/canon/glossary_v1.md ../../../../canon/glossary_v1.md defines vocabulary such as Engine, Client, AuthorityContext, Domain, Derived artifact, and Contract.
- AGENTS.md ../../../../AGENTS.md and docs/planning/AUTHORITY_ORDER.md ../../../../planning/AUTHORITY_ORDER.md keep archived conversations below canon, glossary, governance, contracts, current queue, and validated repo artifacts.
- .aide/queue/current.toml ../../../../.aide/queue/current.toml currently blocks broad feature work including: broad_workbench_ui, gameplay, native_gui, package_runtime, provider_runtime, release_publication, renderer_implementation, runtime_module_loader.

Topic Coverage

- **architecture** (45 conversations): system boundaries, product shape, engine/game/client/server separation, and repository structure. Sources: Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md, Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md, Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md, Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md.
- **content** (45 conversations): packs, mods, authored payload, GUI/content boundaries, and provider/content separation. Sources: Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md, Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md, Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md, Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md.
- **ui** (45 conversations): presentation, tools, editor concepts, perceived model surfaces, and command/result display. Sources: Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md, Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md, Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md, Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md.
- **governance** (44 conversations): authority order, canon, contracts, refusal, review gates, and agent operation. Sources: Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md, Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md, Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md, Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md.

- **simulation** (44 conversations): deterministic domains, processes, machines, physical systems, economy, and civilization dynamics. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **tooling** (44 conversations): Codex/AIDE/XStack/TestX/RepoX/AuditX tooling and patch workflow. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **release** (43 conversations): version identity, packaging, setup, update, publication, and release-control concerns. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **contracts_schema** (42 conversations): machine-readable contracts, schemas, compatibility, manifests, and registries. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **determinism** (39 conversations): replay, ordering, proof, fixed identity, RNG discipline, and thread-count invariance. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`.
- **platform** (39 conversations): runtime shell, platform adapter, renderer boundary, operating-system support, and portability. Sources: Dominium Advanced Simulation and Infrastructure Architecture `../_reader/by_chat/advanced_simulation_infrastructure.md`, Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`, Dominium Build and Future-Proofing Architecture `../_reader/by_chat/build_and_future_proofing.md`.
- **worldgen** (39 conversations): world, universe, celestial, terrain, chronology, and large-scale reality modeling. Sources: Dominium APP0 Runtime, Platform, and Renderer Architecture `../_reader/by_chat/app_runtime_platform_renderers.md`, Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../_reader/by_chat/app_testx_codehygiene.md`, Dominium/Domino Architecture and Codex Prompt Roadmap `../_reader/by_chat/architecture_codex_prompts.md`, Dominium Architecture, UI, Providers, and Robot OS Strategy `../_reader/by_chat/architecture_ui_providers.md`, Dominium Build and Future-Proofing Architecture `../_reader/by_chat/build_and_future_proofing.md`.

- **timekeeping** (35 conversations): calendar, chronology, timestamp durability, 2038 resilience, and time-domain law. Sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_infra](#)
[Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers.md](#),
[Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene.n](#)
[Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts.md](#),
[Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_ar](#)
- **setup_launcher** (25 conversations): setup, repair, rollback, launcher profiles, instances, and product orchestration. Sources: [Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform](#)
[Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene.n](#)
[Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts.md](#),
[Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_ar](#)
[Documentation Standards, README Strategy, and Handoff Packaging ../_reader/by_chat/documentation_standards_readme](#)
- **workbench** (20 conversations): operator-facing validation, evidence, inspection, and later authoring surfaces. Sources: [Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_infrastr](#)
[Dominium Architecture, UI, Providers, and Robot OS Strategy ../_reader/by_chat/architecture_ui_providers.md](#),
[Dominium Canonical Architecture, Repository Foundation, and Provider Model ../_reader/by_chat/canonical_structure_ar](#)
[Dominium Development Routes and Continuity Preservation ../_reader/by_chat/development_routes.md](#), [Dominium Archite](#)
[../_reader/by_chat/dominium_architecture_iv.md](#)
- **xstack_aide** (14 conversations): repo-control and assistant-operation systems around AIDE, XStack, AuditX, RepoX, and TestX. Sources: [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#)
[../_reader/by_chat/app_testx_codehygiene.md](#), [Dominium Canonical Architecture, Repository Foundation, and Provider Mo](#)
[../_reader/by_chat/canonical_structure_and_framework.md](#), [Dominium Canon, Repository Alignment, and Portability Doctrin](#)
[../_reader/by_chat/dominium_complete_conversation.md](#), [Dominium Workbench, AIDE, Presentation Architecture, Provider S](#)
[../_reader/by_chat/dominium_full_conversation.md](#), [Dominium Foundation Lock, Workbench Spine, and Parallel Codex Han](#)
[../_reader/by_chat/foundation_workbench_codex.md](#)

10.75 Read This First

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/READ_THIS_FIRST_v0.md - included

Source Class: conversation_corpus_synthesis

10.76 Read This First v0

Use this page as the shortest path through the conversation-corpus adjudication surfaces.

10.76.1 If You Want Current Truth

- Start with [README.md ../../../../../README.md](#).
- Then read [constitution_v1.md ../../../../../../canon/constitution_v1.md](#), [glossary_v1.md ../../../../../../canon/glossary_v1.md](#),
[AGENTS.md ../../../../../../AGENTS.md](#), and [aide/queue/current.toml ../../../../../../aide/queue/current.toml](#).

10.76.2 If You Want Archive Context

- Read PROJECT_SYNTHESIS_BOOK_v0.md PROJECT_SYNTHESIS_BOOK_v0.md.
- Then use conversation_reader_index.md ../_reader/conversation_reader_index.md for individual conversations.

10.76.3 If You Want Decisions

- Read DECISION_DOCKET_v0.md ../_decision/DECISION_DOCKET_v0.md: 30 decision items.
- Use DEFERRED_DECISIONS_v0.md ../_decision/DEFERRED_DECISIONS_v0.md to avoid accidentally opening blocked scope.

10.76.4 If You Want Promotion Candidates

- Read PROMOTION_REVIEW_BOARD_v0.md ../_promotion/PROMOTION_REVIEW_BOARD_v0.md: 135 candidates.
- Start with PROMOTION_WAVE_1_CANDIDATES_v0.md ../_promotion/PROMOTION_WAVE_1_CANDIDATES_v0.md: 18 docs-only review candidates.

10.76.5 Hard Guardrails

- Do not promote archive claims without a later reviewed task.
- Do not patch canon, contracts, schema, implementation, release, or queue files from this atlas.
- Do not open blocked queue scopes from old conversations.

10.77 What Needs Decision

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_synthesis/WHAT_NEEDS_DECISION_v0.md - included

Source Class: conversation_corpus_synthesis

10.78 What Needs Decision v0

These are not decisions. They are review questions created by reading the conversation corpus after acceptance.

- Row 1** Decision Area: Promotion candidate triage; Why It Matters: The raw promotion queue contains useful leads but also preservation-process noise.; Source: ../_promotion/PROMOTION_QUEUE.md ../_promotion/PROMOTION_QUEUE.md; Current Disposition: needs_user_or_repo_review
- Row 2** Decision Area: Workbench scope; Why It Matters: Old conversations discuss Workbench as rich operator surface, but the current queue blocks broad Workbench UI.; Source: ../_wiki/topics/workbench.md ../_wiki/topics/workbench.md; Current Disposition: needs_user_or_repo_review
- Row 3** Decision Area: Renderer and platform boundary; Why It Matters: Conversations repeatedly discuss renderer/platform plans, while current authority keeps rendering presentational and implementation scope blocked.; Source: ../_wiki/topics/platform.md ../_wiki/topics/platform.md; Current Disposition: needs_user_or_repo_review

- Row 4** Decision Area: Provider and content boundaries; Why It Matters: Provider, pack, and content discussions need separation from runtime module loading and package runtime blocks.; Source: ../_wiki/topics/content.md ../_wiki/topics/content.md; Current Disposition: `needs_user_or_repo_review`
- Row 5** Decision Area: World scale and fidelity roadmap; Why It Matters: Universe, world, chronology, and simulation conversations need sequencing against current contracts and queue limits.; Source: ../_wiki/topics/worldgen.md ../_wiki/topics/worldgen.md; Current Disposition: `needs_user_or_repo_review`
- Row 6** Decision Area: Release/publication meaning; Why It Matters: Release/versioning conversations should remain planning until release publication authority opens.; Source: ../_wiki/topics/release.md ../_wiki/topics/release.md; Current Disposition: `needs_user_or_repo_review`

10.78.1 User-Level Questions

- Which promotion candidates should become serious doc-update proposals?
- Which conversation themes are only historical and should be preserved without promotion?
- Which blocked queue areas should remain blocked even if old conversations discuss them as next work?
- Which product names and boundaries should be considered stable enough for a current-doc crosswalk?
- Which world/time/civilization ambitions are near-term planning versus long-term vision?

10.79 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/artifacts/index.md - included

10.80 Artifacts

Artifact counts are structural inventory only.

- Row 1** Conversation: Dominium Advanced Simulation and Infrastructure Architecture ../_reader/by_chat/advanced_simulation_infrastructure_architecture_human_readable_chat_report.txt; Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/advanced_simulation_infrastructure_architecture_human_readable_chat_report.txt
- Row 2** Conversation: Dominium APP0 Runtime, Platform, and Renderer Architecture ../_reader/by_chat/app_runtime_platform_renderers_human_readable_chat_report.txt; Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/app_runtime_platform_renderers_human_readable_chat_report.txt
- Row 3** Conversation: Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../_reader/by_chat/app_testx_codehygiene_handoff_human_readable_chat_report.txt; Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/app_testx_codehygiene_handoff_human_readable_chat_report.txt
- Row 4** Conversation: Dominium/Domino Architecture and Codex Prompt Roadmap ../_reader/by_chat/architecture_codex_prompts_human_readable_chat_report.txt; Artifact Kinds: manifest:1, primary_report:2, prompt:1, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/architecture_codex_prompts_human_readable_chat_report.txt

- Row 5** Conversation: Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers/manifest:1, markdown:2, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:2, zip:1; Primary Source: docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- Row 6** Conversation: Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing/manifest:1, markdown:1, primary_report:2, prompt:2, reader_brief:2, registers:1, spec_sheet:1, verification:2; Primary Source: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md
- Row 7** Conversation: Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation/manifest:2, markdown:6, primary_report:2, prompt:2, reader_brief:4, registers:2, source_input:1, spec_sheet:2, text:2, verification:3, zip:4; Primary Source: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__01_human_readable_report.md
- Row 8** Conversation: Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_human_readable_chat_report.txt
- Row 9** Conversation: Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/development_routes/dominium_development_routes_human_readable_chat_report.txt
- Row 10** Conversation: Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme_handoff/manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/documentation_standards_readme/documentation_standards_readme_handoff_human_readable_chat_report.txt
- Row 11** Conversation: Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_human_readable_chat_report.txt
- Row 12** Conversation: Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_human_readable_chat_report.txt
- Row 13** Conversation: Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III_human_readable_chat_report.txt
- Row 14** Conversation: Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv/manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV_human_readable_chat_report.txt
- Row 15** Conversation: Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation/accompanying_report/dominium_canon_portability_audit/manifest:9, markdown:8, primary_report:9, prompt:3, reader_brief:6, registers:3, sha256:1, source_input:2, spec_sheet:3, verification:8, zip:11; Primary Source: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md

- Row 16** Conversation: Dominium + Domino Codex Planning and Handoff `../../../../reader/by_chat/dominium_domino_codex_planning`; Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/dominium_domino_codex_planning/dominium_domino_codex_planning_human_readable_chat_report.txt
- Row 17** Conversation: Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning `../../../../reader/by_chat/dominium_full_conversation.md`; Artifact Kinds: handoff:2, json:1, manifest:4, markdown:9, png:10, primary_report:3, prompt:4, reader_brief:5, registers:3, source_input:1, spec_sheet:2, text:1, unknown:10, verification:3, zip:4; Primary Source: docs/archive/conversations/dominium_full_conversation/companion_report/dominium_full_conversation_companion_report_01_complete_human_report.md
- Row 18** Conversation: Dominium Setup Architecture and Handoff `../../../../reader/by_chat/dominium_setup.md`; Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/dominium_setup/dominium_setup_handoff_human_readable_chat_report.txt
- Row 19** Conversation: Domino Dominion Workbench `../../../../reader/by_chat/domino_dominium_workbench.md`; Artifact Kinds: handoff:1, manifest:3, markdown:1, primary_report:2, prompt:1, reader_brief:2, registers:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_human_readable_detailed_summary_report.md
- Row 20** Conversation: Dominium/Domino Engine Refactor Planning `../../../../reader/by_chat/domino_engine_refactor_prompts.md`; Artifact Kinds: manifest:1, primary_report:2, prompt:1, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/domino_engine_refactor_prompts/dominium_domino_engine_refactor_prompts_human_readable_chat_report.txt
- Row 21** Conversation: Domino/Dominium Engine Baseline, Architecture, and Feasibility `../../../../reader/by_chat/engine_baseline`; Artifact Kinds: handoff:1, manifest:2, markdown:2, primary_report:1, prompt:2, reader_brief:2, registers:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/engine_baseline_architecture/domino_dominium_engine_baseline_architecture_01_human_readable_report.md
- Row 22** Conversation: Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff `../../../../reader/by_chat/fou`; Artifact Kinds: handoff:1, manifest:1, markdown:3, primary_report:1, prompt:1, reader_brief:2, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation_01_human_readable_report.md
- Row 23** Conversation: Domino Framework and Open-Source Provider Architecture `../../../../reader/by_chat/framework_open_sourc`; Artifact Kinds: handoff:1, manifest:1, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:3, spec_sheet:1, tsv:1, verification:2; Primary Source: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture_01_human_readable_report.md
- Row 24** Conversation: Dominium Content and GUI Rebuild Planning `../../../../reader/by_chat/gui_binary_content.md`; Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/gui_binary_content/dominium_gui_binary_content_handoff_human_readable_chat_report.txt
- Row 25** Conversation: Dominium Language, Platform, and Architecture Baseline `../../../../reader/by_chat/language_platform_arch`; Artifact Kinds: handoff:1, manifest:2, markdown:2, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline_01_human_readable_report.md
- Row 26** Conversation: Dominium Launcher Application-Layer Handoff `../../../../reader/by_chat/launcher_app_layer.md`; Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/launcher_app_layer/dominium_launcher_app_layer_handoff_human_readable_chat_report.txt

- Row 27** Conversation: Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md;
Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture_human_readable_chat_report.txt
- Row 28** Conversation: Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability_future_proof_architecture.md;
Artifact Kinds: handoff:1, json:1, manifest:2, markdown:2, primary_report:1, prompt:2, py:1, reader_brief:2, registers:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture_01_human_readable_report.md
- Row 29** Conversation: Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing_planning.md;
Artifact Kinds: handoff:1, manifest:2, markdown:1, primary_report:2, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, text:2, verification:1; Primary Source: docs/archive/conversations/omega_xi_pi_architecture_future_proofing_planning_01_human_readable_report.md
- Row 30** Conversation: Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_repo_architecture.md;
Artifact Kinds: handoff:1, manifest:3, markdown:2, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture_01_human_readable_report.md
- Row 31** Conversation: Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md;
Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/platform_renderer_api_plan/dominium_codex_platform_renderer_api_plan_human_readable_chat_report.txt
- Row 32** Conversation: Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md; Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/platform_support/dominium_platform_support_planning_human_readable_chat_report.txt
- Row 33** Conversation: Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof_architecture.md;
Artifact Kinds: handoff:1, manifest:2, markdown:2, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:2, zip:1; Primary Source: docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture_01_human_readable_report.md
- Row 34** Conversation: Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md;
Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/readme_ports_determinism/dominium_readme_ports_determinism_human_readable_chat_report.txt
- Row 35** Conversation: Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md;
Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture_human_readable_chat_report.txt
- Row 36** Conversation: AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md;
Artifact Kinds: handoff:1, manifest:1, markdown:1, primary_report:1, prompt:1, reader_brief:2, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane_01_human_readable_report.md
- Row 37** Conversation: Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md;
Artifact Kinds: handoff:1, manifest:2, markdown:2, primary_report:1, prompt:2, reader_brief:2, registers:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning_01_human_readable_report.md

- Row 38** Conversation: Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.m
Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/testx_repoX_governance/dominium_testx_repoX_governance_handoff_human_readable_chat_report.txt
- Row 39** Conversation: Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md; Artifact Kinds: handoff:1, manifest:1, markdown:3, primary_report:1, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:2, zip:1; Primary Source: docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience_01_human_readable_report.md
- Row 40** Conversation: Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_dete
Artifact Kinds: handoff:1, manifest:1, markdown:2, primary_report:2, prompt:1, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:2, zip:1; Primary Source: docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe_01_human_readable_report.md
- Row 41** Conversation: Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.m
Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/ui_editor_tool_editor_planning/dominium_ui_editor_tool_editor_planning_human_readable_chat_report.txt
- Row 42** Conversation: Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_plan
Artifact Kinds: handoff:3, manifest:2, primary_report:2, reader_brief:2, registers:1, source_input:1, spec_sheet:1, verification:1, zip:1; Primary Source: docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff_01_human_readable_report.md
- Row 43** Conversation: Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbe
Artifact Kinds: handoff:1, json:1, manifest:2, markdown:2, primary_report:1, prompt:1, reader_brief:2, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning_01_human_readable_report.md
- Row 44** Conversation: Dominium World Architecture ../../_reader/by_chat/world_architecture.md; Artifact Kinds: manifest:1, markdown:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/World_Architecture/Dominium_World_Architecture_human_readable_chat_report.txt
- Row 45** Conversation: Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md; Artifact Kinds: handoff:1, manifest:1, primary_report:2, reader_brief:1, registers:1, spec_sheet:1, verification:1; Primary Source: docs/archive/conversations/xstack_lab_galaxy/dominium_xstack_lab_galaxy_handoff_human_readable_chat_report.txt

10.81 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/decisions/index.md - excerpted

10.82 Decisions

Decision-like entries are extracted from archived text and are not promoted.

10.82.1 Dominion Advanced Simulation and Infrastructure Architecture

- The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.

INFERENCE The conclusion was not a finalized implementation but a working architecture: each simulation domain should be deterministic, fixed-point, content-driven, versioned, replayable, and integrated through clear read/write boundaries.

INFERENCE This was one of the strongest architecture decisions because later topics repeatedly built on it.

- This topic matters because it defines the game's construction ambition. The engine must be flexible enough to represent real infrastructure, but the UI must not become a full CAD system.
- The key principle was that not every system should depend on decor directly. Decorative signs and decals are cheap visual objects. If they affect simulation or gameplay, they must be promoted to devices with proper STRUCT/TRANS state and ports.
- The final phase was preservation. The user asked for a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat report reader. These artifacts were about preserving the chat for future use and aggregation, not about new architecture decisions.
- The chat started as a simulation architecture task. It then became a gameplay layering task. It then became an infrastructure representation task. It then became a construction UX and arbitrary placement task. Finally, it became an implementation/handoff/reporting task.

10.82.2 Dominion APP0 Runtime, Platform, and Renderer Architecture

- The central topic was APP0: the application/runtime/platform/renderer layer of Dominion. This topic came up because the user provided a formal prompt defining what APP0 should do.
- The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.
- The server was defined as the authoritative runtime host. It handles simulation, sharding, scheduling, law enforcement, persistence, integrity, and anti-cheat. It must be headless-capable and support AI-only autorun and MMO scale.
- The key conclusion is that the server should not depend on graphics or windowing. This matters because dedicated servers, cloud servers, and AI-only autorun must run without a GPU or display.
- The key conclusion is that the launcher must not install content or alter simulation state. That belongs to setup. This separation matters because launchers often become bloated, state-mutating, or inconsistent with installer/versioning logic.
- Tools were discussed as world inspectors, economy inspectors, replay viewers, validators, optional editors, and profilers. The important point is that tools must use the same authority rules, never bypass law, and be auditable.

- This is a distinctive part of Dominion's philosophy. Many projects treat tools as privileged by default. This chat preserved the opposite idea: tools may need elevated abilities, but those abilities must be explicit, authorized, and logged.

10.82.3 Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning

- A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- The central project is a deterministic universe engine/game. The user's ambition is not just a normal game but a world runtime that can represent everything from a single-room scenario to an AI-only universe to an MMO. The project is meant to support real-world defaults, arbitrary modding, procedural and defined content, strong epistemics, and long-term replayability.
- The user provided a canonical repository structure and non-negotiable engine/game dependency direction. The engine is reusable and independent. The game depends on engine public APIs only. Engine internals must not leak into game/tools. Rendering backends belong to the engine, not the client. Launcher/setup logic must not enter engine/game. Client/server are executables that bind engine and game.
- This topic is central to long-term scalability. It allows future CPUs, GPUs, NPUs, heterogeneous cores, cache structures, and distributed servers to be supported by adding backend policies rather than rewriting gameplay.
- Rendering decisions were framed around explicit API first: Vulkan/DX12/Metal inform core contracts; legacy renderers are sinks or downgraded consumers. Rendering never affects authoritative simulation.
- The user also wanted AI-only civilizations that could exist outside bounds of play but become visitable and indistinguishable from real civilizations. The answer was existence states and refinement contracts. A macro civilization can be alive without micro-simulating every citizen, but if it is reachable and visitable, it must refine deterministically into micro detail consistent with its macro history.
- Large prompt families were generated for life/death/continuity, civilization/economy/governance, war/conflict, canonical content, agents, tools, mods, and final long-term maintenance. These are extensive background artifacts. Later, the chat shifted away from implementing those systems here because another bootstrap declared the core design complete and locked.

10.82.4 Dominion/Domino Architecture and Codex Prompt Roadmap

- The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominion/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.

- **FACT:** The user asked, succinctly, how a player would build a complete machine workshop. The assistant described a progression: extract raw materials, process them into industrial materials, produce mechanical components, produce electrical components, establish power distribution, establish logistics, assemble machine frames and machines, add measurement/control tooling, then scale horizontally and vertically.
- **FACT:** The user then said they wanted inserters and belts, but "much more realistic" and with "WAY less processing power." They wanted conveyors/inserters to make sense in real-world use cases, and suggested inserters might be more generic robot arms. They also wanted belts constructed as splines like roads and rails.
- **FACT:** The user explicitly wanted packaging into crates, bags, pallets, containers, jars, cans, boxes, etc. The stated purpose was to reduce the number of physical items simulated while preserving realistic packing/unpacking mechanics and obeying mass, volume, density, and other physical constraints.
- **FACT:** The user then asked how hydrology, atmology, lithology, light, rain, wind, temperature, pressure, pollution, magnetic fields, radiation, gases, and similar phenomena should work with buildings and enclosed spaces. They also asked how to support blueprints/templates and how to build realistically on sloped terrain without ugly foundation blocks or forced leveling.
- **FACT:** The user asked whether the whole system could be made more extensible and modular. The assistant proposed applying the same pattern everywhere: core + registry + models + data. This produced the repeated architecture model used later in prompts: each subsystem has a core API, model family/vtables, data prototypes, runtime instances, registries, TLV schemas, and save/load hooks.
- **FACT:** The user asked to summarize the entire system and then asked for the hierarchy of data definitions/types and how to implement actual items/functions/features. The assistant produced major architectural summaries: IDs, protos, models, instances, systems; resource/env/build/trans/items/struct/vehicle/blueprints/jobs/worldgen/save.

10.82.5 Dominium Architecture, UI, Providers, and Robot OS Strategy

- The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- The central tradeoff was speed versus purity. Raylib, SDL2, Lua, raygui, rlgl, rlsw, and related libraries can accelerate visible progress, but if they leak into game law, UI documents, saves, replays, or public contracts, they become architectural capture. The chosen compromise is to use them as providers behind Dominium-owned services and conformance tests.
- The final game direction is robotic seed civilisation, not labour management.
- 2. "Summarize the final renderer plan after the C17/C++17 transition."
- 4. "Which decisions in this chat were explicit user decisions versus assistant synthesis?"
- 5. "Which renderer/platform decisions are final, and which are still provisional?"

10.82.6 Dominion Build and Future-Proofing Architecture

- Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- The final explicit goal was preservation: create a maximum-fidelity package for this chat so the user can understand it later, ask questions in this chat, merge it with other old-chat reports, and eventually build a master project spec book.
- The most important caution is that only DECISION-01 is clearly a user-stated constraint in this visible chat. The other items are strong recommendations produced in response to the user's requests for best practice; they should not be merged into canon unless the user later accepts them.
- Manual drag-and-drop repo moves were rejected in earlier context and preserved here as a general risk; moves must go through migration maps, validators, shims, and proof.
- **10. Feed this report into the master spec book aggregator.** Preserve uncertainty labels and avoid merging suggestions as decisions.
- Determinism, fixed-point behavior, and no hidden behavior are central constraints.
- Multi-floor builds must be separate artifacts.

10.82.7 Dominion Canonical Architecture, Repository Foundation, and Provider Model

- This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- Packs are distributable authored payloads. The preferred pack layout became category-based, such as `content/packs/<category>/<pack_id>/`. Pack IDs must not depend on paths. Saves and replays must use stable IDs, schema versions, canonical serialization, deterministic hashes, and explicit migration/refusal policies. Backward compatibility must be a compatibility corpus plus tests, not intention.
- INFERENCE: The user wanted a durable method for deciding future structure changes, not just a one-time layout. They also wanted the assistant to become more rigorous: distinguish decisions from brainstorming, stop over-planning without execution, and preserve uncertainty. The user also wanted a structure that supports other Domino-based games and possibly different engine implementations.
- The closed root model was the most emotionally and technically important decision. The user repeatedly objected to root proliferation; the final root set became the anchor for all later advice. This decision affects every future proposal: if a concept can fit under an existing root, it should not become a new top-level root.

- The `no-src` rule was also critical. The user considered repeated `src/` and `source/` folders as a central symptom of bad architecture. The final doctrine is that ownership directories are already source roots; implementation should live under meaningful module/subsystem folders, not generic `src` wrappers.
- The framework-boundary decision rejected a top-level `framework/` root. The accepted model is that Domino Framework exists as public surfaces, ABI headers, contracts, and provider/service law. This prevents root sprawl while still supporting SDK/export concepts later.
- The provider model decision was a major response to raylib/SDL/Lua discussions. Third-party libraries should be providers behind first-party service contracts. They can accelerate visible progress but must not own saved data, game law, public ABI, or content schemas.

10.82.8 Dominium Chronology & Celestial Systems

- This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- This material is useful but less final than the Earth calendar. The user asked to apply the same approach broadly, but did not individually confirm every name or number. The final package correctly marks these as needing review.
- The final state is that this chat became both a design discussion and a packaged source document for future aggregation.
- The conclusion was not "simulate everything." The conclusion was to classify content by relevance. Explicit objects are justified when they create gameplay, physics, navigation, history, strategy, or meaningful decisions. Otherwise, they should be procedural or statistical.
- What remains uncertain is the exact verified object list. The assistant generated a real Milky Way system list, but that list must be checked before becoming data.
- The conclusion was that every explicit celestial feature should change player decisions in at least one way. If it does not, it probably should not be explicit.

10.82.9 Dominium Development Routes and Continuity Preservation

- Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- The initial technical answer proposed a layered stack. It started with mathematical and temporal primitives, then moved into the deterministic simulation kernel, then world state, systems, persistence and replay, tooling, presentation, content, and finally distribution, modding, and multiplayer.

- The user then asked to turn the Context Transfer Packet and visible chat context into a final downloadable, shareable, reusable report package. This was a packaging and normalization task. The user specified exact output files: a full chat report, YAML spec sheet, aggregator packet, registers, reader brief, verification/audit file, manifest, and ZIP package.
- After the downloadable package was generated, the user asked not to create another handoff package but to render the package contents into a readable, navigable in-chat report. This led to an "IN-CHAT REPORT READER" response. That response explained the package contents, the workstreams, decisions, tasks, constraints, artifacts, risks, verification queue, and next questions.
- The final state of the conversation is therefore: the chat has produced an architectural proposal for Dominium, converted that proposal into preservation artifacts, rendered those artifacts back into an in-chat reader format, and now requires a plain-English briefing that explains the substance and significance of the conversation.
- FACT: these three routes were discussed.
- FACT: Route C was recommended by the assistant.

10.82.10 Documentation Standards, README Strategy, and Handoff Packaging

- The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- FACT: The chat established that public API contracts should live in headers.
- FACT: Source files should document implementation rationale, non-obvious invariants, and hazards.
- FACT: External docs should cover architecture, dependency rules, extension recipes, and subsystem-level explanations.
- FACT: The examples were generated in the chat.
- FACT: They were not claimed to exist in the repository.
- This was a major decision: README should not be the full spec. It should orient readers and point them to the deeper docs.
- The final phase of the chat moved away from project documentation and into preserving the chat itself. The user requested a maximum-fidelity Context Transfer Packet, then requested that it be turned into a final downloadable/shareable report package. That package was created and included a full report, YAML spec sheet, aggregator packet, registers, reader brief, verification/audit file, manifest, and ZIP archive.

10.82.11 Dominium Architecture I

- During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- The key change came when the user decided that Codex could not read the entire conversation at once. **FACT:** The user said they would copy and paste the transcript with timestamps and would not edit it manually, but because Codex could not read the whole context at once, they would not bother asking Codex to compile a full book directly from the whole chat.

- The user provided a large `devspec/` file tree. It included top-level docs, engine, platform, render, audio, systems, game, UI, launcher, mods, tools, data, tests, and scripts. Then the user changed one important thing: **FACT:** they decided to skip the top-level `.txt` files because the original Markdown docs already existed in `/docs/...`
- The game layer began with `g_core.h`, `g_core.cpp`, and `g_world.h`. The user then shifted to handoff/report work before `g_world.cpp` was produced. **FACT:** The next strict-order file is therefore `game/g_world.cpp.txt`.
- The final generated package contains seven report files and a ZIP archive. The latest user request asks for a human-readable explanation rather than another machine-readable packet. This current report is therefore the narrative version: it explains what happened, what mattered, and what should be remembered.
- **FACT:**** The whole chat revolves around the Dominion Game project. Dominion is described through its architecture: a deterministic, cross-platform simulation game with industrial, economic, logistics, climate, terrain, AI, research, and modding systems. The user was not merely asking for isolated code snippets. They were building a full software architecture.
- The most important conclusion is that determinism is central. Systems are repeatedly specified to avoid hidden randomness, OS timers, platform dependence, uncontrolled floating point, and runtime allocation during simulation ticks. The visible rationale is that the project needs replay, save/load, and likely lockstep multiplayer compatibility. This requirement affects nearly every generated spec.

10.82.12 Dominion Architecture II

- The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- The entire conversation is anchored by the requirement that Dominion must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- The chat discussed fixed tick phases, virtual lanes, merge order, command buffers, event queues, and deterministic serialization. The simulation must not depend on render FPS, wall-clock time, OS scheduler behaviour, GPU state, or floating-point quirks. This explains many later decisions: C89 core, integer/fixed-point math, no sim floats, no platform headers in simulation, and renderer as pure observer.
- What remains uncertain is the exact code-level API and component layouts. The chat produced specs and prompts, not final source code.
- The decision to use on-rails orbital mechanics mattered because it avoids the complexity of full n-body simulation. Instead of integrating every orbital body continuously, the game can use deterministic graph-like orbital states and transitions. This fits the rest of the engine: graphs, fields, frames, and state machines.
- Railways began as a major topic but later became part of the larger transport framework. Roads, waterways, airways, and spaceways were all discussed. The final architecture treats transport as graph/corridor/path systems. Rail and road use alignments and nodes. Water can use depth fields plus navigation graphs. Air can use flight corridors, runways, and holding patterns. Space uses orbital graphs.
- The final portion of the chat created a formal package of reports: full chat report, YAML spec sheet, aggregator packet, registers, reader brief, audit file, and manifest. These are not design decisions themselves, but they are important artifacts for later Project aggregation. The current response exists because the user wanted a human-readable explanation of the chat rather than more machine-readable outputs.
- The building-system goal also evolved. The user originally asked vector versus voxel. The final model became hybrid: discrete blocks/cells/faces/edges as sim truth, vector as authoring/generation/visual layer.

10.82.13 Dominion Architecture III: Launcher, Platform, Renderer, and Handoff Architecture

- The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/renderer-side concerns, not simulation concerns.
- This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This became important later, because many implementation ideas were discussed without confirmed access to the repo contents.
- The user clarified: **FACT:** "The settings selected in the launcher will be used to execute client or server binaries."
- The user then specified another important constraint: **FACT:** the launcher backend should be C89, while frontend code for each binary can use C++98. The user also said client/server binaries can have single-system support.
- A **C89 launcher backend/core** owns logical decisions.
- The final direction became:
- The conversation then refined the renderer design. The assistant had discussed `vector_soft`, but the user rejected the idea of having a separate vector-only renderer. **FACT:** The user asked whether instead Dominion could have "just software renderers" capable of vector graphics and graphics using texture files on all systems as a fallback.

10.82.14 Dominion Architecture IV

- The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominion is the game/product layer built on it.
- Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- The user then asked how to structure Codex prompts. The final high-level roadmap became:
- The assistant generated detailed Phase 1 prompts, platform backend templates, renderer backend templates, setup prompts, launcher prompts, tools prompts, and finally a Phase 7+ roadmap for the game. The game phase itself was not expanded into the same full prompt detail as Phases 1-6. That remains a future task.
- At the end, the user shifted from architecture planning to chat retirement. The chat produced a discovery inventory, a context transfer packet, a final downloadable report package, and then an in-chat reader version. The current request asks for a human-readable narrative explanation rather than more registers or machine-oriented handoff files.
- The conclusion was clear and accepted: **Domino is the reusable engine; Dominion is the game/product layer**. What remains uncertain is the actual repository state. The chat planned the split, but did not verify whether the repo already matches it.

- The conclusion was to define UI modes separately from UI backends. This is one of the central product architecture decisions.
- The package/instance system is central to the whole ecosystem. The user wants installed versions, official base/DLC/mod content, downloaded third-party mods and packs, shared data, instance-specific overrides, and arbitrary combinations without duplicating every possible mix.

10.82.15 Dominion Canon, Repository Alignment, and Portability Doctrine

- This chat was about preserving and re-grounding Dominion's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under `apps/`, while an earlier inspected code path under root `client/` was available and `apps/client` was not fetched successfully. This must be verified against the current physical tree.
- DECISION-01:** The old v1 contract/glossary were accepted as the baseline for this chat because the user supplied them as the old ground truth and asked later questions against them.
- DECISION-02:** The live repo audit refined authority: the repo-materialized canon files and canon index are stronger for current repository work than raw prompts.
- DECISION-03:** Ownership-root layout was preferred because it encodes who owns a file or subsystem, while generic `src/source` hides responsibility.
- DECISION-04:** Stable contracts plus replaceable implementations best satisfy the user's desire for rewrites/refactors without losing compatibility.
- DECISION-05:** The repo should not be described as fully implementing the old v1 vision yet; many systems are still declarative, scaffolded, or deferred.

10.82.16 Dominion + Domino Codex Planning and Handoff

- INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assistants must verify `dominium.zip` or the active checkout before relying on the platform/render/API answer.
- The core topic was the architecture of the Dominion + Domino project. **FACT:** The user defined Domino as a deterministic, fixed-point, C89 engine layer and Dominion as a C++98 product suite. This matters because every implementation decision had to respect those boundaries.

- The conclusions were clear: future code must not bypass dsys or dgfx, deterministic sim must not use host floating-point, product code should not directly call OS APIs, and old content must not silently break. These are not just preferences; they are the governing rules of the project.
- The numeric core was central because deterministic simulation depends on it. The generated prompt specified fixed-point types, deterministic RNG, saturating arithmetic, and a numeric test harness.
- The unresolved complication is C89 portability. Standard C89 does not provide `long long`, but `u64`, `i64`, and `q48_16` require 64-bit representation. Future work must decide whether to allow compiler extensions, emulate 64-bit values for strict retro targets, or define platform tiers with conditional support.
- Prompt 4 translated this into a minimal repo manifest system. It proposed product manifests, compatibility profile fields, and a launcher path that loads a primary game product. This was important because the launcher->game relationship is central to Dominion as a product suite.

10.82.17 Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion

- A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- The discussion then moved into AIDE. The user wanted to automate as much as possible through Codex and AIDE. We developed a task operating model: AIDE creates WorkUnits, tracks attempts, blockers, evidence, repairs, resumes, checkpoints, and promotion decisions. Codex executes bounded tasks. Development can continue with classified partials and repairable blockers; promotion to main requires evidence.
- The final part of the conversation dealt with repo status and task queue. The user pasted status reports indicating that `PRESENTATION-CONTRACT-01` completed with warnings, and then chose to generate six maintenance prompts before replanning. `FULL-GATE-LEGACY-TEST-ROUTE-01` was generated. This preservation task followed.
- The early UI Editor plan was a structured attempt to fix the launcher UI and build a tool for UI authoring. It covered DUI/TLV, native widgets, Win32 preview, deterministic TLV/JSON, layout, validation, codegen, `ops.json`, import/export, and launcher/setup generation. The conclusion was that these are useful components but not the final product architecture. They should become Workbench modules and services.
- Workbench became the central product concept. It is a cross-platform rendered production environment, not a monolithic editor. It hosts workspaces and modules over contracts, commands, documents, patches, services, providers, packs, artifacts, evidence, and tests. It eventually self-hosts by editing its own safe artifacts first, then product UIs, packs, modules, apps, and AIDE work units.
- The rendered GUI must be backend-agnostic. Layouts, controls, widgets, themes, styles, views, and workspaces should be modular and extensible. Themes include first-party primitive-only profiles and OEM+ mimic profiles. The GUI should be task-first, command-backed, evidence-visible, and projection-neutral.
- Preserve all decisions, tasks, prompts, constraints, files, and artifacts in a downloadable package.

10.82.18 Dominion Setup Architecture and Handoff

- Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those

outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.

- These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- The user later asked where to create Visual Studio and Xcode apps after opening the repo as a folder. The assistant advised that Visual Studio and Xcode projects should be generated through CMake, not hand-authored or treated as authoritative source files. This decision became consistent with later Codex prompts.
- Finally, the user retired the chat and asked for a maximum-fidelity context transfer packet. The assistant produced one. The user then asked for a downloadable shareable report package. The assistant created Markdown/YAML/report files and a ZIP. The user then asked for an in-chat reader version of the package, and the assistant rendered the package contents directly into the conversation.
- The central topic was the setup system itself. It was discussed because the user needed a robust installer/updater/verifier capable of supporting many platforms, distribution channels, legacy environments

Verify

This section is excerpted for readability. See the source path for the full report.

10.83 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/index.md - included

10.84 Conversation Corpus Wiki

This repo-local wiki is a navigation surface over the archived conversation corpus. It is not a GitHub Wiki and it is not authoritative doctrine.

10.84.1 Browse

- Topics [topics/index.md](#)
- Workstreams [workstreams/index.md](#)
- Decisions [decisions/index.md](#)
- Tasks [tasks/index.md](#)
- Artifacts [artifacts/index.md](#)
- Open Questions [open_questions/index.md](#)
- Risks [risks/index.md](#)

10.84.2 Scope

- Source conversations: 45
- Authority class: `advisory_only`
- Promotion status: `not_reviewed`

Use `_promotion/PROMOTION_QUEUE.md` before proposing any live-doc update.

10.85 Index

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/open_questions/index.md` - excerpted

10.86 Open Questions

Open questions are extracted uncertainty and verification needs.

10.86.1 Dominion Advanced Simulation and Infrastructure Architecture

UNVERIFIED No repository files were inspected in this chat. No code was implemented. Proposed paths, module names, command names, file names, VM concepts, and data schemas are design proposals until checked against the actual codebase.

UNVERIFIED Exact solvers, fixed-point formats, module paths, data schemas, and tick ordering remain to be verified and specified.

UNVERIFIED The exact gameplay rules runtime was not specified. The command examples were conceptual.

UNVERIFIED The exact cross-section schema, attachment schema, and packing rules remain unresolved.

UNVERIFIED Microsegment length, VM design, storage layout, budget values, and actual code integration remain open.

UNVERIFIED Actual standards packs, rule schema, semantic key format, localization, and AI interaction remain unresolved.

- Then it produced a prompt for another GPT-5.2 chat that already had a refactor/optimization plan. That prompt told the other chat to amend its existing plan instead of restarting, and to verify coverage of arbitrary placement, unified spatial primitives, co-location, signage, buildings, and determinism/performance.

UNVERIFIED The architecture has not been verified against the actual repository. The exact implementation details remain unresolved: Q formats, orientation math, command schemas, VM instruction set, microsegment length, carrier ownership, junction archetypes, facility modules, and DECOR/device promotion policy.

10.86.2 Dominion APP0 Runtime, Platform, and Renderer Architecture

- What remains uncertain is whether the current repository already enforces these boundaries mechanically. The actual code needs inspection.
- The unresolved issue is sharding semantics. APP0 requires sharding hooks, but the chat did not decide whether shards are spatial, logical, temporal, jurisdictional, or something else. The report preserved the idea that APP0 can provide sharding plumbing without inventing simulation semantics.

- The unresolved issue is the trust and integrity model for setup. The chat did not decide whether content verification should use hashes, signatures, local manifests, network verification, or another model.
- The unresolved issue is the exact elevation/audit model. The chat did not decide how tools authenticate, request write permissions, log actions, or interact with law enforcement modules.
- The unresolved issue is the exact renderer capability schema. The chat proposed ideas but did not finalize fields, priorities, or target matrices.
- The user asked to look at the old code snapshot in project attachments. A prior assistant claimed to inspect it, but later preservation documents marked that claim as **UNCERTAIN / UNVERIFIED**.
- This became one of the most important unresolved issues. Almost every implementation question depends on the real code: directory layout, build system, languages, existing platform/render layers, client/server dependencies, and engine/game public APIs. The next real step is repository verification.
- INFERENCE:** The user wants future assistants to be epistemically careful: not inventing repository facts, not treating proposals as decisions, and not losing uncertainty.

10.86.3 Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning

- The main unresolved goal is practical execution: which prompts have actually been run, which files exist, and what implementation should happen next.
- Setup handles install, verify, repair, rollback, upgrade, downgrade, uninstall, and status. Launcher can invoke Setup, but must not replicate its mutation logic. This prevents two products from disagreeing about installation state.
- First, verify whether `libs/contracts` and `libs/appcore` already exist. Then implement the pure contract headers and appcore skeleton. This should include:
- Before implementing app RepoX integration, verify actual RepoX metadata paths, TestX invocation, VALIDATE-0 commands, and BUILD-ID-0 files. Without that, an implementation prompt would guess.
- Use labels like FACT, INFERENCE, UNCERTAIN, PROJECT-CONTEXT in reports.
- From the user profile and instructions, future assistants should verify time-sensitive/current facts with web where relevant. This chat itself is mostly internal project planning, so external citations are not central.
- EXEC, ECSX, KERN, ADOPT, DIST, HWCAPS, EXIST, DOMAIN, TRAVEL, TIME, OMNI, LIFE, CIV, WAR, AGENT, TOOL, MOD, FINAL prompt families were generated earlier. They are important as historical design artifacts, but actual repo execution is unverified.
- The chat produced downloadable handoff files and later an in-chat reader. Those files are useful for aggregation but are not themselves project source code. The package's main caveat is that it does not verify actual repository state.

10.86.4 Dominium/Domino Architecture and Codex Prompt Roadmap

- UNCERTAIN / UNVERIFIED: No repository code was inspected or modified in this chat. The prompts and architecture are plans and artifacts, not proof that implementation exists. The actual repository state, build system, existing code quality, GUI backend availability, TLV schemas, and whether any prompts have been applied remain unverified.
- Uncertainty remains about actual repository code and build system, but the layering itself is a strong established principle.

- Unresolved issues include exact TLV schema field tags, exact registry implementation, base pack structure, and whether engine comments/docs may use examples with domain words.
- The main uncertainty is implementation: the prompts define it, but no code was verified.
- Unresolved details include exact process IO schemas, machine runtime state, and the relationship between autonomous machines and agent-operated jobs.
- Unresolved: exact nesting policy, allowed packing modes, and how far to model real packing constraints.
- Uncertainty remains about freeform geometry versus grid shell as the long-term building representation.
- The exact destruction and structural-load models remain unresolved and part of Path D.

10.86.5 Dominium Architecture, UI, Providers, and Robot OS Strategy

- The exact first playable slice remains unresolved. The first provider wedge is clear, but exact sequence between client/workbench gameplay, Robot OS, and gameplay mechanics still needs a formal milestone. The exact Lua version, Linux baseline, current repo status, and external library/version support need verification. The exact degree of Unreal involvement remains unclear.
- 1. Verify and pin external library/toolchain facts.
- It remains uncertain how much the user wants Unreal in the near-term after raylib-first discussion. It also remains uncertain whether Lua 5.4 or 5.5 is preferred; the user appears to value pinning and stability more than "latest" for script ABI.

10.86.6 Dominium Build and Future-Proofing Architecture

- Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- The unresolved goals are implementation goals: deciding which recommendations become canon, adding public-surface/dependency/build contracts, validating the current live repo state, and applying the proposed cleanup tasks. The preservation package is complete, but the engineering work it describes remains pending.
- 2. **Verify current repo state.** Confirm the actual current HEAD, build proof, smoke tests, and outstanding warnings before acting.
- 10. **Feed this report into the master spec book aggregator.** Preserve uncertainty labels and avoid merging suggestions as decisions.
- The preservation output must distinguish FACT, INFERENCE, UNCERTAIN/UNVERIFIED, and PROJECT-CONTEXT.
- A future assistant may rely on stale repo state. Mitigation: verify live HEAD, docs, and CI before implementation.
- What live repo facts should I verify before implementing these tasks?
- The final uploaded prompt asked for this preservation package. The key thing to preserve is that most architecture proposals are recommendations, not accepted user decisions yet. The next best action is to decide which recommendations become canon, then implement either **STRUCTURE-01: Public Surface Registry** or the build tuple contract work, after verifying the current live repo state.

10.86.7 Dominium Canonical Architecture, Repository Foundation, and Provider Model

- INFERENCE: The user wanted a durable method for deciding future structure changes, not just a one-time layout. They also wanted the assistant to become more rigorous: distinguish decisions from brainstorming, stop over-planning without execution, and preserve uncertainty. The user also wanted a structure that supports other Domino-based games and possibly different engine implementations.
- A persistent uncertainty is the exact current repo state. The user supplied many status reports and directory exports, but several exports were internally inconsistent or stale at various points. The chat therefore repeatedly emphasized structure report integrity and verification before trusting tree analyses.
- 1. Verify fast-strict/RepoX/structure report status from a clean current export.
- The user dislikes vague reassurance and wants uncertainty labelled.
- UNCERTAIN: The final exact convention for `external/upstream` versus `external/vendor` should be checked against current repo policy.
- UNCERTAIN: Whether Lua should be pinned to 5.4 or 5.5 is not settled in this chat.
- UNCERTAIN: Whether pack-internal `content/` directories are legitimate pack law or legacy remains to be verified.
- User-reported commits and status summaries: these include commits like `6e0dd93`, `1406490`, `3243fab`, `ce9ca`, and others. Treat them as FACTs reported in the chat, but verify live repo state before acting.

10.86.8 Dominium Chronology & Celestial Systems

- The assistant formalized this as the Perfect Earth Calendar, later called HPC-E. The final structure is clear, though the exact leap rule remains unresolved.
- What remains uncertain is the exact verified object list. The assistant generated a real Milky Way system list, but that list must be checked before becoming data.
- The unresolved issue is exact fidelity. The chat specified what should exist conceptually, but not the final data schema, map resolution, object attributes, or implementation priority.
- What remains unresolved is the exact mathematical implementation of these frames and how much relativistic fidelity should exist in phase one.
- The uncertainty is high relative to Earth. Many names and structures were assistant-generated and should be reviewed before implementation.
- The unresolved issue is implementation reality. The actual Plan G/The Game codebase was not visible here, so any implementation plan must be reconciled with real architecture.
- The only major unresolved part is the leap rule.
- The user wants rigorous, structured, fact-aware assistance. The user specifically requested preservation of uncertainty labels and does not want assistant suggestions treated as user decisions.

10.86.9 Dominium Development Routes and Continuity Preservation

- The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.

- The assistant produced a large Context Transfer Packet. It preserved the technical route proposal, the caveats around its uncertainty, the proposed phase order, the open questions, the risks, the artifacts, and the next actions.
- The assistant created those files and reported that the chat label was inferred as **Dominium Development Routes**. The package was said to be safe for aggregation **with caveats**. The main caveats were that the substantive project transcript was short, Route C was not user-confirmed, and Dominium's genre, core loop, stack, implementation state, files, platforms, team, and timeline were not established.
- UNCERTAIN / UNVERIFIED: Route C was not accepted by the user as final.
- UNCERTAIN / UNVERIFIED: the required level of determinism for Dominium was not established. It might need full cross-platform deterministic replay, or it might only need ordinary save/load correctness, or something between those extremes.
- The outputs included a Context Transfer Packet and a downloadable package with multiple files. The files are less important than the purpose: preserve the exact status of the discussion, including uncertainty and assistant-proposal status, so future assistants do not accidentally distort the project.
- The second explicit goal was to preserve the chat before retirement. The user did not want a normal summary. They wanted a maximum-fidelity transfer packet that would prevent loss of decisions, constraints, unresolved issues, rationale, and next actions. This was addressed by the Context Transfer Packet.
- Some goals changed over time. The chat began as architecture guidance, became a state-transfer task, became a packaging task, became an in-chat inspection task, and now becomes a plain-English briefing task. The underlying continuity goal stayed consistent: preserve the useful substance without losing uncertainty.

10.86.10 Documentation Standards, README Strategy, and Handoff Packaging

- The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- The chat began with the user asking how to have Codex generate documentation for every file in the project. The user wanted metadata, functions, definitions, dependencies, and other maintainability information documented. The core uncertainty was placement: should documentation live in separate sister files, or should it live in file headers and function headers?
- UNCERTAIN / UNVERIFIED: Whether the project has similarly named files or modules is unknown.
- What remains uncertain is how the actual project currently organizes public headers, internal headers, and docs. That must be verified from the repository.
- What remains unverified is the actual project name, supported platforms, license, maturity, and current repository layout. Those cannot be responsibly written without inspecting the repo.
- The decision depends on an assumption: that the project's public APIs are declared in headers. That is likely for a C/C++ codebase, but the actual public/private boundary is still unverified.
- What must happen first: verify source roots, exclusions, CMake structure, CI environment variables, and Python availability.
- What could go wrong: treating assistant suggestions as final requirements or merging contradictory chat claims without preserving uncertainty.

10.86.11 Dominium Architecture I

- What remains uncertain is the exact final scope of all simulation systems. Many systems were described in ambitious terms, but not all details are final or internally consistent. The systems layer especially needs canonicalisation before coding.
- What remains uncertain is the current real-world status and capabilities of "Codex 5.1 Max." That is an external tool fact and requires verification before future use.
- The key later decision was to skip top-level `.txt` devspec files because original Markdown files already existed in `/docs/...`. The visible chat does not show the full content of those docs. They should be preserved as referenced artifacts, but their exact content is **UNCERTAIN / UNVERIFIED**.
- This affects `dlocale`, font rendering, platform path handling, data locale JSON files, mod APIs, UI, and documentation. The unresolved part is exactly how much retro support is actually feasible. Claims about old OSes, toolchains, SDL2, OpenGL, Direct3D, and macOS versions require external verification.
- A large portion of the chat consisted of producing specs for those files. Each spec was meant to tell Codex how to implement that file. The conclusion is that the repository architecture is broad but structured. The unresolved issue is that many later files remain pending.
- The unresolved issue is API consistency. Generated specs for memory and serialization are inconsistent across files, and some platform/render specs contain outdated or unverified external assumptions.
- The most important unresolved issue is duplication and contradiction. `dweather`, `dhydro`, and `dai_core` were generated in more than one form. The package does not choose a final version. A future assistant should not implement any of those blindly.
- The user decided to skip the top-level `.txt` files because original Markdown docs already exist in `/docs/...`. This decision is final for the current workflow, but it depends on those docs actually existing and being current. That is **UNCERTAIN / UNVERIFIED** because the docs were not inspected in this chat.

10.86.12 Dominium Architecture II

- What remains uncertain is the exact code-level API and component layouts. The chat produced specs and prompts, not final source code.
- This is an important implementation detail, but some of it remains unverified. Lua 5.4.4 portability to old compilers needs testing. The exact Lua data schemas still need definition. The docs also still have JSON-oriented format sections, so the Lua-vs-JSON policy needs reconciliation.
- The biggest unresolved goals are practical:
- Verify DX9/Windows 2000, SDL2, Lua/toolchain compatibility.
- FACT: This was answered in response to Codex's clarifying questions. It is a concrete implementation direction, though Lua 5.4.4 portability remains unverified.
- 1. **Verify and apply V4 docs.
- The user repeatedly requested maximum-fidelity reports, registers, handoff packets, and human-readable summaries. The user wants labelled uncertainty and does not want future assistants to invent missing context.
- or forget that Lua-vs-JSON remains unresolved.

10.86.13 Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture

- The user then uploaded `dominium.7z`, saying it was the git repository as of that moment. **FACT:** The prior assistant said it could not open `.7z` archives in that environment. That means the actual repository state remained unverified at that stage. This became important later, because many implementation ideas were discussed without confirmed access to the repo contents.
- This created one of the main unresolved issues. DX12 was discussed earlier, but omitted from the latest renderer list. X11 and Wayland were discussed earlier, but the latest platform categories are POSIX, SDL1, SDL2, and Native. Therefore, the final status is:
- DX12 is **UNCERTAIN / UNVERIFIED** and should not be assumed.
- X11/Wayland placement is unresolved.
- The prior assistant summarized these files as containing two different launcher concepts: an engine-rendered launcher view and a native Win32 launcher. It also claimed the CMake file built the Win32 source for non-Windows targets. However, this report must preserve that as **UNCERTAIN / UNVERIFIED**, because the files were not re-inspected during final packaging.
- This is final as a user-stated product goal. Feasibility still requires verification.
- Those outputs are important artifacts, but they are not the substance of the design. Their purpose is to preserve this chat's decisions, uncertainty, and future work for later aggregation into a master Project Spec Book.
- What remains uncertain is not the constraint itself, but how existing repository code currently enforces it. That requires code inspection.

10.86.14 Dominium Architecture IV

- The conclusion was clear and accepted: **Domino is the reusable engine; Dominium is the game/product layer.** What remains uncertain is the actual repository state. The chat planned the split, but did not verify whether the repo already matches it.
- The unresolved issue is that the actual repo was not inspected in this chat. The planned structure may not match the current files.
- The unresolved issue is practical feasibility, especially for retro targets and Carbon OS. Their actual toolchains and system calls remain unverified.
- The unresolved issue is the exact IR payload layout and how far limited renderers should go. A CGA or MDA backend cannot realistically support modern 3D in the same way as Vulkan. The agreed approach is explicit capability flags and graceful fallback or no-op behaviour.
- The unresolved issue is the exact manifest/schema format. JSON, TOML, and INI-like examples appeared in prompts, but no final schema choice was made.
- The unresolved issue is that external packaging details require verification. WiX, macOS notarization, Linux packaging, and AppImage tooling are all external-world facts and may be stale.
- The package and this report should help future assistants continue without re-reading the whole chat. However, they must preserve uncertainty: actual repo state is unverified, some transcript sections were skipped, external tooling facts may be stale, and assistant suggestions are not user decisions unless accepted or built upon.
- It is also reasonable to infer that the user wants the future project spec book to preserve rationale, not just lists of decisions. The later handoff requests emphasised visible rationale, rejected options, uncertainty, and changes of direction.

10.86.15 Dominium Canon, Repository Alignment, and Portability Doctrine

- Uncertainty: the raw pasted prompt is not the current repo authority unless materialized in repo canon. The later audit found that it had in fact been materialized under `docs/canon/constitution_v1.md`.
- Uncertainty: during this preservation pass, a potential inconsistency appeared: some docs claim product roots moved under `apps/`, while an earlier inspected code path under root `client/` was available and `apps/client` was not fetched successfully. This must be verified against the current physical tree.
- Unresolved goals include verifying the latest physical repo tree, proving runtime implementation maturity, formalizing public ABI/API boundaries, completing layout/naming cleanup, and building a second Domino-based product to prove reuse.
- 1. Verify the current physical repo tree against layout docs and `contracts/repo/layout.contract.toml`.
- The user likely wants future assistants to challenge weak framing, preserve uncertainty, avoid shallow "best practice" lists, and focus on decisions that survive future rewrites.
- "Create a gated plan for verifying current repo layout and exceptions."

10.86.16 Dominium + Domino Codex Planning and Handoff

- The most important things to remember are: the project's strict architecture constraints, the Milestone-0 prompt sequence, the later shared CLI/TUI/GUI/input/render prompt sequences, the missing pack-system prompt, the unified startup policy, the unresolved repo-verification issue, and the need to treat generated prompts as plans rather than proof of implementation.
- The assistant generated the first two prompts. The third was never produced because the conversation changed direction. That missing third prompt remains an important unresolved item.
- However, the later context transfer packet treated that inspection claim as **UNCERTAIN / UNVERIFIED**. This was careful and correct: within the visible chat, there was no reliable tool trace proving the repo had actually been inspected. Therefore, future assistants must verify `dominium.zip` or the active checkout before relying on the platform/render/API answer.
- What remains uncertain is how much of this architecture already exists in the current repo and how much is still planned. The chat produced prompts and plans, but it did not prove execution.
- The unresolved issue is whether those prompts were ever run and whether the generated code, if any, conforms to the project's strict C89/C++98 and determinism requirements.
- The unresolved complication is C89 portability. Standard C89 does not provide `long long`, but `u64`, `i64`, and `q48_16` require 64-bit representation. Future work must decide whether to allow compiler extensions, emulate 64-bit values for strict retro targets, or define platform tiers with conditional support.
- The unresolved issue is that the prompt's minimal manifest parser and hardcoded platform path are only a starting point. A real implementation must generalize product discovery, avoid duplicated path logic, and preserve compatibility/versioning rules.
- The unresolved issue is whether the prompts are too broad and whether the existing repo already has overlapping modules. Future work should inspect the repo before applying these prompts.

10.86.17 Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion

- Verify live repo state, then review/run `FULL-GATE-LEGACY-TEST-ROUTE-01`, then generate `PACK-INTERNAL-LAYOUT-CANON-01` if the queue/status supports the maintenance lane.
- Preserve uncertainty labels.

- Future chats could easily misunderstand this conversation by treating Workbench as a GUI framework, treating raylib as the engine, resuming broad structure cleanup, skipping projection conformance, or assuming live repo status from stale pasted reports. The mitigation is to verify repo state first, preserve the contract/service/projection/provider distinctions, and follow the task queue.
- The best next action is to verify live repo state, then review or run `FULL-GATE-LEGACY-TEST-ROUTE-01`, then generate `PACK-INTERNAL-LAYOUT-CANON-01` if status supports it.

10.86.18 Dominium Setup Architecture and Handoff

- **FACT:** The setup system was repeatedly defined as the only component allowed to install files, modify system/installation state, own installed-file metadata, repair installs, verify artifacts, uninstall, downgrade, upgrade, and roll back. This is the most important architectural rule from the chat.
- What remains uncertain is the actual current implementation state in the repository after the applied Codex prompts. The design is clear, but the repo must still be inspected.
- **FACT:** The final canonical setup layout uses `setup/core/{fetch,verify,install,rollback}`, `setup/include/{dsk,dsu}`, `setup/packages`, `setup/platform`, `setup/tests`, and `setup/ui`.
- The unresolved part is whether the actual repository now matches this canonical layout.
- **UNCERTAIN / UNVERIFIED:** Exact Visual Studio 2026 behavior and toolchain details should be verified in the current environment before relying on them.
- **UNCERTAIN / UNVERIFIED:** The user stated the prompts were applied, but this chat did not show the final repository tree or build results.
- **UNCERTAIN / UNVERIFIED:** The actual schema files under `schema/setup/` need to be checked.
- Several goals remain unresolved because the actual repo was not inspected here. We do not know whether the applied Codex prompts fully succeeded, whether setup builds, whether schemas exist, whether `libs/contracts` is complete, or whether setup/launcher CLI smoke tests pass.

10.86.19 Domino Dominium Workbench

- Reliability note: **This is a human-readable consolidation, not a live repository audit. Repo-current statements that came from pasted material or prior-chat excerpts remain UNVERIFIED**** until checked against the live `julesc013/dominium` repo and current AIDE/validator outputs.
- Verify current live repo status and task gate state.
- > Verify repo state, then generate `COMMAND-RESULT-VIEW-SLICE-01`.

10.86.20 Dominium/Domino Engine Refactor Planning

- The answer also introduced a deterministic bytecode VM as the preferred way to support modded behavior. A question was raised about whether native-code plugins should also be allowed, but the user did not answer. That remains unresolved.
- What remains uncertain is the actual repository state. The chat designed architecture and prompts, but did not inspect source code. Therefore the plan needs repo verification before implementation.
- The unresolved work is to generate detailed subsystem implementation prompts for heat, power, fluids, atmospheres, vehicles, and structural loads after the core engine spine is implemented.
- The remaining uncertainty is plugin policy. A deterministic VM was proposed, but whether native-code plugins are allowed remains unresolved.

- What remains uncertain is the exact thresholds and content policies for when things promote or demote.
- The unresolved issue is how much of STRUCT compilation should be implemented first. The prompt plan is broad; a real implementation may need a smaller first milestone.
- ignoring FACT/INFERENCE/UNCERTAIN labels;
- UNCERTAIN / UNVERIFIED:** The package files were generated in the sandbox during the prior step, but repository files were not created or inspected.

10.86.21 Domino/Dominium Engine Baseline, Architecture, and Feasibility

- Uncertainty: the repo has many modules and some historical/legacy surfaces, so exact implementation maturity varies by subsystem. The distinction should remain a formal requirement in a master spec.
- Uncertainty: the full determinism envelope across all current modules was not independently re-run in this chat. User-supplied local validation results should be preserved but verified before being used as audit proof.
- Uncertainty: this remains strategic architecture, not an implemented decision.
- Unresolved goals include:
- User wants uncertainty labelled and framing corrected when evidence disagrees.
- UNCERTAIN: whether the user wants Unreal integration at all as a client/editor.
- UNCERTAIN: exact tolerance for using external geometry libraries.
- UNCERTAIN: whether broad repo restructuring will be desired after Milestone 0.

10.86.22 Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff

- What remains uncertain is how quickly this architecture will move from contracts and fixtures into runtime implementations and product slices. The next chat should not assume runtime provider resolvers, package runtime, or Workbench shell exist.
- verify latest live repo state after user-pasted Wave 1 completion;
- 1. Verify live repo state.
- The user wants direct, evidence-grounded, audit-ready answers; timestamps/model labels; explicit uncertainty; no repeated clarification unless necessary; large continuous Codex prompt blocks when generating prompts; targeted tests instead of full suites; and rapid progress toward Workbench/code.
- The user is likely to reject slow, report-only, overcautious process. Future assistants should produce executable next prompts quickly after verifying state.
- It is uncertain how many concurrent Codex workers the user will actually run at once and whether the user wants coordinator prompts or worker prompts next.
- The most important continuation is: verify current `origin/main`, confirm Wave 1 and Workbench validation state, then generate or run `COMMAND-RESULT-VIEW-SLICE-01`.

10.86.23 Domino Framework and Open-Source Provider Architecture

- The chat inspected `julesc013/dominium` and found evidence of existing abstractions such as system and graphics layers, stubs, and soft-backed backends. The finding was that raylib could fill concrete provider gaps without replacing the architecture. However, current repo facts are stale/uncertain and must be verified, especially the C17/C++17 vs C90/C++98 baseline contradiction.
- The exact first implementation branch, versions, and dependency pins are unresolved. The exact Domino Framework ABI is unresolved. The exact Lua version is unresolved. The current repository baseline must be verified. The formal policy for GPL/LGPL/unclear license material is unresolved. The sparse simulation and CAD systems need formal specs and prototypes.
- The raylib decision was also directionally accepted. The user repeatedly expressed enthusiasm for raylib and asked about using as much of raylib infrastructure as possible. The caveat is that raylib is a provider suite, not architecture. This affects rendering, audio, input, asset preview, and Workbench bootstrap.
- 1. Verify repo baseline and dependency versions.
- The user requires source-grounded, audit-ready, uncertainty-labelled responses. The preservation prompt explicitly requires FACT/INFERENCE/UNCERTAIN/PROJECT-CONTEXT labels, no invented facts, no treating brainstorming as decisions, and no over-compression. The prompt also requires a human-readable report first and downloadable files if possible `?filecite?turn29file0?`.
- The most blocking unresolved issues are repo baseline verification, exact dependency pins, minimal framework ABI, provider profile order, deterministic simulation spec, and license policy.
- Verify the current `julesc013/dominium` CMake language baseline.

10.86.24 Dominium Content and GUI Rebuild Planning

- GPT-5.5 Pro - 2026-05-27 00:00:00 Australia/Melbourne; time UNVERIFIED
- whether knowledge systems should include uncertainty, false beliefs, or lost knowledge,
- This stage established a pattern that continues throughout the chat: the user does not want impressive-looking prompts that hide unresolved design choices. The user wants the assumptions exposed before anything is formalized.
- The assistant agreed with the general direction, but added caveats. The most important were:
- Those caveats were not final user decisions, but they are important warnings.
- The conclusion was not "run the prompt now." The conclusion was that CONTENT0 is a strong foundation but needs discussion before finalization. The assistant-generated rewrite is useful but not final. The unresolved issues need to be resolved before Codex or any implementation work touches the repository.
- What remains uncertain is how exactly to encode these ideas in schemas and data. For example, it is not yet decided how deterministic seed hierarchies work, how macro content refines into micro content, or how timeline causality should be represented.
- The unresolved issue is the shared backend/UI contract. Without that, the GUI plan is only a list of technologies.

10.86.25 Dominium Language, Platform, and Architecture Baseline

- The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- Exact tolerance for exceptions/RTTI inside private C++17 code remains unsettled. Exact platform floors and raylib/SDL2 priority remain unresolved.
- Verify the Windows 7 and macOS 10.9 toolchain/library assumptions using official sources.

10.86.26 Dominium Launcher Application-Layer Handoff

- These prompts matter because they superseded earlier advice. They also created a new practical priority: verify that the applied prompts actually succeeded.
- This changed the correct future behavior. The next assistant must not redesign. It must implement, audit, maintain, document, verify, and harden.
- This matters because it prevents platform-specific drift. If CLI has `verify`, GUI must not implement a different hidden version of `verify`. If GUI has a pack enable flow, it should map to the same command/intent as CLI and TUI.
- The final purity prompt required those to be moved or quarantined. However, actual repo success remains unverified in this chat.
- The important change is that the conversation moved from "What architecture should we use?" to "Architecture is locked; how do we verify and harden the implementation?"
- The largest unresolved goal is verifying the actual repo. The user stated that two Codex prompts were applied, but this chat did not independently verify the filesystem, build, tests, scripts, or launcher docs.
- Another unresolved goal is confirming whether the launcher hardening prompt has been applied.
- A third unresolved goal is confirming whether command graph, UI IR, binding validation, zero-pack tests, RepoX changelog display, and BUILD-ID mismatch refusal are implemented.

10.86.27 Dominium Launcher and Setup Architecture

- Uncertainty:** The exact repository layout and existing implementation were not inspected in this chat.
- Uncertainty:** The final language boundary for setup remains unresolved after the later C89/dsys/dgfx launcher direction.
- Uncertainty:** The exact mapping into runtime binaries remains unverified.
- Uncertainty:** Accounts/social/wiki/forum/direct messaging are future-facing and were not converted into the final five-tab implementation plan.
- Uncertainty:** Earlier setup designs used JSON manifests. Later dsys/dgfx architecture leaned toward TLV `.dmeta` files.
- Uncertainty:** Actual plugin ABI details and dynamic loading support depend on dsys/repo APIs.
- Uncertainty:** Actual dsys/dgfx APIs were not inspected.
- Conclusion reached:** This chat is now documented and can be merged later, but with caveats.

10.86.28 Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture

- The live repo still needs verification. The exact AIDE files, contracts, validators, and migration tasks must be implemented. It remains unresolved which existing roots and tools map to which final homes, which APIs become stable, which code is reusable across products/games/projects, and which prior assistant recommendations should become formal requirements after user review.

- 1. **TASK-09** - Verify live repo baseline: current branch, root inventory, validators, CTest status, generated artifacts.
- The user prefers source-grounded, audit-ready decisions; bounded uncertainty; explicit task prompts; and reusable engineering doctrine. Future assistants should avoid shallow affirmation and should distinguish accepted user decisions from assistant recommendations.
- Important caveat: the only current uploaded file available for this task is **Pasted text.txt**, which contains the preservation-packa

Verify

This section is excerpted for readability. See the source path for the full report.

10.87 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/risks/index.md - included

10.88 Risks

Risks are review triggers, not resolved findings.

- CONTRA-0001 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0002 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0006 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0007 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0008 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0009 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0011 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.

- CONTRA-0012 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0017 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0021 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0022 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0023 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0024 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0025 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0026 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0027 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0028 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0029 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0030 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0031 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0032 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0033 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0034 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope package_runtime.
- CONTRA-0035 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0036 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0037 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0038 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0039 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0040 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0041 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0042 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0043 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0044 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0045 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0046 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0047 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0048 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0049 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0050 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0051 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0052 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0053 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.

- CONTRA-0054 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0055 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- CONTRA-0056 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Windows NT 2000.
- CONTRA-0057 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0058 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0059 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0060 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0061 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0062 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0063 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Win98.
- CONTRA-0064 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- CONTRA-0065 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Windows NT 2000.
- CONTRA-0066 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 9.
- CONTRA-0067 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 8.
- CONTRA-0068 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0069 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0070 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0071 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0072 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0073 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0074 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0075 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0076 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0077 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0078 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0079 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0080 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0081 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0082 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0083 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0084 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0085 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope package_runtime.
- CONTRA-0086 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0087 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0088 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0089 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0090 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0091 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0092 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0093 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0094 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0095 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.

- CONTRA-0096 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0097 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0098 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0099 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0100 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0101 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0102 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0103 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0104 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0105 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0106 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope package_runtime.
- CONTRA-0107 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0108 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0109 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0110 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0111 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0112 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0113 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0114 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0115 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0116 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.

- CONTRA-0117 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0118 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0119 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0120 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0121 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `native_gui`.
- CONTRA-0122 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0123 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0124 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0125 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `broad_workbench_ui`.
- CONTRA-0126 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0127 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0128 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0129 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0130 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0131 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Windows 98.
- CONTRA-0132 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 9.
- CONTRA-0133 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0134 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0135 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0136 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0137 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0138 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0139 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0140 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0141 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0142 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0143 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0144 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0145 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0146 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0147 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0148 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0149 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0150 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0151 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0152 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Mac OS 8.
- CONTRA-0153 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0154 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0155 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0156 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0157 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0158 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.

- CONTRA-0159 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0160 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0161 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0162 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0163 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0164 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0165 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0166 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0167 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0168 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0169 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0170 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: WebGPU.
- CONTRA-0171 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: console program.
- CONTRA-0172 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0173 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0174 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0175 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0176 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0177 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0178 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0179 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: 286.

- CONTRA-0180 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0181 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: CP/M.
- CONTRA-0182 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: Android.
- CONTRA-0183 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0184 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0185 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0186 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0187 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0188 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0189 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0190 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0191 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0192 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0193 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0194 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0195 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0196 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0197 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0198 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0199 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0200 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.

- CONTRA-0201 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C++98.
- CONTRA-0202 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0203 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0204 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C++98.
- CONTRA-0205 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: Android.
- CONTRA-0206 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0207 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0208 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0209 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0210 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0211 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope package_runtime.
- CONTRA-0212 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0213 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0214 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope native_gui.
- CONTRA-0215 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope release_publication.
- CONTRA-0216 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C89.
- CONTRA-0217 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C++98.
- CONTRA-0218 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0219 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C89.
- CONTRA-0220 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: C++98.
- CONTRA-0221 low stale_external_claim: Archived conversation contains potentially stale external or base-line claim: ISO C89.

- CONTRA-0222 low stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0223 medium conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0224 medium conversation_vs_docs: Corpus contains both C89 and C17 claims.
- CONTRA-0225 medium conversation_vs_docs: Corpus contains both C++98 and C++17 claims.
- CONTRA-0226 medium conversation_vs_conversation: Corpus contains both JSON and TLV claims.
- CONTRA-0227 medium conversation_vs_conversation: Corpus contains both WinForms and WinUI claims.

10.89 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/tasks/index.md - excerpted

10.90 Tasks And Future Work

Task-like entries are historical unless stronger current repo authority opens them.

10.90.1 Dominion Advanced Simulation and Infrastructure Architecture

- The user then asked whether the corridor model could be made more extensible and performant. That prompted a refinement: the editable corridor should not be the same as the runtime representation. Users and tools manipulate high-level splines, attachments, and features. The engine compiles that into microsegments, indices, occupancy bitsets, connectivity edges, structural references, and render/sim extraction data.
- The next step was integration. The user asked what other systems this should link into. The answer identified many: RES, ENV, BUILD, TRANS, STRUCT, SIM, POWER, FLUID/HYDRO, HEAT, ATMO, VEHICLE, JOB, AGENT, logistics, inventory, rendering, save/load, replay, multiplayer checksums, ownership/authority, permissions, construction zones, and localization.
- The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- After the architecture was established, the user asked for a Codex prompt plan to implement any necessary changes. A nine-step plan was produced: coordinate/placement specs, deterministic pose/frame math, TRANS 3D corridors, STRUCT arbitrary orientation and anchors, DECOR host placement, deterministic command schemas, UI snapping refactor, performance hardening, and docs/migration notes.
- Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- Once the architecture was clear, the user wanted implementation planning. The chat produced a nine-step Codex prompt plan covering specs, fixed-point pose/frame math, TRANS, STRUCT, DECOR, deterministic commands, UI snapping, performance hardening, and docs.

- Then it produced a prompt for another GPT-5.2 chat that already had a refactor/optimization plan. That prompt told the other chat to amend its existing plan instead of restarting, and to verify coverage of arbitrary placement, unified spatial primitives, co-location, signage, buildings, and determinism/performance.
- The final phase was preservation. The user asked for a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat report reader. These artifacts were about preserving the chat for future use and aggregation, not about new architecture decisions.

10.90.2 Dominion APP0 Runtime, Platform, and Renderer Architecture

- The conversation started when the user provided a structured prompt called **APP0 - Runtimes, Applications, Platforms & Renderers**. It was addressed to **GPT-5.2 Codex** and framed as part of the ongoing **Dominium / Domino project**. The prompt's purpose was to build executable and platform support correctly while staying inside the application/runtime layer.
- The initial APP0 prompt established several hard rules. The assistant was not allowed to redesign simulation rules, alter content definitions, change life/civilization/economy logic, or introduce gameplay shortcuts. This mattered because Dominion appears to have a strong distinction between **authoritative simulation/game logic** and the shells that host, display, launch, inspect, or distribute that logic.
- A first assistant response converted the user's APP0 prompt into a large implementation pack. It proposed repository shapes, CMake targets, executable names, renderer backends, CLI flags, smoke tests, and a commit sequence. It was useful as an implementation artifact, but it was premature relative to the user's actual desired process.
- The user immediately corrected the direction: **"First, let's discuss this before we plan or generate any prompts."** That was an important change. It meant the user did not want a Codex prompt yet. They wanted to reason about the architecture before locking implementation instructions.
- The user then explained that by the end of the macro-prompt plan, the project should have a **running executable** capable of displaying an **interactive and resizable window** for each supported platform and renderer combination. This made the discussion more concrete. APP0 was no longer just about docs and stubs; it had to create a real runtime path.
- The user then stated that future implementation would have permission to modify **render, platform, application, client, server**, and docs. They asked whether this was enough or whether **engine** and **game** also needed write access.
- The central topic was APP0: the application/runtime/platform/renderer layer of Dominion. This topic came up because the user provided a formal prompt defining what APP0 should do.
- Future work must define the client's allowed dependency surface and whether it can access any simulation-adjacent prediction layer.

10.90.3 Dominion Architecture, Application Layer, TestX, and CodeHygiene Planning

- A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- This was one of the most important engineering turns in the conversation. It made future performance work a backend/policy problem rather than a gameplay rewrite problem.

- Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- This topic is central to long-term scalability. It allows future CPUs, GPUs, NPUs, heterogeneous cores, cache structures, and distributed servers to be supported by adding backend policies rather than rewriting gameplay.
- Large prompt families were generated for life/death/continuity, civilization/economy/governance, war/conflict, canonical content, agents, tools, mods, and final long-term maintenance. These are extensive background artifacts. Later, the chat shifted away from implementing those systems here because another bootstrap declared the core design complete and locked.
- For future use, those prompt families are historical/planned artifacts. They may be useful in content/spec aggregation, but current work should not redesign them.
- Later, the user pasted a newer build/version model from another chat. That model superseded simpler earlier ideas: GBN is only for distributed artifacts, BII exists always, build kind and channel are distinct, product SemVer is manual, and all protocols/schemas/API/ABI versions are orthogonal. This matters because future testing and app prompts must use BUILD-ID-0, not the earlier model.
- INFERENCE:** The user wanted to prevent future chats or Codex sessions from drifting, forgetting, or simplifying. They care deeply about maintaining continuity across many chats and turning fragmented planning into a stable project corpus.

10.90.4 Dominion/Domino Architecture and Codex Prompt Roadmap

- UNCERTAIN / UNVERIFIED: No repository code was inspected or modified in this chat. The prompts and architecture are plans and artifacts, not proof that implementation exists. The actual repository state, build system, existing code quality, GUI backend availability, TLV schemas, and whether any prompts have been applied remain unverified.
- The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominion/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.
- This phase introduced one of the chat's most durable ideas: **engine systems should operate on generic IDs, tags, models, and TLV parameters, not hardcoded content families.
- FACT: The user asked whether the whole system could be made more extensible and modular. The assistant proposed applying the same pattern everywhere: core + registry + models + data. This produced the repeated architecture model used later in prompts: each subsystem has a core API, model family/vtables, data prototypes, runtime instances, registries, TLV schemas, and save/load hooks.
- FACT: The user asked for a plan for a prompt to Codex to implement all the changes and document them. Then the user asked how to split it into multiple prompts under ten. The assistant split the work into seven major prompts. The user then repeatedly said "Next," and the assistant generated Prompts 1 through 7 in detail.
- Those first seven prompts covered:
- FACT: After the first seven prompts, the user said they wanted a minimal GUI and did not want to test only in CLI. They also reminded that the engine and core know nothing about actual data definitions and that those need to stay in base/mods/packs.

10.90.5 Dominium Architecture, UI, Providers, and Robot OS Strategy

- The user then said the latest docs and code were live at `julesc013/dominium`. The assistant treated the repo as an implementation baseline and observed that AppShell, UI mode resolution, distribution doctrine, and component matrices already existed. This changed the task from inventing a GUI strategy from scratch to reconciling the transfer brief with existing repository doctrine.
- INFERENCE: The user wants to turn Dominium into a platform-level project whose architecture can survive decades of refactors, ports, new games, new providers, and evolving standards. The user also wants future assistants to stop re-litigating already-settled principles and instead build upon the emerging doctrine.
- The user appears to prefer source layouts and naming that remain meaningful years later. They dislike vendor-shaped, framework-shaped, and status-word architecture. Future assistants should not propose "just use X framework" as the answer. They should instead map libraries to providers, profiles, and contracts.
- The UI should feel like a customizable robot OS whose HUD, menus, TUI, CLI, Workbench, and future VR shell are projections of the same system.
- The most important immediate next task is provider/Robot OS wedge planning with validators and manifests.
- 7. "Turn PROVIDER-WEDGE-01 into a Codex-ready implementation task."

10.90.6 Dominium Build and Future-Proofing Architecture

- The user then pushed beyond build mechanics. They asked what else they were missing about portability, modularity, extensibility, replacement, rewriteability, and reuse across future games and engines. They explicitly wanted Dominium to be developed like a proper OS or game-engine platform, not a one-off indie project.
- The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- The user wanted reusable code for different games on the Domino engine and possibly unrelated future engine/game projects. The answer was to freeze contracts rather than implementations. Stable ABI/API/data/protocol surfaces should be explicitly versioned and tested; implementations should be replaceable behind black-box conformance tests. This is the basis for future rewrites without breaking compatibility.
- The uploaded prompt requested a complete chat preservation package with human report, registers, handoff packet, spec sheet, aggregator packet, audit, and downloadable files. This output creates that package and labels its limitations.
- The user explicitly wanted to design a robust Dominium build system that could handle many machines, IDEs, compilers, OS floors, CMake presets, CI lanes, distribution outputs, and historical toolchains. The user also explicitly wanted Dominium's codebase to be portable, modular, extensible, reusable across future games and engines, and refactorable at the level of whole files and directories.
- INFERENCE: The user is trying to prevent Dominium from accumulating accidental architecture. They want mechanical governance rather than relying on memory or assistant recommendations. They also want future assistants to stop repeating conceptual advice and instead preserve actionable structure, constraints, risks, and next tasks.
- The unresolved goals are implementation goals: deciding which recommendations become canon, adding public-surface/dependency/build contracts, validating the current live repo state, and applying the proposed cleanup tasks. The preservation package is complete, but the engineering work it describes remains pending.
- The user wants future assistants to preserve tentative status and not over-canonize recommendations.

10.90.7 Dominium Canonical Architecture, Repository Foundation, and Provider Model

- This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- INFERENCE: The user wanted a durable method for deciding future structure changes, not just a one-time layout. They also wanted the assistant to become more rigorous: distinguish decisions from brainstorming, stop over-planning without execution, and preserve uncertainty. The user also wanted a structure that supports other Domino-based games and possibly different engine implementations.
- The closed root model was the most emotionally and technically important decision. The user repeatedly objected to root proliferation; the final root set became the anchor for all later advice. This decision affects every future proposal: if a concept can fit under an existing root, it should not become a new top-level root.
- The Workbench discussion involved a similar tradeoff. The user wanted powerful authoring workspaces, but the architecture must not make Workbench a privileged bypass. Therefore, Workbench modules and workspaces should operate through the same commands, views, actions, documents, diagnostics, and evidence packets that CLI, CI, headless, server, and future apps use.
- The strongest immediate maintenance tasks are: refresh stale generated evidence, repair launcher pack-verification marker debt if still blocking fast strict, run or audit full CTest/T4 failures, and classify remaining full-gate failures by cause. The task names discussed include `FULL-GATE-GENERATED-EVIDENCE-REFRESH-01`, `FAST-STRICT-EVIDENCE-MARKER-REPAIR-01`, and `FULL-CTEST-AUDIT-NONPATH-01`.
- Mainline tasks discussed include `PRESENTATION-CONTRACT-01`, `PROJECTION-CONFORMANCE-01`, `COMMAND-RESULT-VIEW-SLICE-01`, `PACKAGE-MOUNT-SLICE-01`, and `WORKBENCH-VALIDATION-SLICE-01`. The rule is to prove narrow slices before broad UI, gameplay, renderer, provider runtime, or package runtime expansion.
- The user wants structure to support modularity, portability, extensibility, reuse, modding, backwards compatibility, and future replacement.
- The user strongly prefers actual execution/move prompts over endless micro-planning when structure is blocking work.

10.90.8 Dominium Chronology & Celestial Systems

- The final state is that this chat became both a design discussion and a packaged source document for future aggregation.
- What remains unresolved is the exact mathematical implementation of these frames and how much relativistic fidelity should exist in phase one.
- The user asked how to extend calendars beyond planets. The answer was that the larger the scale, the less ordinary calendar structure survives. Sol can have a system-wide civil time and epoch calendar. The Milky Way should use galactic coordinate time and epoch blocks. The universe should use cosmological time and large phases/ages/eras.
- The reason is to avoid losing context across chats and to support a future Project Spec Book. This chat produced many artifacts: prompts, reports, registers, YAML, a ZIP package, and explanatory summaries. The artifacts matter, but the substance remains the design decisions described above.
- It is reasonable to infer that the user wants a future implementation path, likely through another assistant and eventually Codex, but does not want premature code before the broader project context is inspected.
- It is also reasonable to infer that the user wants a future Project Spec Book assembled from multiple old-chat reports, and that this chat should contribute the chronology/celestial/timekeeping chapters.

- This decision makes sense because it separates clean internal logic from messy external software expectations. However, it is less directly user-confirmed than the month order. Future work should ask whether compatibility projection should be default or optional.
- The future project architecture can support data-driven systems.

10.90.9 Dominion Development Routes and Continuity Preservation

- The conversation therefore produced both a **substantive technical proposal** and a **continuity-preservation workflow**. The technical proposal concerns how Dominion might be built. The preservation workflow concerns how the ideas from this chat should be carried forward into future chats and eventually into a larger **Project Spec Book** or **Master Living State File**.
- Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- After the initial planning answer, the user said the chat was being retired and asked for a **maximum-fidelity Context Transfer Packet**. This changed the task. The goal was no longer to continue designing Dominion directly. The goal became preserving everything necessary for a future assistant to continue without making the user repeat context.
- The assistant produced a large Context Transfer Packet. It preserved the technical route proposal, the caveats around its uncertainty, the proposed phase order, the open questions, the risks, the artifacts, and the next actions.
- The user then asked to turn the Context Transfer Packet and visible chat context into a final downloadable, shareable, reusable report package. This was a packaging and normalization task. The user specified exact output files: a full chat report, YAML spec sheet, aggregator packet, registers, reader brief, verification/audit file, manifest, and ZIP package.
- After the downloadable package was generated, the user asked not to create another handoff package but to render the package contents into a readable, navigable in-chat report. This led to an "IN-CHAT REPORT READER" response. That response explained the package contents, the workstreams, decisions, tasks, constraints, artifacts, risks, verification queue, and next questions.
- This topic connects to future work because choosing the route determines the order of implementation. If Route C is accepted, work begins with simulation primitives and determinism rather than UI or content.
- Future work must decide how strict determinism really needs to be. Full determinism can be valuable, but it can also impose cost and complexity.

10.90.10 Documentation Standards, README Strategy, and Handoff Packaging

- The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- This became the foundation for nearly every later prompt and plan.
- The user then asked for a prompt that Codex could use to read through every file and insert, append, amend, or create documentation, including inline comments, block comments, and docs/README content.
- That prompt was the first large artifact in the chat. It was execution-ready but not executed here.
- The assistant converted this into a Codex prompt. The proposed deliverables were:

- The user then provided the earlier documentation prompt and asked to optimize it to conform more strictly to international code documentation standards for the relevant languages and documentation formats. A stricter prompt was generated, aligned with ISO C89/C90, C++98, assembly, Doxygen-compatible structured comments, Markdown docs, and ASCII-safe source compatibility.
- There was one known defect in that prompt: a typo line, `Determininism guarantees remembered / Determinism guarantees remembered`, depending on the preserved version. The report package later marked that as something to correct before reusing the prompt.
- Later, the user said the project had been heavily refactored in the setup, launcher, and game design chats. They wanted a prompt to scan the repository, read the code, ensure every file in `docs/` was consistent and up to date, and overhaul README in an industry-standard format that could serve as a landing page until a website exists.

10.90.11 Dominium Architecture I

- The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- The user then gave the "big task": create a set of `.txt` files, one for each file in the git directory, telling Codex how to implement it. These were not intended to be source files themselves. They were implementation-instruction files: requirements, prohibitions, dependencies, functions, declarations, and design constraints. This became the dominant workstream of the chat.
- After the spec-generation work, the user changed the task again: the chat was being retired. The user asked for an OC-1 discovery inventory, then a maximum-fidelity Context Transfer Packet, then a downloadable package with Markdown/YAML reports, then an in-chat reader version of that package. Those handoff tasks did not continue project design; they preserved the state of the chat.
- The conclusion was to create one `.txt` implementation-spec prompt per repository file. Each prompt would tell Codex how to implement that file without needing the entire conversation. This became the main practical output of the chat.
- What remains uncertain is the current real-world status and capabilities of "Codex 5.1 Max." That is an external tool fact and requires verification before future use.
- This is a formal packaging/build policy. It should feed into future build scripts, package manifests, release metadata, and possibly save/replay compatibility metadata.
- The most important unresolved issue is duplication and contradiction. `dweather`, `dhydro`, and `dai_core` were generated in more than one form. The package does not choose a final version. A future assistant should not implement any of those blindly.
- The user explicitly wanted Codex to help with implementation. This goal drove the conversation toward file-specific implementation prompts.

10.90.12 Dominium Architecture II

- The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.

- This matters because it prevented future implementation from chasing arbitrary continuous geometry in the deterministic core. The user wanted arbitrary shapes, but also deterministic integer math and old-platform support. The compromise was to allow rich authoring tools while baking runtime state into deterministic structures.
- The chat discussed fixed tick phases, virtual lanes, merge order, command buffers, event queues, and deterministic serialization. The simulation must not depend on render FPS, wall-clock time, OS scheduler behaviour, GPU state, or floating-point quirks. This explains many later decisions: C89 core, integer/fixed-point math, no sim floats, no platform headers in simulation, and renderer as pure observer.
- What remains uncertain is the exact code-level API and component layouts. The chat produced specs and prompts, not final source code.
- This was one of the most important conceptual outputs. It provides the future assistant with a mental model for everything else. Railways are graph/corridor systems. Buildings are microgrid frames plus archetypes and fixtures. Terrain is base fields plus delta fields. Power, data, and fluids are graph/field systems. Construction is blueprints and jobs. Space travel is an orbital graph/domain system.
- The default world is Earth in Sol in the Milky Way. The base game MVP is one surface, but the architecture should support galaxies, systems, planets, and future server/shard arrangements.
- The user also wanted buildings rigid for now but future collapse/destruction support. The conclusion was to include future-proof structural fields but not implement collapse in the MVP.
- This is important for future hydrology, geology, stability, collapse, pathing, and undo/history.

10.90.13 **Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture**

- The assistant generated script templates and Codex prompts for these. Those prompts should be treated as implementation artifacts, not proof that code was actually changed.
- These ideas were accepted as direction by continued user refinement, but implementation remains future work.
- The user then asked for a Codex prompt to implement and document this. That means the keybinding map was accepted enough to become implementation material, but it should still be documented as a default binding specification rather than an immutable law.
- The final phase of the chat was meta-work: extracting this chat into handoff forms. The user asked for OC-1 discovery inventory, then OC-2 registers, then a maximum-fidelity Context Transfer Packet, then a downloadable report package, then an in-chat reader version, and now this human-readable explanatory report.
- Those outputs are important artifacts, but they are not the substance of the design. Their purpose is to preserve this chat's decisions, uncertainty, and future work for later aggregation into a master Project Spec Book.
- This matters because future assistants must not implement launcher logic directly in Win32 widgets, Cocoa classes, SDL callbacks, or modern C++ code.
- The user later reversed this. The final decision was to remove minimal versions and use full single implementations. This means the architecture should not split platform/render backends into minimal and full variants unless future technical constraints force it.
- This remains a future implementation plan.

10.90.14 Dominium Architecture IV

- A number of Codex prompts were generated earlier in the chat for refactoring the repo, implementing runtime/platform/render APIs, setup, launcher, game bootstrap, ECS/SIM, and world/terrain/hydrology. However, the user later clarified that none of the Phase 2.5+ prompts had been implemented yet and wanted to pause before going further. The user wanted the systems to be more extensible and modular before committing.
- The user then asked how to structure Codex prompts. The final high-level roadmap became:
- The assistant generated detailed Phase 1 prompts, platform backend templates, renderer backend templates, setup prompts, launcher prompts, tools prompts, and finally a Phase 7+ roadmap for the game. The game phase itself was not expanded into the same full prompt detail as Phases 1-6. That remains a future task.
- The topic mattered because every Codex prompt depends on paths and module boundaries. If the repo layout is inconsistent, prompts will fail or scatter code into the wrong places.
- A platform backend prompt template was generated, along with parameter sets for Win32, Win16, DOS32, DOS16, CP/M-80, CP/M-86, Carbon, Cocoa, X11, Wayland, POSIX, SDL1, SDL2, and null.
- The unresolved issue is the exact manifest/schema format. JSON, TOML, and INI-like examples appeared in prompts, but no final schema choice was made.
- A full set of Phase 5 prompts was generated for launcher core, CLI, TUI, GUI, and extensions.
- Phase 6 prompts were generated for the tool framework, core dev tools, editing backends, and GUI editor host.

10.90.15 Dominium Canon, Repository Alignment, and Portability Doctrine

- This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- The conversation opened with a deliberate reconstitution of canon. The user supplied an old self-contained constitutional architecture prompt for Dominium and Domino. The assistant acknowledged it as authoritative within the conversation. The user then supplied a canonical glossary v1.0.0, and the assistant acknowledged that the glossary constrained future terms.
- This preservation task was then uploaded as `Pasted text.txt`. It requested a maximum-fidelity report package for the current chat, with human-readable explanation first, structured registers, context-transfer packet, spec sheet, aggregator packet, self-audit, and downloadable files.
- Uncertainty: the raw pasted prompt is not the current repo authority unless materialized in repo canon. The later audit found that it had in fact been materialized under `docs/canon/constitution_v1.md`.
- The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- The user then asked what practices would make the code reusable for other games and even other engine projects. The assistant answered that the correct goal is not to make all files permanent, but to make boundaries explicit and stable. The doctrine became: stable contracts, replaceable implementations, deterministic behavior, portable projections, and no accidental authority from paths/tools/UIs/prompts.
- The uploaded prompt requested this full preservation package. It requires a human-readable report, registers, context transfer packet, spec sheet, aggregator packet, self-audit, exported files, and an in-chat reader.

- The explicit goals were to restore/preserve old Dominion canon, assess current repository alignment, understand what the docs and code actually say/do, and identify practices to make the code portable, modular, extensible, replaceable, future-proof, and backward compatible.

10.90.16 Dominion + Domino Codex Planning and Handoff

- The most important things to remember are: the project's strict architecture constraints, the Milestone-0 prompt sequence, the later shared CLI/TUI/GUI/input/render prompt sequences, the missing pack-system prompt, the unified startup policy, the unresolved repo-verification issue, and the need to treat generated prompts as plans rather than proof of implementation.
- The user then asked for a plan going forward. The assistant produced a phased plan covering specification consolidation, directory/CMake layout, dsys, dgfx, UI core, DOMINIUM_HOME metadata, launcher v0, game v0, tools, packs, retro backends, replay/networking, and documentation/examples.
- INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- The user asked for six Codex prompts and reminded the assistant about supported numeric formats: U8, I8, U16, I16, Q4.12, U32, I32, q16.16, Q24.8, u64, i64, q48.16, and similar formats. That correction mattered because it broadened the numeric core beyond only Q16.16/Q24.8.
- The assistant then generated six long prompts:
 1. **Prompt 1** created SPEC_IDENTITY.md and SPEC_PRODUCTS.md, documentation only.
 2. **Prompt 2** created the canonical repo layout, CMake skeleton, core headers, and product stubs.
 3. **Prompt 3** implemented deterministic numeric core types, fixed-point operations, RNG, and a numeric test harness.

10.90.17 Dominion Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation Companion

- A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- The conversation began with the user wanting a product designer/software architect/prompt engineer to help design an internal graphical UI creation tool. The immediate pain point was the Dominion Windows launcher UI: it looked mangled and flickered. The user wanted a tool that could visually design pixel-perfect UIs and broad-strokes functionality for setup, launcher, game, and tools.
- A large prompt plan followed: repo scaffolding, canonical UI IR, TLV I/O, capability system, layout engine, splitter/tabs/scroll widgets, action codegen, Phase A UI Editor, Tool Editor bootstrap, Win32 batching/flicker fixes, tests, docs, and capability tests through launcher/setup redesigns.
- The discussion then moved into AIDE. The user wanted to automate as much as possible through Codex and AIDE. We developed a task operating model: AIDE creates WorkUnits, tracks attempts, blockers, evidence, repairs, resumes, checkpoints, and promotion decisions. Codex executes bounded tasks. Development can continue with classified partials and repairable blockers; promotion to main requires evidence.
- This led to generated prompts: STATUS-RECONCILE-02, AIDE-WORKFLOW-LAW-01, AIDE-WORKUNIT-SCHEMA-01, AIDE-DEV-MAIN-POLICY-01, AIDE-CHECKPOINT-LOOP-01, and AIDE-CAPABILITY-REALITY-LEDGER-01. The user wanted to run AIDE workflow, WorkUnit schema, and dev/main policy concurrently on the same machine via separate Codex tasks.

- This prompted a provider structure: `runtime/<service>/providers/<provider>`, `contracts/provider`, `contracts/capability`, `contracts/schema/runtime/<service>`, `release/profiles`, `content/profiles`, and `external/upstream`. The plan explicitly rejected `runtime/raylib/render`, `apps/client/rendered/raylib`, `contracts/raylib`, top-level profiles, and top-level labs.
- The final part of the conversation dealt with repo status and task queue. The user pasted status reports indicating that `PRESENTATION-CONTRACT-01` completed with warnings, and then chose to generate six maintenance prompts before replanning. `FULL-GATE-LEGACY-TEST-ROUTE-01` was generated. This preservation task followed.
- The rendered GUI must be backend-agnostic. Layouts, controls, widgets, themes, styles, views, and workspaces should be modular and extensible. Themes include first-party primitive-only profiles and OEM+ mimic profiles. The GUI should be task-first, command-backed, evidence-visible, and projection-neutral.

10.90.18 Dominion Setup Architecture and Handoff

- Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- The first major input was a detailed master prompt for the **Dominium / Domino Setup & Installation System**. It said this chat was about setup, installation, packaging, distribution, and uninstallation across supported platforms. It explicitly excluded launcher UI work. The setup system was described as a deterministic deployment control plane, not a simple GUI wizard or a store/DRM mechanism.
- The assistant responded with **Phase 1: Setup Core Architecture**, proposing modules such as manifest parsing, resolution, planning, transaction execution, filesystem/path policy, installed-state, logging, and a platform interface. This was the first conceptual baseline.
- The user then asked for a "plan of plans" called **Plan S**, with subplans S-1, S-2, S-3, and so on. The assistant produced a structured setup roadmap. It covered governance, setup core architecture, manifest schema, installed-state schema, transaction engine, filesystem policy, audit logging, CLI, Windows/macOS/Linux adapters, Steam integration, distribution pipeline, side-by-side upgrades, tests, and documentation.
- At that stage, the plan was still mostly abstract and platform-oriented. It was useful because it separated the work into durable phases, but later repository changes made some of its directory assumptions obsolete.
- The user later asked where to create Visual Studio and Xcode apps after opening the repo as a folder.

Verify

This section is excerpted for readability. See the source path for the full report.

10.91 Architecture

Source

DERIVED advisory_synthesis not_promoted - Source: `docs/archive/conversations/_wiki/topics/architecture.md` - included

10.92 Topic: architecture

10.92.1 What This Topic Means

architecture is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.92.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure - advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md - app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene - app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md - architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md - architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure - canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii - Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench

- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future - omega_xi_pi_architecture_future
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_repo_architecture - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning

- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.92.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.

- **architecture_ui_providers**: The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing**: Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing**: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework**: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.

- **Dominium_Architecture_II:** The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II:** The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III:** The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III:** This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.
- **Dominium_Architecture_IV:** Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.

- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench**: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench**: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts**: FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts**: This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture**: This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.

- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture**: The user then consolidated a broad future plan around Domino, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture**: FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability**: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability**: The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future**: The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future**: The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture**: DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture**: DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan**: The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.

- **platform_renderer_api_plan**: These ideas became the architectural heart of the final plan.
- **platform_support**: **FACT**: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support**: The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof**: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof**: **Status**: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism**: The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism**: After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture**: The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture**: **FACT**:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane**: The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane**: The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning**: The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, **GEN.EPOCH.FEATURE.PATCH**, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning**: The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance**: **FACT**:** The user is building Dominium / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.

- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: ****ACT** is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.

- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.92.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.

- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.92.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.93 Content

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/content.md` - included

10.94 Topic: content

10.94.1 What This Topic Means

`content` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.94.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture `../../../../reader/by_chat/advanced_simulation_infrastructure` - `advanced_simulation_infrastructure`
- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../reader/by_chat/app_runtime_platform_renderers.md` - `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../reader/by_chat/app_testx_codehygiene` - `app_testx_codehygiene`
- Dominium/Domino Architecture and Codex Prompt Roadmap `../../../../reader/by_chat/architecture_codex_prompts.md` - `architecture_codex_prompts`
- Dominium Architecture, UI, Providers, and Robot OS Strategy `../../../../reader/by_chat/architecture_ui_providers.md` - `architecture_ui_providers`
- Dominium Build and Future-Proofing Architecture `../../../../reader/by_chat/build_and_future_proofing.md` - `Build_and_Future_Proofing`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../reader/by_chat/canonical_structure` - `canonical_structure_and_framework`
- Dominium Chronology & Celestial Systems `../../../../reader/by_chat/chronology_celestial_systems.md` - `Chronology_Celestial_Systems`

- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii - Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future - omega_xi_pi_architecture_future
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_repo_architecture - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan

- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominion Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md - UE6_Domino_Deterministic_Universe_Feasibility
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine_Planning
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.94.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominion. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.

- **app_testx_codehygiene**: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene**: Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts**: The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log**. It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts**: FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers**: The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers**: The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing**: Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing**: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework**: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.

- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that *Dominium* must follow Route C and described the route as the only viable one for *Dominium*. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that *Dominium* must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III**: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III**: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. **Domino** is the engine/core/platform/sim/mod layer, reusable for other games and projects. *Dominium* is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation**: This chat was about preserving and re-grounding *Dominium*'s architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.

- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.

- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture**: The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture**: FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability**: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.

- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.

- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, `GEN.EPOCH.FEATURE.PATCH`, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** **FACT:**** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: ****ACT** is authority; **DSYS** time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.

- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.94.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0002 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0003 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0004 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: ISO C89.
- **CONTRA-0005 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- **CONTRA-0006 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0007 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.

- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.94.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.95 Contracts Schema

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/contracts_schema.md` - included

10.96 Topic: `contracts__schema`

10.96.1 What This Topic Means

`contracts_schema` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.96.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure - advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md - app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene - app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md - architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md - architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure_and_framework - canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominium_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominium_Architecture_II
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominium_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominium_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider

- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_operating_layer.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proofing.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominion Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.96.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.

- **Build_and_Future_Proofing**: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework**: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominion is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation**: This chat was about preserving and re-grounding Dominion's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation**: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning**: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning**: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation**: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation**: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench**: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench**: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.

- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded Pasted `text.txt`, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.

- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture**: FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability**: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability**: The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future**: The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future**: The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture**: DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture**: DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan**: The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan**: These ideas became the architectural heart of the final plan.
- **platform_support**: FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support**: The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof**: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof**: Status: Assistant recommendation; not separately accepted after answer.

- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.

- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.96.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0002 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0003 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0004 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: ISO C89.
- **CONTRA-0005 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- **CONTRA-0006 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0007 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0008 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0009 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.96.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.97 Determinism

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/determinism.md` - included

10.98 Topic: determinism

10.98.1 What This Topic Means

`determinism` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.98.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure - advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md - app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene - app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md - architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md - architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure_and_framework - canonical_structure_and_framework
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominium_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominium_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii - Dominium_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominium_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominium_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider

- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_repo_architecture.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md - UE6_Domino_Deterministic_Universe_Feasibility
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine_Planning
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy_handoff.md - xstack_lab_galaxy_handoff

10.98.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.

- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/`

profiles/ or content/profiles/, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.

- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that *Dominium* must follow Route C and described the route as the only viable one for *Dominium*. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that *Dominium* must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III**: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III**: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. *Domino* is the engine/core/platform/sim/mod layer, reusable for other games and projects. *Dominium* is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.

- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominium UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.

- **engine_baseline_architecture**: This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create` -> `session_boot`, missing time-anchor policy registry, and making the strict local playwright validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed **CONTENT0** and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture**: The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.

- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** FACT:** The user is building Dominium / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.

- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: ****ACT** is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.98.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.98.5 Promotion Status

not_reviewed; see `_promotion/PROMOTION_QUEUE.md`.

10.99 Governance

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/governance.md - included

10.100 Topic: governance

10.100.1 What This Topic Means

governance is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.100.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture `../../../../_reader/by_chat/advanced_simulation_infrastructure` - `advanced_simulation_infrastructure`
- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../_reader/by_chat/app_runtime_platform_renderers.md` - `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../_reader/by_chat/app_testx_codehygiene` - `app_testx_codehygiene`
- Dominium/Domino Architecture and Codex Prompt Roadmap `../../../../_reader/by_chat/architecture_codex_prompts.md` - `architecture_codex_prompts`
- Dominium Architecture, UI, Providers, and Robot OS Strategy `../../../../_reader/by_chat/architecture_ui_providers.md` - `architecture_ui_providers`
- Dominium Build and Future-Proofing Architecture `../../../../_reader/by_chat/build_and_future_proofing.md` - `Build_and_Future_Proofing`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../_reader/by_chat/canonical_structure` - `canonical_structure_and_framework`
- Dominium Chronology & Celestial Systems `../../../../_reader/by_chat/chronology_celestial_systems.md` - `Chronology_Celestial_Systems`
- Dominium Development Routes and Continuity Preservation `../../../../_reader/by_chat/development_routes.md` - `development_routes`
- Documentation Standards, README Strategy, and Handoff Packaging `../../../../_reader/by_chat/documentation_standards_readme` - `documentation_standards_readme`
- Dominium Architecture I `../../../../_reader/by_chat/dominium_architecture_i.md` - `Dominium_Architecture_I`
- Dominium Architecture II `../../../../_reader/by_chat/dominium_architecture_ii.md` - `Dominium_Architecture_II`
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture `../../../../_reader/by_chat/dominium_architecture_iii` - `Dominium_Architecture_III`

- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_operating_layer.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proofing.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- AIDE, XStack, and Dominion Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning

- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md - testx_repoX_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.r - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.100.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.

- **architecture_codex_prompts:** FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems:** This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems:** This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes:** The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme:** The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.

- `documentation_standards_readme`: **FACT**: The chat established that public API contracts should live in headers.
- `Dominium_Architecture_I`: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- `Dominium_Architecture_I`: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- `Dominium_Architecture_II`: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- `Dominium_Architecture_II`: The entire conversation is anchored by the requirement that *Dominium* must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- `Dominium_Architecture_III`: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- `Dominium_Architecture_III`: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- `Dominium_Architecture_IV`: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. *Domino* is the engine/core/platform/sim/mod layer, reusable for other games and projects. *Dominium* is the game/product layer built on it.
- `Dominium_Architecture_IV`: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- `Dominium_Complete_Conversation`: This chat was about preserving and re-grounding *Dominium*'s architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- `Dominium_Complete_Conversation`: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- `dominium_domino_codex_planning`: **INFERENCE**:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- `dominium_domino_codex_planning`: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.

- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominium UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.

- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer:** There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.

- **OS_Interface Repo Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface Repo Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.

- **testx_repos_governance:** FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** FACT: This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.

- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.100.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.

- CONTRA-0015 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0017 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.100.5 Promotion Status

not_reviewed; see _promotion/PROMOTION_QUEUE.md.

10.101 Index

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/index.md - included

10.102 Topic Index

- architecture architecture.md: 45 conversations
- content content.md: 45 conversations
- contracts_schema contracts_schema.md: 42 conversations
- determinism determinism.md: 39 conversations
- governance governance.md: 44 conversations
- platform platform.md: 39 conversations
- release release.md: 43 conversations
- setup_launcher setup_launcher.md: 25 conversations
- simulation simulation.md: 44 conversations
- timekeeping timekeeping.md: 35 conversations
- tooling tooling.md: 44 conversations
- ui ui.md: 45 conversations
- workbench workbench.md: 20 conversations
- worldgen worldgen.md: 39 conversations
- xstack_aide xstack_aide.md: 14 conversations

10.103 Platform

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/platform.md - included

10.104 Topic: platform

10.104.1 What This Topic Means

platform is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.104.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure - advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md - app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene - app_testx_codehygiene
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md - architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure - canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii - Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation

- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_repo_architecture.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md - UE6_Domino_Deterministic_Universe_Feasibility
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine_Planning

10.104.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.

- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III**: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III**: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation**: This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.

- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.

- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture**: The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture**: FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability**: The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.

- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.

- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** FACT: This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.

- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.

10.104.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0002 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0003 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0004 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: ISO C89.
- **CONTRA-0005 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- **CONTRA-0006 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0007 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0008 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0009 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: SDK.
- **CONTRA-0010 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0011 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0012 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0013 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0014 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: DX12.
- **CONTRA-0015 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: iOS.
- **CONTRA-0021 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `broad_workbench_ui`.
- **CONTRA-0022 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0023 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.

- CONTRA-0024 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0025 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `native_gui`.

10.104.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.105 Release

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/release.md` - included

10.106 Topic: release

10.106.1 What This Topic Means

`release` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.106.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture `../../../../_reader/by_chat/advanced_simulation_infrastructure` - `advanced_simulation_infrastructure`
- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../_reader/by_chat/app_runtime_platform_renderers.md` - `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../_reader/by_chat/app_testx_codehygiene` - `app_testx_codehygiene`
- Dominium/Domino Architecture and Codex Prompt Roadmap `../../../../_reader/by_chat/architecture_codex_prompts.md` - `architecture_codex_prompts`
- Dominium Architecture, UI, Providers, and Robot OS Strategy `../../../../_reader/by_chat/architecture_ui_providers.md` - `architecture_ui_providers`
- Dominium Build and Future-Proofing Architecture `../../../../_reader/by_chat/build_and_future_proofing.md` - `Build_and_Future_Proofing`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../_reader/by_chat/canonical_structure` - `canonical_structure_and_framework`
- Dominium Development Routes and Continuity Preservation `../../../../_reader/by_chat/development_routes.md` - `development_routes`
- Documentation Standards, README Strategy, and Handoff Packaging `../../../../_reader/by_chat/documentation_standards_readme` - `documentation_standards_readme`
- Dominium Architecture I `../../../../_reader/by_chat/dominium_architecture_i.md` - `Dominium_Architecture_I`
- Dominium Architecture II `../../../../_reader/by_chat/dominium_architecture_ii.md` - `Dominium_Architecture_II`

- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture `../../../../_reader/by_chat/dominium_architecture_iii.md` - `Dominium_Architecture_III`
- Dominium Architecture IV `../../../../_reader/by_chat/dominium_architecture_iv.md` - `Dominium_Architecture_IV`
- Dominium Canon, Repository Alignment, and Portability Doctrine `../../../../_reader/by_chat/dominium_complete_conversation.md` - `Dominium_Complete_Conversation`
- Dominium + Domino Codex Planning and Handoff `../../../../_reader/by_chat/dominium_domino_codex_planning.md` - `dominium_domino_codex_planning`
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation `../../../../_reader/by_chat/dominium_full_conversation.md` - `dominium_full_conversation`
- Dominium Setup Architecture and Handoff `../../../../_reader/by_chat/dominium_setup.md` - `dominium_setup`
- Dominium/Domino Engine Refactor Planning `../../../../_reader/by_chat/domino_engine_refactor_prompts.md` - `domino_engine_refactor_prompts`
- Domino/Dominium Engine Baseline, Architecture, and Feasibility `../../../../_reader/by_chat/engine_baseline_architecture.md` - `engine_baseline_architecture`
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff `../../../../_reader/by_chat/foundation_workbench_codex.md` - `Foundation_Workbench_Codex`
- Domino Framework and Open-Source Provider Architecture `../../../../_reader/by_chat/framework_open_source_provider.md` - `Framework_Open_Source_Provider`
- Dominium Content and GUI Rebuild Planning `../../../../_reader/by_chat/gui_binary_content.md` - `gui_binary_content`
- Dominium Language, Platform, and Architecture Baseline `../../../../_reader/by_chat/language_platform_architecture.md` - `Language_Platform_Architecture`
- Dominium Launcher Application-Layer Handoff `../../../../_reader/by_chat/launcher_app_layer.md` - `launcher_app_layer`
- Dominium Launcher and Setup Architecture `../../../../_reader/by_chat/launcher_setup_architecture.md` - `Launcher_Setup_Architecture`
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture `../../../../_reader/by_chat/modularity_aide_refactorability.md` - `Modularity_AIDE_Refactorability`
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning `../../../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md` - `omega_xi_pi_architecture_future_proofing`
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer `../../../../_reader/by_chat/os_interface_operating_layer.md` - `OS_Interface_Repo_Architecture`
- Dominium Codex Platform Renderer API Plan `../../../../_reader/by_chat/platform_renderer_api_plan.md` - `platform_renderer_api_plan`
- Dominium Platform Support Planning `../../../../_reader/by_chat/platform_support.md` - `platform_support`
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture `../../../../_reader/by_chat/portability_assurance_future_proofing.md` - `Portability_Assurance_Future_Proofing`
- Dominium README Architecture, Ports, and Determinism `../../../../_reader/by_chat/readme_ports_determinism.md` - `readme_ports_determinism`
- Dominium + Domino Refactor Architecture `../../../../_reader/by_chat/refactor_architecture.md` - `Refactor_Architecture`
- AIDE, XStack, and Dominium Refactor Control Plane `../../../../_reader/by_chat/refactor_control_plane.md` - `Refactor_Control_Plane`

- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md - testx_repoX_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.md - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine.md - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.106.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.

- **architecture_codex_prompts:** FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes:** The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme:** The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme:** FACT: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I:** During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.

- **Dominium_Architecture_I:** The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II:** The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II:** The entire conversation is anchored by the requirement that **Dominium** must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III:** The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III:** This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. **Domino** is the engine/core/platform/sim/mod layer, reusable for other games and projects. **Dominium** is the game/product layer built on it.
- **Dominium_Architecture_IV:** Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding **Dominium's** architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how **Dominium** should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.

- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playwright validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded `Pasted text.txt`, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed `CONTENT0` and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,

- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer:** There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.

- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** FACT:** The user is building Dominium / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.

- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: ****ACT** is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.

- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.106.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.

- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.106.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.107 Setup Launcher

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/setup_launcher.md` - included

10.108 Topic: `setup_launcher`

10.108.1 What This Topic Means

`setup_launcher` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.108.2 Source Conversations

- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../_reader/by_chat/app_runtime_platform_renderers.md`
- `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../_reader/by_chat/app_testx_codehygiene.md`
- `app_testx_codehygiene`
- Dominium/Domino Architecture and Codex Prompt Roadmap `../../../../_reader/by_chat/architecture_codex_prompts.md`
- `architecture_codex_prompts`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../_reader/by_chat/canonical_structure_and_framework.md`
- `canonical_structure_and_framework`
- Documentation Standards, README Strategy, and Handoff Packaging `../../../../_reader/by_chat/documentation_standards_readme.md`
- `documentation_standards_readme`
- Dominium Architecture I `../../../../_reader/by_chat/dominium_architecture_i.md` - `Dominium_Architecture_I`
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture `../../../../_reader/by_chat/dominium_architecture_iii.md`
- `Dominium_Architecture_III`
- Dominium Architecture IV `../../../../_reader/by_chat/dominium_architecture_iv.md` - `Dominium_Architecture_IV`

- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future.md - omega_xi_pi_architecture_future
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_architecture.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof.md - Portability_Assurance_Future_Proof
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture

10.108.3 Recurring Claims

- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominion. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.

- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **documentation_standards_readme:** The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme:** FACT: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I:** During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I:** The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_III:** The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III:** This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.

- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **dominium_domino_codex_planning**: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning**: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation**: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation**: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench**: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench**: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.

- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture**: FACT:** The user's initial architecture text emphasized:
- **omega_xi_pi_architecture_future**: The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future**: The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture**: DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture**: DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan**: The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan**: These ideas became the architectural heart of the final plan.
- **Portability_Assurance_Future_Proof**: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof**: Status: Assistant recommendation; not separately accepted after answer.
- **Refactor_Architecture**: The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture**: FACT:** This early discussion created the future UI/packs design context.
- **Release_Identity_and_Versioning**: The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning**: The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.

- **testx_repos_governance:** FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.

10.108.4 Contradictions And Verification Needs

- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked `scope runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked `scope provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked `scope gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked `scope renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked `scope gameplay`.

- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0033 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0034 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `package_runtime`.
- CONTRA-0035 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0036 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.

10.108.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.109 Simulation

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/simulation.md` - included

10.110 Topic: simulation

10.110.1 What This Topic Means

`simulation` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.110.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene
- app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_
and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure
- canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_
Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_
routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme
- documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii
- Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md
- Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_
domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_
engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex
- Foundation_Workbench_Codex

- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_operating_layer.md - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proofing.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture

10.110.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.

- **Build_and_Future_Proofing**: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework**: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

- **Dominium_Architecture_III**: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III**: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominion is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation**: This chat was about preserving and re-grounding Dominion's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation**: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning**: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning**: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation**: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation**: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.

- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer:** There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.

- **platform_support**: The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof**: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof**: Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism**: The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism**: After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture**: The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture**: FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane**: The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane**: The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning**: The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning**: The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance**: FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance**: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience**: A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.

- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominium should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominium, but Unreal should not define Dominium. That was the first major conceptual decision point. It reframed Dominium not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.

10.110.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope gameplay.

- CONTRA-0002 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope runtime_module_loader.
- CONTRA-0006 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0007 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0008 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0009 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0011 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0012 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0017 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.110.5 Promotion Status

not_reviewed; see _promotion/PROMOTION_QUEUE.md.

10.111 Timekeeping

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/timekeeping.md - included

10.112 Topic: timekeeping

10.112.1 What This Topic Means

timekeeping is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.112.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure - advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md - app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene - app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md - architecture_codex_prompts
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure - canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench

- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md - Foundation_Workbench_Codex
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof.md - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominion Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md - UE6_Domino_Deterministic_Universe_Feasibility
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md - Workbench_AIDE_Product_Spine_Planning
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy_handoff.md - xstack_lab_galaxy_handoff

10.112.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.

- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems:** This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems:** This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes:** The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. **FACT:** the assistant made that recommendation. **UNCERTAIN / UNVERIFIED:** the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.

- **documentation_standards_readme:** The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme: FACT:** The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I:** During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I:** The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II:** The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II:** The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.
- **Dominium_Architecture_IV:** Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** **INFERENCE:**** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.

- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playwright validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.

- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, `GEN.EPOCH.FEATURE.PATCH`, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** FACT: This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.

- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.112.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.

- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.112.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.113 Tooling

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/tooling.md` - included

10.114 Topic: tooling

10.114.1 What This Topic Means

`tooling` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.114.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture `../../../../reader/by_chat/advanced_simulation_infrastructure`
- `advanced_simulation_infrastructure`
- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../reader/by_chat/app_runtime_platform_renderers.md`
- `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../reader/by_chat/app_testx_codehygiene`
- `app_testx_codehygiene`
- Dominium/Domino Architecture and Codex Prompt Roadmap `../../../../reader/by_chat/architecture_codex_prompts.md`
- `architecture_codex_prompts`
- Dominium Architecture, UI, Providers, and Robot OS Strategy `../../../../reader/by_chat/architecture_ui_providers.md`
- `architecture_ui_providers`
- Dominium Build and Future-Proofing Architecture `../../../../reader/by_chat/build_and_future_proofing.md` - `Build_and_Future_Proofing`

- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure.md - canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme.md - documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md - Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md - engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing

- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf
- OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_
renderer_api_plan
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fu
- Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_
Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_
Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md - testx_
repoX_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_
and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.
- UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_
editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md -
Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.114.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.

- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems:** This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.

- **Chronology_Celestial_Systems:** This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether *Dominium* is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes:** The first answer was assertive. It stated that *Dominium* must follow Route C and described the route as the only viable one for *Dominium*. Later parts of the chat corrected the status of that claim. **FACT:** the assistant made that recommendation. **UNCERTAIN / UNVERIFIED:** the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme:** The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme:** **FACT:** The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I:** During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I:** The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II:** The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II:** The entire conversation is anchored by the requirement that *Dominium* must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III:** The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III:** This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. *Domino* is the engine/core/platform/sim/mod layer, reusable for other games and projects. *Dominium* is the game/product layer built on it.
- **Dominium_Architecture_IV:** Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.

- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.
- **dominium_setup:** Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup:** These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominium UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.

- **engine_baseline_architecture**: This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playwright validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed **CONTENT0** and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture**: The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer**: Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer**: There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture**: The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over `dsys/dgfx` rather than ad hoc platform UI stacks.

- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.

- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, `GEN.EPOCH.FEATURE.PATCH`, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** **FACT:**** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: ****ACT** is authority; **DSYS** time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** **FACT:** This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.

- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.114.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0002 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0003 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0004 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: ISO C89.
- **CONTRA-0005 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- **CONTRA-0006 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0007 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0008 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0009 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.114.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.115 UI

Source

DERIVED advisory_synthesis `not_promoted` - Source: `docs/archive/conversations/_wiki/topics/ui.md` - included

10.116 Topic: ui

10.116.1 What This Topic Means

`ui` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.116.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- app_runtime_platform_renderers
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene
- app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_
and_Future_Proofing
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure
- canonical_structure_and_framework
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_
Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_
routes
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme
- documentation_standards_readme
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii
- Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md
- Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_
domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_
engine_refactor_prompts
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- engine_baseline_architecture
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex
- Foundation_Workbench_Codex

- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refact - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future - omega_xi_pi_architecture_future
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fut - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.116.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominium/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** **FACT:** The user opened by pasting an "Extended Master Starter Prompt - Dominium + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominium was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominium discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.

- **Build_and_Future_Proofing**: The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **canonical_structure_and_framework**: This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework**: The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Chronology_Celestial_Systems**: This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems**: This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes**: Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes**: The first answer was assertive. It stated that Dominium must follow Route C and described the route as the only viable one for Dominium. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **documentation_standards_readme**: The key thing to remember: this chat produced the standards and prompts for future work; it did not verify or change the project. The next assistant must inspect the actual repository before writing repo-specific docs, README content, platform claims, license claims, or subsystem descriptions.
- **documentation_standards_readme**: **FACT**: The chat established that public API contracts should live in headers.
- **Dominium_Architecture_I**: During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I**: The user also made a clear versioning decision. **FACT**: The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.
- **Dominium_Architecture_II**: The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II**: The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.

- **Dominium_Architecture_III**: The view system then expanded beyond the launcher. **FACT**: The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III**: This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation**: This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation**: The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning**: INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning**: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation**: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation**: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.
- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.

- **Domino_Dominium_Workbench:** The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench:** The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts:** FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts:** This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **engine_baseline_architecture:** This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture:** The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer:** There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.

- **platform_support**: The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof**: The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.
- **Portability_Assurance_Future_Proof**: Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism**: The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism**: After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Architecture**: The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture**: FACT:** This early discussion created the future UI/packs design context.
- **Refactor_Control_Plane**: The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane**: The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning**: The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, GEN.EPOCH.FEATURE.PATCH, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning**: The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance**: FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance**: The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience**: A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.

- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** FACT: This package preserves the currently visible chat about whether Dominium should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominium, but Unreal should not define Dominium. That was the first major conceptual decision point. It reframed Dominium not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.116.4 Contradictions And Verification Needs

- CONTRA-0001 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0002 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0003 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0004 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0005 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0006 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0007 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0008 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0009 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0011 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0012 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0017 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0018 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: ISO C89.

10.116.5 Promotion Status

not_reviewed; see `_promotion/PROMOTION_QUEUE.md`.

10.117 Workbench

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/workbench.md - included

10.118 Topic: workbench

10.118.1 What This Topic Means

workbench is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.118.2 Source Conversations

- Dominium Advanced Simulation and Infrastructure Architecture `../../../../_reader/by_chat/advanced_simulation_infrastructure` - `advanced_simulation_infrastructure`
- Dominium Architecture, UI, Providers, and Robot OS Strategy `../../../../_reader/by_chat/architecture_ui_providers.md` - `architecture_ui_providers`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../_reader/by_chat/canonical_structure` - `canonical_structure_and_framework`
- Dominium Development Routes and Continuity Preservation `../../../../_reader/by_chat/development_routes.md` - `development_routes`
- Dominium Architecture IV `../../../../_reader/by_chat/dominium_architecture_iv.md` - `Dominium_Architecture_IV`
- Dominium + Domino Codex Planning and Handoff `../../../../_reader/by_chat/dominium_domino_codex_planning.md` - `dominium_domino_codex_planning`
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation `../../../../_reader/by_chat/dominium_full_conversation.md` - `dominium_full_conversation`
- Domino Dominion Workbench `../../../../_reader/by_chat/domino_dominium_workbench.md` - `Domino_Dominium_Workbench`
- Domino/Dominium Engine Baseline, Architecture, and Feasibility `../../../../_reader/by_chat/engine_baseline_architecture.md` - `engine_baseline_architecture`
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff `../../../../_reader/by_chat/foundation_workbench_co` - `Foundation_Workbench_Codex`
- Domino Framework and Open-Source Provider Architecture `../../../../_reader/by_chat/framework_open_source_provider.md` - `Framework_Open_Source_Provider`
- Dominium Content and GUI Rebuild Planning `../../../../_reader/by_chat/gui_binary_content.md` - `gui_binary_content`
- Dominium Language, Platform, and Architecture Baseline `../../../../_reader/by_chat/language_platform_architecture.md` - `Language_Platform_Architecture`

- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf - OS_Interface_Repo_Architecture
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md - Refactor_Architecture
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture

10.118.3 Recurring Claims

- **advanced_simulation_infrastructure:** The user then asked whether arbitrary placement was possible or whether the system was stuck to grids. The answer established that the engine should be grid-agnostic. [FACT] The user's question directly made arbitrary placement a major topic. [INFERENCE] The answer was accepted as the current design direction because the user then asked for a Codex prompt plan to implement changes necessary to achieve it.
- **advanced_simulation_infrastructure:** Finally, the chat shifted into archival mode: it produced a maximum-fidelity context transfer packet, then a downloadable report package, then an in-chat reader version. Those later outputs preserved the discussion for future aggregation.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominium is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.

- **development_routes**: The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. **FACT**: the assistant made that recommendation. **UNCERTAIN / UNVERIFIED**: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **Dominium_Architecture_IV**: The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominion is the game/product layer built on it.
- **Dominium_Architecture_IV**: Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **dominium_domino_codex_planning**: **INFERENCE:**** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning**: The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation**: A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation**: The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **Domino_Dominium_Workbench**: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench**: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **engine_baseline_architecture**: This corrected the plan. The final sequencing became: first **Milestone 0: Make the baseline path honest**. That means fixing server/runtime circular import, CLI forwarding, `session_create -> session_boot`, missing time-anchor policy registry, and making the strict local playtest validator pass. Only after that should the builder/destruction lab begin.
- **engine_baseline_architecture**: The final user action uploaded **Pasted text.txt**, a detailed instruction prompt requiring a full preservation report, structured registers, spec sheet, aggregator packet, self-audit, and downloadable file package for this chat. That request is the current task.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.

- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider:** Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider:** This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content:** That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content:** what start scenarios must explicitly exclude,
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **OS_Interface_Repo_Architecture:** DECISION-01 - CLI mandatory, TUI expected, GUI modular.** This was part of the initial architecture baseline and was repeatedly reaffirmed. It matters because every product must remain operable in recovery/headless/automation contexts. GUI is allowed but not authoritative.
- **OS_Interface_Repo_Architecture:** DECISION-02 - Thin GUI shells over shared contracts.** The chat consistently rejected GUI families becoming separate product architectures. This affects client, launcher, setup, server admin, tools, and Workbench modules.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **Refactor_Architecture:** The most important thing to remember is that this chat did not implement the refactor. It designed the architecture and generated prompts and handoff material. Any future assistant must verify actual repository state before assuming files were moved, prompts were applied, or code was updated.
- **Refactor_Architecture:** FACT:** This early discussion created the future UI/packs design context.
- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.

- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominium's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.

10.118.4 Contradictions And Verification Needs

- **CONTRA-0001 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0002 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0003 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0004 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: ISO C89.
- **CONTRA-0021 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `broad_workbench_ui`.
- **CONTRA-0022 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0023 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0024 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0025 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `native_gui`.
- **CONTRA-0026 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.

- CONTRA-0027 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0028 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0029 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0033 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0034 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `package_runtime`.
- CONTRA-0035 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0036 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `renderer_implementation`.
- CONTRA-0037 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `native_gui`.
- CONTRA-0038 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0039 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.

10.118.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.119 Worldgen

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/topics/worldgen.md` - included

10.120 Topic: worldgen

10.120.1 What This Topic Means

`worldgen` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.120.2 Source Conversations

- Dominium APP0 Runtime, Platform, and Renderer Architecture `../../../../reader/by_chat/app_runtime_platform_renderers.md` - `app_runtime_platform_renderers`
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../reader/by_chat/app_testx_codehygiene.md` - `app_testx_codehygiene`

- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md - architecture_codex_prompts
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md - architecture_ui_providers
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md - Build_and_Future_Proofing
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md - Chronology_Celestial_Systems
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md - development_routes
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md - Dominion_Architecture_I
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md - Dominion_Architecture_II
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md - Dominion_Architecture_III
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md - Dominion_Architecture_IV
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md - Dominion_Complete_Conversation
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md - dominium_domino_codex_planning
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md - dominium_full_conversation
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md - dominium_setup
- Domino Dominion Workbench ../../_reader/by_chat/domino_dominium_workbench.md - Domino_Dominium_Workbench
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md - domino_engine_refactor_prompts
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md - Foundation_Workbench_Codex
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md - Framework_Open_Source_Provider
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md - gui_binary_content
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md - Language_Platform_Architecture
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md - launcher_app_layer
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md - Launcher_Setup_Architecture
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md - Modularity_AIDE_Refactorability
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md - omega_xi_pi_architecture_future_proofing

- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md - platform_renderer_api_plan
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md - platform_support
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_future_proof - Portability_Assurance_Future_Proof
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md - readme_ports_determinism
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md - Refactor_Control_Plane
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md - Release_Identity_and_Versioning
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md - testx_repo_x_governance
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md - Timekeeping_and_2038_Resilience
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility - UE6_Domino_Deterministic_Universe
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md - ui_editor_tool_editor_planning
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md - Universe_Explorer_Planning
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning - Workbench_AIDE_Product_Spine
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md - World_Architecture
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md - xstack_lab_galaxy

10.120.3 Recurring Claims

- **app_runtime_platform_renderers:** The central topic was APP0: the application/runtime/platform/renderer layer of Dominium. This topic came up because the user provided a formal prompt defining what APP0 should do.
- **app_runtime_platform_renderers:** The most important conclusion was that APP0 must remain outside the core simulation rules. **FACT:** the user explicitly forbade redesigning simulation rules, altering content definitions, changing life/civilization/economy logic, and introducing gameplay shortcuts. **FACT:** authoritative logic remains in engine + game.
- **app_testx_codehygiene:** A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.
- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.

- **architecture_codex_prompts:** The most important thing to remember is this: **this chat is the architectural and implementation-roadmap backbone for Dominion/Domino, but it is not an implementation log.** It should be preserved as a design/specification source and as a prompt library, while actual code and current facts must be verified separately.
- **architecture_codex_prompts:** FACT: The user opened by pasting an "Extended Master Starter Prompt - Dominion + Domino." That prompt established the role of the assistant as a senior engine architect and defined the main project philosophy. Domino was described as a deterministic, fixed-point, C89 engine portable across old and modern OS/architecture combinations. Dominion was described as the product suite built on top of Domino.
- **architecture_ui_providers:** The language baseline decision matters because it changes what old renderers and toolchains matter. C17/C++17 reduces the need to design around C89/C++98 constraints but does not remove the need for C-compatible ABI boundaries. The system floor decision similarly moves many older renderers and OS targets into research/back-port categories.
- **architecture_ui_providers:** The Robot OS and robotic seed-civilisation decisions are the most important design decisions. They are explicit user statements, not merely assistant proposals. They should be formalized as product/game requirements. They affect UI, fog-of-war, spawning, respawn, automation, industry, tutorial/planner design, and MMO anti-cheat.
- **Build_and_Future_Proofing:** Plain-language limitation: this package is reliable as a preservation of the current visible chat. It should not be treated as a complete archive of every Dominion discussion in other chats. Where the report uses project or repository context, it is labelled as such. The most important caveat is that many items are recommendations, not final user decisions.
- **Build_and_Future_Proofing:** The final uploaded prompt requested a complete preservation package for this chat: a human-readable explanation, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, and files/ZIP package. This response completes that export task and creates downloadable files for later reading and aggregation.
- **Chronology_Celestial_Systems:** This reinforced the core celestial-content rule: locations should exist explicitly when they change player decisions.
- **Chronology_Celestial_Systems:** This became the spatial foundation for later time/calendar decisions because every major body or region could potentially have its own local time, calendar, or operational standard.
- **development_routes:** Before relying on this chat as project authority, a future assistant or human reviewer must confirm whether Dominion is actually intended to be simulation-heavy, whether strict determinism matters, whether replay or multiplayer are goals, whether modding matters, and what the actual game loop is. Until then, the kernel-first plan should be treated as a strong provisional proposal, not a final specification.
- **development_routes:** The first answer was assertive. It stated that Dominion must follow Route C and described the route as the only viable one for Dominion. Later parts of the chat corrected the status of that claim. FACT: the assistant made that recommendation. UNCERTAIN / UNVERIFIED: the recommendation was not validated with external sources in the chat and was not explicitly accepted by the user.
- **Dominium_Architecture_I:** During this stage, the work was still broadly about "the project spec." The user wanted a comprehensive description of the game and its technical systems. The assistant produced large design documents, but many of those earlier contents are not visible in the retained transcript. This is important because the final report package marks those earlier outputs as referenced but not fully recovered.
- **Dominium_Architecture_I:** The user also made a clear versioning decision. **FACT:** The user wanted **major.minor.patch semantic versioning** for all components/packages and for the complete game package. The user explicitly did **not** want build numbers or build dates in filenames. Instead, those details should live in metadata. This became part of the future build/package design.

- **Dominium_Architecture_II:** The last part of the chat was handoff extraction. The user asked for discovery inventory, structured registers, a context transfer packet, and then a downloadable package. The generated package captured the chat's workstreams, decisions, tasks, constraints, open questions, artifacts, risks, and verification items. This current report is a plain-language explanation of that substance.
- **Dominium_Architecture_II:** The entire conversation is anchored by the requirement that Dominium must run deterministically. This means the same initial state and same inputs must produce the same state across machines, compilers, operating systems, and eventually retro and modern platforms.
- **Dominium_Architecture_III:** The view system then expanded beyond the launcher. **FACT:** The user wants instant zoom to any scale, instant switching between top-down 2D and first-person 3D, and arbitrary cameras for free cam, map viewing, content creation, HUD cameras, CCTV, overlays, windows, and offscreen targets. These are client/render-side concerns, not simulation concerns.
- **Dominium_Architecture_III:** This context matters because the rest of the conversation happened inside those constraints. The launcher could not become a dumping ground for OS-specific behavior, sim mutation, renderer decisions, or nondeterministic game-state changes. It had to fit the project's deterministic layering.
- **Dominium_Architecture_IV:** The reusable engine layer was named **Domino**. This became one of the most important naming and architectural decisions in the chat. Domino is the engine/core/platform/sim/mod layer, reusable for other games and projects. Dominium is the game/product layer built on it.
- **Dominium_Architecture_IV:** Blueprints are plans or diffs: place element, remove element, modify terrain, place machine, connect network, etc. When accepted, they generate jobs. Manual player actions and queued work for humans, robots, or other agents should use the same job pipeline. This matters because it keeps replay, AI, and automation consistent.
- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominium's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_domino_codex_planning:** INFERENCE:** The user accepted this direction in practice, because the next request was to generate Codex prompts to implement each step fully. The user did not explicitly say, "I formally approve the Milestone-0 plan," but they proceeded to ask for prompts based on it.
- **dominium_domino_codex_planning:** The user then asked for recommendations. The assistant recommended a clean startup policy: explicit flags first, no environment/config override in v1, terminal detection through dsys, generic AUTO behavior, product-specific headless handling for the game, build-time GUI/TUI capabilities, and structural error codes for fallback. The user accepted this enough to request a "one big Codex prompt" to implement it.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominium should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominium Workbench concept.

- **dominium_setup**: Near the end, the chat shifted into preservation mode. The user asked for a maximum-fidelity context transfer packet, then for a downloadable report package, then for an in-chat reader version of that package. Those outputs preserved the decisions, tasks, constraints, artifacts, rejected options, and verification queue for future assistants or aggregation into a larger Project Spec Book.
- **dominium_setup**: These directory trees were not final, but they mattered because they exposed the user's preference for simple, shallow, logical structures and native IDE workflows that do not become the source of truth.
- **Domino_Dominium_Workbench**: The original UI Editor / Tool Editor plan is now **superseded as a final product**. It is not lost: its useful parts become Workbench capabilities, especially Interface Studio, UI/HUD Sandbox, Theme Laboratory, TUI Studio, Rendered GUI Studio, Preview Matrix, validation panels, import/export tools, and document-patch workflows.
- **Domino_Dominium_Workbench**: The central decision is that Workbench must not become semantic authority. Workbench is a surface over contracts, commands, services, documents, patches, providers, packs, modules, apps, artifacts, diagnostics, evidence, tests, and replay/proof. It is the richest human/agent interface over the system, but it must not bypass command, capability, refusal, validation, document, patch, or proof law.
- **domino_engine_refactor_prompts**: FACT:** The Domino engine must be ISO C89. The Dominion UI/tools layer must be portable C++98. Engine code must not use OS APIs. Determinism matters, so floats are disallowed in deterministic paths. The engine must avoid platform-dependent behavior and hardcoded game semantics. Everything should be content-driven.
- **domino_engine_refactor_prompts**: This became one of the central architectural ideas of the chat. It makes behavior extensible without giving minds direct write access to the world. A mod can add new sensors, observations, intents, capabilities, or actions, but state mutation still passes through a deterministic pipeline.
- **Foundation_Workbench_Codex**: After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex**: The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Framework_Open_Source_Provider**: Finally, the user uploaded a detailed preservation prompt and requested a maximum-fidelity report, registers, spec sheet, aggregator packet, audit, and downloadable files. This package is the response to that request.
- **Framework_Open_Source_Provider**: This became the central architectural theme. The conversation refined earlier vendor-shaped paths into service-first paths. The stable pattern is:
- **gui_binary_content**: That was an important change of direction. It meant the assistant's polished prompt should not be treated as final. The work needed conceptual discussion first. The assistant then analyzed CONTENT0 and identified several issues that could cause bad assumptions to become embedded if Codex acted too soon.
- **gui_binary_content**: what start scenarios must explicitly exclude,
- **Language_Platform_Architecture**: The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.

- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.
- **launcher_app_layer:** Someone reading this report should understand one central thing: this chat is not about inventing new launcher features anymore. It is about preserving boundaries, making the launcher implementation explicit, and ensuring future work happens on top of verified code rather than vague architectural memory.
- **launcher_app_layer:** There was also an early suggestion to create a DUI facade, a Dominion UI abstraction, to support native widgets and fallback rendering. This idea was useful as a conceptual stepping stone but was not ultimately locked as a final requirement in the form originally suggested. Later application-layer canon emphasized **UI IR**, **command graphs**, and **binding validation** rather than a specific DUI facade design.
- **Launcher_Setup_Architecture:** The chat also produced multiple Codex work-order prompts and finally a downloadable report package. Those artifacts are useful, but the substance is the architecture: keep engine deterministic, keep setup/launcher/runtime boundaries explicit, make the launcher optional and modular, use a strong process/instance model, and now implement the launcher over dsys/dgfx rather than ad hoc platform UI stacks.
- **Launcher_Setup_Architecture:** FACT:** The user's initial architecture text emphasized:
- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **platform_renderer_api_plan:** The chat ended by generating a maximum-fidelity transfer packet, then a downloadable report package, then an in-chat reader version. The main thing to remember is this: **the active artifact is the final 9-prompt post-master Codex plan, but it is a plan, not evidence that the code exists. The repo must be inspected before execution.
- **platform_renderer_api_plan:** These ideas became the architectural heart of the final plan.
- **platform_support:** FACT: That early answer was generated by the assistant, not stated by the user as a final decision. It matters because it introduced a very broad portability ambition, but it was later superseded by more practical platform planning. It should now be treated as historical context or possible research scope, not as a controlling product commitment.
- **platform_support:** The user then supplied a detailed inventory covering PlayStation, Xbox, Nintendo, PC handhelds, Android devices, Apple devices, Web platforms, AR, VR, and cross-cutting software targets. This inventory became the central artifact of the chat.
- **Portability_Assurance_Future_Proof:** The actual repo was not inspected. The exact accepted directory structure, API policy, DDAP profile, compatibility promises, and first pilot module remain unresolved.

- **Portability_Assurance_Future_Proof:** Status: Assistant recommendation; not separately accepted after answer.
- **readme_ports_determinism:** The user pasted the final README after those cleanup changes. At that point, the README had the current active form: deterministic constraints clarified, ports unified under one source hierarchy, /ports metadata-only if retained, Section 9 normative, lockstep canonical, content-lock mismatch fatal, and disk format versions immutable.
- **readme_ports_determinism:** After the README work, the user asked for a maximum-fidelity context transfer packet. The assistant produced a long state-transfer document with sections for project inventory, decisions, tasks, constraints, open questions, artifacts, risks, and next actions.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, `GEN.EPOCH.FEATURE.PATCH`, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repos_governance:** FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repos_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Timekeeping_and_2038_Resilience:** A future assistant should understand that this chat contributes a time architecture doctrine for Dominion: **ACT is authority; DSYS time is runtime-only; observer clocks are derived; civil/astronomical time is projection-only; wall-clock time must never drive authoritative ordering.
- **Timekeeping_and_2038_Resilience:** What remains uncertain is the precise target list of legacy machines/toolchains and how far compatibility must go, especially for 16-bit compilers with weak or absent 64-bit arithmetic.
- **UE6_Domino_Deterministic_Universe:** FACT: This package preserves the currently visible chat about whether Dominion should use UE6, UE5, Domino, Unreal, or a custom engine layer for a highly ambitious deterministic solar-system-scale game. It also preserves the current uploaded prompt as an artifact because it defines this preservation task.
- **UE6_Domino_Deterministic_Universe:** That response also introduced a rule that shaped the rest of the chat: Unreal should render and host Dominion, but Unreal should not define Dominion. That was the first major conceptual decision point. It reframed Dominion not as an engine project in the narrow sense, but as a portable game/simulation system with replaceable frontends.

- **ui_editor_tool_editor_planning:** The most important thing to remember is that this chat was a planning and prompt-generation chat, not proof of implementation. **UNCERTAIN / UNVERIFIED:** No generated prompt is evidence that repository code was actually changed. The next assistant must first verify whether the prompts were executed, inspect the repo/source bundle if available, and avoid treating planned files as existing files.
- **ui_editor_tool_editor_planning:** This was one of the most important structure decisions in the chat. It prevented the initial implementation from becoming too broad while preserving the long-term goal. The UI Editor would be a bootstrap tool, not the final architecture.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.
- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **World_Architecture:** The future relevance of this chat is high. It should feed directly into the future project spec book and into a corrected implementation prompt. But it should not be treated as final implementation detail everywhere. Many high-level decisions are settled, but solver formulas, exact file encoding details, build system integration, actual repository layout, and some numerical representations still require verification.
- **World_Architecture:** Before reading the rest of this report, remember this: this chat's central contribution is not one isolated feature. It is a whole design philosophy for Dominion's world engine. The game should be deterministic, fixed-point, sparse, modular, content-driven, and field-based. Chunks are not the world. Chunks are just how the world is cached, meshed, streamed, and saved.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.120.4 Contradictions And Verification Needs

- **CONTRA-0005 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope runtime_module_loader.
- **CONTRA-0006 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope provider_runtime.
- **CONTRA-0007 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope gameplay.
- **CONTRA-0008 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope renderer_implementation.

- CONTRA-0009 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: SDK.
- CONTRA-0010 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0011 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.
- CONTRA-0012 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0013 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0014 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: DX12.
- CONTRA-0015 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: iOS.
- CONTRA-0016 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0017 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0018 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0019 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0020 stale_external_claim: Archived conversation contains potentially stale external or baseline claim: ISO C89.
- CONTRA-0021 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope broad_workbench_ui.
- CONTRA-0022 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope provider_runtime.
- CONTRA-0023 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope gameplay.
- CONTRA-0024 conversation_vs_current_queue: Archived conversation discusses work related to blocked scope renderer_implementation.

10.120.5 Promotion Status

not_reviewed; see _promotion/PROMOTION_QUEUE.md.

10.121 Xstack AIDE

Source

DERIVED advisory_synthesis not_promoted - Source: docs/archive/conversations/_wiki/topics/xstack_aide.md - included

10.122 Topic: xstack_aide

10.122.1 What This Topic Means

`xstack_aide` is an automatically classified conversation-corpus topic. It groups archived conversations by recurring words and package labels, not by authoritative repo ownership.

10.122.2 Source Conversations

- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning `../../../../_reader/by_chat/app_testx_codehygiene.md` - `app_testx_codehygiene`
- Dominium Canonical Architecture, Repository Foundation, and Provider Model `../../../../_reader/by_chat/canonical_structure_and_framework.md` - `canonical_structure_and_framework`
- Dominium Canon, Repository Alignment, and Portability Doctrine `../../../../_reader/by_chat/dominium_complete_conversation.md` - `Dominium_Complete_Conversation`
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation `../../../../_reader/by_chat/dominium_full_conversation.md` - `dominium_full_conversation`
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff `../../../../_reader/by_chat/foundation_workbench_codex.md` - `Foundation_Workbench_Codex`
- Dominium Language, Platform, and Architecture Baseline `../../../../_reader/by_chat/language_platform_architecture.md` - `Language_Platform_Architecture`
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture `../../../../_reader/by_chat/modularity_aide_refactorability.md` - `Modularity_AIDE_Refactorability`
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning `../../../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md` - `omega_xi_pi_architecture_future_proofing`
- AIDE, XStack, and Dominium Refactor Control Plane `../../../../_reader/by_chat/refactor_control_plane.md` - `Refactor_Control_Plane`
- Dominium XStack Release Identity and Versioning `../../../../_reader/by_chat/release_identity_and_versioning.md` - `Release_Identity_and_Versioning`
- Dominium TestX/RepoX Governance and Handoff Chat `../../../../_reader/by_chat/testx_repo_x_governance.md` - `testx_repo_x_governance`
- Dominium Universe Explorer Planning and Repo Handoff `../../../../_reader/by_chat/universe_explorer_planning.md` - `Universe_Explorer_Planning`
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning `../../../../_reader/by_chat/workbench_aide_product_spine.md` - `Workbench_AIDE_Product_Spine`
- Dominium XStack and Lab Galaxy Handoff `../../../../_reader/by_chat/xstack_lab_galaxy.md` - `xstack_lab_galaxy`

10.122.3 Recurring Claims

- `app_testx_codehygiene`: A large set of prompts was then generated to lock down architecture, determinism, performance, schema governance, rendering, epistemic UI, sharding, interest sets, and fidelity projection. This became the Phase 1 hardening layer. Additional audit prompts were introduced to ensure consistency before proceeding into life, civilization, war, content, agents, tools, mods, and final long-term policy.

- **app_testx_codehygiene:** Because the chat was huge, the user asked for a maximum-fidelity context transfer packet. Then they asked for downloadable report files. Then they asked for an in-chat reader. Finally, they asked for this human-readable explanatory report. This final report is meant to let a future assistant or human understand the substance without re-reading the whole conversation.
- **canonical_structure_and_framework:** This produced a pattern: generate a large Codex/AIDE task, the user ran it or reported a result, then the assistant evaluated what was truly fixed versus what was only validator/document churn. The user eventually demanded a one-shot "actual final cleanup" prompt because previous passes had sometimes added validators without moving directories. That prompt explicitly required real `git mv` routing, not just reports.
- **canonical_structure_and_framework:** The final provider directory doctrine became service-first: `runtime/<service>/providers/<provider>/`, not `runtime/<vendor>/<service>/`. Provider choices belong in `release/profiles/` or `content/profiles/`, not app path names. External code belongs under `external/upstream/` or `external/vendor/`, but the repo should choose one convention.
- **Dominium_Complete_Conversation:** This chat was about preserving and re-grounding Dominion's architecture around a very old constitutional contract, then checking whether the current GitHub repository still follows that contract, and finally broadening the question into a platform-engineering doctrine for portability, modularity, extensibility, reuse, future-proofing, and long-term compatibility.
- **Dominium_Complete_Conversation:** The glossary bound terms such as Authority, Law, Process, Lens, SessionSpec, UniverseIdentity, Macro Capsule, SRZ, RepoX, TestX, AuditX, CompatX, SecureX, and related terms. It matters because future assistants must not use sloppy synonyms like "mode" where the canon requires ExperienceProfile or LawProfile. This topic directly supports modularity because stable vocabulary is part of stable architecture.
- **dominium_full_conversation:** A future assistant must understand that this chat is not simply about UI. It records the architecture for how Dominion should build itself: through contracts, commands, services, providers, documents, patches, modules, packs, apps, workspaces, diagnostics, evidence, AIDE, Codex, and eventually Workbench.
- **dominium_full_conversation:** The user then redirected the entire plan. They argued that native OS widget GUI tools already exist through Visual Studio, Xcode, etc. The project needed a cross-platform rendered tool environment that uses the same CLI, TUI, and rendered GUI systems as the client. The old UI Editor and Tool Editor were good exploratory ideas but bad final products. This produced the Dominion Workbench concept.
- **Foundation_Workbench_Codex:** After the root skeleton improved, the assistant and user recognized that the deeper problem was no longer top-level directories. The problem became semantic duplication and governance: what is public, what is private, what is stable, what is provisional, what is generated, what is a fixture, what must stay compatible, what can be replaced, and what proof is required.
- **Foundation_Workbench_Codex:** The key conclusion was that Workbench is not the general module system; it is one consumer of the module/command/service/provider/pack/artifact system. Workbench must not call private tools directly. It must route through registered commands and typed results, diagnostics, refusals, views, and evidence.
- **Language_Platform_Architecture:** The 32-bit question followed. The answer was to make full native products 64-bit and keep 32-bit as constrained or projection support only. The key caveat was not to make native pointer size part of game law. Save, replay, network, IDs, and renderer IR must use fixed-width types and never serialize `size_t`, `long`, `uintptr_t`, or raw pointers.
- **Language_Platform_Architecture:** The user then consolidated a broad future plan around Domino, Dominion, Workbench, AIDE, contracts, tests, replay, and evidence. The answer agreed that the plan was strong, but identified missing central pieces: composition resolver, lockfiles, compatibility corpus, trust/permissions, virtual filesystem roots, performance budgets, and stable public-surface promotion rules.

- **Modularity_AIDE_Refactorability:** The final user action was uploading a preservation-package prompt. That prompt requested a maximum-fidelity preservation report, structured registers, context transfer packet, spec sheet, aggregator packet, self-audit, downloadable files, and a final in-chat reader. This package is the result.
- **Modularity_AIDE_Refactorability:** The user objected to the XStack/AuditX/RepoX/TestX framing and wanted AIDE adopted quickly. The resulting plan made AIDE the repo-native control plane for inventory, task queues, policies, move maps, salvage maps, evidence ledgers, validation, and refactor history. Existing tools should be recycled, not discarded. This is central to future refactorability.
- **omega_xi_pi_architecture_future:** The final strategic direction before this preservation request was to run a ?-series: snapshot intake, reality extraction, blueprint reconciliation, foundation readiness, and final prompt synthesis. This is needed because plans must now be mapped onto current repo reality rather than executed abstractly. The next chat should pick up there.
- **omega_xi_pi_architecture_future:** The user later reported Xi completion. The enduring lesson is that prompt instructions are not enough; architecture must be machine-readable and enforced.
- **Refactor_Control_Plane:** The user then asked about optimizing prompts for GPT-5.3/GPT-5.4 and later supplied advice about harness engineering. That advice argued that teams succeed by engineering the environment around agents: tools, docs, linters, feedback loops, memory, and observability. The conversation accepted the core point: the model is not the whole system; the harness is the multiplier.
- **Refactor_Control_Plane:** The Grug Brained Developer became a design filter: avoid complexity, avoid premature abstraction, do small safe refactors, prefer integration tests, invest in logging, and respect existing structures before tearing them down. This influenced the decision to narrow AIDE and not overbuild runtime/hosts too early.
- **Release_Identity_and_Versioning:** The user then objected to versioning policy drift in real products and expressed concern about SemVer's "1.x forever" failure mode. The first proposed answer was a four-part public version scheme, `GEN.EPOCH.FEATURE.PATCH`, meant to avoid fake major bumps. That idea was useful as an intermediate step but later became less central because XStack already has GBN for dense build history and separate build identity.
- **Release_Identity_and_Versioning:** The conversation then moved into how this might fit XStack. The model shifted from "better public version number" to "layered identity model." The assistant recommended preserving per-product versions, a global build number, build IDs, compatibility versions, and suite versions as separate layers. This became the foundation for later decisions.
- **testx_repoX_governance:** FACT:** The user is building Dominion / Domino as a deterministic universe engine + game, not a conventional game project. The visible chat repeatedly framed the project as long-lived, simulation-first, deterministic, modular, and designed to survive across many operating systems, toolchains, renderers, products, and distribution models.
- **testx_repoX_governance:** The user then asked whether the implementation was industry-accepted and what could be improved. The response framed the approach as closer to game engines, operating systems, and long-lived infrastructure than typical game development. The important conclusion was that the design was not exotic, but it was unusually rigorous for games.
- **Universe_Explorer_Planning:** The pasted discussion on trees, screws, pottery, axes, chairs, tables, and machines established that the player should manipulate material, geometry, constraints, processes, tools, stations, and affordances. The conclusion is that "item classes" must not be the truth substrate. Recipes and blueprints can exist, but as higher-order formalizations.
- **Universe_Explorer_Planning:** A major theme was that useful local inventions must become portable, standardized, industrialized, and institutionally adopted. The repo now has a Formalization Chain spec and Player Desire Acceptance Map that strongly preserve this. The future work is making this playable: drafting, measuring, testing, blueprinting, certifying, teaching, manufacturing, maintaining, and revising designs.

- **Workbench_AIDE_Product_Spine:** The user noted that earlier prompts were hard to copy because they were not always contained in one code block, and that prompts should better handle dirty worktrees and concurrent tasks. From then on, generated prompts included detailed dirty worktree handling, allowed/forbidden paths, non-goals, validation, blocker classification, and commit/final-response formats.
- **Workbench_AIDE_Product_Spine:** The final recommended sequence was: finish replay proof and barebones client, run product spine review, then begin limited parallel dev. Larger parallel waves should wait until minimum AIDE workflow law exists.
- **xstack_lab_galaxy:** and XStack must serve development rather than development serving XStack.
- **xstack_lab_galaxy:** After the transcript appeared, the user asked for a maximum-fidelity Context Transfer Packet. The assistant produced one, with sections such as workstreams, decisions, tasks, constraints, open questions, risks, artifacts, and verification queue. Then the user asked to turn that into a downloadable report package. The assistant created Markdown/YAML files and a ZIP archive.

10.122.4 Contradictions And Verification Needs

- **CONTRA-0010 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0011 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0012 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0013 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0014 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: DX12.
- **CONTRA-0015 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: iOS.
- **CONTRA-0033 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `provider_runtime`.
- **CONTRA-0034 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `package_runtime`.
- **CONTRA-0035 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `gameplay`.
- **CONTRA-0036 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `renderer_implementation`.
- **CONTRA-0037 conversation_vs_current_queue:** Archived conversation discusses work related to blocked scope `native_gui`.
- **CONTRA-0038 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C89.
- **CONTRA-0039 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: C++98.
- **CONTRA-0040 stale_external_claim:** Archived conversation contains potentially stale external or baseline claim: SDK.

- CONTRA-0075 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `gameplay`.
- CONTRA-0076 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C89.
- CONTRA-0077 `stale_external_claim`: Archived conversation contains potentially stale external or baseline claim: C++98.
- CONTRA-0083 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `runtime_module_loader`.
- CONTRA-0084 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `provider_runtime`.
- CONTRA-0085 `conversation_vs_current_queue`: Archived conversation discusses work related to blocked scope `package_runtime`.

10.122.5 Promotion Status

`not_reviewed`; see `_promotion/PROMOTION_QUEUE.md`.

10.123 Index

Source

DERIVED `advisory_synthesis not_promoted` - Source: `docs/archive/conversations/_wiki/workstreams/index.md` - excerpted

10.124 Workstreams

10.124.1 architecture

- [Dominium Advanced Simulation and Infrastructure Architecture](#) `../../../../reader/by_chat/advanced_simulation_infrastructure`
- [Dominium APP0 Runtime, Platform, and Renderer Architecture](#) `../../../../reader/by_chat/app_runtime_platform_renderers.md`
- [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning](#) `../../../../reader/by_chat/app_testx_codehygiene`
- [Dominium/Domino Architecture and Codex Prompt Roadmap](#) `../../../../reader/by_chat/architecture_codex_prompts.md`
- [Dominium Architecture, UI, Providers, and Robot OS Strategy](#) `../../../../reader/by_chat/architecture_ui_providers.md`
- [Dominium Build and Future-Proofing Architecture](#) `../../../../reader/by_chat/build_and_future_proofing.md`
- [Dominium Canonical Architecture, Repository Foundation, and Provider Model](#) `../../../../reader/by_chat/canonical_structur`
- [Dominium Chronology & Celestial Systems](#) `../../../../reader/by_chat/chronology_celestial_systems.md`
- [Dominium Development Routes and Continuity Preservation](#) `../../../../reader/by_chat/development_routes.md`
- [Documentation Standards, README Strategy, and Handoff Packaging](#) `../../../../reader/by_chat/documentation_standards_rea`
- [Dominium Architecture I](#) `../../../../reader/by_chat/dominium_architecture_i.md`
- [Dominium Architecture II](#) `../../../../reader/by_chat/dominium_architecture_ii.md`

- [Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture](#) ../../_reader/by_chat/dominium_architecture_iii_launcher_platform_renderer_and_handoff_architecture.md
- [Dominium Architecture IV](#) ../../_reader/by_chat/dominium_architecture_iv.md
- [Dominium Canon, Repository Alignment, and Portability Doctrine](#) ../../_reader/by_chat/dominium_complete_conversation.md
- [Dominium + Domino Codex Planning and Handoff](#) ../../_reader/by_chat/dominium_domino_codex_planning.md
- [Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation](#) ../../_reader/by_chat/dominium_full_conversation.md
- [Dominium Setup Architecture and Handoff](#) ../../_reader/by_chat/dominium_setup.md
- [Domino Dominium Workbench](#) ../../_reader/by_chat/domino_dominium_workbench.md
- [Dominium/Domino Engine Refactor Planning](#) ../../_reader/by_chat/domino_engine_refactor_prompts.md
- [Domino/Dominium Engine Baseline, Architecture, and Feasibility](#) ../../_reader/by_chat/engine_baseline_architecture.md
- [Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff](#) ../../_reader/by_chat/foundation_workbench_spine_parallel_codex_handoff.md
- [Domino Framework and Open-Source Provider Architecture](#) ../../_reader/by_chat/framework_open_source_provider.md
- [Dominium Content and GUI Rebuild Planning](#) ../../_reader/by_chat/gui_binary_content.md
- [Dominium Language, Platform, and Architecture Baseline](#) ../../_reader/by_chat/language_platform_architecture.md
- [Dominium Launcher Application-Layer Handoff](#) ../../_reader/by_chat/launcher_app_layer.md
- [Dominium Launcher and Setup Architecture](#) ../../_reader/by_chat/launcher_setup_architecture.md
- [Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture](#) ../../_reader/by_chat/modularity_aide_refactorability_and_future_proof_architecture.md
- [Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning](#) ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing_planning.md
- [Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer](#) ../../_reader/by_chat/os_interface_operating_layer.md
- [Dominium Codex Platform Renderer API Plan](#) ../../_reader/by_chat/platform_renderer_api_plan.md
- [Dominium Platform Support Planning](#) ../../_reader/by_chat/platform_support.md
- [Domino/Dominium Portability, Assurance, and Future-Proof Architecture](#) ../../_reader/by_chat/portability_assurance_and_future_proof_architecture.md
- [Dominium README Architecture, Ports, and Determinism](#) ../../_reader/by_chat/readme_ports_determinism.md
- [Dominium + Domino Refactor Architecture](#) ../../_reader/by_chat/refactor_architecture.md
- [AIDE, XStack, and Dominium Refactor Control Plane](#) ../../_reader/by_chat/refactor_control_plane.md
- [Dominium XStack Release Identity and Versioning](#) ../../_reader/by_chat/release_identity_and_versioning.md
- [Dominium TestX/RepoX Governance and Handoff Chat](#) ../../_reader/by_chat/testx_repo_x_governance.md
- [Dominium Timekeeping and 2038 Resilience](#) ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- [Dominium UE6, Domino, and Deterministic Universe Feasibility](#) ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md
- [Dominium UI Editor and Tool Editor Planning](#) ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- [Dominium Universe Explorer Planning and Repo Handoff](#) ../../_reader/by_chat/universe_explorer_planning.md
- [Dominium Architecture, Workbench, AIDE, and Product-Spine Planning](#) ../../_reader/by_chat/workbench_aide_product_spine_planning.md
- [Dominium World Architecture](#) ../../_reader/by_chat/world_architecture.md
- [Dominium XStack and Lab Galaxy Handoff](#) ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.2 content

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structures.md
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme.md
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_spine.md
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_layer.md
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md

- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fut
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.f
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.3 contracts_schema

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygie
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structur
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_rea
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.m
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md

- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_co
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refact
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future.
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fu
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.4 determinism

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structur
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_rea
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_arch
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.m
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_co
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refact
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fu
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md

- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.md
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.5 governance

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure_architecture.md
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene_planning.md
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structure.md
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme_strategy.md
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_spine.md

- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refact
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future.
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fu
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.r
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.6 platform

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygien
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structur
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_rea
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md

- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_codex.md
- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_layer.md
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe_feasibility.md
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_spine_planning.md

10.124.7 release

- [Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure.md](#)
- [Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md](#)
- [Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygiene.md](#)
- [Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md](#)
- [Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md](#)
- [Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md](#)
- [Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structures.md](#)
- [Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md](#)
- [Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_readme_strategy.md](#)
- [Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md](#)
- [Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md](#)
- [Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_architecture_iii.md](#)
- [Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md](#)
- [Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.md](#)
- [Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md](#)
- [Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md](#)
- [Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md](#)
- [Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md](#)
- [Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md](#)
- [Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_parallel_codex_handoff.md](#)
- [Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md](#)
- [Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md](#)
- [Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md](#)
- [Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md](#)
- [Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md](#)
- [Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refactorability.md](#)
- [Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future_proofing.md](#)
- [Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interface_operating_layer.md](#)
- [Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md](#)
- [Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md](#)

- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fu
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repo_x_governance.md
- Dominium Timekeeping and 2038 Resilience ../../_reader/by_chat/timekeeping_and_2038_resilience.md
- Dominium UE6, Domino, and Deterministic Universe Feasibility ../../_reader/by_chat/ue6_domino_deterministic_universe.r
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Universe Explorer Planning and Repo Handoff ../../_reader/by_chat/universe_explorer_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md
- Dominium XStack and Lab Galaxy Handoff ../../_reader/by_chat/xstack_lab_galaxy.md

10.124.8 setup_launcher

- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygien
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structur
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_rea
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_arch
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future.
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf

- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fut
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md
- Dominium TestX/RepoX Governance and Handoff Chat ../../_reader/by_chat/testx_repoX_governance.md
- Dominium UI Editor and Tool Editor Planning ../../_reader/by_chat/ui_editor_tool_editor_planning.md
- Dominium Architecture, Workbench, AIDE, and Product-Spine Planning ../../_reader/by_chat/workbench_aide_product_sp
- Dominium World Architecture ../../_reader/by_chat/world_architecture.md

10.124.9 simulation

- Dominium Advanced Simulation and Infrastructure Architecture ../../_reader/by_chat/advanced_simulation_infrastructure
- Dominium APP0 Runtime, Platform, and Renderer Architecture ../../_reader/by_chat/app_runtime_platform_renderers.md
- Dominium Architecture, Application Layer, TestX, and CodeHygiene Planning ../../_reader/by_chat/app_testx_codehygien
- Dominium/Domino Architecture and Codex Prompt Roadmap ../../_reader/by_chat/architecture_codex_prompts.md
- Dominium Architecture, UI, Providers, and Robot OS Strategy ../../_reader/by_chat/architecture_ui_providers.md
- Dominium Build and Future-Proofing Architecture ../../_reader/by_chat/build_and_future_proofing.md
- Dominium Canonical Architecture, Repository Foundation, and Provider Model ../../_reader/by_chat/canonical_structur
- Dominium Chronology & Celestial Systems ../../_reader/by_chat/chronology_celestial_systems.md
- Dominium Development Routes and Continuity Preservation ../../_reader/by_chat/development_routes.md
- Documentation Standards, README Strategy, and Handoff Packaging ../../_reader/by_chat/documentation_standards_rea
- Dominium Architecture I ../../_reader/by_chat/dominium_architecture_i.md
- Dominium Architecture II ../../_reader/by_chat/dominium_architecture_ii.md
- Dominium Architecture III: Launcher, Platform, Renderer, and Handoff Architecture ../../_reader/by_chat/dominium_arch
- Dominium Architecture IV ../../_reader/by_chat/dominium_architecture_iv.md
- Dominium Canon, Repository Alignment, and Portability Doctrine ../../_reader/by_chat/dominium_complete_conversation.m
- Dominium + Domino Codex Planning and Handoff ../../_reader/by_chat/dominium_domino_codex_planning.md
- Dominium Workbench, AIDE, Presentation Architecture, Provider Strategy, Product-Spine Planning, and Preservation ../../_reader/by_chat/dominium_full_conversation.md
- Dominium Setup Architecture and Handoff ../../_reader/by_chat/dominium_setup.md
- Domino Dominium Workbench ../../_reader/by_chat/domino_dominium_workbench.md
- Dominium/Domino Engine Refactor Planning ../../_reader/by_chat/domino_engine_refactor_prompts.md
- Domino/Dominium Engine Baseline, Architecture, and Feasibility ../../_reader/by_chat/engine_baseline_architecture.md
- Dominium Foundation Lock, Workbench Spine, and Parallel Codex Handoff ../../_reader/by_chat/foundation_workbench_co

- Domino Framework and Open-Source Provider Architecture ../../_reader/by_chat/framework_open_source_provider.md
- Dominium Content and GUI Rebuild Planning ../../_reader/by_chat/gui_binary_content.md
- Dominium Language, Platform, and Architecture Baseline ../../_reader/by_chat/language_platform_architecture.md
- Dominium Launcher Application-Layer Handoff ../../_reader/by_chat/launcher_app_layer.md
- Dominium Launcher and Setup Architecture ../../_reader/by_chat/launcher_setup_architecture.md
- Dominium Modularity, AIDE Refactorability, and Future-Proof Architecture ../../_reader/by_chat/modularity_aide_refact
- Dominium Omega/Xi/Pi Architecture & Future-Proofing Planning ../../_reader/by_chat/omega_xi_pi_architecture_future.
- Dominium OS-like Architecture, Repository Convergence, and Interface Operating Layer ../../_reader/by_chat/os_interf
- Dominium Codex Platform Renderer API Plan ../../_reader/by_chat/platform_renderer_api_plan.md
- Dominium Platform Support Planning ../../_reader/by_chat/platform_support.md
- Domino/Dominium Portability, Assurance, and Future-Proof Architecture ../../_reader/by_chat/portability_assurance_fut
- Dominium README Architecture, Ports, and Determinism ../../_reader/by_chat/readme_ports_determinism.md
- Dominium + Domino Refactor Architecture ../../_reader/by_chat/refactor_architecture.md
- AIDE, XStack, and Dominium Refactor Control Plane ../../_reader/by_chat/refactor_control_plane.md
- Dominium XStack Release Identity and Versioning ../../_reader/by_chat/release_identity_and_versioning.md

d Handoff Chat (../../_reader/by_chat/testx_repo_

Verify

This section is excerpted for readability. See the source path for the full report.

Chapter 11

Reference Indexes

11.1 Authority Class Index

Authority Class	Count
architecture_current	324
archive_historical	165
archive_stale	2295
audit_evidence	8
canonical	2
contract_or_schema_reference	9
conversation_advisory	606
derived_synthesis	155
development_guidance	339
domain_guidance	253
planning_current	77
release_current	95
repo_current	196
unknown_or_unclassified	592

11.2 Conversation Corpus Source Index

- Row 1** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 2** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 3** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 4** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 5** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 6** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 7** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 8** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 9** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 10** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 11** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 12** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__11_bundle_integrity_check.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 13** Path: docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture__source_uploaded_preservation_prompt.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 14** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 15** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 16** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 17** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 18** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__05_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 19** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__06_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 20** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__human_readable_chat_report.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 21** Path: docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems__manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 22** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 23** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 24** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 25** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 26** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__05_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 27** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__06_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 28** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__human_readable_chat_report.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 29** Path: docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I__manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 30** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 31** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 32** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 33** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 34** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 35** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 36** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 37** Path: docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 38** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 39** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 40** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 41** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 42** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 43** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 44** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 45** Path: docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 46** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 47** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 48** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 49** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 50** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 51** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 52** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 53** Path: docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 54** Path: docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 55** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 56** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 57** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 58** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 59** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 60** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 61** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 62** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 63** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 64** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 65** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__handoff_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 66** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 67** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 68** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 69** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__checksums.json; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 70** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 71** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Pasted_text.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 72** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 73** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 74** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 75** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 76** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 77** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 78** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 79** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 80** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 81** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 82** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 83** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 84** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 85** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 86** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 87** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 88** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_complete_bundle_checksums.sha256; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 89** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_file_inventory.json; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 90** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 91** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive

- Row 92** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 93** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__handoff_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 94** Path: docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 95** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 96** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 97** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 98** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 99** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__single_zip_bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 100** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 101** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 102** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__complete_bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 103** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 104** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 105** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 106** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 107** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 108** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__all_files_bundle.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 109** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 110** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 111** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 112** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 113** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 114** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 115** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 116** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 117** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 118** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 119** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__handoff_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 120** Path: docs/archive/conversations/Dominium_Complete_Conversation/uploaded_preservation_prompt/Pasted_text.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 121** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 122** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__human_readable_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 123** Path: docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion__sha256_manifest.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 124** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 125** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 126** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 127** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 128** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 129** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 130** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 131** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 132** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 133** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 134** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__handoff_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 135** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 136** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 137** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 138** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 139** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 140** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 141** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 142** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 143** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 144** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 145** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__10_accompanying_detailed_summary_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 146** Path: docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__11_package_quality_check.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 147** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 148** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 149** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 150** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 151** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 152** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 153** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 154** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 155** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 156** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 157** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__10_accompanying_detailed_conversation_summary_and_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 158** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__11_package_integrity_check.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 159** Path: docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__12_checksums.tsv; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 160** Path: docs/archive/conversations/Framework_Open_Source_Provider/Pasted_text.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 161** Path: docs/archive/conversations/INDEX.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 162** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__00_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 163** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 164** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__02_context_transfer_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 165** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__03_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 166** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 167** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__05_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 168** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__06_reader_brief.md; Authority Class: conversation_advisory; Book Role: summarized_reader

- Row 169** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__07_verification_and_audit.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 170** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__08_future_chat_bootstrap_prompt.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 171** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__09_in_chat_reader.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 172** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__10_accompanying_detailed_conversation_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 173** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__11_complete_bundle_manifest.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 174** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__handoff_package.zip; Authority Class: conversation_advisory; Book Role: excluded_binary_or_archive
- Row 175** Path: docs/archive/conversations/Language_Platform_Architecture/Pasted_text.txt; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 176** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__01_full_chat_report.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 177** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__02_spec_sheet.yaml; Authority Class: conversation_advisory; Book Role: searchable_html_only
- Row 178** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__03_aggregator_packet.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Row 179** Path: docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__04_registers.md; Authority Class: conversation_advisory; Book Role: summarized_reader
- Omitted** 582 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

11.3 Manifest-Only and Binary File Index

- Row 1** Path: docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__handoff_package.zip; Extension: .zip; Size: 46913; Authority Class: conversation_advisory
- Row 2** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip; Extension: .zip; Size: 151436; Authority Class: conversation_advisory
- Row 3** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_bundle.zip; Extension: .zip; Size: 692555; Authority Class: conversation_advisory
- Row 4** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_package.zip; Extension: .zip; Size: 253679; Authority Class: conversation_advisory

- Row 5** Path: docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__handoff_package.zip; Extension: .zip; Size: 63147; Authority Class: conversation_advisory
- Row 6** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip; Extension: .zip; Size: 1043113; Authority Class: conversation_advisory
- Row 7** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__single_zip_bundle.zip; Extension: .zip; Size: 269214; Authority Class: conversation_advisory
- Row 8** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__complete_bundle.zip; Extension: .zip; Size: 997941; Authority Class: conversation_advisory
- Row 9** Path: docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip; Extension: .zip; Size: 518228; Authority Class: conversation_advisory
- Row 10** Path: docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__all_files_bundle.zip; Extension: .zip; Size: 304049; Authority Class: conversation_advisory
- Row 11** Path: docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__handoff_package.zip; Extension: .zip; Size: 54889; Authority Class: conversation_advisory
- Row 12** Path: docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__handoff_package.zip; Extension: .zip; Size: 32825; Authority Class: conversation_advisory
- Row 13** Path: docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__handoff_package.zip; Extension: .zip; Size: 48882; Authority Class: conversation_advisory
- Row 14** Path: docs/archive/conversations/Modularity_AIDE_Refactorability/previous_export/Dominium_Modularity_AIDE_Refactorability_Architecture__handoff_package.zip; Extension: .zip; Size: 46910; Authority Class: conversation_advisory
- Row 15** Path: docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__handoff_package.zip; Extension: .zip; Size: 41655; Authority Class: conversation_advisory
- Row 16** Path: docs/archive/conversations/Portability_Assurance_Future_Proof/previous_zip/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__handoff_package.zip; Extension: .zip; Size: 42203; Authority Class: conversation_advisory
- Row 17** Path: docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__handoff_package.zip; Extension: .zip; Size: 45588; Authority Class: conversation_advisory
- Row 18** Path: docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__handoff_package.zip; Extension: .zip; Size: 30800; Authority Class: conversation_advisory
- Row 19** Path: docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__handoff_package.zip; Extension: .zip; Size: 62313; Authority Class: conversation_advisory
- Row 20** Path: docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__handoff_package.zip; Extension: .zip; Size: 31951; Authority Class: conversation_advisory
- Row 21** Path: docs/archive/conversations/_book/qa/main_001_title_page.png; Extension: .png; Size: 54582; Authority Class: derived_synthesis

- Row 22** Path: docs/archive/conversations/_book/qa/main_002_toc_page.png; Extension: .png; Size: 166146; Authority Class: derived_synthesis
- Row 23** Path: docs/archive/conversations/_book/qa/main_060_normal_chapter_page.png; Extension: .png; Size: 147418; Authority Class: derived_synthesis
- Row 24** Path: docs/archive/conversations/_book/qa/main_547_dense_appendix_page.png; Extension: .png; Size: 231099; Authority Class: derived_synthesis
- Row 25** Path: docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.png; Extension: .png; Size: 249473; Authority Class: derived_synthesis
- Row 26** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.docx; Extension: .docx; Size: 221182; Authority Class: derived_synthesis
- Row 27** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.epub; Extension: .epub; Size: 1965485; Authority Class: derived_synthesis
- Row 28** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.pdf; Extension: .pdf; Size: 1890833; Authority Class: derived_synthesis
- Row 29** Path: docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Reference_Appendix_v0.pdf; Extension: .pdf; Size: 729258; Authority Class: derived_synthesis
- Row 30** Path: docs/archive/conversations/architecture_ui_providers/prior_package/dominium_architecture_ui_providers_robot_os_strategy__handoff_package.zip; Extension: .zip; Size: 54060; Authority Class: conversation_advisory
- Row 31** Path: docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip; Extension: .zip; Size: 610068; Authority Class: conversation_advisory
- Row 32** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__handoff_package.zip; Extension: .zip; Size: 57283; Authority Class: conversation_advisory
- Row 33** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__complete_handoff_with_companion.zip; Extension: .zip; Size: 88288; Authority Class: conversation_advisory
- Row 34** Path: docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__handoff_package.zip; Extension: .zip; Size: 45899; Authority Class: conversation_advisory
- Row 35** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/Dominium_Workbench_AIDE_Presentation_Provider_Strategy__handoff_package.zip; Extension: .zip; Size: 36935; Authority Class: conversation_advisory
- Row 36** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__complete_package.zip; Extension: .zip; Size: 96872; Authority Class: conversation_advisory
- Row 37** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__expanded_complete_bundle.zip; Extension: .zip; Size: 27308712; Authority Class: conversation_advisory
- Row 38** Path: docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__handoff_package.zip; Extension: .zip; Size: 84899; Authority Class: conversation_advisory
- Row 39** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000021c07207b0; Extension: (none); Size: 272585; Authority Class: conversation_advisory
- Row 40** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000022e472078c; Extension: (none); Size: 353822; Authority Class: conversation_advisory

- Row 41** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000296871faac
Extension: (none); Size: 269772; Authority Class: conversation_advisory
- Row 42** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000059b471fa8a
Extension: (none); Size: 235269; Authority Class: conversation_advisory
- Row 43** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000006b207207a2
Extension: (none); Size: 230998; Authority Class: conversation_advisory
- Row 44** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000007914720786
Extension: (none); Size: 354016; Authority Class: conversation_advisory
- Row 45** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000008d7871faa6
Extension: (none); Size: 226419; Authority Class: conversation_advisory
- Row 46** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000959871faac
Extension: (none); Size: 318439; Authority Class: conversation_advisory
- Row 47** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000c74c71fa9d
Extension: (none); Size: 237039; Authority Class: conversation_advisory
- Row 48** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000e40071fa8f
Extension: (none); Size: 228576; Authority Class: conversation_advisory
- Row 49** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_18 AM (1).png; Extension: .png; Size: 2697852; Authority Class: conversation_advisory
- Row 50** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_18 AM (2).png; Extension: .png; Size: 2778335; Authority Class: conversation_advisory
- Row 51** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_19 AM (3).png; Extension: .png; Size: 2437480; Authority Class: conversation_advisory
- Row 52** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_19 AM (4).png; Extension: .png; Size: 2350081; Authority Class: conversation_advisory
- Row 53** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_20 AM (5).png; Extension: .png; Size: 2075733; Authority Class: conversation_advisory
- Row 54** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_20 AM (6).png; Extension: .png; Size: 2292422; Authority Class: conversation_advisory
- Row 55** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (7).png; Extension: .png; Size: 2459169; Authority Class: conversation_advisory
- Row 56** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (8).png; Extension: .png; Size: 2195074; Authority Class: conversation_advisory
- Row 57** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT
Image May 18, 2026, 12_47_21 AM (9).png; Extension: .png; Size: 2377229; Authority Class: conversation_advisory

- Row 58** Path: docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_24 AM (10).png; Extension: .png; Size: 2593339; Authority Class: conversation_advisory
- Row 59** Path: docs/archive/conversations/engine_baseline_architecture/previous_handoff_package_original.zip; Extension: .zip; Size: 39718; Authority Class: conversation_advisory
- Row 60** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/NEW.txt; Extension: .txt; Size: 117350; Authority Class: conversation_advisory
- Row 61** Path: docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/dir (1).txt; Extension: .txt; Size: 117350; Authority Class: conversation_advisory
- Row 62** Path: docs/development/guides/book/dominium_book_old.zip; Extension: .zip; Size: 837932; Authority Class: development_guidance
- Row 63** Path: docs/development/guides/context/dominium_newcontext.docx; Extension: .docx; Size: 549371; Authority Class: development_guidance
- Row 64** Path: docs/development/guides/context/dominium_oldcontext.zip; Extension: .zip; Size: 4999945; Authority Class: development_guidance
- Row 65** Path: docs/development/guides/ui_editor/fixtures/fixture_abs.tlv; Extension: .tlv; Size: 1033; Authority Class: development_guidance
- Row 66** Path: docs/development/guides/ui_editor/fixtures/fixture_dock.tlv; Extension: .tlv; Size: 1237; Authority Class: development_guidance
- Row 67** Path: docs/development/guides/ui_editor/fixtures/fixture_migrate_v1.tlv; Extension: .tlv; Size: 1385; Authority Class: development_guidance
- Row 68** Path: docs/development/guides/ui_editor/fixtures/fixture_tabs_split_scroll.tlv; Extension: .tlv; Size: 3163; Authority Class: development_guidance

11.4 Summarized Source Index

- docs/.gitignore
- docs/apps/ARTIFACT_IDENTITY.md
- docs/apps/CLIENT_IDE_START_POINTS.md
- docs/apps/CLIENT_READONLY_INTEGRATION.md
- docs/apps/CLIENT_RENDERER_UI.md
- docs/apps/CLIENT_UI_LAYER.md
- docs/apps/CLI_CONTRACTS.md
- docs/apps/COMMAND_GRAPH_CAMERA_AND_BLUEPRINT.md
- docs/apps/COMPATIBILITY_ENFORCEMENT.md
- docs/apps/ENGINE_GAME_DIAGNOSTICS.md
- docs/apps/GUI_MODE.md
- docs/apps/HEADLESS_AND_ZERO_PACK.md
- docs/apps/IDE_WORKFLOW.md

- docs/apps/NATIVE_UI_POLICY.md
- docs/apps/OBSERVABILITY_PIPELINES.md
- docs/apps/PRODUCT_BOUNDARIES.md
- docs/apps/README.md
- docs/apps/READONLY_ADAPTER.md
- docs/apps/RUNTIME_LOOP.md
- docs/apps/TESTX_COMPLIANCE.md
- docs/apps/TESTX_INVENTORY.md
- docs/apps/TIMING_AND_CLOCKS.md
- docs/apps/TOOLS_OBSERVABILITY.md
- docs/apps/TOOLS_UI_POLICY.md
- docs/apps/TUI_MODE.md
- docs/apps/UI_MODES.md
- docs/apps/client/CLIENT_COMMAND_GRAPH.md
- docs/apps/client/CLIENT_FLOW.md
- docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md
- docs/apps/client/CLIENT_SETTINGS.md
- docs/apps/client/CLIENT_UI_AND_FLOW.md
- docs/apps/client/CLI_TUI_GUI_PARITY.md
- docs/apps/client/SERVER_DISCOVERY.md
- docs/apps/client/SESSION_READY_AND_RUNNING.md
- docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md
- docs/apps/client/SESSION_TRANSITION_WORKSPACE.md
- docs/apps/client/WORLD_MANAGER.md
- docs/apps/launcher/LAUNCHER_SETTINGS.md
- docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md
- docs/apps/server/SERVER_MVP_BASELINE.md
- docs/apps/server/SERVER_SETTINGS.md
- docs/apps/setup/SETUP_SETTINGS.md
- docs/architecture/ADAPTER_PATTERN.md
- docs/architecture/ADOPTION_PROTOCOL.md
- docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md
- docs/architecture/AI_BUDGET_MODEL.md
- docs/architecture/AI_INTENT_MODEL.md

- docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md
- docs/architecture/ANTI_CHEAT_AS_LAW.md
- docs/architecture/ANTI_ENTROPY_RULES.md
- docs/architecture/APPLICATION_CONTRACTS.md
- docs/architecture/APP_AUTOMATION_MODEL.md
- docs/architecture/APP_CANON0.md
- docs/architecture/APP_CANON1.md
- docs/architecture/ARCHO_CONSTITUTION.md
- docs/architecture/ARCHITECTURE.md
- docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md
- docs/architecture/ARCHITECTURE_LAYERS.md
- docs/architecture/ARCHIVAL_AND_PERMANENCE.md
- docs/architecture/ARCHIVE_MANIFEST.md
- docs/architecture/ARCH_BUILD_ENFORCEMENT.md
- docs/architecture/ARCH_CHANGE_PROCESS.md
- docs/architecture/ARCH_ENFORCEMENT.md
- docs/architecture/ARCH_REPO_LAYOUT.md
- docs/architecture/ARCH_SPEC_OWNERSHIP.md
- docs/architecture/ARTIFACT_LIFECYCLE.md
- docs/architecture/ARTIFACT_MODEL.md
- docs/architecture/AUDITABILITY_AND_DISCLOSURE.md
- docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md
- docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md
- docs/architecture/AUTHORITY_IN_REALITY.md
- docs/architecture/AUTHORITY_MODEL.md
- docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md
- docs/architecture/BOUNDARY_ENFORCEMENT.md
- docs/architecture/BUDGET_POLICY.md
- docs/architecture/BUGREPORT_MODEL.md
- docs/architecture/BUILD_IDENTITY_MODEL.md
- docs/architecture/BUNDLE_MODEL.md
- docs/architecture/CANON_CUT_LINE.md
- docs/architecture/CAPABILITY_BASELINES.md
- docs/architecture/CAPABILITY_ONLY_CANON.md

- docs/architecture/CHANGELOG_ARCH.md
- docs/architecture/CHANGE_PROTOCOL.md
- docs/architecture/CHEATS_ARE_JUST_LAWS.md
- docs/architecture/CHECKPOINTING_MODEL.md
- docs/architecture/CHECKPOINTS.md
- docs/architecture/CIVILIZATION_MODEL.md
- docs/architecture/CODE_DATA_BOUNDARY.md
- docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md
- docs/architecture/COLLAPSE_AND_DECAY.md
- docs/architecture/COLLAPSE_EXPAND_CONTRACT.md
- docs/architecture/COLLAPSE_EXPAND_SOLVERS.md
- docs/architecture/COMPATIBILITY_MODEL.md
- docs/architecture/COMPLEXITY_AND_SCALE.md
- docs/architecture/COMPONENTS.md
- docs/architecture/CONFLICT_AND_WAR_MODEL.md
- docs/architecture/CONSTANT_COST_GUARANTEE.md
- docs/architecture/CONTENT_AND_STORAGE_MODEL.md
- docs/architecture/CONTROL_LAYERS.md
- docs/architecture/CORE_ABSTRACTIONS.md
- docs/architecture/CRASH_RECOVERY.md
- docs/architecture/CROSS_SHARD_LOG.md
- docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md
- docs/architecture/DEATH_AND_CONTINUITY.md
- docs/architecture/DECAY_EROSION_REGEN.md
- docs/architecture/DEMO_AND_TOURIST_MODEL.md
- docs/architecture/DEPRECATION_AND_QUARANTINE.md
- docs/architecture/DEPRECATION_LIFECYCLE.md
- docs/architecture/DETERMINISTIC_ORDERING_POLICY.md
- docs/architecture/DETERMINISTIC_REDUCTION_RULES.md
- docs/architecture/DEV_OPS_MODEL.md
- docs/architecture/DIRECTORY_CONTEXT.md
- docs/architecture/DIRECTORY_STRUCTURE.md
- docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md
- docs/architecture/DISTRIBUTED_TIME_MODEL.md

- docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md
- docs/architecture/DISTRIBUTION_LAYOUT.md
- docs/architecture/DISTRIBUTION_PROFILES.md
- docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md
- docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md
- docs/architecture/DOMAIN_VOLUMES.md
- docs/architecture/DUPLICATION_DETECTION_RULES.md
- docs/architecture/ECONOMIC_MODEL.md
- docs/architecture/ECONOMY_AND_LOGISTICS.md
- docs/architecture/ENERGY_MODEL.md
- docs/architecture/ENFORCEMENT_ESCALATION.md
- docs/architecture/EPISTEMICS_AND_SCALED_MMO.md
- docs/architecture/EPISTEMICS_MODEL.md
- docs/architecture/EXECUTION_MODEL.md
- docs/architecture/EXECUTION_REORDERING_POLICY.md
- docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md
- docs/architecture/EXISTENCE_AND_REALITY.md
- docs/architecture/EXISTENCE_LIFECYCLE.md
- docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md
- docs/architecture/EXPLORATION_METRICS.md
- docs/architecture/EXPLORATION_SCALING_PROOF.md
- docs/architecture/EXTEND_VS_CREATE.md
- docs/architecture/EXTENSION_MAP.md
- docs/architecture/EXTENSION_RULES.md
- docs/architecture/FABRICATION_MODEL.md
- docs/architecture/FLOAT_POLICY.md
- docs/architecture/FLOWSYSTEM_STANDARD.md
- docs/architecture/FLUIDS_MODEL.md
- docs/architecture/FORKING_AND_PROVIDES_MODEL.md
- docs/architecture/FROZEN_CONTRACT_HASHES.json
- docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md
- docs/architecture/FUTURE_PROOFING.md
- docs/architecture/GENERATED_CODE_POLICY.md
- docs/architecture/GLOBAL_ID_MODEL.md

- docs/architecture/GLOSSARY.md
- docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md
- docs/architecture/GUI_BASELINE.md
- docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md
- docs/architecture/HAZARDS_MODEL.md
- docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md
- docs/architecture/IDENTITY_ACROSS_TIME.md
- docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md
- docs/architecture/IDE_PROJECTIONS.md
- docs/architecture/ID_AND_NAMESPACE_RULES.md
- docs/architecture/INDEXING_POLICY.md
- docs/architecture/INFORMATION_MODEL.md
- docs/architecture/INSTALLER_CONTRACT.md
- docs/architecture/INSTALL_MODEL.md
- docs/architecture/INSTANCE_MODEL.md
- docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md
- docs/architecture/INTEREST_MODEL.md
- docs/architecture/INVARIANTS_AND_TOLERANCES.md
- docs/architecture/INVARIANT_REGISTRY.md
- docs/architecture/JOIN_RESYNC_CONTRACT.md
- docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md
- docs/architecture/KNOWN_BLOCKERS.md
- docs/architecture/KNOWN_WARNINGS.md
- docs/architecture/LANGUAGE_STRATEGY.md
- docs/architecture/LAUNCHER_CONTRACT.md
- docs/architecture/LAW_AND_META_LAW.md
- docs/architecture/LAW_ENFORCEMENT_POINTS.md
- docs/architecture/LEGACY_SUPPORT_MODEL.md
- docs/architecture/LEGACY_SUPPORT_STRATEGY.md
- docs/architecture/LIFE_AND_POPULATION.md
- docs/architecture/LIVE_EVOLUTION_MODEL.md
- docs/architecture/LOCKFILES.md
- docs/architecture/LOCKLIST.md
- docs/architecture/LOCKLIST_OVERRIDES.json

- docs/architecture/MACRO_TIME_MODEL.md
- docs/architecture/MIGRATION_TEMPLATE.md
- docs/architecture/MMO_COMPATIBILITY.md
- docs/architecture/MMO_SAFETY_MODEL.md
- docs/architecture/MODES_AS_PROFILES.md
- docs/architecture/MODPACK_FORMAT.md
- docs/architecture/MODULE_BOUNDARIES_v1.md
- docs/architecture/MODULE_INDEX_v1.md
- docs/architecture/MOD_ECOSYSTEM_RULES.md
- docs/architecture/MOVEMENT_AS_LOGISTICS.md
- docs/architecture/NAMESPACING_RULES.md
- docs/architecture/NETWORKGRAPH_STANDARD.md
- docs/architecture/NON_INTERFERENCE.md
- docs/architecture/NO_MAGIC_TELEPORTS.md
- docs/architecture/NO_TELEPORTATION_EXCEPT_BY_CONTRACT.md
- docs/architecture/OPS_TRANSACTION_MODEL.md
- docs/architecture/OVERVIEW_ARCHITECTURE.md
- docs/architecture/PACK_FORMAT.md
- docs/architecture/PERFORMANCE_METRICS.md
- docs/architecture/PERFORMANCE_PROOF.md
- docs/architecture/PIRACY_CONTAINMENT.md
- docs/architecture/PLATFORM_RESPONSIBILITY.md
- docs/architecture/POST_CLEAN_2_STATUS.md
- docs/architecture/PROCESS_ONLY_MUTATION.md
- docs/architecture/PRODUCT_SHELL_CONTRACT.md
- docs/architecture/PROJECTION_LIFECYCLE.md
- docs/architecture/PROJECT_EXECUTION_BASELINE.md
- docs/architecture/QUANTITY_BUNDLES.md
- docs/architecture/REALITY_FLOW.md
- docs/architecture/REALITY_LAYER.md
- docs/architecture/REALITY_MODEL.md
- docs/architecture/REDUCTION_MODEL.md
- docs/architecture/REFINEMENT_CONTRACTS.md
- docs/architecture/REFRACTOR_STAGE.md

- docs/architecture/REFUSAL_AND_EXPLANATION_MODEL.md
- docs/architecture/REFUSAL_SEMANTICS.md
- docs/architecture/REGISTRY_PATTERN.md
- docs/architecture/RENDERER_RESPONSIBILITY.md
- docs/architecture/REPLAY_AND_TIME_ASYMMETRY.md
- docs/architecture/REPLAY_FORMAT.md
- docs/architecture/REPORT_GAME_ARCH_DECISIONS.md
- docs/architecture/REPOSITORY_STRUCTURE_v1.md
- docs/architecture/REPOX_AUTOMATION_MODEL.md
- docs/architecture/REPO_INTENT.md
- docs/architecture/REPO_NAV.md
- docs/architecture/REPO_OWNERSHIP_AND_PROJECTIONS.md
- docs/architecture/RETRO_CONSISTENCY_AUDIT_FRAMEWORK.md
- docs/architecture/RISK_AND_LIABILITY_MODEL.md
- docs/architecture/RNG_MODEL.md
- docs/architecture/ROLLING_UPDATES.md
- docs/architecture/ROOT_ARCHITECTURE.md
- docs/architecture/SANDBOX_MODEL.md
- docs/architecture/SAVE_FORMAT.md
- docs/architecture/SAVE_MODEL.md
- docs/architecture/SAVE_PIPELINE.md
- docs/architecture/SCALE_AND_COMPLEXITY.md
- docs/architecture/SCALING_COMPATIBILITY.md
- docs/architecture/SCALING_MODEL.md
- docs/architecture/SCHEMA_CHANGE_NOTES.md
- docs/architecture/SCHEMA_STABILITY.md
- docs/architecture/SEMANTIC_STABILITY_LOCK.json
- docs/architecture/SEMANTIC_STABILITY_POLICY.md
- docs/architecture/SERVICES_AND_PRODUCTS.md
- docs/architecture/SETUP_TRANSACTION_MODEL.md
- docs/architecture/SHARD_LIFECYCLE.md
- docs/architecture/SHIM_SUNSET_PLAN.md
- docs/architecture/SIGNAL_MODEL.md
- docs/architecture/SKU_MATRIX.md

- docs/architecture/SLICE_0_CONTRACT.md
- docs/architecture/SLICE_1_CONTRACT.md
- docs/architecture/SLICE_2_CONTRACT.md
- docs/architecture/SOURCE_POCKET_POLICY_v1.md
- docs/architecture/SPACE_AND_BOUNDS.md
- docs/architecture/SPACE_TIME_EXISTENCE.md
- docs/architecture/SPECTATOR_AND_AUDIT_MODES.md
- docs/architecture/SPECTATOR_TO_GODMODE.md
- docs/architecture/SRZ_MODEL.md
- docs/architecture/STANDARDS_AND_META_SYSTEMS_MODEL.md
- docs/architecture/STRUCTURAL_STABILITY_MODEL.md
- docs/architecture/SYSTEM_TOPOLOGY_MAP.md
- docs/architecture/SYS_CAPS_AND_EXEC_POLICY.md
- docs/architecture/TERMINOLOGY_GLOSSARY.md
- docs/architecture/TERRAIN_COORDINATES.md
- docs/architecture/TERRAIN_FIELDS.md
- docs/architecture/TERRAIN_MACRO_CAPSULE.md
- docs/architecture/TERRAIN_OVERLAYS.md
- docs/architecture/TERRAIN_PROVIDER_CHAIN.md
- docs/architecture/TERRAIN_TRUTH_MODEL.md
- docs/architecture/THERMAL_MODEL.md
- docs/architecture/THREAT_MODEL.md
- docs/architecture/TIMELINE_FORKS_AND_HISTORY.md
- docs/architecture/TIME_DILATION_WITHOUT_TIME_WARP.md
- docs/architecture/TIME_PERCEPTION_VS_SIMULATION.md
- docs/architecture/TOOLS_AS_CAPABILITIES.md
- docs/architecture/TRANSITION_PLAYBOOK.md
- docs/architecture/TRAVEL_AND_MOVEMENT.md
- docs/architecture/TRAVEL_CAPACITY_AND_COST.md
- docs/architecture/TRUST_AND_LEGITIMACY_MODEL.md
- docs/architecture/UI_BINDING_MODEL.md
- docs/architecture/UNIT_SYSTEM_POLICY.md
- docs/architecture/UNKNOWN_UNKNOWNS.md
- docs/architecture/UPDATE_MODEL.md

- docs/architecture/UPGRADE_AND_CONVERSION.md
- docs/architecture/VALIDATION_RULES.md
- docs/architecture/VISITABILITY_AND_REFINEMENT.md
- docs/architecture/VISITABILITY_CONSISTENCY.md
- docs/architecture/WHY_ECONOMIES_DONT_FAKE.md
- docs/architecture/WHY_NPCS_DONT_POP.md
- docs/architecture/WORKSPACES.md
- docs/architecture/WORLDDEFINITION.md
- docs/architecture/WORLDDEFINITION_CONTRACT.md
- docs/architecture/api_abi_canon.md
- docs/architecture/app_composition_model.md
- docs/architecture/artifact_identity_law.md
- docs/architecture/astronomy_catalogs.md
- docs/architecture/barebones_client_shell.md
- docs/architecture/camera_and_navigation.md
- docs/architecture/capability_refusal_law.md
- docs/architecture/command_result_view_slice.md
- docs/architecture/command_view_event_refusal.md
- docs/architecture/composition_resolver_law.md
- docs/architecture/coordinate_model.md
- docs/architecture/dependency_direction_law.md
- docs/architecture/deterministic_packaging.md
- docs/architecture/deterministic_parallelism.md
- docs/architecture/diagnostics_and_evidence.md
- docs/architecture/document_patch_transaction.md
- docs/architecture/document_patch_transaction_runtime.md
- docs/architecture/domino_framework_boundary.md
- docs/architecture/fidelity_policy.md
- docs/architecture/hash_anchors.md
- docs/architecture/interest_regions.md
- docs/architecture/lens_system.md
- docs/architecture/lockfile.md
- docs/architecture/lockfile_law.md
- docs/architecture/macro_capsules.md

- docs/architecture/mod_pack_trust_model.md
- docs/architecture/module_composition_law.md
- docs/architecture/native_architecture_policy.md
- docs/architecture/observation_kernel.md
- docs/architecture/pack_mount_model.md
- docs/architecture/pack_system.md
- docs/architecture/package_mount_slice.md
- docs/architecture/portability_matrix.md
- docs/architecture/project_graph_impact_model.md
- docs/architecture/project_graph_service.md
- docs/architecture/provider_conformance_law.md
- docs/architecture/provider_model.md
- docs/architecture/provider_selection_model.md
- docs/architecture/public_surface_registry.md
- docs/architecture/registry_compile.md
- docs/architecture/replacement_protocol.md
- docs/architecture/replay_proof_law.md
- docs/architecture/replay_proof_slice.md
- docs/architecture/schema_protocol_evolution.md
- docs/architecture/service_conformance_law.md
- docs/architecture/session_lifecycle.md
- docs/architecture/setup_and_launcher.md
- docs/architecture/site_registry.md
- docs/architecture/srz_contract.md
- docs/architecture/system/EXPLICIT_STATE_VECTOR_RULE.md
- docs/architecture/system/INTERFACE_AND_INVARIANT_RULES.md
- docs/architecture/system/MACROCAPSULE_BEHAVIOR_MODEL.md
- docs/architecture/system/SYSTEM_CERTIFICATION_MODEL.md
- docs/architecture/system/SYSTEM_COMPOSITION_CONSTITUTION.md
- docs/architecture/system/SYSTEM_FORENSICS_MODEL.md
- docs/architecture/system/SYSTEM_RELIABILITY_MODEL.md
- docs/architecture/system/SYSTEM_TEMPLATES.md
- docs/architecture/system/SYSTEM_TIER_AND_ROI_POLICY.md
- docs/architecture/system/SYS_SHARD_BOUNDARY_RULES.md

- docs/architecture/time_model.md
- docs/architecture/truth_model.md
- docs/architecture/truth_perceived_render.md
- docs/architecture/ui_registry.md
- docs/architecture/versioning_and_deprecation.md
- docs/architecture/view_action_projection_model.md
- docs/architecture/workbench_workspace_model.md
- docs/archive/README.md
- docs/archive/STATUS_NOW.md
- docs/archive/SURVIVAL_SLICE.md
- docs/archive/app/APR1_RUNTIME_AUDIT.md
- docs/archive/app/APR1_TESTX_COMPLIANCE.md
- docs/archive/app/APR2_TESTX_COMPLIANCE.md
- docs/archive/app/APR3_TESTX_COMPLIANCE.md
- docs/archive/app/APR3_UI_MODE_AUDIT.md
- docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md
- docs/archive/app/APR4_TESTX_COMPLIANCE.md
- docs/archive/architecture/ARCH_GLOSSARY.md
- docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md
- docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md
- docs/archive/architecture/INVARIANTS.md
- docs/archive/architecture/MENTAL_MODEL.md
- docs/archive/architecture/NON_GOALS.md
- docs/archive/architecture/TERMINOLOGY.md
- docs/archive/architecture/VISITABILITY_AND_REALITY.md
- docs/archive/audit/ACTION_SURFACE_BASELINE.md
- docs/archive/audit/AG1_MVP_VALIDATION.md
- docs/archive/audit/AG2_MVP_COMPLETION.md
- docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md
- docs/archive/audit/APPSHELLO_RETRO_AUDIT.md
- docs/archive/audit/APPSHELL1_RETRO_AUDIT.md
- docs/archive/audit/APPSHELL2_RETRO_AUDIT.md
- docs/archive/audit/APPSHELL3_RETRO_AUDIT.md
- docs/archive/audit/APPSHELL4_RETRO_AUDIT.md

- docs/archive/audit/APPSHELL6_RETRO_AUDIT.md
- docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md
- docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md
- docs/archive/audit/APPSHELL_IPC_BASELINE.md
- docs/archive/audit/APPSHELL_LOGGING_BASELINE.md
- docs/archive/audit/APPSHELL_TUI_BASELINE.md
- docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md
- docs/archive/audit/ARCHITECTURE_HEALTH.md
- docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md
- docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md
- docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md
- docs/archive/audit/ARCHIVE_POLICY_BASELINE.md
- docs/archive/audit/ARCH_AUDITO_RETRO_AUDIT.md
- docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md
- docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md
- docs/archive/audit/ARCH_AUDIT2_FINAL.md
- docs/archive/audit/ARCH_AUDIT2_REPORT.md
- docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md
- docs/archive/audit/ARCH_AUDIT_BASELINE.md
- docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md
- docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md
- docs/archive/audit/ARCH_AUDIT_REPORT.md
- docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md
- docs/archive/audit/ARCH_MATRIX_FINAL.md
- docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md
- docs/archive/audit/AUDITX_BASELINE_REPORT.md
- docs/archive/audit/AUDITX_OVERHAUL_REPORT.md
- docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md
- docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md
- docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md
- docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md
- docs/archive/audit/BINARY_BUILD_MATRIX.md
- docs/archive/audit/BODY_COLLISION_BASELINE.md
- docs/archive/audit/BOM_AG_BASELINE.md

- docs/archive/audit/BOUNDARY_AUDIT.md
- docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md
- docs/archive/audit/BRO_BASELINE.md
- docs/archive/audit/BRO_COMPLETION_REPORT.md
- docs/archive/audit/BRO_PUBLIC_HEADER_FAILS.md
- docs/archive/audit/BRO_RERUN_SEQUENCE.md
- docs/archive/audit/BRO_STUB_RESOLUTION.md
- docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md
- docs/archive/audit/CAMERA_VIEW_BASELINE.md
- docs/archive/audit/CANON_CONFORMANCE_REPORT.md
- docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md
- docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md
- docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md
- docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md
- docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md
- docs/archive/audit/CAP_NEGOTIATION_BASELINE.md
- docs/archive/audit/CAP_NEG_FINAL_BASELINE.md
- docs/archive/audit/CHEM1_COUPLING_VALIDATION.md
- docs/archive/audit/CHEM1_RETRO_AUDIT.md
- docs/archive/audit/CHEM2_RETRO_AUDIT.md
- docs/archive/audit/CHEM3_RETRO_AUDIT.md
- docs/archive/audit/CHEM4_RETRO_AUDIT.md
- docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md
- docs/archive/audit/CHEM_DEGRADATION_BASELINE.md
- docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md
- docs/archive/audit/CI_RUN_REPORT.md
- docs/archive/audit/CLEAN_ROOM_win64.md
- docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md
- docs/archive/audit/COHORT_REFINEMENT_BASELINE.md
- docs/archive/audit/COMBUSTION_BASELINE.md
- docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md
- docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md
- docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md
- docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md

- docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md
- docs/archive/audit/COMPILE0_RETRO_AUDIT.md
- docs/archive/audit/COMPILED_MODEL_BASELINE.md
- docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md
- docs/archive/audit/COMPONENT_GRAPH_BASELINE.md
- docs/archive/audit/COMPUTE_BUDGET_BASELINE.md
- docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md
- docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md
- docs/archive/audit/CONCURRENCY_SCAN_REPORT.md
- docs/archive/audit/CONFIDENCE_STATEMENT.md
- docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md
- docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md
- docs/archive/audit/CONSISTENCY_MATRIX.json
- docs/archive/audit/CONSOLIDATION_REPORT.md
- docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md
- docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md
- docs/archive/audit/CONSTRUCTION_BASELINE.md
- docs/archive/audit/CONTENT_STORE_BASELINE.md
- docs/archive/audit/CONTROL_IR_BASELINE.md
- docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md
- docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md
- docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md
- docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md
- docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md
- docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md
- docs/archive/audit/CONVERGENCE_FINAL.md
- docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md
- docs/archive/audit/COUPLE0_RETRO_AUDIT.md
- docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md
- docs/archive/audit/CTRL0_RETRO_AUDIT.md
- docs/archive/audit/CTRL10_RETRO_AUDIT.md
- docs/archive/audit/CTRL1_RETRO_AUDIT.md
- docs/archive/audit/CTRL2_RETRO_AUDIT.md
- docs/archive/audit/CTRL3_RETRO_AUDIT.md

- docs/archive/audit/CTRL4_RETRO_AUDIT.md
- docs/archive/audit/CTRL5_RETRO_AUDIT.md
- docs/archive/audit/CTRL6_RETRO_AUDIT.md
- docs/archive/audit/CTRL7_RETRO_AUDIT.md
- docs/archive/audit/CTRL8_RETRO_AUDIT.md
- docs/archive/audit/CTRL9_RETRO_AUDIT.md
- docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md
- docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md
- docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md
- docs/archive/audit/DEGRADE_LADDER_BASELINE.md
- docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md
- docs/archive/audit/DEPRECIATION_FRAMEWORK_BASELINE.md
- docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md
- docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md
- docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md
- docs/archive/audit/DIAGO_RETRO_AUDIT.md
- docs/archive/audit/DIEGETIC_FIRST_BASELINE.md
- docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md
- docs/archive/audit/DISASTER_SUITE_BASELINE.md
- docs/archive/audit/DISASTER_SUITE_RUN.md
- docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md
- docs/archive/audit/DIST1_RETRO_AUDIT.md
- docs/archive/audit/DIST2_FINAL.md
- docs/archive/audit/DIST2_RETRO_AUDIT.md
- docs/archive/audit/DIST3_FINAL.md
- docs/archive/audit/DIST4_FINAL.md
- docs/archive/audit/DIST5_UX_POLISH_FINAL.md
- docs/archive/audit/DIST5_UX_SMOKE.md
- docs/archive/audit/DIST6_FINAL.md
- docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md
- docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md
- docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md
- docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md
- docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md

- docs/archive/audit/DIST6_INTEROP_same_build_same_build.md
- docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md
- docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md
- docs/archive/audit/DIST_CONTENT_AUDIT.md
- docs/archive/audit/DIST_EXECUTION_PRECHECK.md
- docs/archive/audit/DIST_FINAL_DRYRUN.md
- docs/archive/audit/DIST_PLATFORM_MATRIX_REPORT.md
- docs/archive/audit/DIST_REFINE1_RETRO_AUDIT.md
- docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md
- docs/archive/audit/DIST_VERIFY_win64.md
- docs/archive/audit/DOC_CANON_ALIGNMENT_REPORT.md
- docs/archive/audit/DOC_DRIFT.md
- docs/archive/audit/DOC_DRIFT_MATRIX.md
- docs/archive/audit/DOC_GAPS.md
- docs/archive/audit/DOMAIN_FOUNDATION_REPORT.md
- docs/archive/audit/DOMAIN_REGISTRY_REPORT.json
- docs/archive/audit/DOMAIN_REGISTRY_REPORT.md
- docs/archive/audit/DRIFT_REVALIDATION_BASELINE.md
- docs/archive/audit/DUPLICATE_IMPLEMENTATIONS_REPORT.md
- docs/archive/audit/EARTH0_RETRO_AUDIT.md
- docs/archive/audit/EARTH10_RETRO_AUDIT.md
- docs/archive/audit/EARTH1_RETRO_AUDIT.md
- docs/archive/audit/EARTH2_RETRO_AUDIT.md
- docs/archive/audit/EARTH3_RETRO_AUDIT.md
- docs/archive/audit/EARTH4_RETRO_AUDIT.md
- docs/archive/audit/EARTH5_RETRO_AUDIT.md
- docs/archive/audit/EARTH6_RETRO_AUDIT.md
- docs/archive/audit/EARTH7_RETRO_AUDIT.md
- docs/archive/audit/EARTH8_RETRO_AUDIT.md
- docs/archive/audit/EARTH9_RETRO_AUDIT.md
- docs/archive/audit/EARTH_HYDROLOGY_BASELINE.md
- docs/archive/audit/EARTH_LIGHTING_BASELINE.md
- docs/archive/audit/EARTH_MATERIAL_PROXY_BASELINE.md
- docs/archive/audit/EARTH_MVP_FINAL_BASELINE.md

- docs/archive/audit/EARTH_PROCEDURAL_BASELINE.md
- docs/archive/audit/EARTH_SEASONAL_CLIMATE_BASELINE.md
- docs/archive/audit/EARTH_SKY_STARFIELD_BASELINE.md
- docs/archive/audit/EARTH_TERRAIN_COLLISION_BASELINE.md
- docs/archive/audit/EARTH_TIDE_PROXY_BASELINE.md
- docs/archive/audit/EARTH_WATER_VISUAL_BASELINE.md
- docs/archive/audit/EARTH_WIND_PROXY_BASELINE.md
- docs/archive/audit/ECOSYSTEM_VERIFY0_RETRO_AUDIT.md
- docs/archive/audit/ECOSYSTEM_VERIFY_BASELINE.md
- docs/archive/audit/ECOSYSTEM_VERIFY_RUN.md
- docs/archive/audit/EFFECT_SYSTEM_BASELINE.md
- docs/archive/audit/EG_H_REPO_AUDIT.md
- docs/archive/audit/ELECO_RETRO_AUDIT.md
- docs/archive/audit/ELEC1_RETRO_AUDIT.md
- docs/archive/audit/ELEC2_RETRO_AUDIT.md
- docs/archive/audit/ELEC3_RETRO_AUDIT.md
- docs/archive/audit/ELEC4_RETRO_AUDIT.md
- docs/archive/audit/ELEC5_RETRO_AUDIT.md
- docs/archive/audit/ELECTRICAL_CONSTITUTION_BASELINE.md
- docs/archive/audit/ELECTRICAL_FINAL_BASELINE.md
- docs/archive/audit/ELECTRICAL_PROTECTION_BASELINE.md
- docs/archive/audit/EMBO_RETRO_AUDIT.md
- docs/archive/audit/EMB1_RETRO_AUDIT.md
- docs/archive/audit/EMB2_RETRO_AUDIT.md
- docs/archive/audit/EMBODIED_MOVEMENT_BASELINE.md
- docs/archive/audit/EMBODIMENT_BASELINE_REPORT.md
- docs/archive/audit/EMB_LOCOMOTION_POLISH_BASELINE.md
- docs/archive/audit/ENDPOINT_DESCRIPTOR_BASELINE.md
- docs/archive/audit/END_TO_END_FLOW.md
- docs/archive/audit/ENERGY_LEDGER_BASELINE.md
- docs/archive/audit/ENERGY_MOMENTUM_INTEGRITY_REPORT.md
- docs/archive/audit/ENTROPY_POLICY_BASELINE.md
- docs/archive/audit/ENTRYPOINT_MAP.md
- docs/archive/audit/ENTRYPOINT_UNIFY_FINAL.md

- docs/archive/audit/ENTRYPOINT_UNIFY_MAP.md
- docs/archive/audit/EPISTEMICS_OVER_NETWORK_BASELINE.md
- docs/archive/audit/EPISTEMIC_MEMORY_BASELINE.md
- docs/archive/audit/EXECUTION_LOG.md
- docs/archive/audit/EXPORT_IMPORT_BASELINE.md
- docs/archive/audit/EXTENSION_DISCIPLINE_BASELINE.md
- docs/archive/audit/FAILURE_MODE_CATALOG.md
- docs/archive/audit/FIDELITY_ARBITRATION_BASELINE.md
- docs/archive/audit/FIELD1_RETRO_AUDIT.md
- docs/archive/audit/FIELD_DISCIPLINE_REPORT.md
- docs/archive/audit/FIELD_GENERALIZATION_BASELINE.md
- docs/archive/audit/FIELD_LAYER_BASELINE.md
- docs/archive/audit/FINAL_SYSTEM_BASELINE.md
- docs/archive/audit/FIRE_RUNAWAY_BASELINE.md
- docs/archive/audit/FLOWSYSTEM_STANDARD_BASELINE.md
- docs/archive/audit/FLUID0_RETRO_AUDIT.md
- docs/archive/audit/FLUID1_RETRO_AUDIT.md
- docs/archive/audit/FLUID2_RETRO_AUDIT.md
- docs/archive/audit/FLUID3_RETRO_AUDIT.md
- docs/archive/audit/FLUID_CONSTITUTION_BASELINE.md
- docs/archive/audit/FLUID_CONTAINMENT_BASELINE.md
- docs/archive/audit/FLUID_FINAL_BASELINE.md
- docs/archive/audit/FORCE_MOMENTUM_BASELINE.md
- docs/archive/audit/FORKING_PROVIDES_BASELINE.md
- docs/archive/audit/FORM1_RETRO_AUDIT.md
- docs/archive/audit/FORMALIZATION_BASELINE.md
- docs/archive/audit/FUTURE_CASE_STRESS_REPORT.md
- docs/archive/audit/FUTURE_PRESSURE_ANALYSIS.md
- docs/archive/audit/GALO_RETRO_AUDIT.md
- docs/archive/audit/GAL1_RETRO_AUDIT.md
- docs/archive/audit/GALAXY_OBJECT_STUBS_BASELINE.md
- docs/archive/audit/GALAXY_PROXY_BASELINE.md
- docs/archive/audit/GAP_REPORT.md
- docs/archive/audit/GEOO_RETRO_AUDIT.md

- docs/archive/audit/GEO10_RETRO_AUDIT.md
- docs/archive/audit/GEO1_RETRO_AUDIT.md
- docs/archive/audit/GEO2_RETRO_AUDIT.md
- docs/archive/audit/GEO3_RETRO_AUDIT.md
- docs/archive/audit/GEO4_RETRO_AUDIT.md
- docs/archive/audit/GEO5_RETRO_AUDIT.md
- docs/archive/audit/GEO6_RETRO_AUDIT.md
- docs/archive/audit/GEO7_RETRO_AUDIT.md
- docs/archive/audit/GEO8_RETRO_AUDIT.md
- docs/archive/audit/GEO9_RETRO_AUDIT.md
- docs/archive/audit/GEO_CONSTITUTION_BASELINE.md
- docs/archive/audit/GEO_FIELD_BINDING_BASELINE.md
- docs/archive/audit/GEO_FINAL_BASELINE.md
- docs/archive/audit/GEO_FRAMES_BASELINE.md
- docs/archive/audit/GEO_GEOMETRY_EDIT_BASELINE.md
- docs/archive/audit/GEO_IDENTITY_BASELINE.md
- docs/archive/audit/GEO_METRIC_BASELINE.md
- docs/archive/audit/GEO_PATHING_BASELINE.md
- docs/archive/audit/GEO_PROJECTION_LENS_BASELINE.md
- docs/archive/audit/GLOBAL_CONSERVATION_REPORT.md
- docs/archive/audit/GLOBAL_CONTRACT_COVERAGE.md
- docs/archive/audit/GLOBAL_COUPLING_GRAPH.md
- docs/archive/audit/GLOBAL_EXPLAINABILITY_REPORT.md
- docs/archive/audit/GLOBAL_FIELD_TIME_CAUSALITY.md
- docs/archive/audit/GLOBAL_PERFORMANCE_ENVELOPE.md
- docs/archive/audit/GLOBAL_PROVENANCE_COMPACTTION.md
- docs/archive/audit/GLOBAL_REGRESSION_STATUS.md
- docs/archive/audit/GLOBAL_REVIEW_FINAL.md
- docs/archive/audit/GLOBAL_SUBSTRATE_PURITY.md
- docs/archive/audit/GLOBAL_TOPOLOGY_REVIEW.md
- docs/archive/audit/GOVERNANCEO_RETRO_AUDIT.md
- docs/archive/audit/GOVERNANCE_POLICY_BASELINE.md
- docs/archive/audit/GOVERNANCE_READINESS_REPORT.md
- docs/archive/audit/GR3_CONTRACT_GRAPH.md

- docs/archive/audit/GR3_DEMAND_COVERAGE_SUMMARY.md
- docs/archive/audit/GR3_DEMAND_GAP_REPORT.md
- docs/archive/audit/GR3_FAST_COMPACTION_SANITY.json
- docs/archive/audit/GR3_FAST_COMPACTION_STATE.json
- docs/archive/audit/GR3_FAST_REFERENCE_SUITE.json
- docs/archive/audit/GR3_FAST_RESULTS.md
- docs/archive/audit/GR3_FINAL_REPORT.md
- docs/archive/audit/GR3_FULL_CHEM_SCENARIO.json
- docs/archive/audit/GR3_FULL_CHEM_STRESS.json
- docs/archive/audit/GR3_FULL_ELEC_SCENARIO.json
- docs/archive/audit/GR3_FULL_ELEC_STRESS.json
- docs/archive/audit/GR3_FULL_FLUID_SCENARIO.json
- docs/archive/audit/GR3_FULL_FLUID_STRESS.json
- docs/archive/audit/GR3_FULL_POLL_SCENARIO.json
- docs/archive/audit/GR3_FULL_POLL_STRESS.json
- docs/archive/audit/GR3_FULL_PROC_COMPACTION_VERIFY.json
- docs/archive/audit/GR3_FULL_PROC_REPLAY.json
- docs/archive/audit/GR3_FULL_PROC_SCENARIO.json
- docs/archive/audit/GR3_FULL_PROC_STATE.json
- docs/archive/audit/GR3_FULL_PROC_STATE_COMPACTED.json
- docs/archive/audit/GR3_FULL_PROC_STRESS.json
- docs/archive/audit/GR3_FULL_PROV_STRESS.json
- docs/archive/audit/GR3_FULL_REFERENCE_SUITE.json
- docs/archive/audit/GR3_FULL_RESULTS.md
- docs/archive/audit/GR3_FULL_SIG_SCENARIO.json
- docs/archive/audit/GR3_FULL_SIG_SCENARIO_RUN.json
- docs/archive/audit/GR3_FULL_SIG_STRESS.json
- docs/archive/audit/GR3_FULL_SYS_CROSS_SHARD_STRESS_MANIFEST.json
- docs/archive/audit/GR3_FULL_SYS_REPLAY.json
- docs/archive/audit/GR3_FULL_SYS_SCENARIO.json
- docs/archive/audit/GR3_FULL_SYS_SCENARIO_RUN.json
- docs/archive/audit/GR3_FULL_SYS_STRESS_MANIFEST.json
- docs/archive/audit/GR3_FULL_THERM_SCENARIO.json
- docs/archive/audit/GR3_FULL_THERM_STRESS.json

- docs/archive/audit/GR3_PERFORMANCE_TUNING.md
- docs/archive/audit/GR3_REFERENCE_MISMATCHES.md
- docs/archive/audit/GR3_REGRESSION_STATUS.md
- docs/archive/audit/GR3_SCALE_METRICS.md
- docs/archive/audit/GR3_STRICT_REFACTOR_NOTES.md
- docs/archive/audit/GR3_STRICT_RESULTS.md
- docs/archive/audit/GR3_TOPOLOGY_MASTER.md
- docs/archive/audit/GUIDE_GEOMETRY_BASELINE.md
- docs/archive/audit/HANDSHAKE_COMPAT_MATRIX.json
- docs/archive/audit/HANDSHAKE_COMPAT_MATRIX.md
- docs/archive/audit/ILLUMINATION_GEOMETRY_BASELINE.md
- docs/archive/audit/IMPLEMENTATION_SCORECARD.md
- docs/archive/audit/INDUSTRIAL_PROCESSING_BASELINE.md
- docs/archive/audit/INSPECTION_SYSTEM_BASELINE.md
- docs/archive/audit/INSTALL_DISCOVERY_BASELINE.md
- docs/archive/audit/INSTALL_MANIFEST_BASELINE.md
- docs/archive/audit/INSTALL_PROFILE_BASELINE.md
- docs/archive/audit/INSTANCE_MANIFEST_BASELINE.md
- docs/archive/audit/INSTITUTIONAL_COMMS_BASELINE.md
- docs/archive/audit/INSTRUMENTATION_SURFACE_BASELINE.md
- docs/archive/audit/INTEGRATION_READINESS_REPORT.md
- docs/archive/audit/INTERACTION_UX_BASELINE.md
- docs/archive/audit/INTERFACE_LAUNCH_REPORT.md
- docs/archive/audit/INTERIOR_DIEGETIC_INSPECTION_BASELINE.md
- docs/archive/audit/INTERIOR_VOLUME_BASELINE.md
- docs/archive/audit/INVENTORY.json
- docs/archive/audit/INVENTORY.md
- docs/archive/audit/INVENTORY_MACHINE.json
- docs/archive/audit/IPC_DUPLICATION_FIXES.md
- docs/archive/audit/IPC_SURFACE_MAP.md
- docs/archive/audit/IPC_UNIFY_FINAL.md
- docs/archive/audit/LEGACY_PLATFORM_READINESS.md
- docs/archive/audit/LIB6_RETRO_AUDIT.md
- docs/archive/audit/LIB7_RETRO_AUDIT.md

- docs/archive/audit/LIB_FINAL_BASELINE.md
- docs/archive/audit/LOCAL_SINGLEPLAYER_BASELINE.md
- docs/archive/audit/LOD_EPISTEMIC_INVARIANCE_BASELINE.md
- docs/archive/audit/LOGIC0_RETRO_AUDIT.md
- docs/archive/audit/LOGIC10_REFERENCE_RESULTS.json
- docs/archive/audit/LOGIC10_RETRO_AUDIT.md
- docs/archive/audit/LOGIC10_STRESS_RESULTS.json
- docs/archive/audit/LOGIC1_RETRO_AUDIT.md
- docs/archive/audit/LOGIC2_RETRO_AUDIT.md
- docs/archive/audit/LOGIC3_RETRO_AUDIT.md
- docs/archive/audit/LOGIC4_RETRO_AUDIT.md
- docs/archive/audit/LOGIC5_RETRO_AUDIT.md
- docs/archive/audit/LOGIC5_TIMING_STRESS.json
- docs/archive/audit/LOGIC6_COMPILE_STRESS.json
- docs/archive/audit/LOGIC6_RETRO_AUDIT.md
- docs/archive/audit/LOGIC7_DEBUG_STRESS.json
- docs/archive/audit/LOGIC7_RETRO_AUDIT.md
- docs/archive/audit/LOGIC8_FAULT_STRESS.json
- docs/archive/audit/LOGIC8_RETRO_AUDIT.md
- docs/archive/audit/LOGIC9_PROTOCOL_STRESS.json
- docs/archive/audit/LOGIC9_RETRO_AUDIT.md
- docs/archive/audit/LOGIC_COMPILATION_BASELINE.md
- docs/archive/audit/LOGIC_CONSTITUTION_BASELINE.md
- docs/archive/audit/LOGIC_DEBUG_BASELINE.md
- docs/archive/audit/LOGIC_ELEMENTS_BASELINE.md
- docs/archive/audit/LOGIC_EVAL_BASELINE.md
- docs/archive/audit/LOGIC_FAULT_NOISE_BASELINE.md
- docs/archive/audit/LOGIC_FINAL_BASELINE.md
- docs/archive/audit/LOGIC_NETWORKGRAPH_BASELINE.md
- docs/archive/audit/LOGIC_PROTOCOL_BASELINE.md
- docs/archive/audit/LOGIC_TIMING_BASELINE.md
- docs/archive/audit/LOGISTICS_BASELINE.md
- docs/archive/audit/MACHINE_PORTS_BASELINE.md
- docs/archive/audit/MACROCAPSULE_BEHAVIOR_BASELINE.md

- docs/archive/audit/MACRO_MICRO_MAPPING_BASELINE.md
- docs/archive/audit/MACRO_TRAVEL_BASELINE.md
- docs/archive/audit/MAINTENANCE_WEAR_BASELINE.md
- docs/archive/audit/MARKER_SCAN.txt
- docs/archive/audit/MATERIALS_CONSTITUTION_BASELINE.md
- docs/archive/audit/MATERIAL_TAXONOMY_BASELINE.md
- docs/archive/audit/MAT_SCALE_BASELINE_FINAL.md
- docs/archive/audit/MECH1_RETRO_AUDIT.md
- docs/archive/audit/MECHANICS_SUBSTRATE_BASELINE.md
- docs/archive/audit/MESO_TRAFFIC_BASELINE.md
- docs/archive/audit/MESSAGE_LAYER_BASELINE.md
- docs/archive/audit/META_ACTIONO_RETRO_AUDIT.md
- docs/archive/audit/META_COMPUTE0_RETRO_AUDIT.md
- docs/archive/audit/META_CONTRACT0_RETRO_AUDIT.md
- docs/archive/audit/META_CONTRACT1_RETRO_AUDIT.md
- docs/archive/audit/META_CONTRACT_HARDENING_REPORT.md
- docs/archive/audit/META_GENRE0_RETRO_AUDIT.md
- docs/archive/audit/META_INSTRO_RETRO_AUDIT.md
- docs/archive/audit/META_MODELO_RETRO_AUDIT.md
- docs/archive/audit/META_MODEL1_RETRO_AUDIT.md
- docs/archive/audit/META_MODEL2_RETRO_AUDIT.md
- docs/archive/audit/META_PROFILE0_RETRO_AUDIT.md
- docs/archive/audit/META_REFO_RETRO_AUDIT.md
- docs/archive/audit/META_STABILITY0_RETRO_AUDIT.md
- docs/archive/audit/META_STABILITY1_FIX_PLAN.md
- docs/archive/audit/META_STABILITY1_RETRO_AUDIT.md
- docs/archive/audit/MICRO_CONSTRAINED_MOTION_BASELINE.md
- docs/archive/audit/MICRO_FREE_MOTION_BASELINE.md
- docs/archive/audit/MIGRATION_LIFECYCLO_RETRO_AUDIT.md
- docs/archive/audit/MIGRATION_LIFECYCLE_BASELINE.md
- docs/archive/audit/MIGRATION_STATUS.md
- docs/archive/audit/MILKY_WAY_BASELINE.md
- docs/archive/audit/MOBO_RETRO_AUDIT.md
- docs/archive/audit/MOB10_RETRO_AUDIT.md

- docs/archive/audit/MOB11_RETRO_AUDIT.md
- docs/archive/audit/MOB1_RETRO_AUDIT.md
- docs/archive/audit/MOB2_RETRO_AUDIT.md
- docs/archive/audit/MOB3_RETRO_AUDIT.md
- docs/archive/audit/MOB4_RETRO_AUDIT.md
- docs/archive/audit/MOB5_RETRO_AUDIT.md
- docs/archive/audit/MOB6_RETRO_AUDIT.md
- docs/archive/audit/MOB7_RETRO_AUDIT.md
- docs/archive/audit/MOB8_RETRO_AUDIT.md
- docs/archive/audit/MOB9_RETRO_AUDIT.md
- docs/archive/audit/MOBILITY_CONSTITUTION_BASELINE.md
- docs/archive/audit/MOBILITY_NETWORK_BASELINE.md
- docs/archive/audit/MODE_REFACTOR_REPORT.md
- docs/archive/audit/MODE_REFACTOR_V2_REPORT.md
- docs/archive/audit/MODULARITY_EXTENSION_PROOF.md
- docs/archive/audit/MOD_POLICYO_RETRO_AUDIT.md
- docs/archive/audit/MOD_POLICY_BASELINE.md
- docs/archive/audit/MULTIPLAYER_BASELINE_FINAL.md
- docs/archive/audit/MULTIPLAYER_CONTRACT_FOUNDATION_REPORT.md
- docs/archive/audit/MULTIPLAYER_DETERMINISM_ENVELOPE.md
- docs/archive/audit/MULTIPLAYER_SECURITY_BASELINE.md
- docs/archive/audit/MVP1_RETRO_AUDIT.md
- docs/archive/audit/MVP_CROSS_PLATFORM_FINAL.md
- docs/archive/audit/MVP_GAMEPLAYO_RETRO_AUDIT.md
- docs/archive/audit/MVP_GAMEPLAY_BASELINE.md
- docs/archive/audit/MVP_GAMEPLAY_LOOP_RUN.md
- docs/archive/audit/MVP_GAMEPLAY_VERIFY.md
- docs/archive/audit/MVP_RUNTIME_BASELINE.md
- docs/archive/audit/MVP_SMOKE_FINAL.md
- docs/archive/audit/MVP_STRESS_FINAL.md
- docs/archive/audit/MVP_TOOLBELT_BASELINE.md
- docs/archive/audit/MVP_VIEWER_BASELINE.md
- docs/archive/audit/MWO_RETRO_AUDIT.md
- docs/archive/audit/MW1_RETRO_AUDIT.md

- docs/archive/audit/MW2_RETRO_AUDIT.md
- docs/archive/audit/MW3_RETRO_AUDIT.md
- docs/archive/audit/MW4_RETRO_AUDIT.md
- docs/archive/audit/MW_SYSTEM_L2_BASELINE.md
- docs/archive/audit/NAMING_TAXONOMY_CHECK.md
- docs/archive/audit/NEGOTIATION_HANDSHAKE_BASELINE.md
- docs/archive/audit/NETWORKGRAPH_STANDARD_BASELINE.md
- docs/archive/audit/NET_HANDSHAKE_COMPATIBILITY_REPORT.md
- docs/archive/audit/NEXT_PROMPTS.md
- docs/archive/audit/NORMALIZATION_REPORT.md
- docs/archive/audit/NUMERICAL_TOLERANCE_BASELINE.md
- docs/archive/audit/NUMERIC_DISCIPLINE0_RETRO_AUDIT.md
- docs/archive/audit/NUMERIC_DISCIPLINE_BASELINE.md
- docs/archive/audit/NUMERIC_SCAN_REPORT.md
- docs/archive/audit/OBSERVABILITY0_RETRO_AUDIT.md
- docs/archive/audit/OBSERVABILITY_BASELINE.md
- docs/archive/audit/OFFLINE_ARCHIVE_BASELINE.md
- docs/archive/audit/OFFLINE_ARCHIVE_VERIFY.md
- docs/archive/audit/OMEGA10_FINAL.md
- docs/archive/audit/OMEGA10_RETRO_AUDIT.md
- docs/archive/audit/OMEGA_0_FINAL.md
- docs/archive/audit/ORBIT_VISUALIZATION_BASELINE.md
- docs/archive/audit/ORDER_LANGUAGE_BASELINE.md
- docs/archive/audit/OVERLAY_CONFLICT_BASELINE.md
- docs/archive/audit/OVERLAY_MERGE_BASELINE.md
- docs/archive/audit/PACK_AUDIT.txt
- docs/archive/audit/PACK_COMPATO_RETRO_AUDIT.md
- docs/archive/audit/PACK_COMPAT1_RETRO_AUDIT.md
- docs/archive/audit/PACK_COMPAT2_RETRO_AUDIT.md
- docs/archive/audit/PACK_COMPAT_BASELINE.md
- docs/archive/audit/PACK_VERIFICATION_BASELINE.md
- docs/archive/audit/PATCH_A2_RETRO_AUDIT.md
- docs/archive/audit/PATCH_A3_RETRO_AUDIT.md
- docs/archive/audit/PEPO_BASELINE.md

- docs/archive/audit/PERFORMANCE_CONSTITUTION_BASELINE.md
- docs/archive/audit/PERFORMANCE_ENVELOPEO_RETRO_AUDIT.md
- docs/archive/audit/PERFORMANCE_ENVELOPE_BASELINE.md
- docs/archive/audit/PERFORMANCE_REPORT_win64.md
- docs/archive/audit/PHYS0_RETRO_AUDIT.md
- docs/archive/audit/PHYS1_RETRO_AUDIT.md
- docs/archive/audit/PHYS2_RETRO_AUDIT.md
- docs/archive/audit/PHYS3_RETRO_AUDIT.md
- docs/archive/audit/PHYS4_RETRO_AUDIT.md
- docs/archive/audit/PHYSICS_CONSTITUTION_BASELINE.md
- docs/archive/audit/PI_0_FINAL.md
- docs/archive/audit/PI_1_FINAL.md
- docs/archive/audit/PI_2_FINAL.md
- docs/archive/audit/PKG_IMPLEMENTATION_REPORT.md
- docs/archive/audit/PLANET_SURFACE_L3_BASELINE.md
- docs/archive/audit/PLANNING_EXECUTION_BASELINE.md
- docs/archive/audit/PLATFORM_AND_PORTABILITY_CONSISTENCY_REPORT.md
- docs/archive/audit/PLATFORM_FORMALIZE_FINAL.md
- docs/archive/audit/PLATFORM_RENDERER_BACKENDS_BASELINE.md
- docs/archive/audit/PLATFORM_RENDERER_MATRIX.md
- docs/archive/audit/PLATFORM_RENDERER_SURFACE.md
- docs/archive/audit/PLAYER2_VALIDATION.md
- docs/archive/audit/PLAYER_DEMAND_GAPS.md
- docs/archive/audit/PLAYER_DEMAND_MATRIX_BASELINE.md
- docs/archive/audit/POLLO_RETRO_AUDIT.md
- docs/archive/audit/POLL1_RETRO_AUDIT.md
- docs/archive/audit/POLL2_RETRO_AUDIT.md
- docs/archive/audit/POLL3_RETRO_AUDIT.md
- docs/archive/audit/POLLUTION_CONSTITUTION_BASELINE.md
- docs/archive/audit/POLLUTION_DISPERSION_BASELINE.md
- docs/archive/audit/POLLUTION_EXPOSURE_BASELINE.md
- docs/archive/audit/POLLUTION_FINAL_BASELINE.md
- docs/archive/audit/POSE_MOUNT_BASELINE.md
- docs/archive/audit/POWER_NETWORK_BASELINE.md

- docs/archive/audit/PREALPHA_PACK_STRATEGY.md
- docs/archive/audit/PROCO_RETRO_AUDIT.md
- docs/archive/audit/PROC1_RETRO_AUDIT.md
- docs/archive/audit/PROC2_RETRO_AUDIT.md
- docs/archive/audit/PROC3_RETRO_AUDIT.md
- docs/archive/audit/PROC4_RETRO_AUDIT.md
- docs/archive/audit/PROC5_RETRO_AUDIT.md
- docs/archive/audit/PROC6_RETRO_AUDIT.md
- docs/archive/audit/PROC7_RETRO_AUDIT.md
- docs/archive/audit/PROC8_RETRO_AUDIT.md
- docs/archive/audit/PROC9_RETRO_AUDIT.md
- docs/archive/audit/PROCESS_CAPSULE_BASELINE.md
- docs/archive/audit/PROCESS_CONSTITUTION_BASELINE.md
- docs/archive/audit/PROCESS_DEFINITION_BASELINE.md
- docs/archive/audit/PROCESS_MATURITY_BASELINE.md
- docs/archive/audit/PROC_FINAL_BASELINE.md
- docs/archive/audit/PRODUCT_BOOT_MATRIX_REPORT.md
- docs/archive/audit/PROD_GATE_FINAL.md
- docs/archive/audit/PROFILE_OVERRIDE_BASELINE.md
- docs/archive/audit/PROMPT_EXECUTION_MODEL.md
- docs/archive/audit/PROMPT_G_REPORT.md
- docs/archive/audit/PROVO_RETRO_AUDIT.md
- docs/archive/audit/PROVENANCE_BASELINE.md
- docs/archive/audit/QC_SAMPLING_BASELINE.md
- docs/archive/audit/QUANTITY_BUNDLE_BASELINE.md
- docs/archive/audit/RANKED_SERVER_GOVERNANCE_BASELINE.md
- docs/archive/audit/REAL_DATA_INTEGRATION_REPORT.md
- docs/archive/audit/RECOMMENDED_NEXT_FIXES.md
- docs/archive/audit/RED_FLAGS.md
- docs/archive/audit/REFERENCE_INTERPRETER_BASELINE.md
- docs/archive/audit/REFINEMENT_PIPELINE_BASELINE.md
- docs/archive/audit/RELEASE0_RETRO_AUDIT.md
- docs/archive/audit/RELEASE1_RETRO_AUDIT.md
- docs/archive/audit/RELEASE2_RETRO_AUDIT.md

- docs/archive/audit/RELEASE_IDENTITY_BASELINE.md
- docs/archive/audit/RELEASE_INDEX_POLICY_RETRO_AUDIT.md
- docs/archive/audit/RELEASE_INDEX_POLICY_BASELINE.md
- docs/archive/audit/RELEASE_MANIFEST_BASELINE.md
- docs/archive/audit/RENDERER_BASELINE_REPORT.md
- docs/archive/audit/RENDERMODEL_CONTRACT_BASELINE.md
- docs/archive/audit/REPO_FREEZE_VERIFICATION.md
- docs/archive/audit/REPO_INVENTORY_SUMMARY.md
- docs/archive/audit/REPO_REVIEW_2_FINAL.md
- docs/archive/audit/REPO_REVIEW_3_FINAL.md
- docs/archive/audit/REPO_STRUCTURE_AUDIT.json
- docs/archive/audit/REPO_STRUCTURE_AUDIT.md
- docs/archive/audit/REPRESENTATION_BASELINE.md
- docs/archive/audit/REPRODUCIBLE_BUILD_BASELINE.md
- docs/archive/audit/REPRO_BUNDLE_BASELINE.md
- docs/archive/audit/RESEARCH_REVERSE_ENGINEERING_BASELINE.md
- docs/archive/audit/RETRO_CONSISTENCY_FRAMEWORK_BASELINE.md
- docs/archive/audit/RWAM_BASELINE.md
- docs/archive/audit/SAFETY_PATTERN_BASELINE.md
- docs/archive/audit/SAFE_TO_PROCEED.md
- docs/archive/audit/SAVE_MANIFEST_BASELINE.md
- docs/archive/audit/SCHEMA_CANON_ALIGNMENT.md
- docs/archive/audit/SDK_READINESS.md
- docs/archive/audit/SEMANTIC_CONTRACT_BASELINE.md
- docs/archive/audit/SEMANTIC_IMPACT_GLOBAL.json
- docs/archive/audit/SERVER_AUTHORITATIVE_BASELINE_REPORT.md
- docs/archive/audit/SERVER_MVPO_RETRO_AUDIT.md
- docs/archive/audit/SERVER_MVP1_RETRO_AUDIT.md
- docs/archive/audit/SERVER_MVP_BASELINE_REPORT.md
- docs/archive/audit/SESSION_PIPELINE_CONTRACT_REPORT.md
- docs/archive/audit/SETTINGS_AND_UX_CONSISTENCY_REPORT.md
- docs/archive/audit/SHIM_COVERAGE_REPORT.md
- docs/archive/audit/SIGO_RETRO_AUDIT.md
- docs/archive/audit/SIG1_RETRO_AUDIT.md

- docs/archive/audit/SIG2_RETRO_AUDIT.md
- docs/archive/audit/SIG3_RETRO_AUDIT.md
- docs/archive/audit/SIG5_RETRO_AUDIT.md
- docs/archive/audit/SIG6_RETRO_AUDIT.md
- docs/archive/audit/SIG7_RETRO_AUDIT.md
- docs/archive/audit/SIGNALING_INTERLOCKING_BASELINE.md
- docs/archive/audit/SIGNALS_CONSTITUTION_BASELINE.md
- docs/archive/audit/SIGNAL_BUS_BASELINE.md
- docs/archive/audit/SIGNAL_NETWORK_BASELINE.md
- docs/archive/audit/SIGNAL_QUALITY_BASELINE.md
- docs/archive/audit/SOFTWARE_PIPELINE_BASELINE.md
- docs/archive/audit/SOLO_RETRO_AUDIT.md
- docs/archive/audit/SOL1_RETRO_AUDIT.md
- docs/archive/audit/SOL2_RETRO_AUDIT.md
- docs/archive/audit/SOL_PIN_PACK_BASELINE.md
- docs/archive/audit/SPEC1_RETRO_AUDIT.md
- docs/archive/audit/SPECSHEET_BASELINE.md
- docs/archive/audit/SRC_SHADOW_REPORT.md
- docs/archive/audit/SRZ_HYBRID_BASELINE_REPORT.md
- docs/archive/audit/STABILITY_CLASSIFICATION_BASELINE.md
- docs/archive/audit/STABILITY_COVERAGE_REPORT.md
- docs/archive/audit/STABILITY_TAGGING_FINAL.md
- docs/archive/audit/STAGE_RIPOUT_REPORT.md
- docs/archive/audit/STAR_SYSTEM_SEED_BASELINE.md
- docs/archive/audit/STATEVECO_RETRO_AUDIT.md
- docs/archive/audit/STATE_VECTOR_BASELINE.md
- docs/archive/audit/STORE_GCO_RETRO_AUDIT.md
- docs/archive/audit/STORE_GC_BASELINE.md
- docs/archive/audit/STORE_VERIFY_REPORT.md
- docs/archive/audit/STRUCTURAL_INTEGRITY_REPORT.md
- docs/archive/audit/STRUCTURAL_TOPOLOGY_SCAN.md
- docs/archive/audit/STUB_REPORT.json
- docs/archive/audit/STUB_REPORT.md
- docs/archive/audit/SUPERVISOR_BASELINE.md

- docs/archive/audit/SUPERVISOR_HARDENING_FINAL.md
- docs/archive/audit/SUPERVISOR_SURFACE_MAP.md
- docs/archive/audit/SYS0_RETRO_AUDIT.md
- docs/archive/audit/SYS1_RETRO_AUDIT.md
- docs/archive/audit/SYS2_RETRO_AUDIT.md
- docs/archive/audit/SYS3_RETRO_AUDIT.md
- docs/archive/audit/SYS4_RETRO_AUDIT.md
- docs/archive/audit/SYS5_RETRO_AUDIT.md
- docs/archive/audit/SYS6_RETRO_AUDIT.md
- docs/archive/audit/SYS7_RETRO_AUDIT.md
- docs/archive/audit/SYS8_RETRO_AUDIT.md
- docs/archive/audit/SYSTEM_CERTIFICATION_BASELINE.md
- docs/archive/audit/SYSTEM_COMPOSITION_BASELINE.md
- docs/archive/audit/SYSTEM_FORENSICS_BASELINE.md
- docs/archive/audit/SYSTEM_INTERFACE_INVARIANT_BASELINE.md
- docs/archive/audit/SYSTEM_RELIABILITY_BASELINE.md
- docs/archive/audit/SYSTEM_TEMPLATES_BASELINE.md
- docs/archive/audit/SYSTEM_TIER_ROI_BASELINE.md
- docs/archive/audit/SYS_FINAL_BASELINE.md
- docs/archive/audit/TASK_WORK_BASELINE.md
- docs/archive/audit/TEMPO_RETRO_AUDIT.md
- docs/archive/audit/TEMP1_RETRO_AUDIT.md
- docs/archive/audit/TEMP2_RETRO_AUDIT.md
- docs/archive/audit/TEMPORAL_SEMANTICS_BASELINE.md
- docs/archive/audit/TESTX_OVERHAUL_REPORT.md
- docs/archive/audit/TEST_COVERAGE_MATRIX.md
- docs/archive/audit/TEST_PERF_01_CTEST_SHARDING_AUDITX.md
- docs/archive/audit/THERMO_RETRO_AUDIT.md
- docs/archive/audit/THERM1_RETRO_AUDIT.md
- docs/archive/audit/THERM2_RETRO_AUDIT.md
- docs/archive/audit/THERM3_RETRO_AUDIT.md
- docs/archive/audit/THERM4_RETRO_AUDIT.md
- docs/archive/audit/THERM5_RETRO_AUDIT.md
- docs/archive/audit/THERMAL_CONSTITUTION_BASELINE.md

- docs/archive/audit/THERMAL_COOLING_BASELINE.md
- docs/archive/audit/THERMAL_FINAL_BASELINE.md
- docs/archive/audit/THERMAL_NETWORK_BASELINE.md
- docs/archive/audit/THERM_PHASE_CURE_BASELINE.md
- docs/archive/audit/TIER_COUPLING_EXPLAIN_BASELINE.md
- docs/archive/audit/TIER_TRANSITION_CONSTITUTION_BASELINE.md
- docs/archive/audit/TIME_ANCHORO_RETRO_AUDIT.md
- docs/archive/audit/TIME_ANCHOR_BASELINE.md
- docs/archive/audit/TIME_CONSTITUTION_BASELINE.md
- docs/archive/audit/TIME_MAPPING_BASELINE.md
- docs/archive/audit/TIME_SYNC_BASELINE.md
- docs/archive/audit/TOLO_RETRO_AUDIT.md
- docs/archive/audit/TOOLCHAIN_MATRIXO_RETRO_AUDIT.md
- docs/archive/audit/TOOLCHAIN_MATRIX_BASELINE.md
- docs/archive/audit/TOOLING_BASELINE.md
- docs/archive/audit/TOOLS_EFFECTS_BASELINE.md
- docs/archive/audit/TOOL_AUTONOMY_VALIDATION.md
- docs/archive/audit/TOOL_SURFACE_FINAL.md
- docs/archive/audit/TOOL_SURFACE_MAP.md
- docs/archive/audit/TOPOLOGY_MAP.json
- docs/archive/audit/TOPOLOGY_MAP.md
- docs/archive/audit/TOPOLOGY_MAP_BASELINE.md
- docs/archive/audit/TRUST_BELIEF_BASELINE.md
- docs/archive/audit/TRUST_MODELO_RETRO_AUDIT.md
- docs/archive/audit/TRUST_MODEL_BASELINE.md
- docs/archive/audit/TRUST_STRICTO_RETRO_AUDIT.md
- docs/archive/audit/TRUST_STRICT_BASELINE.md
- docs/archive/audit/TRUST_STRICT_SUITE_RUN.md
- docs/archive/audit/UI_AND_WORLDGEN_CONSISTENCY_REPORT.md
- docs/archive/audit/UI_MODE_RESOLUTION_BASELINE.md
- docs/archive/audit/UI_RECONCILE_FINAL.md
- docs/archive/audit/UI_SURFACE_MAP.md
- docs/archive/audit/ULTRA_REPO_AUDIT_BUILD_RUN_TEST_MATRIX.md
- docs/archive/audit/ULTRA_REPO_AUDIT_DOC_VS_CODE_MISMATCHES.md

- docs/archive/audit/ULTRA_REPO_AUDIT_ENTRYPOINTS_AND_RUNPATHS.md
- docs/archive/audit/ULTRA_REPO_AUDIT_EXECUTIVE_SUMMARY.md
- docs/archive/audit/ULTRA_REPO_AUDIT_GAPS_AND_TODO.md
- docs/archive/audit/ULTRA_REPO_AUDIT_PLAYTEST_READINESS.md
- docs/archive/audit/ULTRA_REPO_AUDIT_PRODUCT_ASSEMBLY_PLAN.md
- docs/archive/audit/ULTRA_REPO_AUDIT_REUSE_AND_CONSOLIDATION_PLAN.md
- docs/archive/audit/ULTRA_REPO_AUDIT_SYSTEM_INVENTORY.md
- docs/archive/audit/ULTRA_REPO_AUDIT_WIRING_MAP.md
- docs/archive/audit/UNITS_AND_DIMENSIONS_BASELINE.md
- docs/archive/audit/UNIVERSAL_IDENTITYO_RETRO_AUDIT.md
- docs/archive/audit/UNIVERSAL_IDENTITY_BASELINE.md
- docs/archive/audit/UNIVERSE_CONTRACT_ENFORCEMENT_BASELINE.md
- docs/archive/audit/UNIVERSE_PHYSICS_PROFILE_BASELINE.md
- docs/archive/audit/UPDATE_MODELO_RETRO_AUDIT.md
- docs/archive/audit/UPDATE_MODEL_BASELINE.md
- docs/archive/audit/UPDATE_SIMO_RETRO_AUDIT.md
- docs/archive/audit/UPDATE_SIM_BASELINE.md
- docs/archive/audit/UPDATE_SIM_RUN.md
- docs/archive/audit/UXO_RETRO_AUDIT.md
- docs/archive/audit/VALIDATION_INVENTORY.md
- docs/archive/audit/VALIDATION_REPORT_FAST.md
- docs/archive/audit/VALIDATION_REPORT_STRICT.md
- docs/archive/audit/VALIDATION_STACK_MAP.md
- docs/archive/audit/VALIDATION_UNIFY_FINAL.md
- docs/archive/audit/VEHICLE_INTERIORS_BASELINE.md
- docs/archive/audit/VEHICLE_MODEL_BASELINE.md
- docs/archive/audit/VIEW_EPISTEMIC_CONTROL_BASELINE.md
- docs/archive/audit/VIRTUAL_PATHS_BASELINE.md
- docs/archive/audit/VIS3_VALIDATION.md
- docs/archive/audit/WG_E_VALIDATION_REPORT.md
- docs/archive/audit/WORKTREE_LEFTOVERS.md
- docs/archive/audit/WORLDGEN_COMPATIBILITY.md
- docs/archive/audit/WORLDGEN_CONSTITUTION_BASELINE.md
- docs/archive/audit/WORLDGEN_CONSTRAINT_SOLVER_REPORT.md

- docs/archive/audit/WORLDDGEN_LOCK0_RETRO_AUDIT.md
- docs/archive/audit/WORLDDGEN_LOCK_BASELINE.md
- docs/archive/audit/WORLDDGEN_LOCK_VERIFY.md
- docs/archive/audit/XI_1_FINAL.md
- docs/archive/audit/XI_2_FINAL.md
- docs/archive/audit/XI_3_FINAL.md
- docs/archive/audit/XI_4B_FINAL.md
- docs/archive/audit/XI_4Z_FINAL.md
- docs/archive/audit/XI_4Z_FIX1_FINAL.md
- docs/archive/audit/XI_4Z_FIX2_FINAL.md
- docs/archive/audit/XI_4Z_FIX3_FINAL.md
- docs/archive/audit/XI_4Z_FIX_FINAL.md
- docs/archive/audit/XI_4_FINAL.md
- docs/archive/audit/XI_5A_FINAL.md
- docs/archive/audit/XI_5A_PREFLIGHT_ARCHIVE_DIAGNOSIS.md
- docs/archive/audit/XI_5A_PREFLIGHT_ARCHIVE_FIX.md
- docs/archive/audit/XI_5A_PREFLIGHT_ARCHIVE_FIX_FINAL.md
- docs/archive/audit/XI_5A_PREFLIGHT_DISASTER_CLEANUP_DIAGNOSIS.md
- docs/archive/audit/XI_5A_PREFLIGHT_DISASTER_CLEANUP_FIX.md
- docs/archive/audit/XI_5A_PREFLIGHT_DISASTER_CLEANUP_FIX_FINAL.md
- docs/archive/audit/XI_5A_PREFLIGHT_REPAIR.md
- docs/archive/audit/XI_5A_PREFLIGHT_REPAIR_FINAL.md
- docs/archive/audit/XI_5B_SAFE_BATCH_REPORT.md
- docs/archive/audit/XI_5C_MERGE_AND_MANUAL_REVIEW_REPORT.md
- docs/archive/audit/XI_5D_RESIDUAL_LOCK_REPORT.md
- docs/archive/audit/XI_5E_COMPLETION_REPORT.md
- docs/archive/audit/XI_5X1_FINAL.md
- docs/archive/audit/XI_5X2_BATCH_PLAN.md
- docs/archive/audit/XI_5X2_BLOCKED_PRECONDITIONS.md
- docs/archive/audit/XI_5X2_BUILD_TOOLCHAIN_REPORT.md
- docs/archive/audit/XI_5X2_CONTENT_SOURCE_POLICY_REPORT.md
- docs/archive/audit/XI_5X2_FINAL.md
- docs/archive/audit/XI_5X2_LEGACY_POCKETS_REPORT.md
- docs/archive/audit/XI_5X2_LEGACY_REPORT.md

- docs/archive/audit/XI_5X2_PRECONDITION_REPORT.md
- docs/archive/audit/XI_5X2_REALITY_REFRESH.md
- docs/archive/audit/XI_6_FINAL.md
- docs/archive/audit/XI_7_FINAL.md
- docs/archive/audit/XI_8_FINAL.md
- docs/archive/audit/YIELD_DEFECT_BASELINE.md
- docs/archive/audit/auditx/FINDINGS.json
- docs/archive/audit/auditx/FINDINGS.md
- docs/archive/audit/auditx/INVARIANT_MAP.json
- docs/archive/audit/auditx/PROMOTION_CANDIDATES.json
- docs/archive/audit/auditx/README.md
- docs/archive/audit/auditx/RUN_META.json
- docs/archive/audit/auditx/SUMMARY.md
- docs/archive/audit/auditx/TRENDS.json
- docs/archive/audit/compat/COMPAT_BASELINE.json
- docs/archive/audit/compat/COMPAT_BASELINE.md
- docs/archive/audit/compat/README.md
- docs/archive/audit/compute_budget_stress_results.json
- docs/archive/audit/controlx/README.md
- docs/archive/audit/convergence_steps/arch_audit.md
- docs/archive/audit/convergence_steps/cap_neg_interop.md
- docs/archive/audit/convergence_steps/dist_verify.md
- docs/archive/audit/convergence_steps/ipc_attach_smoke.md
- docs/archive/audit/convergence_steps/lib_stress.md
- docs/archive/audit/convergence_steps/meta_stability.md
- docs/archive/audit/convergence_steps/mvp_cross_platform.md
- docs/archive/audit/convergence_steps/mvp_smoke.md
- docs/archive/audit/convergence_steps/mvp_stress.md
- docs/archive/audit/convergence_steps/pack_compat_stress.md
- docs/archive/audit/convergence_steps/product_boot_matrix.md
- docs/archive/audit/convergence_steps/supervisor_hardening.md
- docs/archive/audit/convergence_steps/time_anchor.md
- docs/archive/audit/convergence_steps/validation_strict.md
- docs/archive/audit/identity_fingerprint.json

- docs/archive/audit/identity_fingerprint_explanation.md
- docs/archive/audit/perf/multiplayer_profile_trace.json
- docs/archive/audit/performance/PERFORMX_BASELINE.json
- docs/archive/audit/performance/PERFORMX_BASELINE.md
- docs/archive/audit/performance/PERFORMX_REGRESSIONS.json
- docs/archive/audit/performance/PERFORMX_RESULTS.json
- docs/archive/audit/performance/README.md
- docs/archive/audit/performance/RUN_META.json
- docs/archive/audit/proof_manifest.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/actions_taken.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/diff_summary.txt
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/failure.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/failure.md
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/prevention_links.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T215035Z_precheck_ok/verification.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/actions_taken.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/diff_summary.txt
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/failure.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/failure.md
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/prevention_links.json
- docs/archive/audit/remediation/anb-omega-empty-path/20260211T220047Z_precheck_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/failure.json
- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/failure.md

- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T080631Z_verify_DERIVED_ARTIFACT_STALE/verification.json
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/failure.json
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T080838Z_verify_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T081813Z_verify_ok/verification.json
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/failure.json
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/failure.md
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T083343Z_verify_DERIVED_ARTIFACT_STALE/verification.json
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/failure.json
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T090841Z_verify_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/failure.json

- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T111036Z_verify_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T121513Z_verify_ok/verification.json
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T130308Z_verify_ok/verification.json
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/failure.json
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T163146Z_verify_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260211T233128Z_verify_ok/verification.json
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260212T143108Z_verify_ok/verification.json

- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/failure.json
- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/failure.md
- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260213T052649Z_precheck_DERIVED_ARTIFACT_STALE/verification.json
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/failure.json
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260213T054938Z_exitcheck_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/failure.json
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/failure.md
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260213T055921Z_exitcheck_OTHER/verification.json
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/diff_summary.txt
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/failure.json
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/failure.md
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260213T063945Z_verify_DERIVED_ARTIFACT_STALE/verification.json
- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/actions_taken.json
- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/diff_summary.txt

- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/failure.json
- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/failure.md
- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/prevention_links.json
- docs/archive/audit/remediation/vs2026/20260213T075116Z_strict_ok/verification.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/actions_taken.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/diff_summary.txt
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/failure.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/failure.md
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/prevention_links.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070322Z_verify_DERIVED_ARTIFACT_STALE/verification.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/actions_taken.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/diff_summary.txt
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/failure.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/failure.md
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/prevention_links.json
- docs/archive/audit/remediation/ws-426fb129fc29daec/20260226T070425Z_strict_BUILD_OUTPUT_MISSING/verification.json
- docs/archive/audit/repoX/REPOX_PROFILE.json
- docs/archive/audit/repoX/REPOX_SCOPE_ANALYSIS.md
- docs/archive/audit/security/FINDINGS.json
- docs/archive/audit/security/INTEGRITY_MANIFEST.json
- docs/archive/audit/security/README.md
- docs/archive/audit/security/RUN_META.json
- docs/archive/audit/system/ANB_OMEGA_REPORT.md
- docs/archive/audit/system/BASELINE_META.json
- docs/archive/audit/system/BASELINE_STATE.json
- docs/archive/audit/system/FAILURE_CLASSES.md

- docs/archive/audit/system/GOVERNANCE_FINAL_REPORT.md
- docs/archive/audit/system/PORTABILITY_REPORT.md
- docs/archive/audit/system/REPO_HEALTH_SNAPSHOT.json
- docs/archive/audit/system/REPO_HEALTH_SNAPSHOT.md
- docs/archive/audit/system/STRESS_MATRIX.json
- docs/archive/audit/system/STRESS_META.json
- docs/archive/audit/system/XSTACK_FINAL_POLISH_REPORT.md
- docs/archive/audit/system/XSTACK_PRODUCTION_FINAL_REPORT.md
- docs/archive/audit/testx/TESTX_RUN_META.json
- docs/archive/audit/testx/TESTX_SUMMARY.json
- docs/archive/audit/testx/TESTX_SUMMARY.md
- docs/archive/audit/xstack/BOTTLENECK_ANALYSIS.md
- docs/archive/audit/xstack/FINAL_PERFORMANCE_VALIDATION.md
- docs/archive/audit/xstack/OPTIMIZATION_SUMMARY.md
- docs/archive/audit/xstack/PROFILE_AFTER_OPTIMIZATION.json
- docs/archive/audit/xstack/PROFILE_AFTER_SCOPE_FIX.json
- docs/archive/audit/xstack/PROFILE_BASELINE.json
- docs/archive/audit/xstack/PROFILE_FAST.json
- docs/archive/audit/xstack/PROFILE_FULL.json
- docs/archive/audit/xstack/PROFILE_STRICT_COLD.json
- docs/archive/audit/xstack/PROFILE_STRICT_WARM.json
- docs/archive/audit/xstack/REPOX_SCOPE_FINAL_REPORT.md
- docs/archive/audit/xstack/XSTACK_SPEED_REPORT.md
- docs/archive/blueprint/CAPABILITY_LADDER.md
- docs/archive/blueprint/DISTRIBUTION_AND_ARCHIVE_DIAGRAM.md
- docs/archive/blueprint/FOUNDATION_PHASES.md
- docs/archive/blueprint/FOUNDATION_READINESS_MATRIX.md
- docs/archive/blueprint/LIVE_OPERATIONS_DIAGRAM.md
- docs/archive/blueprint/MANUAL_REVIEW_GATES.md
- docs/archive/blueprint/META_BLUEPRINT_INDEX.md
- docs/archive/blueprint/META_BLUEPRINT_SUMMARY.md
- docs/archive/blueprint/PIPE_DREAMS_MATRIX.md
- docs/archive/blueprint/PRE_AND_POST_SNAPSHOT_PHASES.md
- docs/archive/blueprint/PROMPT_DEPENDENCY_TREE.md

- docs/archive/blueprint/PROMPT_RISK_MATRIX.md
- docs/archive/blueprint/REPOSITORY_GOVERNANCE_DIAGRAM.md
- docs/archive/blueprint/REPO_REALITY_RECONCILIATION_GUIDE.md
- docs/archive/blueprint/RUNTIME_ARCHITECTURE_DIAGRAM.md
- docs/archive/blueprint/SERIES_DEPENDENCY_MAP.md
- docs/archive/blueprint/SERIES_EXECUTION_STRATEGY.md
- docs/archive/blueprint/SNAPSHOT_MAPPING_NOTES.md
- docs/archive/blueprint/SNAPSHOT_MAPPING_TEMPLATE.md
- docs/archive/blueprint/STOP_CONDITIONS_AND_ESCALATION.md
- docs/archive/build/APR5_BUILD_INVENTORY.md
- docs/archive/ci/COREDATA_CONSISTENCY_REPORT.md
- docs/archive/ci/DOCS_VALIDATION_REPORT.md
- docs/archive/ci/PHASE1_AUDIT_REPORT.md
- docs/archive/ci/PHASE1_ENFORCEMENT_SUMMARY.md
- docs/archive/ci/PHASE2_5_AUDIT_REPORT.md
- docs/archive/ci/PHASE2_5_FIXLIST.md
- docs/archive/ci/PHASE6_AUDIT_REPORT.md
- docs/archive/ci/PHASE6_READINESS.md
- docs/archive/ci/PHASE6_SEALED.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_00_manifest.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_01_human_readable_report.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_02_context_transfer_packet.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_03_spec_sheet.yaml
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_04_registers.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_05_aggregator_packet.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_06_reader_brief.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_07_verification_and_audit.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_08_future_chat_bootstrap_prompt.md

- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_09_in_chat_reader.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_10_accompanying_human_readable_detailed_summary_report.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_11_bundle_integrity_check.md
- docs/archive/conversations/Build_and_Future_Proofing/Dominium_Build_and_Future_Proofing_Architecture_source_uploaded_preservation_prompt.txt
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_01_full_chat_report.md
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_02_spec_sheet.yaml
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_03_aggregator_packet.md
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_04_registers.md
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_05_reader_brief.md
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_06_verification_and_audit.md
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_human_readable_chat_report.txt
- docs/archive/conversations/Chronology_Celestial_Systems/Dominium_Chronology_Celestial_Systems_manifest.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_01_full_chat_report.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_02_spec_sheet.yaml
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_03_aggregator_packet.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_04_registers.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_05_reader_brief.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_06_verification_and_audit.md
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_human_readable_chat_report.txt
- docs/archive/conversations/Dominium_Architecture_I/Dominium_Architecture_I_manifest.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_01_full_chat_report.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II_02_spec_sheet.yaml

- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__03_aggregator_packet.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__04_registers.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__05_reader_brief.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__06_verification_and_audit.md
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__human_readable_chat_report.txt
- docs/archive/conversations/Dominium_Architecture_II/Dominium_Architecture_II__manifest.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__01_full_chat_report.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__02_spec_sheet.yaml
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__03_aggregator_packet.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__04_registers.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__05_reader_brief.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__06_verification_and_audit.md
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__human_readable_chat_report.txt
- docs/archive/conversations/Dominium_Architecture_III/Dominium_Architecture_III__manifest.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__01_full_chat_report.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__02_spec_sheet.yaml
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__03_aggregator_packet.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__04_registers.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__05_reader_brief.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__06_verification_and_audit.md
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__human_readable_chat_report.txt
- docs/archive/conversations/Dominium_Architecture_IV/Dominium_Architecture_IV__manifest.md

- docs/archive/conversations/Dominium_Complete_Conversation/00_final_manifest/Dominium_Complete_Conversation_ALL_FILES_FINAL__00_readme_and_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__00_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__01_human_readable_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__02_context_transfer_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__03_spec_sheet.yaml
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__04_registers.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__05_aggregator_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__06_reader_brief.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__07_verification_and_audit.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__09_in_chat_reader.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__00_complete_bundle_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__10_accompanying_detailed_summary_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__README_FIRST.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__checksums.json
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Entire_Conversation_Accompanying_Report__source_uploaded_preservation_prompt.txt
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Pasted text.txt
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__00_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__01_human_readable_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__03_spec_sheet.yaml

- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__04_registers.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__05_aggregator_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__06_reader_brief.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__07_verification_and_audit.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__09_in_chat_reader.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_detailed_summary_and_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_full_conversation_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_conversation_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__10_accompanying_human_readable_detailed_summary_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__11_complete_bundle_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_bundle_verification.md
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_complete_bundle_checksums.sha256
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__12_file_inventory.json
- docs/archive/conversations/Dominium_Complete_Conversation/dominium_related_file/Dominium_Conversation_Complete_Companion_Report.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__01_accompanying_human_readable_detailed_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__bundle_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__human_readable_detailed_summary.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__00_consolidated_package_index.md

- docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__10_accompanying_human_readable_detailed_summary_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Consolidated_File_Manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Package_Verification_Report.md
- docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__10_accompanying_human_readable_summary_and_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__11_combined_bundle_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__00_manifest.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__01_human_readable_report.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__03_spec_sheet.yaml
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__04_registers.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__05_aggregator_packet.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__06_reader_brief.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__07_verification_and_audit.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__09_in_chat_reader.md
- docs/archive/conversations/Dominium_Complete_Conversation/uploaded_preservation_prompt/Pasted_text.txt
- docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_bundle_manifest.md
- docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_human_readable_detailed_summary_report.md
- docs/archive/conversations/Domino_Dominium_Workbench/dominium_workbench_full_conversation_companion_sha256_manifest.txt
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__00_manifest.md

- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__01_human_readable_report.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__02_context_transfer_packet.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__03_spec_sheet.yaml
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__04_registers.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__05_aggregator_packet.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__06_reader_brief.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__07_verification_and_audit.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__09_in_chat_reader.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__00_manifest.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__01_human_readable_report.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__02_context_transfer_packet.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__03_spec_sheet.yaml
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__04_registers.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__05_aggregator_packet.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__06_reader_brief.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__07_verification_and_audit.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__09_in_chat_reader.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__10_accompanying_detailed_summary_report.md
- docs/archive/conversations/Foundation_Workbench_Codex/Dominium_Foundation_Workbench_Parallel_Codex_Preservation__11_package_quality_check.md

- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__00_manifest.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__01_human_readable_report.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__03_spec_sheet.yaml
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__04_registers.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__05_aggregator_packet.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__06_reader_brief.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__07_verification_and_audit.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__09_in_chat_reader.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__10_accompanying_detailed_conversation_summary_and_report.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__11_package_integrity_check.md
- docs/archive/conversations/Framework_Open_Source_Provider/Domino_Framework_Open_Source_Provider_Architecture__12_checksums.tsv
- docs/archive/conversations/Framework_Open_Source_Provider/Pasted text.txt
- docs/archive/conversations/INDEX.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__00_manifest.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__01_human_readable_report.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__02_context_transfer_packet.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__03_spec_sheet.yaml
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__04_registers.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__05_aggregator_packet.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__06_reader_brief.md

- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__07_verification_and_audit.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__09_in_chat_reader.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__10_accompanying_detailed_conversation_report.md
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__11_complete_bundle_manifest.md
- docs/archive/conversations/Language_Platform_Architecture/Pasted_text.txt
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__01_full_chat_report.md
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__02_spec_sheet.yaml
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__03_aggregator_packet.md
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__04_registers.md
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__05_reader_brief.md
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__06_verification_and_audit.md
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__human_readable_chat_report.txt
- docs/archive/conversations/Launcher_Setup_Architecture/Dominium_Launcher_Setup_Architecture__manifest.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__00_manifest.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__01_human_readable_report.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__03_spec_sheet.yaml
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__04_registers.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__05_aggregator_packet.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__06_reader_brief.md

- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__07_verification_and_audit.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__09_in_chat_reader.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__10_accompanying_detailed_conversation_report.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__11_complete_bundle_manifest.md
- docs/archive/conversations/Modularity_AIDE_Refactorability/Dominium_Modularity_AIDE_Refactorability_Architecture__12_complete_bundle_index.json
- docs/archive/conversations/Modularity_AIDE_Refactorability/source_uploads/Pasted_text_preservation_prompt.txt
- docs/archive/conversations/Modularity_AIDE_Refactorability/supporting_generation_script/create_preservation_package.py
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__00_manifest.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__01_human_readable_report.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__03_spec_sheet.yaml
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__04_registers.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__05_aggregator_packet.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__06_reader_brief.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__07_verification_and_audit.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__09_in_chat_reader.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__10_accompanying_detailed_summary_report.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__11_complete_bundle_verification_manifest.md
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__12_complete_companion_bundle_manifest.md

- docs/archive/conversations/OS_Interface_Repo_Architecture/Pasted text.txt
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__00_manifest.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__01_human_readable_report.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__02_context_transfer_packet.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__03_spec_sheet.yaml
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__04_registers.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__05_aggregator_packet.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__06_reader_brief.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__07_verification_and_audit.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__09_in_chat_reader.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__10_accompanying_detailed_summary_report.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__11_consolidated_bundle_manifest.md
- docs/archive/conversations/Portability_Assurance_Future_Proof/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__12_checksums_sha256.txt
- docs/archive/conversations/Portability_Assurance_Future_Proof/source_uploads/Pasted text.txt
- docs/archive/conversations/README.md
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__01_full_chat_report.md
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__02_spec_sheet.yaml
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__03_aggregator_packet.md
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__04_registers.md
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__05_reader_brief.md
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__06_verification_and_audit.md

- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__human_readable_chat_report.txt
- docs/archive/conversations/Refactor_Architecture/Dominium_Domino_Refactor_Architecture__manifest.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__00_manifest.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__01_human_readable_report.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__02_context_transfer_packet.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__03_spec_sheet.yaml
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__04_registers.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__05_aggregator_packet.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__06_reader_brief.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__07_verification_and_audit.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Refactor_Control_Plane/AIDE_XStack_Dominium_Refactor_Control_Plane__09_in_chat_reader.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__00_manifest.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__01_human_readable_report.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__02_context_transfer_packet.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__03_spec_sheet.yaml
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__04_registers.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__05_aggregator_packet.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__06_reader_brief.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__07_verification_and_audit.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__08_future_chat_bootstrap_prompt.md

- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__09_in_chat_reader.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__10_accompanying_detailed_human_report.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__11_bundle_manifest_and_verification.md
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__source_prompt_pasted_text.txt
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__00_manifest.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__01_human_readable_report.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__02_context_transfer_packet.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__03_spec_sheet.yaml
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__04_registers.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__05_aggregator_packet.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__06_reader_brief.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__07_verification_and_audit.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__09_in_chat_reader.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__10_accompanying_detailed_summary_report.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__11_file_inventory_and_integrity_check.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__README_START_HERE.md
- docs/archive/conversations/Timekeeping_and_2038_Resilience/Pasted_text.txt
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__00_manifest.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__01_human_readable_report.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__02_context_transfer_packet.md

- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__03_spec_sheet.yaml
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__04_registers.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__05_aggregator_packet.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__06_reader_brief.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__07_verification_and_audit.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__09_in_chat_reader.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__10_accompanying_human_readable_detailed_summary_and_report.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__11_package_verification_and_file_index.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__FULL_COMBINED_REPORT.md
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Pasted text.txt
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__00_manifest.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__01_human_readable_report.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__02_context_transfer_packet.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__03_spec_sheet.yaml
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__04_registers.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__05_aggregator_packet.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__06_reader_brief.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__07_verification_and_audit.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__09_in_chat_reader.md

- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff_10_accompanying_human_readable_detailed_summary.md
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff_11_final_bundle_manifest.md
- docs/archive/conversations/Universe_Explorer_Planning/Pasted_text.txt
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__00_manifest.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__01_human_readable_report.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__02_context_transfer_packet.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__03_spec_sheet.yaml
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__04_registers.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__05_aggregator_packet.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__06_reader_brief.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__07_verification_and_audit.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__09_in_chat_reader.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__10_accompanying_detailed_summary.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__11_refreshed_manifest_20260527.md
- docs/archive/conversations/Workbench_AIDE_Product_Spine/Dominium_Architecture_Workbench_AIDE_Product_Spine_Planning__package_metadata.json
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__01_full_chat_report.md
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__02_spec_sheet.yaml
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__03_aggregator_packet.md
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__04_registers.md
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__05_reader_brief.md
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__06_verification_and_audit.md

- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__human_readable_chat_report.txt
- docs/archive/conversations/World_Architecture/Dominium_World_Architecture__manifest.md
- docs/archive/conversations/_book/BOOK_MANIFEST.yml
- docs/archive/conversations/_book/README.md
- docs/archive/conversations/_book/appendices/A_source_corpus_manifest.md
- docs/archive/conversations/_book/appendices/B_full_claim_review_matrix.md
- docs/archive/conversations/_book/appendices/C_full_promotion_register.md
- docs/archive/conversations/_book/appendices/D_full_contradiction_register.md
- docs/archive/conversations/_book/appendices/E_path_and_source_index.md
- docs/archive/conversations/_book/build/book_source.md
- docs/archive/conversations/_book/build/latex/reader_book.tex
- docs/archive/conversations/_book/build/latex/reference_appendix.tex
- docs/archive/conversations/_book/build/pandoc_prerequisites.md
- docs/archive/conversations/_book/chapters/00_front_matter.md
- docs/archive/conversations/_book/chapters/01_orientation.md
- docs/archive/conversations/_book/chapters/02_project_synthesis.md
- docs/archive/conversations/_book/chapters/03_authority_and_reconciliation.md
- docs/archive/conversations/_book/chapters/04_decision_docket.md
- docs/archive/conversations/_book/chapters/05_promotion_review.md
- docs/archive/conversations/_book/chapters/06_contradictions_staleness_verification.md
- docs/archive/conversations/_book/chapters/07_wiki_navigation_digest.md
- docs/archive/conversations/_book/chapters/08_conversation_reader_digest.md
- docs/archive/conversations/_book/index.md
- docs/archive/conversations/_book/qa/PDF_QA_SUMMARY.md
- docs/archive/conversations/_book/qa/main_001_title_page.txt
- docs/archive/conversations/_book/qa/main_002_toc_page.txt
- docs/archive/conversations/_book/qa/main_060_normal_chapter_page.txt
- docs/archive/conversations/_book/qa/main_547_dense_appendix_page.txt
- docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.txt
- docs/archive/conversations/_book/styles/book.css
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_Build_Report_v0.md
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_Validation_Report_v0.md
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/index.html

- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/search.js
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/search_index.json
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.html/styles.css
- docs/archive/conversations/_intake/CORPUS_MANIFEST.md
- docs/archive/conversations/_intake/PACKAGE_COMPLETENESS.md
- docs/archive/conversations/_intake/SHA256SUMS.txt
- docs/archive/conversations/_intake/SOURCE_PROVENANCE.md
- docs/archive/conversations/_intake/corpus_manifest.json
- docs/archive/conversations/_reader/by_chat/advanced_simulation_infrastructure.md
- docs/archive/conversations/_reader/by_chat/app_runtime_platform_renderers.md
- docs/archive/conversations/_reader/by_chat/app_testx_codehygiene.md
- docs/archive/conversations/_reader/by_chat/architecture_codex_prompts.md
- docs/archive/conversations/_reader/by_chat/architecture_ui_providers.md
- docs/archive/conversations/_reader/by_chat/build_and_future_proofing.md
- docs/archive/conversations/_reader/by_chat/canonical_structure_and_framework.md
- docs/archive/conversations/_reader/by_chat/chronology_celestial_systems.md
- docs/archive/conversations/_reader/by_chat/development_routes.md
- docs/archive/conversations/_reader/by_chat/documentation_standards_readme.md
- docs/archive/conversations/_reader/by_chat/dominium_architecture_i.md
- docs/archive/conversations/_reader/by_chat/dominium_architecture_ii.md
- docs/archive/conversations/_reader/by_chat/dominium_architecture_iii.md
- docs/archive/conversations/_reader/by_chat/dominium_architecture_iv.md
- docs/archive/conversations/_reader/by_chat/dominium_complete_conversation.md
- docs/archive/conversations/_reader/by_chat/dominium_domino_codex_planning.md
- docs/archive/conversations/_reader/by_chat/dominium_full_conversation.md
- docs/archive/conversations/_reader/by_chat/dominium_setup.md
- docs/archive/conversations/_reader/by_chat/domino_dominium_workbench.md
- docs/archive/conversations/_reader/by_chat/domino_engine_refactor_prompts.md
- docs/archive/conversations/_reader/by_chat/engine_baseline_architecture.md
- docs/archive/conversations/_reader/by_chat/foundation_workbench_codex.md
- docs/archive/conversations/_reader/by_chat/framework_open_source_provider.md
- docs/archive/conversations/_reader/by_chat/gui_binary_content.md
- docs/archive/conversations/_reader/by_chat/language_platform_architecture.md

- docs/archive/conversations/_reader/by_chat/launcher_app_layer.md
- docs/archive/conversations/_reader/by_chat/launcher_setup_architecture.md
- docs/archive/conversations/_reader/by_chat/modularity_aide_refactorability.md
- docs/archive/conversations/_reader/by_chat/omega_xi_pi_architecture_future.md
- docs/archive/conversations/_reader/by_chat/os_interface_repo_architecture.md
- docs/archive/conversations/_reader/by_chat/platform_renderer_api_plan.md
- docs/archive/conversations/_reader/by_chat/platform_support.md
- docs/archive/conversations/_reader/by_chat/portability_assurance_future_proof.md
- docs/archive/conversations/_reader/by_chat/readme_ports_determinism.md
- docs/archive/conversations/_reader/by_chat/refactor_architecture.md
- docs/archive/conversations/_reader/by_chat/refactor_control_plane.md
- docs/archive/conversations/_reader/by_chat/release_identity_and_versioning.md
- docs/archive/conversations/_reader/by_chat/testx_repos_governance.md
- docs/archive/conversations/_reader/by_chat/timekeeping_and_2038_resilience.md
- docs/archive/conversations/_reader/by_chat/ue6_domino_deterministic_universe.md
- docs/archive/conversations/_reader/by_chat/ui_editor_tool_editor_planning.md
- docs/archive/conversations/_reader/by_chat/universe_explorer_planning.md
- docs/archive/conversations/_reader/by_chat/workbench_aide_product_spine.md
- docs/archive/conversations/_reader/by_chat/world_architecture.md
- docs/archive/conversations/_reader/by_chat/xstack_lab_galaxy.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__01_full_chat_report.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__02_spec_sheet.yaml
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__03_aggregator_packet.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__04_registers.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__05_reader_brief.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__06_verification_and_audit.md
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__human_readable_chat_report.txt
- docs/archive/conversations/advanced_simulation_infrastructure/dominium_advanced_simulation_infrastructure_architecture__manifest.md

- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_01_full_chat_report.md
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_02_spec_sheet.yaml
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_03_aggregator_packet.md
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_04_registers.md
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_05_reader_brief.md
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_06_verification_and_audit.md
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_human_readable_chat_report.txt
- docs/archive/conversations/app_runtime_platform_renderers/dominium_app0_runtime_platform_renderers_manifest.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__01_full_chat_report.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__02_spec_sheet.yaml
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__03_aggregator_packet.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__04_registers.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__05_reader_brief.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__06_verification_and_audit.md
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__human_readable_chat_report.txt
- docs/archive/conversations/app_testx_codehygiene/dominium_app_testx_codehygiene_handoff__manifest.md
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_01_full_chat_report.md
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_02_spec_sheet.yaml
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_03_aggregator_packet.md
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_04_registers.md
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_05_reader_brief.md

- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_06_verification_and_audit.md
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_human_readable_chat_report.txt
- docs/archive/conversations/architecture_codex_prompts/dominium_domino_architecture_codex_prompts_manifest.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__00_manifest.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__01_human_readable_report.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__02_context_transfer_packet.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__03_spec_sheet.yaml
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__04_registers.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__05_aggregator_packet.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__06_reader_brief.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__07_verification_and_audit.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__08_future_chat_bootstrap_prompt.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__09_in_chat_reader.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__10_accompanying_human_report.md
- docs/archive/conversations/architecture_ui_providers/dominium_architecture_ui_providers_robot_os_strategy__11_bundle_index_and_checksums.md
- docs/archive/conversations/architecture_ui_providers/source/Pasted text.txt
- docs/archive/conversations/canonical_structure_and_framework/Pasted text.txt
- docs/archive/conversations/canonical_structure_and_framework/dir_tree.json
- docs/archive/conversations/canonical_structure_and_framework/dir_tree.txt

11.5 Manifest-Only Source Index

- docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md
- docs/archive/audit/CANON_MAP.md
- docs/archive/audit/DOCS_AUDIT_PROMPT0.md

- docs/archive/audit/DOC_INDEX.md
- docs/archive/audit/MODULE_DISCOVERY_REPORT.md
- docs/archive/audit/MODULE_DUPLICATION_REPORT.md
- docs/archive/audit/REPO_TREE_INDEX.md
- docs/archive/blueprint/FINAL_PROMPT_INVENTORY.md
- docs/archive/blueprint/PROMPT_EXECUTION_CHECKLIST.md
- docs/archive/conversations/Dominium_Complete_Conversation/Accompanying_Report/Dominium_Canon_Portability_Audit__handoff_package.zip
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_bundle_with_accompanying_report.zip
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__complete_conversation_package.zip
- docs/archive/conversations/Dominium_Complete_Conversation/deterministic_solar_system_handoff_file/Dominium_Deterministic_Solar_System_Architecture__handoff_package.zip
- docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__complete_bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/existing_companion_report_package/Dominium_Complete_Conversation_Companion_Report__single_zip_bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/existing_complete_preservation_package/Dominium_Complete_Conversation_Preservation__complete_bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/existing_consolidated_package_artifact/Dominium_Conversation_Complete_Preservation_Bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/new_companion_report_and_bundle/Dominium_Conversation_Complete_Accompanying_Report__all_files_bundle.zip
- docs/archive/conversations/Dominium_Complete_Conversation/robotic_seed_civilisation_handoff_file/Dominium_Robotic_Seed_Civilisation_Architecture__handoff_package.zip
- docs/archive/conversations/Domino_Dominium_Workbench/prior_preservation_files/dominium_workbench_presentation_spine_universe_explorer_planning__handoff_package.zip
- docs/archive/conversations/Language_Platform_Architecture/Dominium_Language_Platform_Architecture_Baseline__handoff_package.zip
- docs/archive/conversations/Modularity_AIDE_Refactorability/previous_export/Dominium_Modularity_AIDE_Refactorability_Architecture__handoff_package.zip
- docs/archive/conversations/OS_Interface_Repo_Architecture/Dominium_OS_Interface_Repo_Architecture__handoff_package.zip
- docs/archive/conversations/Portability_Assurance_Future_Proof/previous_zip/Domino_Dominium_Portability_Assurance_Future_Proof_Architecture__handoff_package.zip
- docs/archive/conversations/Release_Identity_and_Versioning/Dominium_XStack_Release_Identity_and_Versioning__handoff_package.zip

- docs/archive/conversations/Timekeeping_and_2038_Resilience/Dominium_Timekeeping_and_2038_Resilience__handoff_package.zip
- docs/archive/conversations/UE6_Domino_Deterministic_Universe/Dominium_UE6_Domino_Deterministic_Universe__handoff_package.zip
- docs/archive/conversations/Universe_Explorer_Planning/Dominium_Universe_Explorer_Planning_Handoff__handoff_package.zip
- docs/archive/conversations/_book/qa/main_001_title_page.png
- docs/archive/conversations/_book/qa/main_002_toc_page.png
- docs/archive/conversations/_book/qa/main_060_normal_chapter_page.png
- docs/archive/conversations/_book/qa/main_547_dense_appendix_page.png
- docs/archive/conversations/_book/qa/main_792_index_or_back_matter_page.png
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.docx
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.epub
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Book_v0.pdf
- docs/archive/conversations/_exports/Dominium_Conversation_Corpus_Reference_Appendix_v0.pdf
- docs/archive/conversations/architecture_ui_providers/prior_package/dominium_architecture_ui_providers_robot_os_strategy__handoff_package.zip
- docs/archive/conversations/canonical_structure_and_framework/dirfiles.zip
- docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_architecture_repo_foundation__handoff_package.zip
- docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__complete_handoff_with_companion.zip
- docs/archive/conversations/canonical_structure_and_framework/dominium_canonical_structure_and_framework__handoff_package.zip
- docs/archive/conversations/dominium_full_conversation/previous_preservation_files/Dominium_Workbench_AIDE_Presentation_Provider_Strategy__handoff_package.zip
- docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__complete_package.zip
- docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__expanded_complete_bundle.zip
- docs/archive/conversations/dominium_full_conversation/previous_preservation_files/dominium_workbench_aide_architecture_preservation__handoff_package.zip
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000021c07207
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000022e47207
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000296871fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000059b471fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000006b207207
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_0000000079147207

- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_000000008d7871fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000959871fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000c74c71fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_files/file_00000000e40071fa
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (1).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_18 AM (2).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (3).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_19 AM (4).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (5).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_20 AM (6).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (7).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (8).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_21 AM (9).png
- docs/archive/conversations/dominium_full_conversation/uploaded_reference_images/ChatGPT Image May 18, 2026, 12_47_24 AM (10).png
- docs/archive/conversations/engine_baseline_architecture/previous_handoff_package_original.zip
- docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/NEW.txt
- docs/archive/conversations/omega_xi_pi_architecture_future/source_inputs/dir (1).txt
- docs/development/guides/book/dominium_book_old.zip
- docs/development/guides/context/dominium_newcontext.docx
- docs/development/guides/context/dominium_oldcontext.zip
- docs/development/guides/ui_editor/fixtures/fixture_abs.tlv
- docs/development/guides/ui_editor/fixtures/fixture_dock.tlv
- docs/development/guides/ui_editor/fixtures/fixture_migrate_v1.tlv
- docs/development/guides/ui_editor/fixtures/fixture_tabs_split_scroll.tlv

Chapter 12

Source Compendium

Source

This compendium is deliberately index-first. Human-readable originals are included where useful; bulk source files, machine-readable artifacts, and binary files stay represented by metadata and source paths.

12.1 Current Markdown Sources

- Row 1** Path: docs/README.md; Authority Class: unknown_or_unclassified; Book Role: summarized_reader
- Row 2** Path: docs/apps/ARTIFACT_IDENTITY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 3** Path: docs/apps/CLIENT_IDE_START_POINTS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 4** Path: docs/apps/CLIENT_READONLY_INTEGRATION.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 5** Path: docs/apps/CLIENT_RENDERER_UI.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 6** Path: docs/apps/CLIENT_UI_LAYER.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 7** Path: docs/apps/CLI_CONTRACTS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 8** Path: docs/apps/CMD_GRAPH_CAMERA_AND_BLUEPRINT.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 9** Path: docs/apps/COMPATIBILITY_ENFORCEMENT.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 10** Path: docs/apps/ENGINE_GAME_DIAGNOSTICS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 11** Path: docs/apps/GUI_MODE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 12** Path: docs/apps/HEADLESS_AND_ZERO_PACK.md; Authority Class: development_guidance; Book Role: summarized_reader

- Row 13** Path: docs/apps/IDE_WORKFLOW.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 14** Path: docs/apps/NATIVE_UI_POLICY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 15** Path: docs/apps/OBSERVABILITY_PIPELINES.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 16** Path: docs/apps/PRODUCT_BOUNDARIES.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 17** Path: docs/apps/README.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 18** Path: docs/apps/READONLY_ADAPTER.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 19** Path: docs/apps/RUNTIME_LOOP.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 20** Path: docs/apps/TESTX_COMPLIANCE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 21** Path: docs/apps/TESTX_INVENTORY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 22** Path: docs/apps/TIMING_AND_CLOCKS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 23** Path: docs/apps/TOOLS_OBSERVABILITY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 24** Path: docs/apps/TOOLS_UI_POLICY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 25** Path: docs/apps/TUI_MODE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 26** Path: docs/apps/UI_MODES.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 27** Path: docs/apps/client/CLIENT_COMMAND_GRAPH.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 28** Path: docs/apps/client/CLIENT_FLOW.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 29** Path: docs/apps/client/CLIENT_LIFECYCLE_PIPELINE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 30** Path: docs/apps/client/CLIENT_SETTINGS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 31** Path: docs/apps/client/CLIENT_UI_AND_FLOW.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 32** Path: docs/apps/client/CLI_TUI_GUI_PARITY.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 33** Path: docs/apps/client/SERVER_DISCOVERY.md; Authority Class: development_guidance; Book Role: summarized_reader

- Row 34** Path: docs/apps/client/SESSION_READY_AND_RUNNING.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 35** Path: docs/apps/client/SESSION_SPEC_AND_AUTHORITY_CONTEXT.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 36** Path: docs/apps/client/SESSION_TRANSITION_WORKSPACE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 37** Path: docs/apps/client/WORLD_MANAGER.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 38** Path: docs/apps/launcher/LAUNCHER_SETTINGS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 39** Path: docs/apps/server/LOCAL_SINGLEPLAYER_MODEL.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 40** Path: docs/apps/server/SERVER_MVP_BASELINE.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 41** Path: docs/apps/server/SERVER_SETTINGS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 42** Path: docs/apps/setup/SETUP_SETTINGS.md; Authority Class: development_guidance; Book Role: summarized_reader
- Row 43** Path: docs/architecture/ADAPTER_PATTERN.md; Authority Class: architecture_current; Book Role: main_reader
- Row 44** Path: docs/architecture/ADOPTION_PROTOCOL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 45** Path: docs/architecture/AI_AND_DELEGATED_AUTONOMY_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 46** Path: docs/architecture/AI_BUDGET_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 47** Path: docs/architecture/AI_INTENT_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 48** Path: docs/architecture/ANTI_CHEAT_AND_INTEGRITY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 49** Path: docs/architecture/ANTI_CHEAT_AS_LAW.md; Authority Class: architecture_current; Book Role: main_reader
- Row 50** Path: docs/architecture/ANTI_ENTROPY_RULES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 51** Path: docs/architecture/APPLICATION_CONTRACTS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 52** Path: docs/architecture/APP_AUTOMATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 53** Path: docs/architecture/APP_CANON0.md; Authority Class: architecture_current; Book Role: main_reader
- Row 54** Path: docs/architecture/APP_CANON1.md; Authority Class: architecture_current; Book Role: main_reader

- Row 55** Path: docs/architecture/ARCH0_CONSTITUTION.md; Authority Class: architecture_current; Book Role: main_reader
- Row 56** Path: docs/architecture/ARCHITECTURE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 57** Path: docs/architecture/ARCHITECTURE_GRAPH_SPEC_v1.md; Authority Class: architecture_current; Book Role: main_reader
- Row 58** Path: docs/architecture/ARCHITECTURE_LAYERS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 59** Path: docs/architecture/ARCHIVAL_AND_PERMANENCE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 60** Path: docs/architecture/ARCHIVE_MANIFEST.md; Authority Class: architecture_current; Book Role: main_reader
- Row 61** Path: docs/architecture/ARCH_BUILD_ENFORCEMENT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 62** Path: docs/architecture/ARCH_CHANGE_PROCESS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 63** Path: docs/architecture/ARCH_ENFORCEMENT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 64** Path: docs/architecture/ARCH_REPO_LAYOUT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 65** Path: docs/architecture/ARCH_SPEC_OWNERSHIP.md; Authority Class: architecture_current; Book Role: main_reader
- Row 66** Path: docs/architecture/ARTIFACT_LIFECYCLE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 67** Path: docs/architecture/ARTIFACT_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 68** Path: docs/architecture/AUDITABILITY_AND_DISCLOSURE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 69** Path: docs/architecture/AUTHORITY_AND_ENTITLEMENTS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 70** Path: docs/architecture/AUTHORITY_AND_OMNIPOTENCE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 71** Path: docs/architecture/AUTHORITY_IN_REALITY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 72** Path: docs/architecture/AUTHORITY_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 73** Path: docs/architecture/BEHAVIORAL_COMPONENTS_STANDARD.md; Authority Class: architecture_current; Book Role: main_reader
- Row 74** Path: docs/architecture/BOUNDARY_ENFORCEMENT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 75** Path: docs/architecture/BUDGET_POLICY.md; Authority Class: architecture_current; Book Role: main_reader

- Row 76** Path: docs/architecture/BUGREPORT_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 77** Path: docs/architecture/BUILD_IDENTITY_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 78** Path: docs/architecture/BUNDLE_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 79** Path: docs/architecture/CANONICAL_SYSTEM_MAP.md; Authority Class: architecture_current; Book Role: main_reader
- Row 80** Path: docs/architecture/CANON_CUT_LINE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 81** Path: docs/architecture/CANON_INDEX.md; Authority Class: architecture_current; Book Role: main_reader
- Row 82** Path: docs/architecture/CAPABILITY_BASELINES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 83** Path: docs/architecture/CAPABILITY_ONLY_CANON.md; Authority Class: architecture_current; Book Role: main_reader
- Row 84** Path: docs/architecture/CHANGELOG_ARCH.md; Authority Class: architecture_current; Book Role: main_reader
- Row 85** Path: docs/architecture/CHANGE_PROTOCOL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 86** Path: docs/architecture/CHEATS_ARE_JUST_LAWS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 87** Path: docs/architecture/CHECKPOINTING_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 88** Path: docs/architecture/CHECKPOINTS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 89** Path: docs/architecture/CIVILIZATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 90** Path: docs/architecture/CODE_DATA_BOUNDARY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 91** Path: docs/architecture/CODE_KNOWLEDGE_BOUNDARY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 92** Path: docs/architecture/COLLAPSE_AND_DECAY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 93** Path: docs/architecture/COLLAPSE_EXPAND_CONTRACT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 94** Path: docs/architecture/COLLAPSE_EXPAND_SOLVERS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 95** Path: docs/architecture/COMPATIBILITY_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 96** Path: docs/architecture/COMPLEXITY_AND_SCALE.md; Authority Class: architecture_current; Book Role: main_reader

- Row 97** Path: docs/architecture/COMPONENTS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 98** Path: docs/architecture/CONFLICT_AND_WAR_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 99** Path: docs/architecture/CONSTANT_COST_GUARANTEE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 100** Path: docs/architecture/CONTENT_AND_STORAGE_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 101** Path: docs/architecture/CONTRACTS_INDEX.md; Authority Class: architecture_current; Book Role: main_reader
- Row 102** Path: docs/architecture/CONTROL_LAYERS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 103** Path: docs/architecture/CORE_ABSTRACTIONS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 104** Path: docs/architecture/CRASH_RECOVERY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 105** Path: docs/architecture/CROSS_SHARD_LOG.md; Authority Class: architecture_current; Book Role: main_reader
- Row 106** Path: docs/architecture/C_COMPATIBLE_ABI_BOUNDARY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 107** Path: docs/architecture/DEATH_AND_CONTINUITY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 108** Path: docs/architecture/DECAY_EROSION_REGEN.md; Authority Class: architecture_current; Book Role: main_reader
- Row 109** Path: docs/architecture/DEMO_AND_TOURIST_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 110** Path: docs/architecture/DEPRECATION_AND_QUARANTINE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 111** Path: docs/architecture/DEPRECATION_LIFECYCLE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 112** Path: docs/architecture/DETERMINISTIC_ORDERING_POLICY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 113** Path: docs/architecture/DETERMINISTIC_REDUCTION_RULES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 114** Path: docs/architecture/DEV_OPS_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 115** Path: docs/architecture/DIRECTORY_CONTEXT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 116** Path: docs/architecture/DIRECTORY_STRUCTURE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 117** Path: docs/architecture/DISTRIBUTED_SIMULATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader

- Row 118** Path: docs/architecture/DISTRIBUTED_TIME_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 119** Path: docs/architecture/DISTRIBUTION_AND_STOREFRONTS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 120** Path: docs/architecture/DISTRIBUTION_LAYOUT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 121** Path: docs/architecture/DISTRIBUTION_PROFILES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 122** Path: docs/architecture/DOMAIN_JURISDICTIONS_AND_LAW.md; Authority Class: architecture_current; Book Role: main_reader
- Row 123** Path: docs/architecture/DOMAIN_SHARDING_AND_STREAMING.md; Authority Class: architecture_current; Book Role: main_reader
- Row 124** Path: docs/architecture/DOMAIN_VOLUMES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 125** Path: docs/architecture/DUPLICATION_DETECTION_RULES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 126** Path: docs/architecture/ECONOMIC_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 127** Path: docs/architecture/ECONOMY_AND_LOGISTICS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 128** Path: docs/architecture/ENERGY_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 129** Path: docs/architecture/ENFORCEMENT_ESCALATION.md; Authority Class: architecture_current; Book Role: main_reader
- Row 130** Path: docs/architecture/EPISTEMICS_AND_SCALED_MMO.md; Authority Class: architecture_current; Book Role: main_reader
- Row 131** Path: docs/architecture/EPISTEMICS_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 132** Path: docs/architecture/EXECUTION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 133** Path: docs/architecture/EXECUTION_REORDERING_POLICY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 134** Path: docs/architecture/EXECUTION_SUBSTRATE_AUDIT.md; Authority Class: architecture_current; Book Role: main_reader
- Row 135** Path: docs/architecture/EXISTENCE_AND_REALITY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 136** Path: docs/architecture/EXISTENCE_LIFECYCLE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 137** Path: docs/architecture/EXOTIC_TRAVEL_AND_REALITY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 138** Path: docs/architecture/EXPLORATION_METRICS.md; Authority Class: architecture_current; Book Role: main_reader

- Row 139** Path: docs/architecture/EXPLORATION_SCALING_PROOF.md; Authority Class: architecture_current; Book Role: main_reader
- Row 140** Path: docs/architecture/EXTEND_VS_CREATE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 141** Path: docs/architecture/EXTENSION_MAP.md; Authority Class: architecture_current; Book Role: main_reader
- Row 142** Path: docs/architecture/EXTENSION_RULES.md; Authority Class: architecture_current; Book Role: main_reader
- Row 143** Path: docs/architecture/FABRICATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 144** Path: docs/architecture/FLOAT_POLICY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 145** Path: docs/architecture/FLOWSYSTEM_STANDARD.md; Authority Class: architecture_current; Book Role: main_reader
- Row 146** Path: docs/architecture/FLUIDS_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 147** Path: docs/architecture/FORKING_AND_PROVIDES_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 148** Path: docs/architecture/FUTURE_COMPATIBILITY_AND_ARCH.md; Authority Class: architecture_current; Book Role: main_reader
- Row 149** Path: docs/architecture/FUTURE_PROOFING.md; Authority Class: architecture_current; Book Role: main_reader
- Row 150** Path: docs/architecture/GENERATED_CODE_POLICY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 151** Path: docs/architecture/GLOBAL_ID_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 152** Path: docs/architecture/GLOSSARY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 153** Path: docs/architecture/GOVERNANCE_AND_INSTITUTIONS.md; Authority Class: architecture_current; Book Role: main_reader
- Row 154** Path: docs/architecture/GUI_BASELINE.md; Authority Class: architecture_current; Book Role: main_reader
- Row 155** Path: docs/architecture/HARDWARE_EVOLUTION_STRATEGY.md; Authority Class: architecture_current; Book Role: main_reader
- Row 156** Path: docs/architecture/HAZARDS_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 157** Path: docs/architecture/HISTORY_AND_CIVILIZATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
- Row 158** Path: docs/architecture/IDENTITY_ACROSS_TIME.md; Authority Class: architecture_current; Book Role: main_reader
- Row 159** Path: docs/architecture/IDE_AND_TOOLCHAIN_POLICY.md; Authority Class: architecture_current; Book Role: main_reader

Row 160	Path: docs/architecture/IDE_PROJECTIONS.md; Authority Class: architecture_current; Book Role: main_reader
Row 161	Path: docs/architecture/ID_AND_NAMESPACE_RULES.md; Authority Class: architecture_current; Book Role: main_reader
Row 162	Path: docs/architecture/INDEXING_POLICY.md; Authority Class: architecture_current; Book Role: main_reader
Row 163	Path: docs/architecture/INFORMATION_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 164	Path: docs/architecture/INSTALLER_CONTRACT.md; Authority Class: architecture_current; Book Role: main_reader
Row 165	Path: docs/architecture/INSTALL_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 166	Path: docs/architecture/INSTANCE_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 167	Path: docs/architecture/INSTITUTIONS_AND_GOVERNANCE_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 168	Path: docs/architecture/INTEREST_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 169	Path: docs/architecture/INVARIANTS.md; Authority Class: architecture_current; Book Role: main_reader
Row 170	Path: docs/architecture/INVARIANTS_AND_TOLERANCES.md; Authority Class: architecture_current; Book Role: main_reader
Row 171	Path: docs/architecture/INVARIANT_REGISTRY.md; Authority Class: architecture_current; Book Role: main_reader
Row 172	Path: docs/architecture/JOIN_RESYNC_CONTRACT.md; Authority Class: architecture_current; Book Role: main_reader
Row 173	Path: docs/architecture/KNOWLEDGE_AND_SKILLS_MODEL.md; Authority Class: architecture_current; Book Role: main_reader
Row 174	Path: docs/architecture/KNOWN_BLOCKERS.md; Authority Class: architecture_current; Book Role: main_reader
Row 175	Path: docs/architecture/KNOWN_WARNINGS.md; Authority Class: architecture_current; Book Role: main_reader
Row 176	Path: docs/architecture/LANGUAGE_STRATEGY.md; Authority Class: architecture_current; Book Role: main_reader
Row 177	Path: docs/architecture/LAUNCHER_CONTRACT.md; Authority Class: architecture_current; Book Role: main_reader
Row 178	Path: docs/architecture/LAW_AND_META_LAW.md; Authority Class: architecture_current; Book Role: main_reader
Row 179	Path: docs/architecture/LAW_ENFORCEMENT_POINTS.md; Authority Class: architecture_current; Book Role: main_reader
Omitted	622 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

12.2 Archive and Conversation Markdown Sources

- Row 1** Path: docs/archive/README.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 2** Path: docs/archive/STATUS_NOW.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 3** Path: docs/archive/SURVIVAL_SLICE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 4** Path: docs/archive/app/APR1_RUNTIME_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 5** Path: docs/archive/app/APR1_TESTX_COMPLIANCE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 6** Path: docs/archive/app/APR2_TESTX_COMPLIANCE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 7** Path: docs/archive/app/APR3_TESTX_COMPLIANCE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 8** Path: docs/archive/app/APR3_UI_MODE_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 9** Path: docs/archive/app/APR4_ENGINE_GAME_INTERFACE_INVENTORY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 10** Path: docs/archive/app/APR4_TESTX_COMPLIANCE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 11** Path: docs/archive/architecture/ARCH_GLOSSARY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 12** Path: docs/archive/architecture/COMPATIBILITY_PHILOSOPHY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 13** Path: docs/archive/architecture/DISTRIBUTED_SIM_MODEL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 14** Path: docs/archive/architecture/INVARIANTS.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 15** Path: docs/archive/architecture/MENTAL_MODEL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 16** Path: docs/archive/architecture/NON_GOALS.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 17** Path: docs/archive/architecture/TERMINOLOGY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 18** Path: docs/archive/architecture/VISITABILITY_AND_REALITY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 19** Path: docs/archive/audit/ACTION_SURFACE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 20** Path: docs/archive/audit/AG1_MVP_VALIDATION.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 21** Path: docs/archive/audit/AG2_MVP_COMPLETION.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 22** Path: docs/archive/audit/ANTI_CHEAT_FRAMEWORK_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 23** Path: docs/archive/audit/APPSHELL0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 24** Path: docs/archive/audit/APPSHELL1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 25** Path: docs/archive/audit/APPSHELL2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 26** Path: docs/archive/audit/APPSHELL3_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 27** Path: docs/archive/audit/APPSHELL4_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 28** Path: docs/archive/audit/APPSHELL6_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 29** Path: docs/archive/audit/APPSHELL_BOOTSTRAP_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 30** Path: docs/archive/audit/APPSHELL_COMMANDS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 31** Path: docs/archive/audit/APPSHELL_IPC_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 32** Path: docs/archive/audit/APPSHELL_LOGGING_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 33** Path: docs/archive/audit/APPSHELL_TUI_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 34** Path: docs/archive/audit/ARCHITECTURE_GRAPH_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 35** Path: docs/archive/audit/ARCHITECTURE_HEALTH.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 36** Path: docs/archive/audit/ARCHITECTURE_HEALTH_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 37** Path: docs/archive/audit/ARCHIVE_OFFLINE0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 38** Path: docs/archive/audit/ARCHIVE_POLICY0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 39** Path: docs/archive/audit/ARCHIVE_POLICY_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 40** Path: docs/archive/audit/ARCH_AUDIT0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 41** Path: docs/archive/audit/ARCH_AUDIT1_FINAL_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 42** Path: docs/archive/audit/ARCH_AUDIT2_CONSTITUTION.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 43** Path: docs/archive/audit/ARCH_AUDIT2_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 44** Path: docs/archive/audit/ARCH_AUDIT2_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 45** Path: docs/archive/audit/ARCH_AUDIT2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 46** Path: docs/archive/audit/ARCH_AUDIT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 47** Path: docs/archive/audit/ARCH_AUDIT_CONSTITUTION.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 48** Path: docs/archive/audit/ARCH_AUDIT_FIX_PLAN.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 49** Path: docs/archive/audit/ARCH_AUDIT_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 50** Path: docs/archive/audit/ARCH_GRAPH_BOOTSTRAP.md; Authority Class: archive_stale; Book Role: searchable_html_only
- Row 51** Path: docs/archive/audit/ARCH_MATRIX0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 52** Path: docs/archive/audit/ARCH_MATRIX_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 53** Path: docs/archive/audit/ARTIFACT_MANIFEST_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 54** Path: docs/archive/audit/AUDITX_BASELINE_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 55** Path: docs/archive/audit/AUDITX_OVERHAUL_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 56** Path: docs/archive/audit/BASELINE_UNIVERSE0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 57** Path: docs/archive/audit/BASELINE_UNIVERSE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 58** Path: docs/archive/audit/BASELINE_UNIVERSE_VERIFY.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 59** Path: docs/archive/audit/BEHAVIORAL_COMPONENTS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 60** Path: docs/archive/audit/BINARY_BUILD_MATRIX.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 61** Path: docs/archive/audit/BODY_COLLISION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 62** Path: docs/archive/audit/BOM_AG_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 63** Path: docs/archive/audit/BOUNDARY_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 64** Path: docs/archive/audit/BOUNDARY_BLOCKERS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 65** Path: docs/archive/audit/BR0_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 66** Path: docs/archive/audit/BR0_COMPLETION_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 67** Path: docs/archive/audit/BR0_PUBLIC_HEADER_FAILS.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 68** Path: docs/archive/audit/BR0_RERUN_SEQUENCE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 69** Path: docs/archive/audit/BR0_STUB_RESOLUTION.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 70** Path: docs/archive/audit/BUILD_PRESET_AND_WORKFLOW_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 71** Path: docs/archive/audit/CAMERA_VIEW_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 72** Path: docs/archive/audit/CANON_CONFORMANCE_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 73** Path: docs/archive/audit/CANON_MAP.md; Authority Class: archive_stale; Book Role: searchable_html_only
- Row 74** Path: docs/archive/audit/CAPABILITY_REGISTRY_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 75** Path: docs/archive/audit/CAP_NEG1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 76** Path: docs/archive/audit/CAP_NEG2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 77** Path: docs/archive/audit/CAP_NEG3_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 78** Path: docs/archive/audit/CAP_NEG4_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 79** Path: docs/archive/audit/CAP_NEGOTIATION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 80** Path: docs/archive/audit/CAP_NEG_FINAL_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 81** Path: docs/archive/audit/CHEM1_COUPLING_VALIDATION.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 82** Path: docs/archive/audit/CHEM1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 83** Path: docs/archive/audit/CHEM2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 84** Path: docs/archive/audit/CHEM3_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 85** Path: docs/archive/audit/CHEM4_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 86** Path: docs/archive/audit/CHEMISTRY_FINAL_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 87** Path: docs/archive/audit/CHEM_DEGRADATION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 88** Path: docs/archive/audit/CIVILISATION_SUBSTRATE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 89** Path: docs/archive/audit/CI_RUN_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 90** Path: docs/archive/audit/CLEAN_ROOM_win64.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 91** Path: docs/archive/audit/CODE_DATA_SEPARATION_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 92** Path: docs/archive/audit/COHORT_REFINEMENT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 93** Path: docs/archive/audit/COMBUSTION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 94** Path: docs/archive/audit/COMMITMENTS_AND_REENACTMENT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 95** Path: docs/archive/audit/COMPARTMENT_FLOWS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 96** Path: docs/archive/audit/COMPAT_SEM1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 97** Path: docs/archive/audit/COMPAT_SEM2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 98** Path: docs/archive/audit/COMPAT_SEM3_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 99** Path: docs/archive/audit/COMPILE0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 100** Path: docs/archive/audit/COMPILED_MODEL_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 101** Path: docs/archive/audit/COMPONENT_GRAPH0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 102** Path: docs/archive/audit/COMPONENT_GRAPH_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 103** Path: docs/archive/audit/COMPUTE_BUDGET_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 104** Path: docs/archive/audit/CONCURRENCY0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 105** Path: docs/archive/audit/CONCURRENCY_CONTRACT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 106** Path: docs/archive/audit/CONCURRENCY_SCAN_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 107** Path: docs/archive/audit/CONFIDENCE_STATEMENT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 108** Path: docs/archive/audit/CONSERVATION_LEDGER_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 109** Path: docs/archive/audit/CONSISTENCY_AUDIT_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 110** Path: docs/archive/audit/CONSOLIDATION_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 111** Path: docs/archive/audit/CONSTITUTIVE_MODEL_CONSTITUTION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 112** Path: docs/archive/audit/CONSTITUTIVE_MODEL_ENGINE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 113** Path: docs/archive/audit/CONSTRUCTION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 114** Path: docs/archive/audit/CONTENT_STORE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 115** Path: docs/archive/audit/CONTROL_IR_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 116** Path: docs/archive/audit/CONTROL_NEGOTIATION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 117** Path: docs/archive/audit/CONTROL_PLANE_CONSTITUTION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 118** Path: docs/archive/audit/CONTROL_PLANE_ENFORCEMENT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 119** Path: docs/archive/audit/CONTROL_PLANE_ENGINE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 120** Path: docs/archive/audit/CONTROL_PLANE_FINAL_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 121** Path: docs/archive/audit/CONTROL_SUBSTRATE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 122** Path: docs/archive/audit/CONVERGENCE_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 123** Path: docs/archive/audit/CORE_ABSTRACTIONS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 124** Path: docs/archive/audit/COUPLE0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 125** Path: docs/archive/audit/CROSS_SYSTEM_CONSISTENCY_MATRIX.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 126** Path: docs/archive/audit/CTRL0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 127** Path: docs/archive/audit/CTRL10_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 128** Path: docs/archive/audit/CTRL1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 129** Path: docs/archive/audit/CTRL2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 130** Path: docs/archive/audit/CTRL3_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 131** Path: docs/archive/audit/CTRL4_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 132** Path: docs/archive/audit/CTRL5_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 133** Path: docs/archive/audit/CTRL6_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 134** Path: docs/archive/audit/CTRL7_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 135** Path: docs/archive/audit/CTRL8_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 136** Path: docs/archive/audit/CTRL9_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 137** Path: docs/archive/audit/CURRENT_STATE_DETAILED_REPORT_2026-03-31.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 138** Path: docs/archive/audit/DATA_FORMAT_COMPAT_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 139** Path: docs/archive/audit/DECAY_MAINTENANCE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 140** Path: docs/archive/audit/DEGRADE_LADDER_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 141** Path: docs/archive/audit/DEMOGRAPHY_OPTIONALITY_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 142** Path: docs/archive/audit/DEPRECATION_FRAMEWORK_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 143** Path: docs/archive/audit/DETERMINISM_AND_PERFORMANCE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 144** Path: docs/archive/audit/DETERMINISM_ENVELOPE_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 145** Path: docs/archive/audit/DEVELOPER_ACCELERATION_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 146** Path: docs/archive/audit/DIAG0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 147** Path: docs/archive/audit/DIEGETIC_FIRST_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix

- Row 148** Path: docs/archive/audit/DIEGETIC_INSTRUMENTS_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 149** Path: docs/archive/audit/DISASTER_SUITE_BASELINE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 150** Path: docs/archive/audit/DISASTER_SUITE_RUN.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 151** Path: docs/archive/audit/DISASTER_TEST0_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 152** Path: docs/archive/audit/DIST1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 153** Path: docs/archive/audit/DIST2_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 154** Path: docs/archive/audit/DIST2_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 155** Path: docs/archive/audit/DIST3_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 156** Path: docs/archive/audit/DIST4_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 157** Path: docs/archive/audit/DIST5_UX_POLISH_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 158** Path: docs/archive/audit/DIST5_UX_SMOKE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 159** Path: docs/archive/audit/DIST6_FINAL.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 160** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_read_only.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 161** Path: docs/archive/audit/DIST6_INTEROP_contract_mismatch_strict.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 162** Path: docs/archive/audit/DIST6_INTEROP_minor_protocol_drift.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 163** Path: docs/archive/audit/DIST6_INTEROP_pack_lock_mismatch.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 164** Path: docs/archive/audit/DIST6_INTEROP_same_build_identical_rebuild.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 165** Path: docs/archive/audit/DIST6_INTEROP_same_build_same_build.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 166** Path: docs/archive/audit/DIST6_INTEROP_same_version_cross_platform.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 167** Path: docs/archive/audit/DISTRIBUTION_ARCHITECTURE_FREEZE.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 168** Path: docs/archive/audit/DIST_CONTENT_AUDIT.md; Authority Class: archive_historical; Book Role: reference_appendix

- Row 169** Path: docs/archive/audit/DIST_EXECUTION_PRECHECK.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 170** Path: docs/archive/audit/DIST_FINAL_DRYRUN.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 171** Path: docs/archive/audit/DIST_PLATFORM_MATRIX_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 172** Path: docs/archive/audit/DIST_REFINE1_RETRO_AUDIT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 173** Path: docs/archive/audit/DIST_TREE_ASSEMBLY_FINAL.md; Authority Class: archive_historical; Book Role: reference_appendix
- Row 174** Path: docs/archive/audit/DIST_VERIFY_win64.md; Authority Class: archive_historical; Book Role: reference_appendix
- Row 175** Path: docs/archive/audit/DOCS_AUDIT_PROMPT0.md; Authority Class: archive_stale; Book Role: searchable_html_only
- Row 176** Path: docs/archive/audit/DOC_CANON_ALIGNMENT_REPORT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 177** Path: docs/archive/audit/DOC_DRIFT.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 178** Path: docs/archive/audit/DOC_DRIFT_MATRIX.md; Authority Class: archive_stale; Book Role: reference_appendix
- Row 179** Path: docs/archive/audit/DOC_GAPS.md; Authority Class: archive_stale; Book Role: reference_appendix
- Omitted** 1022 additional rows omitted from PDF table rendering; see source Markdown or HTML/reference source.

12.3 Non-Markdown Inputs

Extension	Count
(none)	11
.css	2
.docx	2
.epub	1
.html	1
.js	1
.json	208
.pdf	2
.png	15
.py	1
.sha256	1
.tex	2
.tlv	4
.tsv	1
.txt	111
.yaml	49
.yaml	1
.zip	32