Cucumber Report

Start : Aug 13, 9:37:54.145 AM	End : Aug 13, 9:38:04.309 AM	Duration : 10.164 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login Functionality of Swag Labs	*10.164 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@LoginValidCredentials	1	1	0	0	1	1	0	0
@Login	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Login Functionality of Swag Labs	1	1	0	0	10.164 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of Swag Labs	Successful login with valid credential	4	4	0	0	10.148 s

Login Functionality of Swag Labs

PASSED	DURATION - 10.164 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:37:54.145 AM // 9:38:04.309 AM /					

Successful login with valid credential

PASSED	DURATION - 10.148 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:37:54.161 AM // 9:38:04.309 AM /				
Login Functionality of Swag Labs				
@LoginValidCredentials @Login				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.755 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	image		
2	When User enter username as "standard_user" and password as "secret_sauce"	PASSED	0.309 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	image		

#	Step / Hook Details	Status	Duration
3	And Click on login button	PASSED	0.140 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	image		
4	Then "Swag Labs" title displayed after succesfully login	PASSED	0.041 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	image		