

Cucumber Report

Aug 12, 2023 12:19:01 PM

Start : Aug 12, 12:03:25.279 PM

End : Aug 12, 12:18:59.091 PM

Duration : 15 m 33.812 s

Features







PASSED - 4
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 25
FAILED - 5
SKIPPED - 0

Steps


PASSED - 205
FAILED - 5
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>About page functionality</u>	6 m 7.106 s	4	0	4	0	38	28	4	6
<u>Check the Add To Cart functionality</u>	1 m 13.130 s	4	4	0	0	32	32	0	0
<u>Check the Checkout functionality</u>	3 m 31.428 s	10	9	1	0	90	89	1	0
<u>Login Functionality of Swag Labs</u>	1 m 18.392 s	4	4	0	0	15	15	0	0
<u>Check the Menu Bar Functionality</u>	1 m 38.938 s	3	3	0	0	17	17	0	0
<u>Check the Products page functionality</u>	1 m 39.430 s	5	5	0	0	24	24	0	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@pricing_page		1	0	1	0	1	0	1	0
@about_page_functionality		4	0	4	0	1	0	1	0
@signIn_button		1	0	1	0	1	0	1	0
@search_functionlity		1	0	1	0	1	0	1	0
@closing_serach_page		1	0	1	0	1	0	1	0
@addToCart		4	4	0	0	1	1	0	0
@single_item_added_to_cart		1	1	0	0	1	1	0	0
@multiple_item_added_to_cart		1	1	0	0	1	1	0	0
@remove_product_from_cart-page		1	1	0	0	1	1	0	0
@continue_shopping		1	1	0	0	1	1	0	0
@Checkout		10	9	1	0	1	0	1	0
@chcekout_form		1	1	0	0	1	0	1	0
@checkout_unsuccessful		3	3	0	0	1	0	1	0
@checkout_successful		1	1	0	0	1	0	1	0
@check_postalCode_With_stringValue		1	0	1	0	1	0	1	0
@total_price		1	1	0	0	1	0	1	0
@continue_button_in_checkout_information		1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@cancel_button_in_checkout_information	1	1	0	0	1	0	1	0
@cancel_button_in_checkout_overview	1	1	0	0	1	0	1	0
@LoginValidCredentials	1	1	0	0	1	1	0	0
@Login	4	4	0	0	1	1	0	0
@LoginInValidCredentials	1	1	0	0	1	1	0	0
@LoginWithoutCredentials	1	1	0	0	1	1	0	0
@LoginOnlyWithUsername	1	1	0	0	1	1	0	0
@menu	3	3	0	0	1	1	0	0
@menu_options	1	1	0	0	1	1	0	0
@about	1	1	0	0	1	1	0	0
@logout	1	1	0	0	1	1	0	0
@products	5	5	0	0	1	1	0	0
@products_price	1	1	0	0	1	1	0	0
@product_sorting_by_name_in_descending	1	1	0	0	1	1	0	0
@product_sorting_by_name_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_in_descending	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>About page functionality</u>	4	0	4	0	6 m 7.106 s
2	<u>Check the Add To Cart functionality</u>	4	4	0	0	1 m 13.130 s
3	<u>Check the Checkout functionality</u>	10	9	1	0	3 m 31.428 s
4	<u>Login Functionality of Swag Labs</u>	4	4	0	0	1 m 18.392 s
5	<u>Check the Menu Bar Functionality</u>	3	3	0	0	1 m 38.938 s
6	<u>Check the Products page functionality</u>	5	5	0	0	1 m 39.430 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>About page functionality</u>	<u>Verify the Pricing Page</u>	8	7	1	0	1 m 34.319 s
2	<u>About page functionality</u>	<u>Verify the Sign In button is Enable on pricing page</u>	9	7	1	1	1 m 25.992 s
3	<u>About page functionality</u>	<u>Verify the Search functionality on pricing page</u>	10	7	1	2	1 m 25.564 s
4	<u>About page functionality</u>	<u>User able to close the serach page on pricing page</u>	11	7	1	3	1 m 24.772 s
5	<u>Check the Add To Cart functionality</u>	<u>User is able to Add single item to cart</u>	7	7	0	0	17.425 s
6	<u>Check the Add To Cart functionality</u>	<u>User is able to Add multiple item to cart</u>	7	7	0	0	18.507 s
7	<u>Check the Add To Cart functionality</u>	<u>User is able to remove the product from the cart page</u>	9	9	0	0	18.801 s
8	<u>Check the Add To Cart functionality</u>	<u>Verify Continue Shopping button on Cart Page</u>	9	9	0	0	18.328 s
9	<u>Check the Checkout functionality</u>	<u>Checkout Informations should present and user able to enter the information</u>	7	7	0	0	19.107 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the last name	9	9	0	0	19.417 s
11	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the first name	9	9	0	0	20.226 s
12	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the postal code	9	9	0	0	22.035 s
13	<u>Check the Checkout functionality</u>	Complete the checkout process successfully with enter valid credential	11	11	0	0	19.814 s
14	<u>Check the Checkout functionality</u>	Verify Postal Code field takes only number	8	7	1	0	19.997 s
15	<u>Check the Checkout functionality</u>	Total price value is displayed correctly	10	10	0	0	22.542 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Check the Checkout functionality</u>	<u>Verify the continue button present on the checkout-information page</u>	8	8	0	0	19.834 s
17	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-information page</u>	8	8	0	0	20.137 s
18	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-overview page</u>	11	11	0	0	21.881 s
19	<u>Login Functionality of Swag Labs</u>	<u>Successful login with valid credential</u>	4	4	0	0	18.950 s
20	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with invalid credential</u>	4	4	0	0	20.725 s
21	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login without entering username and password</u>	3	3	0	0	19.123 s
22	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with valid username and blank password field</u>	4	4	0	0	19.544 s
23	<u>Check the Menu Bar Functionality</u>	<u>User is able to open the menu tab</u>	5	5	0	0	24.491 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Check the Menu Bar Functionality</u>	<u>User is able to see the About tab information</u>	6	6	0	0	53.884 s
25	<u>Check the Menu Bar Functionality</u>	<u>User should logout successfully and redirect to the login page again</u>	6	6	0	0	20.535 s
26	<u>Check the Products page functionality</u>	<u>User should see the Products price in dollar(\$) format</u>	4	4	0	0	18.109 s
27	<u>Check the Products page functionality</u>	<u>Sort products by Name in descending order</u>	5	5	0	0	19.642 s
28	<u>Check the Products page functionality</u>	<u>Sort products by Name in ascending order</u>	5	5	0	0	21.193 s
29	<u>Check the Products page functionality</u>	<u>Sort products by Price (low to high) in ascending order</u>	5	5	0	0	20.109 s
30	<u>Check the Products page functionality</u>	<u>Sort products by price in descending order</u>	5	5	0	0	20.319 s



About page functionality



Verify the Pricing Page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.233 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	<i>image</i>		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.508 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	<i>image</i>		
			


#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.054 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.289 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	32.267 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.349 s
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	5.826 s
		PASSED	0.067 s

#	Step / Hook Details	Status	Duration
			
8	<p>Then user navigate to the pricing page</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:15) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_92' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [079df65a-e466-4637-ab4f-a655a71959d8, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:31471, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6060, moz:profile: C:\Users\JULI_K~1\AppData\Local\Temp\scoped_dir3108_11145, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:31471/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 079df65a-e466-4637-ab4f-a655a71959d8 at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	30.418 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1249) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548) <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.045 s

Verify the Sign In button is Enable on pricing page



#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.314 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.342 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.026 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
		PASSED	0.098 s


#	Step / Hook Details	Status	Duration
	image 		
5	When User click on About tab	PASSED	32.543 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.059 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.049 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.131 s
7	When User click on pricing	PASSED	5.919 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.069 s
8	Then user navigate to the pricing page <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</pre>	FAILED	30.273 s

#	Step / Hook Details	Status	Duration
	<pre> at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:20) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_92' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [5bd6664b-3cf4-48d9-8342-30f87c3823b2, findElement {using>xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']}]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:11987, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6992, moz:profile: C:\Users\JULI_K~1\AppData\L..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:11987/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 5bd6664b-3cf4-48d9-8342-30f87c3823b2 at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) </pre>		




#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1249) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) </pre>		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.049 s
9	Then User is able to click on sign in button	SKIPPED	0.000 s

Verify the Search functionality on pricing page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.837 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.046 s

#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.354 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.062 s
	image		
			
3	When User on the products page	PASSED	0.030 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.055 s
	image		
			
4	When User click on menu	PASSED	0.223 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.052 s
	image		
			
5	When User click on About tab	PASSED	32.282 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.053 s
	image		


#	Step / Hook Details	Status	Duration
			
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.205 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.050 s
7	When User click on pricing	PASSED	5.280 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.052 s
8	Then user navigate to the pricing page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']/span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:26) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']/span[normalize- space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no- such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_92' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [691d821d-a810-479a-8e41-a6664c1c64ae, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']/span[normalize-space()='Pricing']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:6141, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 27220, moz:profile:	FAILED	30.343 s

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\JULI_K~1\AppData\L..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:6141/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 691d821d-a810-479a-8e41-a6664c1c64ae at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1249) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.067 s
9	When User click on search button	SKIPPED	0.000 s
10	And user enter "selenium" on the search field	SKIPPED	0.001 s

User able to close the serach page on pricing page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.505 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.052 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.389 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.051 s

#	Step / Hook Details	Status	Duration
			
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.029 s
		PASSED	0.056 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
		PASSED	0.058 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	32.688 s
		PASSED	0.055 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.070 s
		PASSED	0.044 s

#	Step / Hook Details	Status	Duration
			
7	When User click on pricing	PASSED	5.331 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.072 s
8	Then user navigate to the pricing page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitForElement(WaitForElement.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:33) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_92' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [9b79f7c5-a280-479d-94f9-24b5c0090520, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:39369, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14420, moz:profile: C:\Users\JULI_K-1\AppData\Local..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:39369/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 9b79f7c5-a280-479d-94f9-24b5c0090520 at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	30.401 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1249) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.059 s

#	Step / Hook Details	Status	Duration
9	When User click on search button	SKIPPED	0.001 s
10	And user click on the close tab	SKIPPED	0.000 s
11	Then user navigate to the pricing page	SKIPPED	0.001 s




Check the Add To Cart functionality




User is able to Add single item to cart




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.542 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.050 s





#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.359 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.076 s
	image 		
3	When User on the products page	PASSED	0.028 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.078 s
	image 		
4	When User click on add to cart button for one product	PASSED	0.233 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	image 		
5	Then Confirm the cart updated item count to one	PASSED	0.008 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	image 		


#	Step / Hook Details	Status	Duration
			
6	When Click on shopping cart	PASSED	0.238 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.045 s
7	Then User see that one Product is added to the cart	PASSED	0.011 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.045 s

User is able to Add multiple item to cart




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.649 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.056 s




#	Step / Hook Details	Status	Duration
	image 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.422 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	image 		
3	When User on the products page	PASSED	0.035 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	image 		
4	When User click on add to cart button for more than one product	PASSED	0.499 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	image 		
5	Then Confirm the cart updated item count should increase	PASSED	0.010 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	image 		


#	Step / Hook Details	Status	Duration
			
6	When Click on shopping cart	PASSED	0.248 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.089 s
7	Then User see that multiple product is added to the cart	PASSED	0.015 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.055 s

User is able to remove the product from the cart page





#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.691 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.054 s


#	Step / Hook Details	Status	Duration
	image 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.366 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.105 s
3	When User on the products page	PASSED	0.038 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.102 s
4	When User click on add to cart button for one product	PASSED	0.261 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.108 s
5	Then Confirm the cart updated item count to one	PASSED	0.010 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.119 s

#	Step / Hook Details	Status	Duration
			
6	When Click on shopping cart	PASSED	0.255 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.064 s
7	Then User see that one Product is added to the cart	PASSED	0.011 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.057 s
8	When user click on remove button	PASSED	0.239 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.056 s
9	Then the product is remove	PASSED	0.006 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.062 s



#	Step / Hook Details	Status	Duration
			

Verify Continue Shopping button on Cart Page

PASSED	DURATION - 18.328 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 12:10:32.497 PM // 12:10:50.825 PM /				
Check the Add To Cart functionality				
@addToCart @continue_shopping				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.601 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.054 s
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.365 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
			
3	When User on the products page	PASSED	0.033 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s


#	Step / Hook Details	Status	Duration
	<p>image</p>		
4	When User click on add to cart button for one product	PASSED	0.239 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.106 s
5	Then Confirm the cart updated item count to one	PASSED	0.010 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.131 s
6	When Click on shopping cart	PASSED	0.257 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.069 s
7	Then User see that one Product is added to the cart	PASSED	0.011 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.063 s

#	Step / Hook Details	Status	Duration
			
8	When user click on the continue shopping button	PASSED	0.255 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.142 s
9	Then user redirect to the product page again	PASSED	0.037 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.128 s

Check the Checkout functionality




Checkout Informations should present and user able to enter the information



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.243 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.051 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.347 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.100 s
3	When User on the products page	PASSED	0.026 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.075 s
4	And User click on add to cart button for one product	PASSED	0.231 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.075 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
5	Then Click on shopping cart	PASSED	0.244 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.055 s
6	And Click on checkout	PASSED	0.241 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.056 s
7	Then user can see and enter the "Juli" "Kumari" "854301"	PASSED	0.147 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.053 s

User Not Able to Complete the checkout process without entering the last name




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.401 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.053 s
	image		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.405 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.053 s
	image		
3	When User on the products page	PASSED	0.031 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.077 s
	image		
4	And User click on add to cart button for one product	PASSED	0.247 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	Then Click on shopping cart	PASSED	0.244 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.077 s
6	And Click on checkout	PASSED	0.258 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.092 s
7	When user enter the first name as "Juli" and postal code as "854301"	PASSED	0.181 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.079 s
8	And user click on continue	PASSED	0.275 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.109 s

#	Step / Hook Details	Status	Duration
			
9	Then user see the error message as "Error: Last Name is required"	PASSED	0.067 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.095 s

User Not Able to Complete the checkout process without entering the first name




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.700 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.063 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.468 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s



#	Step / Hook Details	Status	Duration
	<p>image</p>		
3	When User on the products page	PASSED	0.046 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.098 s
4	And User click on add to cart button for one product	PASSED	0.244 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.101 s
5	Then Click on shopping cart	PASSED	0.262 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.096 s
6	And Click on checkout	PASSED	0.306 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.076 s

#	Step / Hook Details	Status	Duration
			
7	When user enter the last name as "Kumari" and postal code as "854301"	PASSED	0.133 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.062 s
8	And user click on continue	PASSED	0.276 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.072 s
9	Then user see the error message as "Error: First Name is required"	PASSED	0.020 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.078 s

User Not Able to Complete the checkout process without entering the postal code




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.942 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.068 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.483 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	image		
			
3	When User on the products page	PASSED	0.048 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	image		
			
4	And User click on add to cart button for one product	PASSED	0.275 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s

#	Step / Hook Details	Status	Duration
	image 		
5	Then Click on shopping cart	PASSED	0.279 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.074 s
6	And Click on checkout	PASSED	0.267 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.072 s
7	When user enter the "Juli" "Kumari"	PASSED	0.149 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.078 s
8	And user click on continue	PASSED	0.316 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.087 s

#	Step / Hook Details	Status	Duration
			
9	Then user see the error message as "Error: Postal Code is required"	PASSED	0.020 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.082 s

Complete the checkout process successfully with enter valid credential




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.532 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.061 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.473 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
3	When User on the products page	PASSED	0.070 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.151 s
4	And User click on add to cart button for one product	PASSED	0.291 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.227 s
5	Then Click on shopping cart	PASSED	0.276 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.121 s
6	And Click on checkout	PASSED	0.274 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.082 s

#	Step / Hook Details	Status	Duration
			
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.205 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.072 s
8	And user click on continue	PASSED	0.259 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.076 s
9	Then user can see the checkout overview	PASSED	0.008 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.077 s
10	When user click on finish	PASSED	0.258 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.056 s

#	Step / Hook Details	Status	Duration
11	Then user see the order confirmation message "Thank you for your order!" should displayed	PASSED	0.007 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.054 s

Verify Postal Code field takes only number




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.122 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.075 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.550 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
3	When User on the products page	PASSED	0.065 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.149 s
4	And User click on add to cart button for one product	PASSED	0.258 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.230 s
5	Then Click on shopping cart	PASSED	0.282 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.117 s
6	And Click on checkout	PASSED	0.297 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.107 s


#	Step / Hook Details	Status	Duration
			
7	Then user enter the "Juli" "Kumari" "abcd"	PASSED	0.237 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.079 s
8	Then user not able to see the continue button is enable with "abcd" java.lang.AssertionError: The continue button is enable for the postal code contains string value:abcd expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.failNotEquals(Assert.java:969) at org.testng.Assert.assertTrue(Assert.java:43) at com.psl.pages.CheckoutPage.userEnterStringValueInPostalCodeField(CheckoutPage.java:94) at com.psl.stepdefinitions.CheckoutStepDef.user_not_able_to_see_the_continue_button_is_enable_with(CheckoutStepDef.java:78) at ?.user not able to see the continue button is enable with "abcd"(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/checkout.feature:65) * Not displayable characters are replaced by '?'. 	FAILED	0.025 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.068 s

Total price value is displayed correctly




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.926 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.065 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.471 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	image		
			
3	When User on the products page	PASSED	0.050 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	image		
			
4	And User click on add to cart button for one product	PASSED	0.268 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s




#	Step / Hook Details	Status	Duration
5	Then Click on shopping cart	PASSED	0.327 s
		PASSED	0.071 s
6	And Click on checkout	PASSED	0.261 s
		PASSED	0.075 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.163 s
		PASSED	0.058 s
8	And user click on continue	PASSED	0.260 s
		PASSED	0.086 s

#	Step / Hook Details	Status	Duration
	<p>Checkout Overview</p> <p>\$17 Description</p> <ul style="list-style-type: none"> - Saxon Lotta Backpack Saxons Lotta Backpack with the date, informed by Pack that made uncompromising style with uncompromising taste. <p>\$29.99</p> <p>Payment Information</p> <p>Shipping Information</p> <p>Delivery Address</p> <p>Price Total</p> <p>Sub Total: \$17.00</p> <p>tax: \$0.00</p> <p>Total: \$29.99</p>		
9	Then user can see the checkout overview	PASSED	0.014 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.066 s
10	And User is able to see the total price for the product	PASSED	0.019 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.063 s

Verify the continue button present on the checkout-information page






#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.595 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.061 s

#	Step / Hook Details	Status	Duration
	image 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.454 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	image 		
3	When User on the products page	PASSED	0.082 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	image 		
4	And User click on add to cart button for one product	PASSED	0.253 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	image 		
5	Then Click on shopping cart	PASSED	0.284 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.068 s
	image 		

#	Step / Hook Details	Status	Duration
			
6	And Click on checkout	PASSED	0.266 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.078 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.195 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.050 s
8	And user click on continue	PASSED	0.255 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.066 s

Verify the cancel button present on the checkout-information page






#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.263 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.494 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.096 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
		PASSED	0.181 s



#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	Then Click on shopping cart	PASSED	0.282 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.084 s
6	And Click on checkout	PASSED	0.276 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.091 s
7	When user click on cancle button in checkout-information page	PASSED	0.278 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.100 s
8	Then user redirect to the cart page again	PASSED	0.016 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.090 s


#	Step / Hook Details	Status	Duration
			

Verify the cancel button present on the checkout-overview page

PASSED	DURATION - 21.881 s / 12:14:00.405 PM // 12:14:22.286 PM /		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
	<i>Check the Checkout functionality</i> @Checkout @cancel_button_in_checkout_overview			


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.265 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.559 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
			
3	When User on the products page	PASSED	0.103 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
			
4	And User click on add to cart button for one product	PASSED	0.285 s
		PASSED	0.131 s
5	Then Click on shopping cart	PASSED	0.313 s
		PASSED	0.108 s
6	And Click on checkout	PASSED	0.313 s
		PASSED	0.127 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.344 s
		PASSED	0.090 s


#	Step / Hook Details	Status	Duration
			
8	And user click on continue	PASSED	0.278 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.094 s
9	Then user can see the checkout overview	PASSED	0.012 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.081 s
10	When user click on cancle button in checkout-overview page	PASSED	0.269 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.236 s
11	Then user redirect to the product page again	PASSED	0.046 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.199 s

#	Step / Hook Details	Status	Duration
			


Login Functionality of Swag Labs

PASSED	DURATION - 1 m 18.392 s / 12:14:22.301 PM // 12:15:40.693 PM /	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0		
--------	---	--	--	---	---


Successful login with valid credential

PASSED	DURATION - 18.950 s / 12:14:22.302 PM // 12:14:41.252 PM /	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
--------	---	--	--	---	---


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.602 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.066 s
2	When User enter username as "standard_user" and password as "secret_sauce"	PASSED	0.126 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.056 s

#	Step / Hook Details	Status	Duration
	image 		
3	And Click on login button	PASSED	0.335 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	image 		
4	Then "Swag Labs" title displayed after successfully login	PASSED	0.019 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	image 		


Unsuccessful login with invalid credential



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.159 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.108 s
2	When User enter username as "standard_user" and password as "sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.179 s
3	And Click on login button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.308 s
4	Then Error Message as "Epic sadface: Username and password do not match any user in this service" is displayed after unsuccessful login AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.017 s
		PASSED	0.085 s


Unsuccessful login without entering username and password



#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.193 s
2	And Click on login button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.296 s
3	Then Error Message as "Epic sadface: Username is required" is displayed AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.036 s


Unsuccessful login with valid username and blank password field




#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.186 s
2	When User enter username as "standard_user" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.133 s
3	And Click on login button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.306 s
4	Then Error Message as "Epic sadface: Password is required" is displayed after enter only username AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.026 s
		PASSED	0.108 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		



Check the Menu Bar Functionality

PASSED	DURATION - 1 m 38.938 s / 12:15:40.709 PM // 12:17:19.647 PM /	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
--------	---	--	---	--	---


User is able to open the menu tab


PASSED	DURATION - 24.491 s / 12:15:40.709 PM // 12:16:05.200 PM /	Check the Menu Bar Functionality		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
--------	---	----------------------------------	---	--	--


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.864 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.062 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.572 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.128 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.068 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.259 s
5	Then User is able to see the options "All Items" "About" "Logout" "Reset App State" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.052 s


User is able to see the About tab information



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.245 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.061 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.477 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	image		
			
3	When User on the products page	PASSED	0.069 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image		
			
4	When User click on menu	PASSED	0.249 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s

#	Step / Hook Details	Status	Duration
	image 		
5	When User click on About tab	PASSED	35.394 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.066 s
	image 		
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.075 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.072 s
	image 		

User should logout successfully and redirect to the login page again



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.785 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.058 s
2	<p>And User is logged in with username "standard_user" and password "secret_sauce"</p> <p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.431 s
3	<p>When User on the products page</p> <p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.042 s
4	<p>When User click on menu</p> <p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.252 s
5	<p>When User click on logout option</p> <p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.277 s
		PASSED	0.083 s

#	Step / Hook Details	Status	Duration
			
6	Then Redirect to the login page again	PASSED	0.049 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.094 s

Check the Products page functionality




User should see the Products price in dollar(\$) format





#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.783 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.068 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.448 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.090 s
3	When User on the products page	PASSED	0.052 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.095 s
4	Then user see the products price should be present with a "\$" sign	PASSED	0.010 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.093 s


Sort products by Name in descending order







#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.967 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.065 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.508 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.141 s
3	When User on the products page	PASSED	0.053 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.148 s
4	When User click on sorting option by name in descending order	PASSED	0.061 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s

#	Step / Hook Details	Status	Duration
	image 		
5	Then user see the products are sorted by name in descending order	PASSED	0.405 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.205 s


Sort products by Name in ascending order







#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	8.226 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.065 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.463 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.083 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.034 s
4	When User click on sorting option by name in ascending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.034 s
5	Then user see the products are sorted by name in ascending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.029 s


Sort products by Price (low to high) in ascending order





#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.257 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.077 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.526 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.093 s
3	When User on the products page	PASSED	0.044 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.080 s
4	When User click on sorting option by price in ascending order	PASSED	0.040 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s

#	Step / Hook Details	Status	Duration
	image 		
5	Then user see the products are sorted by price in ascending order	PASSED	0.315 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.094 s

Sort products by price in descending order



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.096 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.062 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.452 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.081 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.040 s
4	When User click on sorting option by price in descending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.066 s
5	Then user see the products are sorted by price in descending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.367 s