Cucumber Report

Start : Aug 12, 2:01:50.051 PM	**End : Aug 12, 2:02:03.060 PM**	**Duration : 13.009 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

1

1

8

Pass % — 0 %

Pass % — 0 %

Pass % — 87 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Check the Checkout functionality	13.009 s	1	0	1	0	8	7	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Checkout	1	0	1	0	1	0	1	0
@check_postalCode_With_stringValue	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Check the Checkout functionality	1	0	1	0	13.009 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Checkout functionality	Verify Postal Code field takes only number	8	7	1	0	12.996 s

Check the Checkout functionality

FAILED	DURATION - 13.009 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 8 Pass - 7 Fail - 1 Skip - 0
/ 2:01:50.051 PM // 2:02:03.060 PM /			

Verify Postal Code field takes only number

FAILED	DURATION - 12.996 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0
/ 2:01:50.063 PM // 2:02:03.059 PM /			
Check the Checkout functionality			
@Checkout @check_postalCode_With_stringValue			

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.441 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	image		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.403 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	image		

#	Step / Hook Details	Status	Duration
3	When User on the products page	PASSED	0.069 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	image		
4	And User click on add to cart button for one product	PASSED	0.147 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image		
5	Then Click on shopping cart	PASSED	0.097 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	image		
6	And Click on checkout	PASSED	0.098 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image		
7	Then user enter the "Juli" "Kumari" "abcd"	PASSED	0.457 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	image		

#	Step / Hook Details	Status	Duration
8	**Then user not able to see the continue button is enable with "abcd"**	FAILED	0.038 s

	java.lang.AssertionError: The continue button is enable for the postal code contains string value:abcd expected [true] but found [false]
	   at org.testng.Assert.fail(Assert.java:97)
	   at org.testng.Assert.failNotEquals(Assert.java:969)
	   at org.testng.Assert.assertTrue(Assert.java:43)
	   at com.psl.pages.CheckoutPage.userEnterStringValueInPostalCodeField(CheckoutPage.java:94)
	   at com.psl.stepdefinitions.CheckoutStepDef.user_not_able_to_see_the_continue_button_is_enable_with(CheckoutStepDef.java:78)
	   at ?.user not able to see the continue button is enable with "abcd"(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/checkout.feature:65)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	image		