

Cucumber Report

Aug 12, 2023, 12:38:40 PM

Start : Aug 12, 12:29:52.815 PM

End : Aug 12, 12:38:33.042 PM

Duration : 8 m 40.227 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 3
SKIPPED - 0


Steps

PASSED - 30
FAILED - 3
SKIPPED - 5




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>About page functionality</u>		8 m 40.227 s		4	1	3	0	38	30	3	5

Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@pricing_page	1	0	1	0	1	0	1	0
@about_page_functionality	4	1	3	0	1	0	1	0
@signIn_button	1	1	0	0	1	0	1	0
@search_functionlity	1	0	1	0	1	0	1	0
@closing_serach_page	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>About page functionality</u>	4	1	3	0	8 m 40.227 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>About page functionality</u>	<u>Verify the Pricing Page</u>	8	7	1	0	2 m 29.692 s
2	<u>About page functionality</u>	<u>Verify the Sign In button is Enable on pricing page</u>	9	9	0	0	1 m 44.902 s
3	<u>About page functionality</u>	<u>Verify the Search functionality on pricing page</u>	10	7	1	2	2 m 45.413 s
4	<u>About page functionality</u>	<u>User able to close the serach page on pricing page</u>	11	7	1	3	1 m 28.271 s



About page functionality



Verify the Pricing Page



#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.180 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.444 s
		PASSED	0.134 s


#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.038 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.256 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	1 m 3.023 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.074 s
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	36.214 s
		PASSED	0.117 s



#	Step / Hook Details	Status	Duration
			
8	<p>Then user navigate to the pricing page</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:15) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [0eb6794e-42d1-4105-aa5b-7a51a5e3caee, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:27698, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 28176, moz:profile: C:\Users\JULI_K~1\AppData\Local\Temp\scoped_dir3108_1111, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:27698/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 0eb6794e-42d1-4105-aa5b-7a51a5e3caee at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	30.511 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy34.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.070 s

Verify the Sign In button is Enable on pricing page




#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	5.796 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.442 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.059 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
		PASSED	0.133 s



#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	When User click on About tab	PASSED	1 m 17.947 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.375 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	1.110 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.667 s
7	When User click on pricing	PASSED	1.814 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.673 s
8	Then user navigate to the pricing page	PASSED	3.183 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.086 s


#	Step / Hook Details	Status	Duration
			
9	Then User is able to click on sign in button	PASSED	0.339 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.159 s

Verify the Search functionality on pricing page




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.598 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.062 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.470 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
3	When User on the products page	PASSED	0.048 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.087 s
4	When User click on menu	PASSED	0.260 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.127 s
5	When User click on About tab	PASSED	1 m 19.296 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.094 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.070 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.088 s


#	Step / Hook Details	Status	Duration
			
7	When User click on pricing	PASSED	36.193 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.055 s
8	Then user navigate to the pricing page org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitForElement(WaitForElement.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:26) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [5440ce9d-d30a-417b-b9ca-5fc83feed79c, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:40194, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 28580, moz:profile: C:\Users\JULI_K-1\AppData\Local..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:40194/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 5440ce9d-d30a-417b-b9ca-5fc83feed79c at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	30.144 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy34.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui(ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.100 s
9	When User click on search button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	And user enter "selenium" on the search field	SKIPPED	0.000 s

User able to close the serach page on pricing page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	6.050 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	image		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.485 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	image		
3	When User on the products page	PASSED	0.034 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	image		

#	Step / Hook Details	Status	Duration
			
4	When User click on menu	PASSED	0.241 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.172 s
5	When User click on About tab	PASSED	33.999 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.128 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.113 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.099 s
7	When User click on pricing	PASSED	5.308 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.113 s

#	Step / Hook Details	Status	Duration
			
8	<p>Then user navigate to the pricing page</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:33) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d2c694ea-6ef3-4b4b-9349-7852929891fd, findElement {using=xpath, value=//*[@class='MuiBox-root css-0']//span[normalize-space()='Pricing']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:48837, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 7028, moz:profile: C:\Users\JULI_K~1\AppData\Local\Temp\scoped_dir3108_11147, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:48837/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d2c694ea-6ef3-4b4b-9349-7852929891fd at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</pre>	FAILED	30.298 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy34.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.114 s
9	When User click on search button	SKIPPED	0.000 s
10	And user click on the close tab	SKIPPED	0.000 s
11	Then user navigate to the pricing page	SKIPPED	0.000 s