

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
About page functionality	1 m 30.436 s	1	0	1	0	10	7	1	2


Tag	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@about_page_functionality	1	0	1	0	1	0	1	0	
@search_functionlity	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	About page functionality	1	0	1	0	1 m 30.436 s


SCENARIOS SUMMARY -- 5 --




;	# Feature Name	Scenario Name	T	P	F	S	Duration
	About page functionality	Verify the Search functionality on pricing page	10	7	1	2	1 m 30.425 s

DETAILED SECTION -- 6 --

About page functionality



Verify the Search functionality on pricing page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.573 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	Serg Lists Compared to the		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.509 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	Exercises Services State 100 Services State		

# Step / Hook Details	Status	Duration
When User on the products page	PASSED	0.044 s
AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image Book	PASSED	0.078 s
4 When User click on menu	PASSED	0.241 s
AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
X Seeg Lubs 7 See Class Section 1 S		
5 When User click on About tab	PASSED	35.032 s
AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image International transfer for the first beauty of filled below. International transfer for the filled below. International t	PASSED	0.112 s
Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.113 s
AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image Particular to par of the first planed, follow brown, and filled brown,	PASSED	0.097 s
7 When User click on pricing	PASSED	5.342 s
AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
image		

#	Step / Hook Details	Status	Duration
	The world-side or a pay code. To one discounts of officers during, because of the configuration copy code. To one discounts of officers during, because on the configuration copy code.		
8	Then user navigate to the pricing page	FAILED	30.378 s
	org.openqa.selenium.TimeoulException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class=MuiBox-root css-0]//span[normalize-space()=Pricing']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.psi.common.WaitUtils.waitForelement(WaitUtils.java:13) at com.psi.pages.AboutPage.displayedPricingPage(AboutPage.java:41) at com.psi.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) at 7.user navigate to the pricing page(file://lrC/Ivsers/piii.jkumair/piesktop/PIP/swaglabs/src/test/resources/Features/about.feature:26) Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: // @class=MuiBox-root css-0//span[normalize-space()=Pricing] For documentation on this error, please visit: https://www.selenium.dev/documentalowbedriver/troubleshotoring/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.fedox.FirefoxDriver Commandi. (d98d1321-afd-4bab-1947-49431d4fcfad, findElement (using-yapath, value=// @class=MuiBox-root css-0//span[normalize-space()=Pricing[]) Capabilities (acceptinsecureCerts: rue, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.130649, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.130649(evtocseceptiversion: 85.0, setWindowRect: true, strict:FileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify} Session ID: d98d1321-afd0-4bab-b947-94e31d4fcfad at jdk.internal.reflect.CeneratedConstructorAccessor1s.newInstance(Unknown		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	$at\ or g. open qa. selenium. support. page factory. internal. Locating Element Handler. invoke (Locating Element Handler. java: 38)$		
	at jdk.proxy2/jdk.proxy2.\$Proxy34.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13)		
	at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41)		
	at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$3 (Cucumber Execution Context. java: 110)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. run Test Case (Cucumber Execution Context. java: 110)$		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ org. testng. in ternal. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 134)$		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:766)		
	at org.testng.TestRunner.run(TestRunner.java:587)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:384)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:286)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1109)		
	at org.testng.TestNG.runSuites(TestNG.java:1039)		
	at org.testng.TestNG.run(TestNG.java:1007)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.058 s
	image		
	Dis well sink to pre-sick from Anneals of different design. Interest of the originates appeals on any time. (Base of the originate appeals on the originate appeals of th		
9	When User click on search button	SKIPPED	0.001 s
10	And user enter "selenium" on the search field	SKIPPED	0.000 s