# Cucumber Report

| Start : Aug 12, 1:13:52.709 PM | End : Aug 12, 1:16:17.587 PM | Duration : 2 m 24.878 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 7 <br> FAILED - 1 <br> SKIPPED - 0 |

Features: 1

Scenarios: 1

Steps: 8

Pass %: 0 %

Pass %: 0 %

Pass %: 87 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *About page functionality* | *2 m 24.878 s* | *1* | *0* | *1* | *0* | *8* | *7* | *1* | *0* |

| Tag | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @pricing_page | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @about_page_functionality | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| *1* | *About page functionality* | *1* | *0* | *1* | *0* | *2 m 24.878 s* |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | About page functionality | Verify the Pricing Page | 8 | 7 | 1 | 0 | 2 m 24.871 s |

## About page functionality

| FAILED | DURATION - 2 m 24.878 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 8<br>Pass - 7<br>Fail - 1<br>Skip - 0 | |
|---|---|---|---|---|---|
| / 1:13:52.709 PM // 1:16:17.587 PM / | | | | | |

## Verify the Pricing Page

| FAILED | DURATION - 2 m 24.871 s | | Steps<br>Total - 8<br>Pass - 7<br>Fail - 1<br>Skip - 0 | |
|---|---|---|---|---|
| / 1:13:52.716 PM // 1:16:17.587 PM / | | | | |
| *About page functionality* | | | | |
| @pricing_page @about_page_functionality | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on login page | PASSED | 6.531 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.107 s |
| | image | | |
| | | | |
| 2 | And User is logged in with username "standard_user" and password "secret_sauce" | PASSED | 0.765 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.205 s |
| | image | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | When User on the products page | PASSED | 0.072 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.138 s |
| 4 | When User click on menu | PASSED | 0.287 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.124 s |
| 5 | When User click on About tab | PASSED | 34.865 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.089 s |
| 6 | Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" | PASSED | 0.319 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image  | PASSED | 0.077 s |
| 7 | When User click on pricing | PASSED | 5.356 s |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image | PASSED | 0.061 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | **Then user navigate to the pricing page** | FAILED | 1 m 20.435 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='MuiTypography-root MuiTypography-label css-1ojx2zp']' (tried for 80 second(s) with 500 milliseconds interval)<br>  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)<br>  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)<br>  at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13)<br>  at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41)<br>  at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18)<br>  at ?.user navigate to the pricing page(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/about.feature:15)<br>Caused by: org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='MuiTypography-root MuiTypography-label css-1ojx2zp'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [6ab8d891-502c-49ef-b2e7-080925b4b9c5, findElement {using=xpath, value=//*[@class='MuiTypography-root MuiTypography-label css-1ojx2zp']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 116.0, moz:accessibilityChecks: false, moz:buildID: 20230727152340, moz:debuggerAddress: 127.0.0.1:29461, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 28024, moz:profile: C:\Users\JULI_K~1\AppData\L..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29461/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 6ab8d891-502c-49ef-b2e7-080925b4b9c5<br>  at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy34.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:652) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) | | |
| | at com.psl.common.WaitUtils.waitForElement(WaitUtils.java:13) | | |
| | at com.psl.pages.AboutPage.displayedPricingPage(AboutPage.java:41) | | |
| | at com.psl.stepdefinitions.AboutStepDef.user_navigate_to_the_pricing_page(AboutStepDef.java:18) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:95) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:816) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:766) | | |
| | at org.testng.TestRunner.run(TestRunner.java:587) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:286) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1039) | | |
| | at org.testng.TestNG.run(TestNG.java:1007) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)<br>image<br> | PASSED | 0.081 s |