

# Cucumber Report

Aug 12, 2023 12:03:30 PM

**Start : Aug 12, 11:50:13.369 AM**

**End : Aug 12, 12:03:28.436 PM**

**Duration : 13 m 15.067 s**

Features







PASSED - 5  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 29  
FAILED - 1  
SKIPPED - 0

Steps


PASSED - 215  
FAILED - 1  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>About page functionality</u>	6 m 25.093 s	4	4	0	0	38	38	0	0
<u>Check the Add To Cart functionality</u>	1 m 1.428 s	4	4	0	0	32	32	0	0
<u>Check the Checkout functionality</u>	2 m 49.616 s	10	9	1	0	90	89	1	0
<u>Login Functionality of Swag Labs</u>	51.627 s	4	4	0	0	15	15	0	0
<u>Check the Menu Bar Functionality</u>	56.049 s	3	3	0	0	17	17	0	0
<u>Check the Products page functionality</u>	1 m 11.134 s	5	5	0	0	24	24	0	0

<b>Tag</b>	<b>Scenario</b>	<b>Feature</b>							
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>									
@pricing_page		1	1	0	0	1	1	0	0
@about_page_functionality		4	4	0	0	1	1	0	0
@signIn_button		1	1	0	0	1	1	0	0
@search_functionlity		1	1	0	0	1	1	0	0
@closing_serach_page		1	1	0	0	1	1	0	0
@addToCart		4	4	0	0	1	1	0	0
@single_item_added_to_cart		1	1	0	0	1	1	0	0
@multiple_item_added_to_cart		1	1	0	0	1	1	0	0
@remove_product_from_cart-page		1	1	0	0	1	1	0	0
@continue_shopping		1	1	0	0	1	1	0	0
@Checkout		10	9	1	0	1	0	1	0
@chcekout_form		1	1	0	0	1	0	1	0
@checkout_unsuccessful		3	3	0	0	1	0	1	0
@checkout_successful		1	1	0	0	1	0	1	0
@check_postalCode_With_stringValue		1	0	1	0	1	0	1	0
@total_price		1	1	0	0	1	0	1	0
@continue_button_in_checkout_information		1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@cancel_button_in_checkout_information	1	1	0	0	1	0	1	0
@cancel_button_in_checkout_overview	1	1	0	0	1	0	1	0
@LoginValidCredentials	1	1	0	0	1	1	0	0
@Login	4	4	0	0	1	1	0	0
@LoginInValidCredentials	1	1	0	0	1	1	0	0
@LoginWithoutCredentials	1	1	0	0	1	1	0	0
@LoginOnlyWithUsername	1	1	0	0	1	1	0	0
@menu	3	3	0	0	1	1	0	0
@menu_options	1	1	0	0	1	1	0	0
@about	1	1	0	0	1	1	0	0
@logout	1	1	0	0	1	1	0	0
@products	5	5	0	0	1	1	0	0
@products_price	1	1	0	0	1	1	0	0
@product_sorting_by_name_in_descending	1	1	0	0	1	1	0	0
@product_sorting_by_name_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_in_descending	1	1	0	0	1	1	0	0




#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>About page functionality</u>	4	4	0	0	6 m 25.093 s
2	<u>Check the Add To Cart functionality</u>	4	4	0	0	1 m 1.428 s
3	<u>Check the Checkout functionality</u>	10	9	1	0	2 m 49.616 s
4	<u>Login Functionality of Swag Labs</u>	4	4	0	0	51.627 s
5	<u>Check the Menu Bar Functionality</u>	3	3	0	0	56.049 s
6	<u>Check the Products page functionality</u>	5	5	0	0	1 m 11.134 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>About page functionality</u>	<u>Verify the Pricing Page</u>	8	8	0	0	1 m 37.286 s
2	<u>About page functionality</u>	<u>Verify the Sign In button is Enable on pricing page</u>	9	9	0	0	1 m 12.248 s
3	<u>About page functionality</u>	<u>Verify the Search functionality on pricing page</u>	10	10	0	0	2 m 9.479 s
4	<u>About page functionality</u>	<u>User able to close the serach page on pricing page</u>	11	11	0	0	1 m 25.944 s
5	<u>Check the Add To Cart functionality</u>	<u>User is able to Add single item to cart</u>	7	7	0	0	13.906 s
6	<u>Check the Add To Cart functionality</u>	<u>User is able to Add multiple item to cart</u>	7	7	0	0	15.000 s
7	<u>Check the Add To Cart functionality</u>	<u>User is able to remove the product from the cart page</u>	9	9	0	0	15.887 s
8	<u>Check the Add To Cart functionality</u>	<u>Verify Continue Shopping button on Cart Page</u>	9	9	0	0	16.557 s
9	<u>Check the Checkout functionality</u>	<u>Checkout Informations should present and user able to enter the information</u>	7	7	0	0	15.469 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the last name	9	9	0	0	16.931 s
11	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the first name	9	9	0	0	16.082 s
12	<u>Check the Checkout functionality</u>	User Not Able to Complete the checkout process without entering the postal code	9	9	0	0	16.454 s
13	<u>Check the Checkout functionality</u>	Complete the checkout process successfully with enter valid credential	11	11	0	0	17.649 s
14	<u>Check the Checkout functionality</u>	Verify Postal Code field takes only number	8	7	1	0	18.182 s
15	<u>Check the Checkout functionality</u>	Total price value is displayed correctly	10	10	0	0	15.439 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Check the Checkout functionality</u>	<u>Verify the continue button present on the checkout-information page</u>	8	8	0	0	15.262 s
17	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-information page</u>	8	8	0	0	15.803 s
18	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-overview page</u>	11	11	0	0	16.504 s
19	<u>Login Functionality of Swag Labs</u>	<u>Successful login with valid credential</u>	4	4	0	0	12.335 s
20	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with invalid credential</u>	4	4	0	0	13.170 s
21	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login without entering username and password</u>	3	3	0	0	12.961 s
22	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with valid username and blank password field</u>	4	4	0	0	13.126 s
23	<u>Check the Menu Bar Functionality</u>	<u>User is able to open the menu tab</u>	5	5	0	0	12.919 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Check the Menu Bar Functionality</u>	<u>User is able to see the About tab information</u>	6	6	0	0	30.064 s
25	<u>Check the Menu Bar Functionality</u>	<u>User should logout successfully and redirect to the login page again</u>	6	6	0	0	13.023 s
26	<u>Check the Products page functionality</u>	<u>User should see the Products price in dollar(\$) format</u>	4	4	0	0	12.682 s
27	<u>Check the Products page functionality</u>	<u>Sort products by Name in descending order</u>	5	5	0	0	12.404 s
28	<u>Check the Products page functionality</u>	<u>Sort products by Name in ascending order</u>	5	5	0	0	12.823 s
29	<u>Check the Products page functionality</u>	<u>Sort products by Price (low to high) in ascending order</u>	5	5	0	0	18.382 s
30	<u>Check the Products page functionality</u>	<u>Sort products by price in descending order</u>	5	5	0	0	14.789 s





## About page functionality



PASSED	DURATION - 6 m 25.093 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 38 Pass - 38 Fail - 0 Skip - 0	
/ 11:50:13.369 AM // 11:56:38.462 AM /					

## Verify the Pricing Page


PASSED	DURATION - 1 m 37.286 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:50:13.377 AM // 11:51:50.663 AM /					
About page functionality					
@pricing_page @about_page_functionality					

#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	4.755 s
		PASSED	0.331 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.906 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	1.075 s




#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.145 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.112 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image 	PASSED	1 m 0.419 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.100 s
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image 	PASSED	18.024 s


#	Step / Hook Details	Status	Duration
			
8	Then user navigate to the pricing page	PASSED	0.070 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.207 s

### Verify the Sign In button is Enable on pricing page




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.866 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.160 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.446 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.684 s



#	Step / Hook Details	Status	Duration
	<p>image</p> 		
3	When User on the products page	PASSED	0.606 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.530 s
4	When User click on menu	PASSED	0.346 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.567 s
5	When User click on About tab	PASSED	11.637 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.165 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.102 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.179 s



#	Step / Hook Details	Status	Duration
			
7	When User click on pricing	PASSED	42.827 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.412 s
8	Then user navigate to the pricing page	PASSED	0.191 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.276 s
9	Then User is able to click on sign in button	PASSED	0.394 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.497 s


**Verify the Search functionality on pricing page**






#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.360 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.219 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.568 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.511 s
3	When User on the products page	PASSED	0.065 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.305 s
4	When User click on menu	PASSED	0.089 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s



#	Step / Hook Details	Status	Duration
	<p>image</p> 		
5	When User click on About tab	PASSED	1 m 14.263 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.244 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.170 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.301 s
7	When User click on pricing	PASSED	39.011 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.175 s
8	Then user navigate to the pricing page	PASSED	0.068 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.152 s


#	Step / Hook Details	Status	Duration
			
9	When User click on search button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.283 s
10	And user enter "selenium" on the search field AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.205 s
		PASSED	0.272 s
		PASSED	0.195 s

**User able to close the serach page on pricing page**


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.663 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s

#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.614 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
			
3	When User on the products page	PASSED	0.070 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
			
4	When User click on menu	PASSED	0.198 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
			
5	When User click on About tab	PASSED	29.361 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
			


#	Step / Hook Details	Status	Duration
			
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.123 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.187 s
7	When User click on pricing	PASSED	39.382 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.308 s
8	Then user navigate to the pricing page	PASSED	0.111 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.250 s
9	When User click on search button	PASSED	0.603 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.410 s



#	Step / Hook Details	Status	Duration
			
10	And user click on the close tab	PASSED	0.193 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.283 s
11	Then user navigate to the pricing page	PASSED	0.087 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.293 s



## Check the Add To Cart functionality




User is able to Add single item to cart







#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	4.010 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	0.578 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	0.081 s
4	When User click on add to cart button for one product  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
		PASSED	0.326 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
5	Then Confirm the cart updated item count to one AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.035 s
	<b>image</b> 	PASSED	0.288 s
6	When Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	<b>image</b> 	PASSED	0.185 s
7	Then User see that one Product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.027 s
	<b>image</b> 	PASSED	0.170 s


User is able to Add multiple item to cart







#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	4.407 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.615 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.199 s
4	When User click on add to cart button for more than one product  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
		PASSED	0.355 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
5	Then Confirm the cart updated item count should increase	PASSED	0.043 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.287 s
6	When Click on shopping cart	PASSED	0.132 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.224 s
7	Then User see that multiple product is added to the cart	PASSED	0.054 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.182 s

User is able to remove the product from the cart page




#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	3.617 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	0.757 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  <b>image</b>  	PASSED	0.083 s
4	When User click on add to cart button for one product  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
		PASSED	0.386 s





#	Step / Hook Details	Status	Duration
	<b>image</b> 		
5	Then Confirm the cart updated item count to one AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.038 s
	<b>image</b> 	PASSED	0.328 s
6	When Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.652 s
	<b>image</b> 	PASSED	0.328 s
7	Then User see that one Product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	<b>image</b> 	PASSED	0.241 s
8	When user click on remove button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	<b>image</b>	PASSED	0.214 s



#	Step / Hook Details	Status	Duration
			
9	Then the product is remove	PASSED	0.023 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.175 s

### Verify Continue Shopping button on Cart Page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.714 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.227 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.678 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s


#	Step / Hook Details	Status	Duration
	<p>image</p> 		
3	When User on the products page	PASSED	0.068 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.326 s
4	When User click on add to cart button for one product	PASSED	0.112 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.326 s
5	Then Confirm the cart updated item count to one	PASSED	0.035 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.322 s
6	When Click on shopping cart	PASSED	0.177 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.221 s

#	Step / Hook Details	Status	Duration
			
7	Then User see that one Product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.036 s
8	When user click on the continue shopping button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.577 s
9	Then user redirect to the product page again AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.333 s



**Check the Checkout functionality**



## Checkout Informations should present and user able to enter the information





#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	3.530 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	1.211 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
		PASSED	0.475 s



#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.158 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.385 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.132 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.232 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.110 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.170 s
	<b>image</b> 		
7	Then user can see and enter the "Juli" "Kumari" "854301"	PASSED	0.452 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.153 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
			

### User Not Able to Complete the checkout process without entering the last name


PASSED	DURATION - 16.931 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 11:57:55.464 AM // 11:58:12.395 AM /				
Check the Checkout functionality				
@Checkout @checkout_unsuccessful				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	7.393 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.338 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
			
3	When User on the products page	PASSED	0.055 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s



#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.367 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.516 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.242 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.289 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.186 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.235 s
	<b>image</b> 		
7	When user enter the first name as "Juli" and postal code as "854301"	PASSED	0.518 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.247 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
			
8	And user click on continue	PASSED	0.184 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.204 s
9	Then user see the error message as "Error: Last Name is required"	PASSED	0.038 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.252 s

### User Not Able to Complete the checkout process without entering the first name




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.582 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.501 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.456 s
	<b>image</b> 		
3	When User on the products page	PASSED	0.206 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.525 s
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.188 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.327 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.123 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.209 s
	<b>image</b> 		



#	Step / Hook Details	Status	Duration
			
6	And Click on checkout	PASSED	0.121 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.277 s
7	When user enter the last name as "Kumari" and postal code as "854301"	PASSED	0.640 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.251 s
8	And user click on continue	PASSED	0.339 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.270 s
9	Then user see the error message as "Error: First Name is required"	PASSED	0.054 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.237 s

#	Step / Hook Details	Status	Duration
			

### User Not Able to Complete the checkout process without entering the postal code


PASSED	DURATION - 16.454 s  / 11:58:28.534 AM // 11:58:44.988 AM /	 Check the Checkout functionality	Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
--------	---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.151 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.215 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.543 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.532 s
3	When User on the products page	PASSED	0.052 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s




#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.110 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.332 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.183 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.251 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.159 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.249 s
	<b>image</b> 		
7	When user enter the "Juli" "Kumari"	PASSED	0.789 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.486 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
			
8	And user click on continue	PASSED	0.183 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.294 s
9	Then user see the error message as "Error: Postal Code is required"	PASSED	0.115 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.293 s



### Complete the checkout process successfully with enter valid credential




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.599 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.419 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.435 s
	<b>image</b> 		
3	When User on the products page	PASSED	0.113 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.387 s
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.154 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.370 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.190 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.281 s
	<b>image</b> 		





#	Step / Hook Details	Status	Duration
6	And Click on checkout	PASSED	0.426 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.352 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	1.168 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.232 s
8	And user click on continue	PASSED	0.196 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.262 s
9	Then user can see the checkout overview	PASSED	0.038 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.212 s

#	Step / Hook Details	Status	Duration
			
10	When user click on finish	PASSED	0.191 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.349 s
11	Then user see the order confirmation message "Thank you for your order!" should displayed	PASSED	0.035 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.237 s

### Verify Postal Code field takes only number





#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.922 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.384 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.465 s
	<b>image</b> 		
3	When User on the products page	PASSED	0.080 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.370 s
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.147 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.350 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.164 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.225 s
	<b>image</b> 		



#	Step / Hook Details	Status	Duration
			
6	And Click on checkout	PASSED	0.122 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.230 s
7	Then user enter the "Juli" "Kumari" "abcd"	PASSED	1.451 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.325 s
8	Then user not able to see the continue button is enable with "abcd"  java.lang.AssertionError: The continue button is enable for the postal code contains string value:abcd expected [true] but found [false] at org.testng.Assert.failAssert.java:97) at org.testng.Assert.failNotEqualsAssert.java:969) at org.testng.Assert.assertTrueAssert.java:43) at com.psl.pages.CheckoutPage.userEnterStringValueInPostalCodeField(CheckoutPage.java:94) at com.psl.stepdefinitions.CheckoutStepDef.user_not_able_to_see_the_continue_button_is_enable_with(CheckoutStepDef.java:78) at ?.user not able to see the continue button is enable with "abcd"(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/checkout.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.062 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.224 s

#	Step / Hook Details	Status	Duration
			

### Total price value is displayed correctly


PASSED	DURATION - 15.439 s  / 11:59:26.499 AM // 11:59:41.938 AM /		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
	Check the Checkout functionality  @Checkout @total_price			



#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	3.734 s
	image	PASSED	0.422 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	1.511 s
	image	PASSED	0.682 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
		PASSED	0.362 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.112 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.331 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.141 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.187 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.104 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.199 s
	<b>image</b> 		
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.463 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.176 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
			
8	And user click on continue	PASSED	0.113 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.182 s
9	Then user can see the checkout overview	PASSED	0.029 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.168 s
10	And User is able to see the total price for the product	PASSED	0.042 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.205 s

**Verify the continue button present on the checkout-information page**






#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	3.647 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.548 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.069 s
4	And User click on add to cart button for one product  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
		PASSED	0.336 s



#	Step / Hook Details	Status	Duration
	<p>image</p> 		
5	Then Click on shopping cart	PASSED	0.147 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.228 s
6	And Click on checkout	PASSED	0.143 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.243 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	1.019 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.295 s
8	And user click on continue	PASSED	0.166 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.253 s

#	Step / Hook Details	Status	Duration
1	<p>Checkout Overview</p> <p>Qty Description</p> <ul style="list-style-type: none"> <li>Source Lab's Backpack</li> </ul> <p>Subtotal: \$29.99 Shipping: \$3.99 Tax: \$0.00 Total: \$33.98</p> <p>Payment Information</p> <p>Swag Labs Test</p> <p>Shipping Information</p> <p>Price Total: \$33.98</p> <p>Tax Total: \$0.00</p> <p>Total: \$33.98</p>		

### Verify the cancel button present on the checkout-information page


PASSED	DURATION - 15.803 s	 <table border="1"> <tr> <td>Step 1: 3.8s</td><td>Step 2: 1.2s</td><td>Step 3: 0.2s</td><td>Step 4: 0.2s</td><td>Step 5: 0.2s</td><td>Step 6: 0.2s</td><td>Step 7: 0.2s</td><td>Step 8: 0.2s</td></tr> </table>	Step 1: 3.8s	Step 2: 1.2s	Step 3: 0.2s	Step 4: 0.2s	Step 5: 0.2s	Step 6: 0.2s	Step 7: 0.2s	Step 8: 0.2s	<p>Steps Total - 8</p> <p>Pass - 8</p> <p>Fail - 0</p> <p>Skip - 0</p> 
Step 1: 3.8s	Step 2: 1.2s	Step 3: 0.2s	Step 4: 0.2s	Step 5: 0.2s	Step 6: 0.2s	Step 7: 0.2s	Step 8: 0.2s				
	/ 11:59:57.244 AM // 12:00:13.047 PM /										
	Check the Checkout functionality										
	@Checkout @cancel_button_in_checkout_information										

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.764 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	1.189 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.951 s
			
3	When User on the products page	PASSED	0.125 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s




#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.133 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.366 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.163 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.269 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.144 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.248 s
	<b>image</b> 		
7	When user click on cancle button in checkout-information page	PASSED	0.141 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.224 s
	<b>image</b> 		

#	Step / Hook Details	Status	Duration
7			
8	Then user redirect to the cart page again AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.103 s
		PASSED	0.193 s



### Verify the cancel button present on the checkout-overview page




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.476 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.150 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.525 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.557 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
3	When User on the products page	PASSED	0.069 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.328 s
	<b>image</b> 		
4	And User click on add to cart button for one product	PASSED	0.109 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.334 s
	<b>image</b> 		
5	Then Click on shopping cart	PASSED	0.109 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.193 s
	<b>image</b> 		
6	And Click on checkout	PASSED	0.104 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.190 s
	<b>image</b> 		


#	Step / Hook Details	Status	Duration
			
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.988 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.204 s
8	And user click on continue	PASSED	0.143 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.246 s
9	Then user can see the checkout overview	PASSED	0.036 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.168 s
10	When user click on cancel button in checkout-overview page	PASSED	0.125 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.330 s

#	Step / Hook Details	Status	Duration
			
11	Then user redirect to the product page again	PASSED	0.046 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.273 s




## Login Functionality of Swag Labs




## Successful login with valid credential




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.639 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
2	When User enter username as "standard_user" and password as "secret_sauce"	PASSED	0.340 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.195 s
	<b>image</b> 		
3	And Click on login button	PASSED	0.187 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.570 s
	<b>image</b> 		
4	Then "Swag Labs" title displayed after succesfully login	PASSED	0.138 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b>	PASSED	0.503 s
	<b>image</b> 		


**Unsuccessful login with invalid credential**



#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	3.553 s
2	When User enter username as "standard_user" and password as "sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.474 s
3	And Click on login button  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.116 s
4	Then Error Message as "Epic sadface: Username and password do not match any user in this service" is displayed after unsuccessful login	PASSED	0.231 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.313 s


### Unsuccessful login without entering username and password

PASSED	DURATION - 12.961 s  / 12:00:55.128 PM // 12:01:08.089 PM /		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	<i>Login Functionality of Swag Labs</i>  @LoginWithoutCredentials @Login			



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	5.201 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.188 s
2	And Click on login button	PASSED	0.138 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.231 s

#	Step / Hook Details	Status	Duration
3	Then Error Message as "Epic sadface: Username is required" is displayed	PASSED	0.038 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.213 s

### Unsuccessful login with valid username and blank password field




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.715 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.210 s
2	When User enter username as "standard_user"	PASSED	0.225 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.202 s



#	Step / Hook Details	Status	Duration
			
3	And Click on login button	PASSED	0.105 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.212 s
4	Then Error Message as "Epic sadface: Password is required" is displayed after enter only username	PASSED	0.037 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.195 s



## Check the Menu Bar Functionality





User is able to open the menu tab






#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.466 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.200 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.595 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.573 s
3	When User on the products page	PASSED	0.058 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  	PASSED	0.287 s
4	When User click on menu	PASSED	0.083 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
5	Then User is able to see the options "All Items" "About" "Logout" "Reset App State"	PASSED	0.134 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.279 s

### User is able to see the About tab information



PASSED	DURATION - 30.064 s  / 12:01:34.185 PM // 12:02:04.249 PM /	 Total - 6 Pass - 6 Fail - 0 Skip - 0	
	Check the Menu Bar Functionality  @menu @about		


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.948 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.161 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.573 s



#	Step / Hook Details	Status	Duration
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.554 s
3	<b>When User on the products page</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.061 s
4	<b>When User click on menu</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.089 s
5	<b>When User click on About tab</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	16.591 s
6	<b>Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.104 s
		PASSED	0.196 s

#	Step / Hook Details	Status	Duration
			

## User should logout successfully and redirect to the login page again

PASSED	DURATION - 13.023 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:02:04.267 PM // 12:02:17.290 PM /				
Check the Menu Bar Functionality				
@menu @logout				


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.379 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.595 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.530 s
	image		
			
3	When User on the products page	PASSED	0.051 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s


#	Step / Hook Details	Status	Duration
	<p>image</p> 		
4	When User click on menu	PASSED	0.080 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.341 s
5	When User click on logout option	PASSED	0.090 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.176 s
6	Then Redirect to the login page again	PASSED	0.048 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.176 s

**Check the Products page functionality**



### User should see the Products price in dollar(\$) format



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.780 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	image 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.598 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.618 s
	image 		
3	When User on the products page	PASSED	0.209 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s

#	Step / Hook Details	Status	Duration
	<b>image</b> 		
4	Then user see the products price should be present with a "\$" sign	PASSED	0.062 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.374 s


## Sort products by Name in descending order

PASSED	DURATION - 12.404 s  / 12:02:29.997 PM // 12:02:42.401 PM /	 <table border="1"><thead><tr><th>Page Number</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>~4</td></tr><tr><td>2</td><td>~0.5</td></tr><tr><td>3</td><td>~0.1</td></tr><tr><td>4</td><td>~0.05</td></tr><tr><td>5</td><td>~0.5</td></tr></tbody></table>	Page Number	Count	1	~4	2	~0.5	3	~0.1	4	~0.05	5	~0.5	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
Page Number	Count															
1	~4															
2	~0.5															
3	~0.1															
4	~0.05															
5	~0.5															
@products @product_sorting_by_name_in_descending																



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.085 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.180 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.535 s


#	Step / Hook Details	Status	Duration
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.289 s
3	<b>When User on the products page</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.078 s
4	<b>When User click on sorting option by name in descending order</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.071 s
5	<b>Then user see the products are sorted by name in descending order</b> <b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.331 s

Sort products by Name in ascending order



#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	4.653 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.507 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.062 s
4	When User click on sorting option by name in ascending order  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.058 s


#	Step / Hook Details	Status	Duration
	<b>image</b> 		
5	Then user see the products are sorted by name in ascending order	PASSED	0.040 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.251 s



**Sort products by Price (low to high) in ascending order**

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	7.090 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.323 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	1.989 s

#	Step / Hook Details	Status	Duration
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.723 s
3	When User on the products page	PASSED	0.068 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.387 s
4	When User click on sorting option by price in ascending order	PASSED	0.081 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.379 s
5	Then user see the products are sorted by price in ascending order	PASSED	0.448 s
	<b>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</b> <b>image</b> 	PASSED	0.422 s

Sort products by price in descending order



#	Step / Hook Details	Status	Duration
1	Given User is on login page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	5.241 s
2	And User is logged in with username "standard_user" and password "secret_sauce"  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.551 s
3	When User on the products page  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.065 s
4	When User click on sorting option by price in descending order  AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.050 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	Then user see the products are sorted by price in descending order	PASSED	0.284 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.293 s