

Cucumber Report

Aug 12, 2023 12:01:58 PM

Start : Aug 12, 11:50:17.244 AM

End : Aug 12, 12:01:55.919 PM

Duration : 11 m 38.675 s

Features







PASSED - 5
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 29
FAILED - 1
SKIPPED - 0

Steps


PASSED - 215
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>About page functionality</u>	5 m 12.280 s	4	4	0	0	38	38	0	0
<u>Check the Add To Cart functionality</u>	50.526 s	4	4	0	0	32	32	0	0
<u>Check the Checkout functionality</u>	2 m 43.953 s	10	9	1	0	90	89	1	0
<u>Login Functionality of Swag Labs</u>	50.881 s	4	4	0	0	15	15	0	0
<u>Check the Menu Bar Functionality</u>	58.072 s	3	3	0	0	17	17	0	0
<u>Check the Products page functionality</u>	1 m 2.816 s	5	5	0	0	24	24	0	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@pricing_page		1	1	0	0	1	1	0	0
@about_page_functionality		4	4	0	0	1	1	0	0
@signIn_button		1	1	0	0	1	1	0	0
@search_functionlity		1	1	0	0	1	1	0	0
@closing_serach_page		1	1	0	0	1	1	0	0
@addToCart		4	4	0	0	1	1	0	0
@single_item_added_to_cart		1	1	0	0	1	1	0	0
@multiple_item_added_to_cart		1	1	0	0	1	1	0	0
@remove_product_from_cart-page		1	1	0	0	1	1	0	0
@continue_shopping		1	1	0	0	1	1	0	0
@Checkout		10	9	1	0	1	0	1	0
@chcekout_form		1	1	0	0	1	0	1	0
@checkout_unsuccessful		3	3	0	0	1	0	1	0
@checkout_successful		1	1	0	0	1	0	1	0
@check_postalCode_With_stringValue		1	0	1	0	1	0	1	0
@total_price		1	1	0	0	1	0	1	0
@continue_button_in_checkout_information		1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@cancel_button_in_checkout_information	1	1	0	0	1	0	1	0
@cancel_button_in_checkout_overview	1	1	0	0	1	0	1	0
@LoginValidCredentials	1	1	0	0	1	1	0	0
@Login	4	4	0	0	1	1	0	0
@LoginInValidCredentials	1	1	0	0	1	1	0	0
@LoginWithoutCredentials	1	1	0	0	1	1	0	0
@LoginOnlyWithUsername	1	1	0	0	1	1	0	0
@menu	3	3	0	0	1	1	0	0
@menu_options	1	1	0	0	1	1	0	0
@about	1	1	0	0	1	1	0	0
@logout	1	1	0	0	1	1	0	0
@products	5	5	0	0	1	1	0	0
@products_price	1	1	0	0	1	1	0	0
@product_sorting_by_name_in_descending	1	1	0	0	1	1	0	0
@product_sorting_by_name_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_inAscending	1	1	0	0	1	1	0	0
@product_sorting_by_price_in_descending	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>About page functionality</u>	4	4	0	0	5 m 12.280 s
2	<u>Check the Add To Cart functionality</u>	4	4	0	0	50.526 s
3	<u>Check the Checkout functionality</u>	10	9	1	0	2 m 43.953 s
4	<u>Login Functionality of Swag Labs</u>	4	4	0	0	50.881 s
5	<u>Check the Menu Bar Functionality</u>	3	3	0	0	58.072 s
6	<u>Check the Products page functionality</u>	5	5	0	0	1 m 2.816 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>About page functionality</u>	<u>Verify the Pricing Page</u>	8	8	0	0	1 m 33.821 s
2	<u>About page functionality</u>	<u>Verify the Sign In button is Enable on pricing page</u>	9	9	0	0	1 m 14.992 s
3	<u>About page functionality</u>	<u>Verify the Search functionality on pricing page</u>	10	10	0	0	1 m 3.332 s
4	<u>About page functionality</u>	<u>User able to close the serach page on pricing page</u>	11	11	0	0	1 m 19.975 s
5	<u>Check the Add To Cart functionality</u>	<u>User is able to Add single item to cart</u>	7	7	0	0	11.392 s
6	<u>Check the Add To Cart functionality</u>	<u>User is able to Add multiple item to cart</u>	7	7	0	0	12.146 s
7	<u>Check the Add To Cart functionality</u>	<u>User is able to remove the product from the cart page</u>	9	9	0	0	13.552 s
8	<u>Check the Add To Cart functionality</u>	<u>Verify Continue Shopping button on Cart Page</u>	9	9	0	0	13.323 s
9	<u>Check the Checkout functionality</u>	<u>Checkout Informations should present and user able to enter the information</u>	7	7	0	0	12.187 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Check the Checkout functionality</u>	<u>User Not Able to Complete the checkout process without entering the last name</u>	9	9	0	0	16.508 s
11	<u>Check the Checkout functionality</u>	<u>User Not Able to Complete the checkout process without entering the first name</u>	9	9	0	0	14.688 s
12	<u>Check the Checkout functionality</u>	<u>User Not Able to Complete the checkout process without entering the postal code</u>	9	9	0	0	16.980 s
13	<u>Check the Checkout functionality</u>	<u>Complete the checkout process successfully with enter valid credential</u>	11	11	0	0	15.854 s
14	<u>Check the Checkout functionality</u>	<u>Verify Postal Code field takes only number</u>	8	7	1	0	17.028 s
15	<u>Check the Checkout functionality</u>	<u>Total price value is displayed correctly</u>	10	10	0	0	16.104 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Check the Checkout functionality</u>	<u>Verify the continue button present on the checkout-information page</u>	8	8	0	0	15.383 s
17	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-information page</u>	8	8	0	0	15.452 s
18	<u>Check the Checkout functionality</u>	<u>Verify the cancel button present on the checkout-overview page</u>	11	11	0	0	17.796 s
19	<u>Login Functionality of Swag Labs</u>	<u>Successful login with valid credential</u>	4	4	0	0	15.947 s
20	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with invalid credential</u>	4	4	0	0	9.838 s
21	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login without entering username and password</u>	3	3	0	0	12.558 s
22	<u>Login Functionality of Swag Labs</u>	<u>Unsuccessful login with valid username and blank password field</u>	4	4	0	0	12.455 s
23	<u>Check the Menu Bar Functionality</u>	<u>User is able to open the menu tab</u>	5	5	0	0	13.893 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24	<u>Check the Menu Bar Functionality</u>	<u>User is able to see the About tab information</u>	6	6	0	0	30.570 s
25	<u>Check the Menu Bar Functionality</u>	<u>User should logout successfully and redirect to the login page again</u>	6	6	0	0	13.550 s
26	<u>Check the Products page functionality</u>	<u>User should see the Products price in dollar(\$) format</u>	4	4	0	0	11.675 s
27	<u>Check the Products page functionality</u>	<u>Sort products by Name in descending order</u>	5	5	0	0	13.122 s
28	<u>Check the Products page functionality</u>	<u>Sort products by Name in ascending order</u>	5	5	0	0	12.996 s
29	<u>Check the Products page functionality</u>	<u>Sort products by Price (low to high) in ascending order</u>	5	5	0	0	12.654 s
30	<u>Check the Products page functionality</u>	<u>Sort products by price in descending order</u>	5	5	0	0	12.297 s



About page functionality



Verify the Pricing Page



#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	4.117 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.527 s
		PASSED	0.211 s
		PASSED	0.539 s






#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.085 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.122 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	58.798 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.131 s
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	16.601 s
		PASSED	0.230 s

#	Step / Hook Details	Status	Duration
8	Then user navigate to the pricing page	PASSED	0.071 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.171 s

Verify the Sign In button is Enable on pricing page


PASSED	DURATION - 1 m 14.992 s / 11:51:51.120 AM // 11:53:06.112 AM /	 About page functionality @about_page_functionality @signIn_button	Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
--------	---	--	--	--




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.798 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.309 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	1.385 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.816 s



#	Step / Hook Details	Status	Duration
			
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.113 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.430 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.158 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.478 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	50.007 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.175 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.082 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.189 s

#	Step / Hook Details	Status	Duration
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	7.587 s
8	Then user navigate to the pricing page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.086 s
9	Then User is able to click on sign in button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.268 s

Verify the Search functionality on pricing page






#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.339 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.542 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.066 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.346 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	34.055 s
		PASSED	0.162 s



#	Step / Hook Details	Status	Duration
			
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources"	PASSED	0.135 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
			
7	When User click on pricing	PASSED	12.516 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
			
8	Then user navigate to the pricing page	PASSED	0.069 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
			
9	When User click on search button	PASSED	0.245 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
			




#	Step / Hook Details	Status	Duration
10	And user enter "selenium" on the search field AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.224 s
		PASSED	0.246 s

User able to close the serach page on pricing page

PASSED	DURATION - 1 m 19.975 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 11:54:09.549 AM // 11:55:29.524 AM /				
About page functionality				
@about_page_functionality @closing_serach_page				

#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	4.684 s
		PASSED	0.132 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.310 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.308 s
			


#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.039 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.084 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	54.190 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.115 s
7	When User click on pricing AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	11.263 s
		PASSED	0.202 s

#	Step / Hook Details	Status	Duration
			
8	Then user navigate to the pricing page	PASSED	0.086 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image 		
9	When User click on search button	PASSED	0.456 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	image 		
10	And user click on the close tab	PASSED	0.216 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	image 		
11	Then user navigate to the pricing page	PASSED	0.087 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	image 		




Check the Add To Cart functionality



User is able to Add single item to cart




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.358 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	image		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.322 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	image		
3	When User on the products page	PASSED	0.039 s




#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.174 s
4	When User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.076 s
5	Then Confirm the cart updated item count to one AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.023 s
6	When Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.084 s
7	Then User see that one Product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.020 s

#	Step / Hook Details	Status	Duration
			


User is able to Add multiple item to cart

PASSED	DURATION - 12.146 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 11:55:40.963 AM // 11:55:53.109 AM /				
Check the Add To Cart functionality				
@multiple_item_added_to_cart @addToCart				



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.029 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.210 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.324 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.313 s
3	When User on the products page	PASSED	0.036 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.208 s

#	Step / Hook Details	Status	Duration
			
4	When User click on add to cart button for more than one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.170 s
5	Then Confirm the cart updated item count should increase AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.040 s
6	When Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.176 s
7	Then User see that multiple product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.080 s

User is able to remove the product from the cart page




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.692 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	image		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.552 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
	image		
3	When User on the products page	PASSED	0.107 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	image		
4	When User click on add to cart button for one product	PASSED	0.185 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s

#	Step / Hook Details	Status	Duration
	image 		
5	Then Confirm the cart updated item count to one	PASSED	0.057 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.344 s
6	When Click on shopping cart	PASSED	0.168 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.234 s
7	Then User see that one Product is added to the cart	PASSED	0.033 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.216 s
8	When user click on remove button	PASSED	0.121 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.237 s



#	Step / Hook Details	Status	Duration
			
9	Then the product is remove	PASSED	0.024 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.198 s

Verify Continue Shopping button on Cart Page



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.670 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.151 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.611 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.634 s


#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.083 s
		PASSED	0.352 s
4	When User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.112 s
		PASSED	0.330 s
5	Then Confirm the cart updated item count to one AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.031 s
		PASSED	0.254 s
6	When Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.106 s
		PASSED	0.216 s


#	Step / Hook Details	Status	Duration
7	Then User see that one Product is added to the cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.022 s
8	When user click on the continue shopping button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.095 s
9	Then user redirect to the product page again AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.049 s

Check the Checkout functionality




Checkout Informations should present and user able to enter the information





#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.578 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.393 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.058 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.100 s
		PASSED	0.359 s

#	Step / Hook Details	Status	Duration
			
5	Then Click on shopping cart	PASSED	0.173 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.279 s
6	And Click on checkout	PASSED	0.121 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.200 s
7	Then user can see and enter the "Juli" "Kumari" "854301"	PASSED	0.535 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.181 s

User Not Able to Complete the checkout process without entering the last name






#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.364 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	2.067 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.086 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.188 s
		PASSED	0.403 s

#	Step / Hook Details	Status	Duration
			
5	Then Click on shopping cart	PASSED	0.146 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.213 s
6	And Click on checkout	PASSED	0.128 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.227 s
7	When user enter the first name as "Juli" and postal code as "854301"	PASSED	0.523 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.223 s
8	And user click on continue	PASSED	0.156 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.229 s

#	Step / Hook Details	Status	Duration
9	Then user see the error message as "Error: Last Name is required"	PASSED	0.039 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.226 s

User Not Able to Complete the checkout process without entering the first name


PASSED	DURATION - 14.688 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 11:56:48.880 AM // 11:57:03.568 AM /				
Check the Checkout functionality				
@Checkout @checkout_unsuccessful				


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.776 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.217 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.574 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.489 s




#	Step / Hook Details	Status	Duration
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.060 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.129 s
5	Then Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.116 s
6	And Click on checkout AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.125 s
7	When user enter the last name as "Kumari" and postal code as "854301" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.519 s
		PASSED	0.253 s

#	Step / Hook Details	Status	Duration
			
8	And user click on continue	PASSED	0.200 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.284 s
9	Then user see the error message as "Error: First Name is required"	PASSED	0.062 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.210 s

User Not Able to Complete the checkout process without entering the postal code






#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.049 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.342 s


#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	1.777 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.770 s
	image 		
3	When User on the products page	PASSED	0.090 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	image 		
4	And User click on add to cart button for one product	PASSED	0.117 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	image 		
5	Then Click on shopping cart	PASSED	0.150 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image 		

#	Step / Hook Details	Status	Duration
6	And Click on checkout	PASSED	0.157 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.269 s
7	When user enter the "Juli" "Kumari"	PASSED	0.641 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.266 s
8	And user click on continue	PASSED	0.201 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.237 s
9	Then user see the error message as "Error: Postal Code is required"	PASSED	0.042 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.232 s

Complete the checkout process successfully with enter valid credential





#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	4.432 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.511 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.062 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.140 s
		PASSED	0.354 s

#	Step / Hook Details	Status	Duration
			
5	Then Click on shopping cart	PASSED	0.155 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.227 s
6	And Click on checkout	PASSED	0.129 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.227 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.855 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.228 s
8	And user click on continue	PASSED	0.158 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.224 s

#	Step / Hook Details	Status	Duration
9	Then user can see the checkout overview	PASSED	0.037 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	image		
			
10	When user click on finish	PASSED	0.112 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	image		
			
11	Then user see the order confirmation message "Thank you for your order!" should displayed	PASSED	0.029 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	image		
			


Verify Postal Code field takes only number



FAILED	DURATION - 17.028 s	Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 11:57:36.526 AM // 11:57:53.554 AM /			
Check the Checkout functionality			
@Checkout @check_postalCode_With_stringValue			

#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.671 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.518 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.083 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.110 s
5	Then Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.135 s
		PASSED	0.295 s

#	Step / Hook Details	Status	Duration
			
6	And Click on checkout	PASSED	0.327 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.289 s
7	Then user enter the "Juli" "Kumari" "abcd"	PASSED	1.499 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.292 s
8	Then user not able to see the continue button is enable with "abcd" java.lang.AssertionError: The continue button is enable for the postal code contains string value:abcd expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.failNotEquals(Assert.java:969) at org.testng.Assert.assertTrue(Assert.java:43) at com.psl.pages.CheckoutPage.userEnterStringValueInPostalCodeField(CheckoutPage.java:94) at com.psl.stepdefinitions.CheckoutStepDef.user_not_able_to_see_the_continue_button_is_enable_with(CheckoutStepDef.java:78) at ?.user not able to see the continue button is enable with "abcd"(file:///C:/Users/juli_kumari/Desktop/PIP/swaglabs/src/test/resources/Features/checkout.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.086 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.235 s

Total price value is displayed correctly




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.632 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.257 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.655 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.595 s
3	When User on the products page	PASSED	0.062 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.330 s
4	And User click on add to cart button for one product	PASSED	0.113 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s




#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	Then Click on shopping cart	PASSED	0.172 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.225 s
6	And Click on checkout	PASSED	0.124 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.195 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.727 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.202 s
8	And user click on continue	PASSED	0.191 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.290 s

#	Step / Hook Details	Status	Duration
9	Then user can see the checkout overview	PASSED	0.115 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
10	And User is able to see the total price for the product	PASSED	0.075 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s

Verify the continue button present on the checkout-information page







#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.541 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s

#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.807 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.632 s
	image 		
3	When User on the products page	PASSED	0.106 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	image 		
4	And User click on add to cart button for one product	PASSED	0.162 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	image 		
5	Then Click on shopping cart	PASSED	0.190 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	image 		

#	Step / Hook Details	Status	Duration
6	And Click on checkout	PASSED	0.111 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.203 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.732 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.211 s
8	And user click on continue	PASSED	0.179 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.261 s


Verify the cancel button present on the checkout-information page


PASSED	DURATION - 15.452 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:58:30.813 AM // 11:58:46.265 AM /				
Check the Checkout functionality				
@Checkout @cancel_button_in_checkout_information				


#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.542 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.705 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.073 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.253 s
5	Then Click on shopping cart AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.347 s
		PASSED	0.286 s



#	Step / Hook Details	Status	Duration
			
6	And Click on checkout	PASSED	0.193 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.266 s
7	When user click on cancle button in checkout-information page	PASSED	0.133 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.229 s
8	Then user redirect to the cart page again	PASSED	0.039 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.202 s

Verify the cancle button present on the checkout-overview page




#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.631 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.681 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.193 s
4	And User click on add to cart button for one product AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.278 s
		PASSED	0.507 s


#	Step / Hook Details	Status	Duration
			
5	Then Click on shopping cart	PASSED	0.230 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.263 s
6	And Click on checkout	PASSED	0.163 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.253 s
7	Then user enter the "Juli" "Kumari" "854301"	PASSED	0.686 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.217 s
8	And user click on continue	PASSED	0.140 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.299 s

#	Step / Hook Details	Status	Duration
9	Then user can see the checkout overview AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.049 s
10	When user click on cancel button in checkout-overview page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.204 s
11	Then user redirect to the product page again AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.063 s


Login Functionality of Swag Labs




Successful login with valid credential



#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.442 s
2	When User enter username as "standard_user" and password as "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.405 s
3	And Click on login button AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.174 s
4	Then "Swag Labs" title displayed after successfully login AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.078 s

#	Step / Hook Details	Status	Duration
			


Unsuccessful login with invalid credential

PASSED	DURATION - 9.838 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:59:20.082 AM // 11:59:29.920 AM /				
Login Functionality of Swag Labs				
@LoginInValidCredentials @Login				

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.363 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.170 s
2	When User enter username as "standard_user" and password as "sauce"	PASSED	0.337 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.190 s
3	And Click on login button	PASSED	0.109 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.183 s

#	Step / Hook Details	Status	Duration
			
4	Then Error Message as "Epic sadface: Username and password do not match any user in this service" is displayed after unsuccessful login	PASSED	0.029 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.138 s


Unsuccessful login without entering username and password



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	4.414 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.211 s
2	And Click on login button	PASSED	0.162 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s

#	Step / Hook Details	Status	Duration
	image 		
3	Then Error Message as "Epic sadface: Username is required" is displayed	PASSED	0.036 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.177 s

Unsuccessful login with valid username and blank password field




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.670 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.234 s
2	When User enter username as "standard_user"	PASSED	0.234 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s

#	Step / Hook Details	Status	Duration
	image 		
3	And Click on login button	PASSED	0.131 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.257 s
4	Then Error Message as "Epic sadface: Password is required" is displayed after enter only username	PASSED	0.044 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.203 s



Check the Menu Bar Functionality




User is able to open the menu tab






#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.977 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.695 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.061 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.096 s

#	Step / Hook Details	Status	Duration
			
5	Then User is able to see the options "All Items" "About" "Logout" "Reset App State"	PASSED	0.130 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.407 s


User is able to see the About tab information

PASSED	DURATION - 30.570 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:00:08.945 PM // 12:00:39.515 PM /				
Check the Menu Bar Functionality				
@menu @about				


#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.770 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	image 		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.767 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.612 s
	image		

#	Step / Hook Details	Status	Duration
			
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.059 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.337 s
4	When User click on menu AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.080 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.313 s
5	When User click on About tab AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	16.521 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.159 s
6	Then User is able to see the tabs "Products" "Solutions" "Pricing" "Resources" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.070 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.146 s

User should logout successfully and redirect to the login page again




#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.749 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	image		
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.564 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.521 s
	image		
			
3	When User on the products page	PASSED	0.065 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	image		
			
4	When User click on menu	PASSED	0.113 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s

#	Step / Hook Details	Status	Duration
			
5	When User click on logout option	PASSED	0.157 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
			
6	Then Redirect to the login page again	PASSED	0.081 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
			


Check the Products page functionality

PASSED	DURATION - 1 m 2.816 s / 12:00:53.103 PM // 12:01:55.919 PM /	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
--------	--	--	---	--	---


User should see the Products price in dollar(\$) format






#	Step / Hook Details	Status	Duration
1	Given User is on login page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.739 s
2	And User is logged in with username "standard_user" and password "secret_sauce" AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.500 s
3	When User on the products page AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.049 s
4	Then user see the products price should be present with a "\$" sign AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.041 s
		PASSED	0.315 s

#	Step / Hook Details	Status	Duration
			


Sort products by Name in descending order

PASSED	DURATION - 13.122 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:01:04.798 PM // 12:01:17.920 PM /				
Check the Products page functionality				
@products @product_sorting_by_name_in_descending				





#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.638 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.305 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.764 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.573 s
3	When User on the products page	PASSED	0.134 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) 	PASSED	0.432 s

#	Step / Hook Details	Status	Duration
			
4	When User click on sorting option by name in descending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.072 s
5	Then user see the products are sorted by name in descending order AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.387 s

Sort products by Name in ascending order



#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.573 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.259 s

#	Step / Hook Details	Status	Duration
			
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.804 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.707 s
	image 		
3	When User on the products page	PASSED	0.079 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	image 		
4	When User click on sorting option by name in ascending order	PASSED	0.058 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	image 		
5	Then user see the products are sorted by name in ascending order	PASSED	0.059 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	image 		

Sort products by Price (low to high) in ascending order

PASSED	DURATION - 12.654 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
	/ 12:01:30.949 PM // 12:01:43.603 PM /			

Check the Products page functionality

@product_sorting_by_price_inAscending @products

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.638 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	image		
	Accepted username: standard_user Accepted password: secret_sauce		
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.633 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	image		
3	When User on the products page	PASSED	0.064 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	image		
4	When User click on sorting option by price in ascending order	PASSED	0.069 s
	AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
5	Then user see the products are sorted by price in ascending order	PASSED	0.238 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.313 s

Sort products by price in descending order

PASSED	DURATION - 12.297 s / 12:01:43.622 PM // 12:01:55.919 PM /		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
	<i>Check the Products page functionality</i> @product_sorting_by_price_in_descending @products			

#	Step / Hook Details	Status	Duration
1	Given User is on login page	PASSED	3.443 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.227 s
2	And User is logged in with username "standard_user" and password "secret_sauce"	PASSED	0.301 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p>	PASSED	0.330 s

#	Step / Hook Details	Status	Duration
	<p>image</p>		
3	When User on the products page	PASSED	0.038 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.254 s
4	When User click on sorting option by price in descending order	PASSED	0.034 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.214 s
5	Then user see the products are sorted by price in descending order	PASSED	0.241 s
	<p>AFTER_STEP - com.psl.common.Hooks.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.298 s