CLIENT

Attribute	Data Type	Domain Information
Client_ID	INT	Greater than 0
Legal_Name	VARCHAR(100)	1-100 characters; alphabetical, hyphens, spaces allowed, not NULL
Mailing_Addr	VARCHAR(200)	Valid mailing address text
Rec_PassPrt	BOOLEAN	{True,False}
Birth_Date	DATE	Valid calendar date
Date_Added	DATE	Valid calendar date
Company	VARCHAR(100)	1-100 characters; alphabets, numbers, hyphens, spaces and standard business punctuation eg., &, -) allowed, NULL allowed
Note	VARCHAR(1000)	1-1000 characters; alphabets, numbers, spaces, special symbols allowed, NOT NULL
Source	VARCHAR(100)	Valid values: {‘Direct-Web’, ‘Direct-WalkIn’, ‘Travel-Agent’, ‘Social-Media’, ‘Referral’, ‘Trade-Show’}; NOT NULL

CONTACT

Attribute	Data Type	Domain Information
Contact_ID	INT	Greater than 0
Cnt_Type	VARCHAR(20)	{“Email”, “Phone”, <Name of Social Media>}
Pref_Cont	BOOLEAN	{True, False}
Contact_Info	VARCHAR(255)	{Phone: numeric string(+, digits, hyphen), Email: valid email format (user@domain.com), Social Media: URL/username string, Archive: stored contact record reference)
Client_ID	INT	Matches Client_ID in Client

PIPELINE

Attribute	Data Type	Domain Information
PLStg_ID	INT	Greater than 0
PipeLoc	VARCHAR(20)	4-20 alphabetic characters; allowed values {“Proposal”, “Consultation”, “Lost”, “Lead”, “Booked”, “Post-Trip”}
LostCommt	VARCHAR(1000)	0-1000 characters;letters,punctuation,numbers allowed in comment
DaysInPipe	INT	Integers >= 0
Client_ID	INT	Matches Client_ID in Client;

CLIENT_EVENT

Attribute	Data Type	Domain Information
CE_ID	INT	Greater than 0
CEDateOcc	DATE	Valid Calendar Date
CEDueDate	DATE	Valid Calendar Date
CEvt_Status	VARCHAR(20)	{Scheduled, Completed, Cancelled, Postponed}
CE_Type	VARCHAR(30)	{Phone Call, Email, Coffee Meeting, Postcard, Birthday Wish, Coffee Sample, Meeting)
Client_ID	INT	Matches Client_ID in Client;

TOUCHPOINT

Attribute	Data Type	Domain Information
TP_ID	INT	Greater than 0
TPdateocc	DATE	Valid calendar date
TP_Type	VARCHAR(30)	5-30 alphabetical characters; allowed values{“Phone Call”,“Email”, “Coffee Meeting”, “Handwritten Note”, “Postcard”, “Birthday Wish”, “Coffee Sample”}
EngageScr	INT	{1,2,3,4,5}
TP_Note	VARCHAR(1000)	1-1000 characters; alphabets, numbers, spaces, special symbols allowed, NOT NULL
Client_ID	INT	Matches Client_ID in Client;

TRIP

Attribute	Data Type	Domain Information
Trip_ID	INT	Greater than 0
StartDate	DATE	Valid calendar date
CancelDate	DATE	Valid calendar date or NULL, if it is not NULL, it must be >= StartDate
Trip_Status	VARCHAR(20)	At least 4 characters, allowed values (‘Planned’, ‘Booked’, ‘Canceled’, ‘Completed’, ‘Post-trip’), NOT NULL
Post_Refl	VARCHAR(1000)	Can be empty(0 characters), Letters, numbers, spaces, and punctuation allowed
Post_Rcrds	VARCHAR(1000)	Can be empty(0 characters), Letters, numbers, spaces, and punctuation allowed

TAKES

Attribute	Data Type	Domain Information
Trip_ID	INT	Matches Trip_ID in Trip;
Client_ID	INT	Matches Client_ID in Client;
Active_Stat	BOOLEAN	{“True”,”False”}

ATTENDS

Attribute	Data Type	Domain Information
Trip_ID	INT	Matches Trip_ID in Trip;
Guest_ID	INT	Matches Guest_ID in Guest;
Active_Stat	BOOLEAN	{“True”,”False”}

GUEST

Attribute	Data Type	Domain Information
Guest_ID	INT	Greater than 0
Glegal_name	VARCHAR(100)	1-100 characters; alphabetical, hyphens, apostrophes, spaces allowed, not NULL
Gbirthdate	DATE	Valid calendar date, can’t be
Mailing_Addr	VARCHAR(200)	Valid mailing address text
GRec_PassPrt	BOOLEAN	{True,False}

TRIP_EVENT

Attribute	Data Type	Domain Information
TripEvent_ID	INT	Greater than 0
TEDateocc	DATE	Valid calendar date
TEDueDate	DATE	Valid calendar date
TE_Status	VARCHAR(20)	At least 4 characters, alphabetical characters only, allowed values:{‘Pending’, ‘Complete’, ‘Cancelled’, ‘Overdue’}
TE_Type	VARCHAR(50)	Minimum 3 characters, alphabetical, spaces allowed, allowed values {‘Contract Signed’, ‘Deposit Received’, ‘Travel Insurance’, etc}
Trip_ID	INT	Matches Trip_ID in Trip;

ITINERARY

Attribute	Data Type	Domain Information
Itinerary_ID	INT	Greater than 0
DateCrd	DATE	Valid calendar date
IT_Active	BOOLEAN	{“True”,”False”}
IT_Status	VARCHAR(20)	Allowed values{“Draft”, “Sent”,”Accepted’, “Denied”}
Trip_ID	INT	Matches Trip_ID in Trip;

ITINERARY_ITEM

Attribute	Data Type	Domain Information
ITitem_ID	INT	Greater than 0
ITI_Location	VARCHAR(100)	At least 2 characters;letters, spaces, commas, periods allowed
ITI_Date	DATE	Valid calendar date
ITI_status	VARCHAR(20)	Alphabetical characters, {“Planned”, “Confirmed’, “Cancelled”}
ITI_type	VARCHAR(50)	Alphabetical characters and spaces allowed
NumPeop	INT	Must be positive and >= 1
Itinerary_ID	INT	Matches Itinerary_ID in Itinerary;

COSTS

Attribute	Data Type	Domain Information
Cost_ID	INT	Greater than 0
CostSing	DECIMAL(12,2)	Must be >= 0.00
CostCoup	DECIMAL(12,2)	Must be >= 0.00
PricingModel	VARCHAR(20)	Alphabetical characters, allowed values {‘Per Couple’, ‘Per Person’
Actcost	DECIMAL(12,2)	Must be >= 0.00
ITitem_ID	INT	Matches Itinerary_ID in ITitem_ID;