## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. ←
 2. ←
 3. ←
 4. <!doctype html>↔
 5. <html lang="en">↔
 6. <head>←
 7.
        <meta charset="UTF-8">↔
        <meta name="viewport" content="width=device-width, initial-scale=1.0">←
 8.
 9.
             <meta name="description" content="PipeTracker - an inventory tool for</pre>
10.
    plumbers">↔
11.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">↔
12.
13. ←
        <link rel="stylesheet"</pre>
14.
    href="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/css/output.c40
    189abb251.css">↔
15.
        \leftarrow
        ب
16.
17.
```

```
18.
        <!-- link to favicon -->↔
19.
        k rel="icon"
    href="https://res.cloudinary.com/drgviypka/image/upload/v1/static/images/favic
    on.867bcb94c080.png"↔
20.
              type="image/x-icon">↔
21. ←
22.
        <title>PipeTracker - Edit Stock Item Special Item</title>↔
23. </head>↔
24. <body class="flex flex-col min-h-screen">↔
25. ←
26. ←
27. <header>↔
28.
29.
        <nav class="bg-customwhite">←
            <div class="max-w-screen-xl flex flex-wrap items-center justify-</pre>
30.
    between mx-auto p-4">←
                <a href="/" class="flex items-center space-x-3">←
31.
32.
    src="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/images/logo.07c
    f24708a76.svg" class="h-16" alt="PipeTracker Logo">↔
33.
                <button data-collapse-toggle="navbar-default" type="button"</pre>
34.
    id="mobile-menu-toggle"↔
35.
                         class="inline-flex items-center p-2 w-10 h-10 justify-
    center text-sm text-customblack md:hidden hover:bg-darkblue-100 focus:outline-
    none focus:ring-2 focus:ring-darkblue"↔
36.
                         aria-controls="navbar-default" aria-expanded="false">↔
                    <span class="sr-only">Open main menu</span> \leftrightarrow
<svg class="w-5 h-5" aria-hidden="true" \leftrightarrow

37.
38.
39.
                          xmlns="http://www.w3.org/2000/svg" fill="none"↔
40.
                          viewBox="0 0 17 14">←
                         <path stroke="currentColor" stroke-linecap="round"←</pre>
41.
42.
                               stroke-linejoin="round" stroke-width="2"↔
43.
                               d="M1 1h15M1 7h15M1 13h15"/>↔
44.
                    </svg>←
45.
                </button>←
                <div class="hidden w-full md:block md:w-auto" id="navbar-</pre>
46.
    default">↩
47.
                    4 border border-darkblue-100 bg-darkblue-50 md:flex-row md:space-x-8 md:mt-0
    md:border-0">←
48.
49.
                         ←
50.
                             <a href="/dashboard/" aria-current="false"↔
                                class=" block py-2 px-3 text-customblack hover:bg-
51.
    customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
    0">Dashboard</a>↔
52.
                         ←
53.
                         ⊹
54.
                             <a href="/stock/" aria-current="page"←</pre>
55.
                                class="active nav block py-2 px-3 text-customblack
    hover:bg-customwhite md:hover:bg-transparent md:border-0 md:hover:text-
    lightblue md:p-0">Stock↔
56.
                                 Items</a>↔
57.
                         ↔
58.
                         ∠
59.
                             <a href="/delivery/" aria-current="false"↔
60.
                                class=" block py-2 px-3 text-customblack hover:bg-
    customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
    0">Delivery←
61.
                                 Notes</a>↔
62.
                         ←
63.
                         ⟨li⟩↩
64.
                             <a href="/basket/" aria-current="false"↔
65.
                                class=" block py-2 px-3 text-customblack hover:bg-
    customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
    0">Basket</a>↔
66.
                         ↔
67.
                         di>←
68.
                             <a href="/accounts/logout/" aria-current="false"←</pre>
```

```
69.
                                 class=" block py-2 px-3 text-customblack hover:bg-
     customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
     0">Logout (superadmin)</a>↔
70.
                          ←
71.
72.
                      ←
                  </div>↩
73.
74.
             </div>←
75.
         </nav>↩
76.
77. </header>↩
78. ←
79. ←
80. ←
81. <main class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8 flex-auto">↔
82.
83. ←
84. <section class="text-center">↔
85.
         <h1 class="mb-5 text-3xl font-bold text-darkblue md:text-4xl lg:text-
     5x1">↔
86.
             Edit Stock Item "Special Item"</h1>↔
87.
88.
         <form method="POST" enctype="multipart/form-data" class="max-w-lg mx-</pre>
     auto">↩
             <input type="hidden" name="csrfmiddlewaretoken"</pre>
89.
     value="nZwNmL3SZkqRh0IPcDYhEGEsoDrVTuu4glBVH6ofru8mXLSI6FaDXBvlnN0VWH1o">↔
90.
91. ←
92. <input type="hidden" name="csrfmiddlewaretoken"
     value="nZwNmL3SZkqRh0IPcDYhEGEsoDrVTuu4glBVH6ofru8mXLSI6FaDXBvlnN0VWH1o"> <div
     id="div_id_name" class="mb-3"> <label for="id_name" class="form-label block
     mb-2 text-customblack font-bold requiredField">↔
93.
                      Item Name<span class="asteriskField">*</span> </label> <input</pre>
     type="text" name="name" value="Special Item" maxlength="100" class="bg-gray-50
     border border-darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-2.5 form-control" required id="id_name">
     </div> <div id="div_id_category" class="mb-3"> <label for="id_category"
     class="form-label block mb-2 text-customblack font-bold requiredField">↔
94.
                      Item Category<span class="asteriskField">*</span> </label>
     <select name="category" class="bg-gray-50 border border-darkblue text-gray-900</pre>
     text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-
     2.5 form-select required id="id_category"> <option value="">------
     </option> <option value="18">Pumps</option> <option</pre>
     value="19">Accessories</option> <option value="17">Buffers</option> <option
     value="20">Water installation</option> <option value="15">Prestabo</option>
     <option value="5" selected>Test sub</option> <option</pre>
    value="16">Raxofix</option>←
96. </select> </div> <div id="div id matchcode" class="mb-3"> <label
     for="id matchcode" class="form-label block mb-2 text-customblack font-bold
     requiredField">↔
97.
                      Item matchcode<span class="asteriskField">*</span> </label>
     <input type="text" name="matchcode" value="123456" maxlength="100" class="bg-</pre>
     gray-50 border border-darkblue text-gray-900 text-sm rounded-lg focus:ring-
     blue-500 focus:border-blue-500 block w-full p-2.5 form-control" required
     id="id_matchcode"> </div> <div id="div_id_price" class="mb-3"> <label
     for="id price" class="form-label block mb-2 text-customblack font-bold
     requiredField">↩
98.
                      Price<span class="asteriskField">*</span> </label> <input
     type="number" name="price" value="12.99" step="0.01" class="bg-gray-50 border
     border-darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500
     focus:border-blue-500 block w-full p-2.5 form-control" required id="id_price">
     </div> <div id="div_id_quantity" class="mb-3"> <label for="id_quantity"
     class="form-label block mb-2 text-customblack font-bold requiredField">↔
99.
                      Quantity<span class="asteriskField">*</span> </label> <input
     type="number" name="quantity" value="2" class="bg-gray-50 border border-
     darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-2.5 form-control" required id="id_quantity"> </div>
     <div id="div_id_size" class="mb-3"> <label for="id_size" class="form-label</pre>
     block mb-2 text-customblack font-bold">←
100.
                      Size↩
```

```
101.
                 </label> <input type="text" name="size" value="1/2 inch"</pre>
    maxlength="100" class="bg-gray-50 border border-darkblue text-gray-900 text-sm
     rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-2.5 form-
     control" id="id_size"> </div> <div id="div_id_details" class="mb-3"> <label</pre>
     for="id_details" class="form-label block mb-2 text-customblack font-bold">←
102.
                     Details↩
                 </label> <input type="text" name="details" value="More info about</pre>
103.
     pipe" maxlength="100" class="bg-gray-50 border border-darkblue text-gray-900
     text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-
     2.5 form-control" id="id_details"> </div>↔
104.
105.
             <button type="submit"←</pre>
106.
                     class="font-bold text-customwhite bg-darkblue hover:bg-
     lightblue hover:text-customblack focus:ring-4 focus:ring-blue-300 rounded-lg
     text-sm px-5 py-2.5 mb-4 focus:outline-none">↔
107.
                 Save Stock Item↔
108.
             </button>←
109.
         </form>↔
110.
         <a class="font-bold block w-fit m-auto text-customwhite bg-danger border</pre>
     border-danger hover:bg-customwhite hover:text-danger focus:ring-4 focus:ring-
     blue-300 rounded-lg text-sm px-5 py-2.5 mb-4 focus:outline-none"↔
111.
            href="/stock/items/delete/1/">Delete Stock Item</a>↔
112.
         <a class="font-bold block w-fit m-auto text-darkblue bg-customwhite border</pre>
     border-darkblue hover:bg-lightblue hover:text-customblack hover:border-
     lightblue focus:ring-4 focus:ring-blue-300 rounded-lg text-sm px-5 py-2.5
     focus:outline-none" href="/stock/">Back to Stock</a>↔
113. </section>←
114. ←
115. ←
116. </main>↔
117. ←
118. <footer class="bg-darkblue">↔
119.
         <div class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8">←
120.
             <div class="flex items-center justify-between text-center flex-col</pre>
     sm:flex-row">↔
121.
                 <span class="text-sm text-customwhite">@ 2023 Julia Wagner -
     created for <a href="https://p-wagner.at/" class="hover:underline"</pre>
     target="_blank" rel="noopener" aria-label="open Patrick Wagner Installationen
    website in a new tab">Patrick Wagner Installationen</a>.</span>↔
122.
                 <div class="flex mt-4 sm:mt-0">←
123.
                     <a href="https://github.com/Julia-Wagner" class="text-</pre>
     customwhite hover:text-lightblue sm:ms-5" target="_blank" rel="noopener" aria-
     label="open my GitHub profile in a new tab">←
                         <svg class="w-8 h-8" aria-hidden="true"</pre>
124.
    xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 20 20">←
                              <path fill-rule="evenodd" d="M10 .333A9.911 9.911 0 0</pre>
125.
    0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757.6-
     3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615.07-.6.07-.6a2.084
     2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-
     2.2-.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-
     2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016
     2.717-1.016.366.83.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-
     2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012
     2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z" clip-rule="evenodd"/>↔
126.
                         </svg>↔
127.
                         <span class="sr-only">GitHub account</span>←
128.
                     </a>←
129.
                     <a href="https://www.linkedin.com/in/julia-wagner-0ba4461a8"</pre>
     class="text-customwhite hover:text-lightblue ms-5" target=" blank"
     rel="noopener" aria-label="open my LinkedIn profile in a new tab">↔
130.
                         <svg class="w-8 h-8" aria-hidden="true"</pre>
    xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24">↔
                              <path d="M19 0h-14c-2.761 0-5 2.239-5 5v14c0 2.761</pre>
131.
     2.239 5 5 5h14c2.762 0 5-2.239 5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-
     11h3v11zm-1.5-12.268c-.966 0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764 1.75.79
     1.75 1.764-.783 1.764-1.75 1.764zm13.5 12.268h-3v-5.604c0-3.368-4-3.113-4
    0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7 2.476v6.759z"/>↔
132.
                         </svg>↔
133.
                         <span class="sr-only">LinkedIn account</span>↔
134.
                     </a>←
135.
                 </div>←
```

Used the HTML parser.

Total execution time 24 milliseconds.

About this checker • Report an issue • Version: 24.1.1