

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ CSS

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="description" content="PipeTracker - an inventory tool for
plumbers">

  <meta http-equiv="X-UA-Compatible" content="ie=edge">

  <link rel="stylesheet"
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

```
1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.  <head>↵
7.    <meta charset="UTF-8">↵
8.    <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
9.    ↵
10.   <meta name="description" content="PipeTracker - an inventory tool for
plumbers">↵
11.   ↵
12.   <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
13.  ↵
14.   <link rel="stylesheet"
href="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/css/output.c40
189abb251.css">↵
15.   ↵
16.   ↵
17.  ↵
```

```

18.     <!-- link to favicon -->↵
19.     <link rel="icon"
href="https://res.cloudinary.com/drgviypka/image/upload/v1/static/images/favic
on.867bcb94c080.png"↵
20.         type="image/x-icon">↵
21. ↵
22.     <title>PipeTracker - Add Delivery Note</title>↵
23. </head>↵
24. <body class="flex flex-col min-h-screen">↵
25. ↵
26. ↵
27. <header>↵
28.     ↵
29.     <nav class="bg-customwhite">↵
30.         <div class="max-w-screen-xl flex flex-wrap items-center justify-
between mx-auto p-4">↵
31.             <a href="/" class="flex items-center space-x-3">↵
32.                 ↵
33.                 </a>↵
34.                 <button data-collapse-toggle="navbar-default" type="button"
id="mobile-menu-toggle"↵
35.                     class="inline-flex items-center p-2 w-10 h-10 justify-
center text-sm text-customblack md:hidden hover:bg-darkblue-100 focus:outline-
none focus:ring-2 focus:ring-darkblue"↵
36.                     aria-controls="navbar-default" aria-expanded="false">↵
37.                     <span class="sr-only">Open main menu</span>↵
38.                     <svg class="w-5 h-5" aria-hidden="true"↵
39.                         xmlns="http://www.w3.org/2000/svg" fill="none"↵
40.                         viewBox="0 0 17 14">↵
41.                         <path stroke="currentColor" stroke-linecap="round"↵
42.                             stroke-linejoin="round" stroke-width="2"↵
43.                             d="M1 1h15M1 7h15M1 13h15"/>↵
44.                     </svg>↵
45.                 </button>↵
46.                 <div class="hidden w-full md:block md:w-auto" id="navbar-
default">↵
47.                     <ul class="font-bold flex flex-col items-center p-4 md:p-0 mt-
4 border border-darkblue-100 bg-darkblue-50 md:flex-row md:space-x-8 md:mt-0
md:border-0">↵
48.                         ↵
49.                         <li>↵
50.                             <a href="/dashboard/" aria-current="false"↵
51.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Dashboard</a>↵
52.                         </li>↵
53.                         <li>↵
54.                             <a href="/stock/" aria-current="false"↵
55.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Stock↵
56.                                 Items</a>↵
57.                         </li>↵
58.                         <li>↵
59.                             <a href="/delivery/" aria-current="page"↵
60.                                 class="active_nav block py-2 px-3 text-customblack
hover:bg-customwhite md:hover:bg-transparent md:border-0 md:hover:text-
lightblue md:p-0">Delivery↵
61.                                 Notes</a>↵
62.                         </li>↵
63.                         <li>↵
64.                             <a href="/basket/" aria-current="false"↵
65.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Basket</a>↵
66.                         </li>↵
67.                         <li>↵
68.                             <a href="/accounts/logout/" aria-current="false"↵

```

```

69.         class=" block py-2 px-3 text-customblack hover:bg-
customwhite md: hover:bg-transparent md: border-0 md: hover: text-lightblue md: p-
0">Logout (superadmin)</a>↵
70.     </li>↵
71.     ↵
72. </ul>↵
73. </div>↵
74. </div>↵
75. </nav>↵
76. ↵
77. </header>↵
78. ↵
79. ↵
80. ↵
81. <main class="mx-auto w-full max-w-screen-xl p-4 py-6 lg: py-8 flex-auto">↵
82.     ↵
83.     ↵
84. <section class="text-center">↵
85.     <h1 class="mb-5 text-3xl font-bold text-darkblue md: text-4xl lg: text-
5xl">↵
86.         Add a new Delivery Note</h1>↵
87.     ↵
88.     <a class="font-bold block w-fit mx-auto my-7 text-darkblue bg-customwhite
border border-darkblue hover: bg-lightblue hover: text-customblack hover: border-
lightblue focus: ring-4 focus: ring-blue-300 rounded-lg text-sm px-5 py-2.5
focus: outline-none">↵
89.         href="/delivery/add/customer/">Create a new Customer</a>↵
90.     ↵
91.     <form method="POST" enctype="multipart/form-data" class="max-w-lg mx-
auto">↵
92.         <input type="hidden" name="csrfmiddlewaretoken"
value="0BuPTNwGYu23on6ejZS8m5tRZWbyvMYEi5ICTek0atX0ZoEnAvwyRb8QSPx6wcC">↵
93.         ↵
94.         ↵
95. <input type="hidden" name="csrfmiddlewaretoken"
value="0BuPTNwGYu23on6ejZS8m5tRZWbyvMYEi5ICTek0atX0ZoEnAvwyRb8QSPx6wcC"> <div
id="div_id_customer" class="mb-3"> <label for="id_customer" class="form-label
block mb-2 text-customblack font-bold requiredField">↵
96.         Choose an existing Customer<span class="asteriskField">*</span> </label> <select name="customer" class="bg-gray-50 border border-
darkblue text-gray-900 text-sm rounded-lg focus: ring-blue-500 focus: border-
blue-500 block w-full p-2.5 form-select" required id="id_customer"> <option
value="" selected>-----</option> <option value="4">John Doe (123455)
</option> <option value="1">Max Mustermann (123465)</option> <option
value="3">Jane Doe (234561)</option> <option value="8">lisa Hallatt (34524525)
</option>↵
97.         ↵
98. </select> </div> <div id="div_id_title" class="mb-3"> <label for="id_title"
class="form-label block mb-2 text-customblack font-bold requiredField">↵
99.         Title<span class="asteriskField">*</span> </label> <input
type="text" name="title" maxlength="100" class="bg-gray-50 border border-
darkblue text-gray-900 text-sm rounded-lg focus: ring-blue-500 focus: border-
blue-500 block w-full p-2.5 form-control" required id="id_title"> </div> <div
id="div_id_status" class="mb-3"> <label for="id_status" class="form-label
block mb-2 text-customblack font-bold requiredField">↵
100.         Status<span class="asteriskField">*</span> </label> <select
name="status" class="bg-gray-50 border border-darkblue text-gray-900 text-sm
rounded-lg focus: ring-blue-500 focus: border-blue-500 block w-full p-2.5 form-
select" id="id_status"> <option value="open" selected>Open</option> <option
value="closed">Closed</option>↵
101.         ↵
102. </select> </div>↵
103.     ↵
104.     <button type="submit">↵
105.         class="font-bold text-customwhite bg-darkblue hover: bg-
lightblue hover: text-customblack focus: ring-4 focus: ring-blue-300 rounded-lg
text-sm px-5 py-2.5 mb-4 focus: outline-none">↵
106.         Create Delivery Note↵
107.     </button>↵
108. </form>↵

```

```

109.     <a class="font-bold block w-fit m-auto text-darkblue bg-customwhite border
border-darkblue hover:bg-lightblue hover:text-customblack hover:border-
lightblue focus:ring-4 focus:ring-blue-300 rounded-lg text-sm px-5 py-2.5
focus:outline-none">
110.         href="/delivery/">Back to Delivery Notes</a>
111. </section>
112. 
113. 
114. </main>
115. 
116. <footer class="bg-darkblue">
117.     <div class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8">
118.         <div class="flex items-center justify-between text-center flex-col
sm:flex-row">
119.             <span class="text-sm text-customwhite">© 2023 Julia Wagner -
created for <a href="https://p-wagner.at/" class="hover:underline"
target="_blank" rel="noopener" aria-label="open Patrick Wagner Installationen
website in a new tab">Patrick Wagner Installationen</a>.</span>
120.             <div class="flex mt-4 sm:mt-0">
121.                 <a href="https://github.com/Julia-Wagner" class="text-
customwhite hover:text-lightblue sm:ms-5" target="_blank" rel="noopener" aria-
label="open my GitHub profile in a new tab">
122.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 20 20">
123.                         <path fill-rule="evenodd" d="M10 .333A9.911 9.911 0 0
0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757.6-
3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615-.07-.607-.6a2.084
2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-
2.2-.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-
2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016
2.717-1.016.366.832.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-
2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012
2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z" clip-rule="evenodd"/>
124.                     </svg>
125.                     <span class="sr-only">GitHub account</span>
126.                 </a>
127.                 <a href="https://www.linkedin.com/in/julia-wagner-0ba4461a8"
class="text-customwhite hover:text-lightblue ms-5" target="_blank"
rel="noopener" aria-label="open my LinkedIn profile in a new tab">
128.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24">
129.                         <path d="M19 0h-14c-2.761 0-5 2.239-5 5v14c0 2.761
2.239 5 5 5h14c2.762 0 5-2.239 5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-
11h3v11zm-1.5-12.268c-.966 0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764 1.75.79
1.75 1.764-.783 1.764-1.75 1.764zm13.5 12.268h-3v-5.604c0-3.368-4-3.113-4
0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7 2.476v6.759z"/>
130.                     </svg>
131.                     <span class="sr-only">LinkedIn account</span>
132.                 </a>
133.             </div>
134.         </div>
135.     </div>
136. </footer>
137. 
138. 
139. <script
src="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/js/base.97feb33
96d3d.js"></script>
140. 
141. 
142. 
143. 
144. </body>
145. </html>

```

Used the HTML parser.

Total execution time 22 milliseconds.

