

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="description" content="PipeTracker - an inventory tool for
plumbers">

  <meta http-equiv="X-UA-Compatible" content="ie=edge">

  <link rel="stylesheet"
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

```
1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.  <head>↵
7.    <meta charset="UTF-8">↵
8.    <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
9.    ↵
10.   <meta name="description" content="PipeTracker - an inventory tool for
    plumbers">↵
11.   ↵
12.   <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
13.  ↵
14.   <link rel="stylesheet"
    href="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/css/output.c40
    189abb251.css">↵
15.   ↵
16.   ↵
17.  ↵
```

```

18.     <!-- link to favicon -->↵
19.     <link rel="icon"
href="https://res.cloudinary.com/drgviypka/image/upload/v1/static/images/favic
on.867bcb94c080.png"↵
20.         type="image/x-icon">↵
21. ↵
22.     <title>PipeTracker - Stock Item Special Item</title>↵
23. </head>↵
24. <body class="flex flex-col min-h-screen">↵
25. ↵
26. ↵
27. <header>↵
28.     ↵
29.     <nav class="bg-customwhite">↵
30.         <div class="max-w-screen-xl flex flex-wrap items-center justify-
between mx-auto p-4">↵
31.             <a href="/" class="flex items-center space-x-3">↵
32.                 ↵
33.                 </a>↵
34.                 <button data-collapse-toggle="navbar-default" type="button"
id="mobile-menu-toggle"↵
35.                     class="inline-flex items-center p-2 w-10 h-10 justify-
center text-sm text-customblack md:hidden hover:bg-darkblue-100 focus:outline-
none focus:ring-2 focus:ring-darkblue"↵
36.                     aria-controls="navbar-default" aria-expanded="false">↵
37.                     <span class="sr-only">Open main menu</span>↵
38.                     <svg class="w-5 h-5" aria-hidden="true"↵
39.                         xmlns="http://www.w3.org/2000/svg" fill="none"↵
40.                         viewBox="0 0 17 14">↵
41.                         <path stroke="currentColor" stroke-linecap="round"↵
42.                             stroke-linejoin="round" stroke-width="2"↵
43.                             d="M1 1h15M1 7h15M1 13h15"/>↵
44.                     </svg>↵
45.                 </button>↵
46.                 <div class="hidden w-full md:block md:w-auto" id="navbar-
default">↵
47.                     <ul class="font-bold flex flex-col items-center p-4 md:p-0 mt-
4 border border-darkblue-100 bg-darkblue-50 md:flex-row md:space-x-8 md:mt-0
md:border-0">↵
48.                         ↵
49.                         <li>↵
50.                             <a href="/dashboard/" aria-current="false"↵
51.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Dashboard</a>↵
52.                         </li>↵
53.                         <li>↵
54.                             <a href="/stock/" aria-current="page"↵
55.                                 class="active_nav block py-2 px-3 text-customblack
hover:bg-customwhite md:hover:bg-transparent md:border-0 md:hover:text-
lightblue md:p-0">Stock↵
56.                                 Items</a>↵
57.                         </li>↵
58.                         <li>↵
59.                             <a href="/delivery/" aria-current="false"↵
60.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Delivery↵
61.                                 Notes</a>↵
62.                         </li>↵
63.                         <li>↵
64.                             <a href="/basket/" aria-current="false"↵
65.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Basket</a>↵
66.                         </li>↵
67.                         <li>↵
68.                             <a href="/accounts/logout/" aria-current="false"↵

```

```

69.         class=" block py-2 px-3 text-customblack hover:bg-
customwhite md: hover: bg-transparent md: border-0 md: hover: text-lightblue md: p-
0">Logout (superadmin)</a>↵
70.     </li>↵
71.     ↵
72. </ul>↵
73. </div>↵
74. </div>↵
75. </nav>↵
76. ↵
77. </header>↵
78. ↵
79. ↵
80. ↵
81. <main class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8 flex-auto">↵
82.     ↵
83.     ↵
84. <section class="text-center">↵
85.     <div class="mb-5 relative">↵
86.         <div class="relative mx-auto my-6 md: absolute top-0 right-0 max-w-
[150px]">↵
87.             ↵
88.         </div>↵
89.         <h1 class="col-start-2 text-3xl font-bold text-darkblue md: text-4xl
lg: text-5xl">Special Item</h1>↵
90.     </div>↵
91.     <a href="/stock/items/edit/1/"↵
92.         class="mb-5 text-darkblue bg-customwhite border-2 border-darkblue
hover: bg-darkblue hover: text-customwhite focus: ring-4 focus: outline-none
focus: ring-blue-300 font-bold rounded-lg px-5 py-2.5 text-center inline-flex
items-center">↵
93.         Edit item↵
94.     </a>↵
95.     <p class="mb-2 text-xl text-customblack lg: text-2xl"><span class="font-
bold">Size:</span> 1/2 inch</p>↵
96.     <p class="mb-2 text-xl text-customblack lg: text-2xl"><span class="font-
bold">Matchcode:</span> 123456</p>↵
97.     <p class="mb-2 text-xl text-customblack lg: text-2xl"><span class="font-
bold">Details:</span> More info about pipe</p>↵
98.     <p class="mb-2 text-xl text-customblack lg: text-2xl"><span class="font-
bold">Price:</span> € 12.99</p>↵
99.     <div class="mt-8 mb-2 text-xl font-bold text-customblack lg: text-
2xl">Quantity:</div>↵
100.     <div class="flex items-center justify-center mb-8">↵
101.         <a href="/stock/quantity/decrease/1/"↵
102.             class="font-bold p-2 mx-2 text-darkblue hover: text-lightblue
inline-flex"↵
103.                 aria-label="decrease stock item quantity">↵
104.                     <svg class="w-4 h-4" xmlns="http://www.w3.org/2000/svg"
width="24"↵
105.                         height="24" fill="currentColor" viewBox="0 0 24 24">↵
106.                             <path stroke="currentColor" d="M0 9h24v6h-24z"/>↵
107.                         </svg>↵
108.                     </a>↵
109.                     <span class="font-bold text-xl lg: text-2xl">2</span>↵
110.                     <a href="/stock/quantity/increase/1/"↵
111.                         class="font-bold p-2 mx-2 text-darkblue hover: text-lightblue
inline-flex"↵
112.                             aria-label="increase stock item quantity">↵
113.                                 <svg class="w-4 h-4" xmlns="http://www.w3.org/2000/svg"
width="24"↵
114.                                     height="24" fill="currentColor" viewBox="0 0 24 24">↵
115.                                         <path stroke="currentColor"↵
116.                                             d="M24 9h-9v-9h-6v9h-9v6h9v9h6v-9h9z"/>↵
117.                                         </svg>↵
118.                                     </a>↵
119.                                 </div>↵
120.         <div class="my-8">↵

```

```

121.     <label for="quantity_1" class="sr-only">Add to basket
quantity</label>↵
122.     <input type="number" id="quantity_1" value="1" min="1" ↵
123.         max="2"↵
124.         class="text-md lg:text-lg bg-gray-50 border border-darkblue
text-customblack rounded-lg focus:ring-blue-500 focus:border-blue-500 inline-
block mr-2 w-14 p-2.5">↵
125.         <a href="#" id="add_to_basket_1"↵
126.             class="font-bold text-darkblue text-lg hover:text-lightblue">↵
127.             Add to basket↵
128.         </a>↵
129.     </div>↵
130.     <a class="font-bold block w-fit m-auto text-darkblue bg-customwhite border
border-darkblue hover:bg-lightblue hover:text-customblack hover:border-
lightblue focus:ring-4 focus:ring-blue-300 rounded-lg text-sm px-5 py-2.5
focus:outline-none" href="/stock/">Back to Stock</a>↵
131. </section>↵
132. ↵
133. <script>↵
134.     document.getElementById("add_to_basket_1").addEventListener("click",
function(event) {↵
135.         event.preventDefault();↵
136.         let quantity = document.getElementById("quantity_1").value;↵
137.         let url = "/stock/basket/1/?quantity=" + quantity;↵
138.         window.location.href = url;↵
139.     });↵
140. </script>↵
141. ↵
142. ↵
143. </main>↵
144. ↵
145. <footer class="bg-darkblue">↵
146.     <div class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8">↵
147.         <div class="flex items-center justify-between text-center flex-col
sm:flex-row">↵
148.             <span class="text-sm text-customwhite">© 2023 Julia Wagner -
created for <a href="https://p-wagner.at/" class="hover:underline"
target="_blank" rel="noopener" aria-label="open Patrick Wagner Installationen
website in a new tab">Patrick Wagner Installationen</a>.</span>↵
149.             <div class="flex mt-4 sm:mt-0">↵
150.                 <a href="https://github.com/Julia-Wagner" class="text-
customwhite hover:text-lightblue sm:ms-5" target="_blank" rel="noopener" aria-
label="open my GitHub profile in a new tab">↵
151.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 20 20">↵
152.                         <path fill-rule="evenodd" d="M10 .333A9.911 9.911 0 0
0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757-6-
3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615-.07-.607-.6a2.084
2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-
2.2-.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-
2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016
2.717-1.016.366.83.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-
2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012
2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z" clip-rule="evenodd"/>↵
153.                     </svg>↵
154.                     <span class="sr-only">GitHub account</span>↵
155.                 </a>↵
156.                 <a href="https://www.linkedin.com/in/julia-wagner-0ba4461a8"
class="text-customwhite hover:text-lightblue ms-5" target="_blank"
rel="noopener" aria-label="open my LinkedIn profile in a new tab">↵
157.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24">↵
158.                         <path d="M19 0h-14c-2.761 0-5 2.239-5 5v14c0 2.761
2.239 5 5 5h14c2.762 0 5-2.239 5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-
11h3v11zm-1.5-12.268c-.966 0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764 1.75.79
1.75 1.764-.783 1.764-1.75 1.764zm13.5 12.268h-3v-5.604c0-3.368-4-3.113-4
0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7 2.476v6.759z"/>↵
159.                     </svg>↵
160.                     <span class="sr-only">LinkedIn account</span>↵
161.                 </a>↵
162.             </div>↵

```

```
163.         </div><br>
164.     </div><br>
165. </footer><br>
166. <br>
167. <br>
168. <script
    src="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/js/base.97feb33
    96d3d.js"></script><br>
169. <br>
170. <br>
171. <br>
172. <br>
173. </body><br>
174. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.1.23