

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="description" content="PipeTracker - an inventory tool for
plumbers">

  <meta http-equiv="X-UA-Compatible" content="ie=edge">

  <link rel="stylesheet"
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

```
1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.  <head>↵
7.    <meta charset="UTF-8">↵
8.    <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
9.    ↵
10.   <meta name="description" content="PipeTracker - an inventory tool for
    plumbers">↵
11.   ↵
12.   <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
13.  ↵
14.   <link rel="stylesheet"
    href="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/css/output.c40
    189abb251.css">↵
15.   ↵
16.   ↵
17.  ↵
```

```

18.     <!-- link to favicon -->↵
19.     <link rel="icon"
href="https://res.cloudinary.com/drgviypka/image/upload/v1/static/images/favic
on.867bcb94c080.png"↵
20.         type="image/x-icon">↵
21. ↵
22.     <title>PipeTracker - Add Stock Item</title>↵
23. </head>↵
24. <body class="flex flex-col min-h-screen">↵
25. ↵
26. ↵
27. <header>↵
28.     ↵
29.     <nav class="bg-customwhite">↵
30.         <div class="max-w-screen-xl flex flex-wrap items-center justify-
between mx-auto p-4">↵
31.             <a href="/" class="flex items-center space-x-3">↵
32.                 ↵
33.                 </a>↵
34.                 <button data-collapse-toggle="navbar-default" type="button"
id="mobile-menu-toggle"↵
35.                     class="inline-flex items-center p-2 w-10 h-10 justify-
center text-sm text-customblack md:hidden hover:bg-darkblue-100 focus:outline-
none focus:ring-2 focus:ring-darkblue"↵
36.                     aria-controls="navbar-default" aria-expanded="false">↵
37.                     <span class="sr-only">Open main menu</span>↵
38.                     <svg class="w-5 h-5" aria-hidden="true"↵
39.                         xmlns="http://www.w3.org/2000/svg" fill="none"↵
40.                         viewBox="0 0 17 14">↵
41.                         <path stroke="currentColor" stroke-linecap="round"↵
42.                             stroke-linejoin="round" stroke-width="2"↵
43.                             d="M1 1h15M1 7h15M1 13h15"/>↵
44.                     </svg>↵
45.                 </button>↵
46.                 <div class="hidden w-full md:block md:w-auto" id="navbar-
default">↵
47.                     <ul class="font-bold flex flex-col items-center p-4 md:p-0 mt-
4 border border-darkblue-100 bg-darkblue-50 md:flex-row md:space-x-8 md:mt-0
md:border-0">↵
48.                         ↵
49.                         <li>↵
50.                             <a href="/dashboard/" aria-current="false"↵
51.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Dashboard</a>↵
52.                         </li>↵
53.                         <li>↵
54.                             <a href="/stock/" aria-current="page"↵
55.                                 class="active_nav block py-2 px-3 text-customblack
hover:bg-customwhite md:hover:bg-transparent md:border-0 md:hover:text-
lightblue md:p-0">Stock↵
56.                                 Items</a>↵
57.                         </li>↵
58.                         <li>↵
59.                             <a href="/delivery/" aria-current="false"↵
60.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Delivery↵
61.                                 Notes</a>↵
62.                         </li>↵
63.                         <li>↵
64.                             <a href="/basket/" aria-current="false"↵
65.                                 class="block py-2 px-3 text-customblack hover:bg-
customwhite md:hover:bg-transparent md:border-0 md:hover:text-lightblue md:p-
0">Basket</a>↵
66.                         </li>↵
67.                         <li>↵
68.                             <a href="/accounts/logout/" aria-current="false"↵

```

```

69.         class=" block py-2 px-3 text-customblack hover:bg-
customwhite md: hover: bg-transparent md: border-0 md: hover: text-lightblue md: p-
0">Logout (superadmin)</a>↵
70.     </li>↵
71.     ↵
72. </ul>↵
73. </div>↵
74. </div>↵
75. </nav>↵
76. ↵
77. </header>↵
78. ↵
79. ↵
80. ↵
81. <main class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8 flex-auto">↵
82.     ↵
83.     ↵
84. <section class="text-center">↵
85.     <h1 class="mb-5 text-3xl font-bold text-darkblue md:text-4xl lg:text-
5xl">↵
86.         Add a new Stock Item</h1>↵
87.     ↵
88.     <form method="POST" enctype="multipart/form-data" class="max-w-lg mx-
auto">↵
89.         <input type="hidden" name="csrfmiddlewaretoken"
value="jbSW0iC1uu5JdKdvdtuwOZ8wmkJ3MthHcxX4lDXoWENeTvno7vGS7UZplui3PG01">↵
90.         ↵
91.         ↵
92.         <input type="hidden" name="csrfmiddlewaretoken"
value="jbSW0iC1uu5JdKdvdtuwOZ8wmkJ3MthHcxX4lDXoWENeTvno7vGS7UZplui3PG01"> <div
id="div_id_name" class="mb-3"> <label for="id_name" class="form-label block
mb-2 text-customblack font-bold requiredField">↵
93.             Item Name<span class="asteriskField">*</span> </label> <input
type="text" name="name" maxlength="100" class="bg-gray-50 border border-
darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500 focus:border-
blue-500 block w-full p-2.5 form-control" required id="id_name"> </div> <div
id="div_id_category" class="mb-3"> <label for="id_category" class="form-label
block mb-2 text-customblack font-bold requiredField">↵
94.             Item Category<span class="asteriskField">*</span> </label>
<select name="category" class="bg-gray-50 border border-darkblue text-gray-900
text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-full p-
2.5 form-select" required id="id_category"> <option value="" selected>-----
- </option> <option value="18">Pumps</option> <option
value="19">Accessories</option> <option value="17">Buffers</option> <option
value="20">Water installation</option> <option value="15">Prestabo</option>
<option value="5">Test sub</option> <option value="16">Raxofix</option>↵
95.             ↵
96.         </select> </div> <div id="div_id_matchcode" class="mb-3"> <label
for="id_matchcode" class="form-label block mb-2 text-customblack font-bold
requiredField">↵
97.             Item matchcode<span class="asteriskField">*</span> </label>
<input type="text" name="matchcode" maxlength="100" class="bg-gray-50 border
border-darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500
focus:border-blue-500 block w-full p-2.5 form-control" required
id="id_matchcode"> </div> <div id="div_id_price" class="mb-3"> <label
for="id_price" class="form-label block mb-2 text-customblack font-bold
requiredField">↵
98.             Price<span class="asteriskField">*</span> </label> <input
type="number" name="price" step="0.01" class="bg-gray-50 border border-
darkblue text-gray-900 text-sm rounded-lg focus:ring-blue-500 focus:border-
blue-500 block w-full p-2.5 form-control" required id="id_price"> </div> <div
id="div_id_quantity" class="mb-3"> <label for="id_quantity" class="form-label
block mb-2 text-customblack font-bold requiredField">↵
99.             Quantity<span class="asteriskField">*</span> </label> <input
type="number" name="quantity" class="bg-gray-50 border border-darkblue text-
gray-900 text-sm rounded-lg focus:ring-blue-500 focus:border-blue-500 block w-
full p-2.5 form-control" required id="id_quantity"> </div> <div
id="div_id_size" class="mb-3"> <label for="id_size" class="form-label block
mb-2 text-customblack font-bold">↵
100.             Size↵

```

```
101.         </label> <input type="text" name="size" maxlength="100" class="bg-
gray-50 border border-darkblue text-gray-900 text-sm rounded-lg focus:ring-
blue-500 focus:border-blue-500 block w-full p-2.5 form-control" id="id_size">
</div> <div id="div_id_details" class="mb-3"> <label for="id_details"
class="form-label block mb-2 text-customblack font-bold">↵
102.         Details↵
103.         </label> <input type="text" name="details" maxlength="100"
class="bg-gray-50 border border-darkblue text-gray-900 text-sm rounded-lg
focus:ring-blue-500 focus:border-blue-500 block w-full p-2.5 form-control"
id="id_details"> </div>↵
104. ↵
105.         <button type="submit"↵
106.         class="font-bold text-customwhite bg-darkblue hover:bg-
lightblue hover:text-customblack focus:ring-4 focus:ring-blue-300 rounded-lg
text-sm px-5 py-2.5 mb-4 focus:outline-none">↵
107.         Create Stock Item↵
108.         </button>↵
109.     </form>↵
110.     <a class="font-bold block w-fit m-auto text-darkblue bg-customwhite border
border-darkblue hover:bg-lightblue hover:text-customblack hover:border-
lightblue focus:ring-4 focus:ring-blue-300 rounded-lg text-sm px-5 py-2.5
focus:outline-none" href="/stock/">Back to Stock</a>↵
111. </section>↵
112. ↵
113. ↵
114. </main>↵
115. ↵
116. <footer class="bg-darkblue">↵
117.     <div class="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8">↵
118.         <div class="flex items-center justify-between text-center flex-col
sm:flex-row">↵
119.             <span class="text-sm text-customwhite">© 2023 Julia Wagner -
created for <a href="https://p-wagner.at/" class="hover:underline"
target="_blank" rel="noopener" aria-label="open Patrick Wagner Installationen
website in a new tab">Patrick Wagner Installationen</a>.</span>↵
120.             <div class="flex mt-4 sm:mt-0">↵
121.                 <a href="https://github.com/Julia-Wagner" class="text-
customwhite hover:text-lightblue sm:ms-5" target="_blank" rel="noopener" aria-
label="open my GitHub profile in a new tab">↵
122.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 20 20">↵
123.                         <path fill-rule="evenodd" d="M10 .333A9.911 9.911 0 0
0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757.6-
3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615-.07-.607-.6a2.084
2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-
2.2-.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-
2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016
2.717-1.016.366.83.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-
2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012
2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z" clip-rule="evenodd"/>↵
124.                     </svg>↵
125.                     <span class="sr-only">GitHub account</span>↵
126.                 </a>↵
127.                 <a href="https://www.linkedin.com/in/julia-wagner-0ba4461a8"
class="text-customwhite hover:text-lightblue ms-5" target="_blank"
rel="noopener" aria-label="open my LinkedIn profile in a new tab">↵
128.                     <svg class="w-8 h-8" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24">↵
129.                         <path d="M19 0h-14c-2.761 0-5 2.239-5 5v14c0 2.761
2.239 5 5 5h14c2.762 0 5-2.239 5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-
11h3v11zm-1.5-12.68c-.966 0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764 1.75.79
1.75 1.764-.783 1.764-1.75 1.764zm13.5 12.68h-3v-5.604c0-3.368-4-3.113-4
0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7 2.476v6.759z"/>↵
130.                     </svg>↵
131.                     <span class="sr-only">LinkedIn account</span>↵
132.                 </a>↵
133.             </div>↵
134.         </div>↵
135.     </div>↵
136. </footer>↵
137. ↵
```

```
138. ↵
139. <script
    src="https://res.cloudinary.com/drgviypka/raw/upload/v1/static/js/base.97feb33
    96d3d.js"></script>↵
140. ↵
141. ↵
142. ↵
143. ↵
144. </body>↵
145. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.1.1