What is the OpenAl API?

WORKING WITH THE OPENAL API



James Chapman
Curriculum Manager, DataCamp



Coming up...

Course goals

- Use the OpenAl APl to access Al models
- Use those models to solve various tasks
- Use Python code to do this!

Expected knowledge

- Subsetting Python lists and dictionaries
- Control flow → if , elif , else
- Loops → for , while

Not expected to know

Al or machine learning

OpenAl, ChatGPT, and the OpenAl API

- OpenAI = AI R&D company
- ChatGPT = Al application
- OpenAl API = Interface for accessing
 OpenAl models




¹ Image Credit: OpenAl



OpenAl, ChatGPT, and the OpenAl API

- OpenAI = AI R&D company
- ChatGPT = Al application
- OpenAl API = Interface for accessing
 OpenAl models




OpenAl, ChatGPT, and the OpenAl API

- OpenAl = Al R&D company
- ChatGPT = Al application
- OpenAl API = Interface for accessing
 OpenAl models




What is an API?

Application Programming Interface




What is an API?


Application Programming Interface




What is an API?



The OpenAl API




The OpenAl API



API vs. web interface

- Provides *flexibility* for integrating AI into products, experiences, and processes
- Interact via programming language



- Very little setup
- Sufficient for streamlining individual's workflows

```
Write Python code for drawing a scatter plot.

You can use the 'matplotlib' library in Python to draw a scatter plot. Here's an example code:

python

python

Copy code

import matplotlib.pyplot as plt

# Example data

x = [1, 2, 3, 4, 5]

y = [2, 4, 1, 3, 5]

# Draw scatter plot
plt.scatter(x, y)

# Add labels and title
plt.xlabel('X-axis')
plt.ylabel('Y-axis')
plt.title('Scatter Plot Example')

# Show plot
plt.show()
```


Why the OpenAl API?

- Accessibility to Al
- Don't require data or ML experience



Building Al applications

DataLab = Cloud-based, Al-powered IDE



¹ https://www.datacamp.com/datalab



Let's practice!

WORKING WITH THE OPENAL API



Making requests to the OpenAl API


WORKING WITH THE OPENAL API




James Chapman
Curriculum Manager, DataCamp



API endpoints




API endpoints




API endpoints

• Endpoints → API access point designed for specific interactions



API authentication

• Authentication → Controls on access to API endpoint services (often unique key)



API usage costs

- For OpenAl API:
 - Model
 - Larger inputs + outputs = Greater cost

• No additional costs for this course [



¹ https://openai.com/pricing



Creating an API key

- Isn't required in this course
- 1. Create your account → https://platform.openai.com/signup
- 2. Go to the API keys page → https://platform.openai.com/account/api-keys
- 3. Create a new secret key and copy it

NAME	KEY	CREATED	LAST USED ①	
Secret key	skVpp5	5 Feb 2023	25 Apr 2023	♪ □
+ Create new secret key				

Making a request

```
from openai import OpenAI
client = OpenAI(api_key="ENTER YOUR KEY HERE")
response = client.chat.completions.create(
    model="gpt-40-mini",
    messages=[{"role": "user", "content": "What is the OpenAI API?"}]
print(response)
```

The response

```
ChatCompletion(id='chatcmpl-AEcQbQekIzxcxVAKYVAjgUAXokgrl', choices=[Choice(finish_reason='length', index=0, logprobs=None, message=ChatCompletionMessage(content='The OpenAI API is a cloud-based service provided by OpenAI that allows developers to integrate advanced AI models into their applications.', refusal=None, role='assistant', function_call=None, tool_calls=None))], created=1728047673, model='gpt-4o-mini-2024-07-18', object='chat.completion', service_tier=None, system_fingerprint='fp_f85bea6784', usage=CompletionUsage(completion_tokens=30, prompt_tokens=14, total_tokens=44, prompt_tokens_details={'reasoning_tokens': 0}))
```



The response

```
ChatCompletion(id='chatcmpl-AEcQbQekIzxcxVAKYVAjgUAXokgrl',
              choices=[Choice(finish_reason='length', index=0, logprobs=None,
                               message=ChatCompletionMessage(content='The OpenAI API is a cloud-based service
                               provided by OpenAI that allows developers to integrate advanced AI models
                               into their applications.',
                               refusal=None, role='assistant', function_call=None, tool_calls=None))],
              created=1728047673,
              model='gpt-4o-mini-2024-07-18',
              object='chat.completion', service_tier=None, system_fingerprint='fp_f85bea6784',
              usage=CompletionUsage(completion_tokens=25, prompt_tokens=14, total_tokens=39,
                                     prompt_tokens_details={'cached_tokens': 0},
                                     completion_tokens_details={'reasoning_tokens': 0}))
```

Interpreting the response

print(response.choices)

```
[Choice(finish_reason='length', index=0, logprobs=None, message=ChatCompletionMessage(content='The OpenAI API is a cloud-based service provided by OpenAI that allows developers to integrate advanced AI models into their applications.', refusal=None, role='assistant', function_call=None, tool_calls=None))]
```



Interpreting the response

```
print(response.choices[0])
```

```
Choice(finish_reason='length', index=0, logprobs=None,
message=ChatCompletionMessage(content='The OpenAI API is a cloud-based service provided by
OpenAI that allows developers to integrate advanced AI models into their applications.',
refusal=None, role='assistant', function_call=None, tool_calls=None))
```



Interpreting the response

```
print(response.choices[0].message)
```

ChatCompletionMessage(content='The OpenAI API is a cloud-based service provided by OpenAI that allows developers to integrate advanced AI models into their applications.', refusal=None, role='assistant', function_call=None, tool_calls=None)

```
print(response.choices[0].message.content)
```

The OpenAI API is a cloud-based service provided by OpenAI that allows developers to integrate advanced AI models into their applications.



Let's practice!

WORKING WITH THE OPENAL API

