

Ho Chi Minh City University of Science
Faculty of Information Technology
Software Engineering Department

Introduction to Software Engineering

Software Requirements Specification

CampusBorrow
Team T09 TetraBo

November 3rd, 2026

1 Member Contribution Assessment

ID	Name	Role(s)	Contribution (%)	Evidence
24127565	Nguyễn Hoàng Mỹ Trang	Team Lead / PM	**30.2%**	GitHub Project
24127497	Đoàn Hồng Phúc	Business Analyst	**27.9%**	
24127079	Nguyễn Tiến Minh	Developer / Technical	**23.3%**	
24127322	Phan Nhật Ánh	QA / Tester	**18.6%**	

2 Introduction

2.1 Purpose and Scope

Purpose of this document. This Software Requirements Specification (SRS) defines the complete functional and non-functional requirements for **CampusBorrow**, a web-based resource-management system developed by Team T09 TetraBo as a course project for Introduction to Software Engineering at HCMUS. The document establishes a verified, agreed baseline for all subsequent design, implementation, and testing phases (PA3–PA5). It supersedes the preliminary scope in PA1 and incorporates clarifications agreed by the team during PA2 requirements analysis.

Product scope. CampusBorrow serves one simulated university unit and covers two resource types—**shared equipment** and **classrooms**. The system supports three roles: Borrower, Resource Manager, and Admin.

In-scope (Must-have, F01–F09):

Feature ID	Feature Name	Brief Description
F01	Authentication & Role-Based Access Control	Login and server-side authorization for three roles. Admin creates accounts.
F02	Equipment & Room Catalogue	Search and view resources, room capacity, and availability. Managers maintain assigned resources; Admin manages all.
F03	Equipment Requests & Approval	One item per request with purpose and return deadline. Approval reserves the item; confirms a pickup appointment. Borrowers may cancel before handover. 24-hour auto-cancel for uncollected items.
F04	Handover, Return & Overdue Tracking	Record actual handover and return times; update availability; list overdue loans. Return is mandatory after handover.
F05	Room Schedule View	Display approved time slots for the selected room and day.

Feature ID	Feature Name	Brief Description
F06	Room Booking Requests	Request one room on one day with start/end time, purpose, and headcount. Validate time, capacity, and availability.
F07	Room Booking Approval & Cancellation	Approve or reject room booking requests; prevent overlapping bookings. Borrowers may cancel before the room's start time. Rooms under maintenance are blocked.
F08	Request & Resource-History Tracking	Record business events and state changes with timestamp, actor, outcome, and reason. Access is role-scoped.
F09	Global Administration & State Correction	Create/deactivate accounts, assign roles and resources. Correct erroneous states with before/after records and written reasons.

Out of scope: The following items are explicitly excluded from CampusBorrow for PA5 delivery:

- Academic timetable integration, event management, and event registration.
- Recurring room bookings, and multiple items or rooms in one request.
- Advance equipment scheduling across future time slots and waiting lists.
- Repair workflows, maintenance work orders, and maintenance costs; only resource availability (available / under maintenance) is recorded.
- Automatic cancellation, room reassignment, or rescheduling of approved bookings after a room is subsequently marked under maintenance; the unit handles these cases outside the application.
- Payments, deposits, and monetary penalties.
- Automated email/SMS notifications, single sign-on (SSO), real-time chat, multi-campus or multi-unit deployment, and native mobile applications.
- F10 (Usage statistics & CSV export) and F11 (In-application pickup-change requests) are classified as **Could-have** and will only be implemented after all F01–F09 Must-have features are complete and team capacity remains.

Intended readers: This document is intended for:

Team T09 TetraBo — as the authoritative requirements baseline for design (PA3), test planning (PA4), and implementation (PA5).

Lecturers and Teaching Assistants — for assessment of requirements quality, completeness, and consistency with PA1 scope.

Future reviewers — any party conducting change-impact analysis or extending the system beyond the current project scope.

2.2 Glossary

Term	Definition
Admin	The application role with global access. Admins create and deactivate accounts, assign roles and resources, correct erroneous states, and may perform any Borrower or Resource Manager action except changing pickup appointments (restricted to Resource Managers).
Approved booking	A room booking request that a Resource Manager or Admin has accepted. Once approved, the room is considered reserved for that time slot.
Approved request	An equipment loan request that a Resource Manager or Admin has accepted. The item is reserved for the Borrower until handover occurs or the request is cancelled/expired.
Borrower	The application role for students and club representatives who submit requests for equipment or rooms, track their own requests, and cancel before handover (equipment) or before the room start time (rooms).
Business event	An action recorded in the history log that changes the state of a resource or request, e.g., request submitted, approved, handed over, returned, cancelled. Routine page views and clicks are not logged.
Cancellation	The act of withdrawing a pending or approved equipment request before handover, or withdrawing a room booking before the booking start time. Cancellation releases any held reservation.
CampusBorrow	The web application developed by Team T09 for managing equipment lending and room booking within a simulated university unit.

Term	Definition
CCU	Concurrent users. Used in NFR performance metrics (e.g., "200 CCU").
Equipment	A shared physical item (e.g., projector, microphone, camera) managed in the system and available for borrowing.
Erroneous state	An incorrect status applied to a resource, booking, or loan request due to a system error or data-entry mistake, which an Admin is authorized to correct.
Handover	The physical transfer of borrowed equipment from the Resource Manager (or Admin) to the Borrower, recorded in the system with the actual handover timestamp.
Headcount	The number of attendees stated when submitting a room booking request. The system checks that headcount does not exceed the room's capacity.
History log	The audit record of business events and state changes for resources and requests, including timestamp, actor, outcome, and reason (where applicable).
Loan request	A request submitted by a Borrower to borrow one piece of equipment for a stated purpose and return deadline. Synonymous with "equipment request".
MoSCoW	A requirement prioritization scheme: Must-have, Should-have, Could-have, Won't-have.
Overdue loan	A loan whose return deadline has passed and for which the item has not yet been returned to the Resource Manager. Listed in the overdue report.
Pickup appointment	The agreed date and time at which the Borrower is expected to collect approved equipment from the Resource Manager. Only a Resource Manager may change a confirmed pickup appointment.
Reservation	The internal hold placed on an equipment item (or room time slot) when a request is approved, preventing it from being allocated to another request.

Term	Definition
Resource	Any item managed by the system; either equipment or a room.
Resource Manager	The application role for staff members responsible for assigned equipment and rooms. They approve/reject requests, record handovers and returns, change pickup appointments, and monitor overdue loans within their assigned scope.
Room	A bookable classroom or meeting space with a defined capacity, managed in the system.
Room booking	A request to use a specific room on a specific day within a specified start–end time range for a stated purpose and headcount.
SRS	Software Requirements Specification — this document.
State correction	An Admin action that changes the recorded status of a resource or request to the correct value, accompanied by a written reason, with the before-state and after-state both preserved in the history log.
Under maintenance	A room status indicating that the room is temporarily unavailable for new booking requests. Rooms under maintenance are blocked in both the UI (booking button disabled) and the backend (booking rejected).
WBS	Work Breakdown Structure — the hierarchical decomposition of project work used to assign tasks and track progress.
WCAG AA	Web Content Accessibility Guidelines level AA — the accessibility standard targeted for CampusBorrow's UI.

3 Problem Statement

3.1 Business Context

CampusBorrow supports basic equipment lending and classroom booking within one simulated university unit. Students and student-club representatives need shared resources for academic and club activities. Resource-management staff review requests, coordinate collection and record physical equipment handover and return. An administrator manages accounts and access and provides authorized operational support.

For this simulation, the unit is assumed to receive requests through forms or messages and maintain resource information and usage records in spreadsheets. Equipment requests require an availability check, an approval decision, a confirmed pickup appointment and a specific return deadline. Room requests require a capacity check and comparison against approved bookings. Staff must distinguish a reservation from an actual equipment loan and an operationally usable room from a room that is free during a requested interval.

The project has not surveyed a real faculty, club or administrative office. The assumed workflow and potential problems below are modeling premises, not observed institutional practices. No actual resource inventory, transaction volume, staff workload or incident rate has been measured.

3.2 Current Problems

Separate messages and manually updated records may leave requesters and staff with different information about the same resource. Without consistent checks at the point of approval, two staff members may approve conflicting requests. A record marked as approved may also be mistaken for evidence that a borrower has already collected an item.

Assumed problem	Potential consequence	Need addressed by CampusBorrow
Catalog and request information are distributed across separate records.	Requesters repeatedly contact staff to identify resources and determine request outcomes.	A shared catalog and role-appropriate request views.
Equipment approvals and reservations are updated separately.	Competing requests may appear approved for the same item.	An exclusive reservation created consistently with approval.
Room bookings are checked manually.	Approved bookings may overlap or exceed room capacity.	Period-based requests and capacity/conflict checks before approval.

Approval, collection and return are not clearly distinguished.	Staff may release an item that remains with a borrower or report a reserved item as already collected.	Distinct request states and records of actual handover and return.
Approved equipment requests remain uncollected.	Items may remain reserved after the valid collection window.	Automatic expiry of eligible uncollected requests and release of their reservations.
Return deadlines and business events are difficult to trace.	Overdue loans may be missed and inconsistent records may be difficult to investigate.	Overdue views, retained business history and controlled state corrections.

These consequences are plausible risks within the simulated workflow. The project does not claim measured losses, time savings or demonstrated improvements at a real institution.

3.3 Goals

CampusBorrow aims to provide a consistent record of resource information, requests and processing outcomes for the simulated unit. Its goals are to:

1. Help borrowers find visible equipment and rooms, understand their operational status and inspect approved room-booking intervals.
2. Support equipment requests, approval, collection, return and overdue tracking without confusing an approval with a physical loan.
3. Prevent conflicting equipment reservations and overlapping approved room bookings, including when staff process requests concurrently.
4. Release reservations for approved equipment that is not collected within the valid pickup window, while preserving active physical loans until staff record return.
5. Enforce account and role permissions and provide understandable validation and conflict feedback.
6. Preserve request and resource-state history so authorized users can understand outcomes and staff can investigate or correct inconsistent records.

These goals are implemented through the F01–F09 Must-have scope. Their verification depends on the detailed FRs, acceptance criteria and subsequent tests; this document does not claim that implementation or testing is complete. Measurable performance and availability targets remain subject to the separate NFR specification and review.

3.4 Operating Environment

The planned product is a responsive web application accessed through a modern browser on a computer or smartphone with network access. A server-side API and a central PostgreSQL database support shared records for one unit. Equipment collection, identity checks and return take place physically; authorized staff record those events in the application. CampusBorrow does not directly observe physical possession.

Each account has exactly one role: Borrower, Resource Manager or Admin. Borrowers self-register and view their own requests. Resource Managers share unit-wide operational access without being assigned ownership of individual resources or requests; the staff member performing each business event is recorded. Admin manages accounts and supports permitted operations, while confirmed pickup-appointment changes remain restricted to Resource Managers.

Business times use UTC+7. Room bookings use one or more consecutive configured 45-minute periods on one day. Actual opening hours, period start times and break handling remain to be specified. Pickup-change requests are communicated outside the application; an authorized RM records an eligible appointment change. Existing approved room bookings affected by a later Out of service change are handled by the unit outside CampusBorrow.

3.5 Design and Implementation Constraints

Constraint	Implication
Course project with limited capacity	The four-member team plans 8–10 hours per member per week. Implementation prioritizes F01–F09; F10 usage statistics/CSV export and F11 in-application pickup-change requests remain deferred.
Agreed technical direction	The PA1 stack is React/Vite and TypeScript, NestJS on Node.js, Prisma and PostgreSQL on Supabase, with Vercel/Cloudflare and GitHub Actions supporting deployment and integration. These are planned implementation choices, not evidence of a working deployment.
Single-unit scope	Support equipment items and classrooms with the three defined account roles. Multi-unit operation, event management, academic timetable integration and native mobile applications are excluded.
Resource and booking boundaries	One equipment item or one room per request; no recurring room bookings, equipment waiting lists or advance equipment scheduling across future intervals. A pickup appointment coordinates collection of an already reserved item.
Operational status differs from visibility and occupancy	Visible/Hidden controls catalog exposure. In service/Out of service describes operational readiness. Neither In service nor visibility alone guarantees that an item or room interval can be reserved.
Current pickup-expiry rule	An approved, uncollected request expires at min(confirmed_pickup_at + 24 hours, return_due_at). Handover is allowed only from the confirmed pickup time until strictly before expiry. Collected equipment is not automatically released at its return deadline.

Account and integration boundaries	Only Admin performs manual password resets; email is unverified. Self-service password recovery, SSO, automated email/SMS notifications and real-time chat are excluded. No automatic borrowing quota is introduced.
Maintenance and financial boundaries	Resource status may indicate that an item or room is out of service. Repair workflows, maintenance costs, payments, deposits and monetary penalties are excluded.
History and privacy	Retain relevant business events, responsible actors and state changes within authorized access. General click/page-view tracking is excluded. Detailed permitted Admin corrections remain subject to specification.

4 Stakeholders

#	Stakeholder	Description	Interests / concerns
1	Students and student-club representatives	Intended direct requesters, represented by the Borrower role. They request resources for academic and club activities and are responsible for collecting and returning borrowed equipment.	Clear resource information; understandable request outcomes, pickup windows and return deadlines; suitable room periods and capacity; permitted cancellation; protection of personal request information.
2	Teaching staff and academic activity organizers	Indirect beneficiaries of equipment and classroom use in the simulation. Their inclusion identifies academic-use needs and does not introduce a lecturer role or a new staff-booking workflow.	Resources suitable for teaching and activities; dependable approved schedules; clear coordination with requesters and resource staff; minimal disruption from conflicting bookings or unavailable resources.
3	Equipment-store and room-management staff	Direct operational users represented by Resource Manager. All RMs have equal access within the unit; responsibility for an action is recorded per event rather than through request ownership.	Accurate inventory and operational status; conflict-free approvals; clear reservation/loan distinction; efficient handover and return records; overdue visibility; protection against stale or concurrent updates.
4	System administrator / IT support	Administrative user represented by Admin, responsible for account status, roles, manual password resets and authorized global support.	Server-enforced permissions; protection of privileged accounts; retained history; safe, attributable corrections; reliable operation and recovery from inconsistent records without bypassing business restrictions.
5	Resource-owning unit and university management	Modeled organizational stakeholders responsible for shared-resource policies and oversight. University management represents an indirect governance interest, not an additional dashboard user or a confirmed project sponsor.	Accountable resource use; clear responsibilities and scope; reasonable maintenance and support effort; trustworthy records and manageable project cost. This interest does not add F10 analytics or financial workflows.

6	T09 / TetraBo project team	Student team responsible for requirements, design, implementation, testing and documentation.	Feasible and consistent scope; unambiguous rules and acceptance criteria; traceable changes; reviewable deliverables and a maintainable implementation within course capacity.
7	Course instructor and teaching assistants	Educational stakeholders who guide and assess the Introduction to Software Engineering project; distinct from teaching staff who benefit from resource use.	Alignment between requirements, design, tests and product; adherence to assignment templates; justified decisions; evidence of collaboration, review and transparent AI usage. They are not runtime application roles.

5 Requirements

5.1 Functional Requirements

F01 - Authentication and role-based access control

ID	Requirement	Feature	Priority	Source
FR-01-01	The system shall authenticate an active account using its normalized username or email and exact password, applying its current single role.	F01	Must	PA1 F01; G5; BR-02, BR-06; SH-1, 3, 4
FR-01-02	The system shall revoke the current session on logout and deny subsequent protected calls using that session.	F01	Must	PA1 F01; G5; BR-10; SH-1, 3, 4
FR-01-03	The system shall enforce current role, session validity, account activation and Borrower ownership on every protected operation.	F01	Must	PA1 F01; G5; BR-01, BR-05, BR-10; NFR-03; SH-1, 4
FR-01-04	The system shall allow an unauthenticated person to register an active Borrower account with valid display name, unique username, unique email and matching password confirmation.	F01	Must	PA1 F01; G5; BR-02, BR-06, BR-07; SH-1
FR-01-05	The system shall validate and normalize account identifiers and display names according to BR-06 at account creation and apply the same identifier normalization at login.	F01	Must	PA1 F01; G5; BR-06 (confirmed 1 Nov 2026); SH-1
FR-01-06	The system shall apply the BR-07 password policy consistently to registration, Admin creation and reset without trimming or silent truncation.	F01	Must	PA1 F01; G5; BR-07 (confirmed 1 Nov 2026); SH-1, 4

FR-01-07	The system shall expire each session 24 hours after login and invalidate sessions on account-security changes according to BR-10.	F01	Must	PA1 F01; G5; BR-10; SH-4

F02 - Equipment and room catalogue

ID	Requirement	Feature	Priority	Source
FR-02-01	The system shall maintain a stable identity and immutable resource code/type for each equipment item and room.	F02	Must	PA1 F02; G1, G6; DR-01; BR-12, BR-18; SH-3
FR-02-02	The system shall allow any active RM or Admin to create and update resources throughout the unit subject to validation and edit restrictions.	F02	Must	PA1 F02; G1; BR-01, BR-12; SH-3, 4
FR-02-03	The system shall provide role-scoped catalog search, filters, ordering and pagination according to BR-14.	F02	Must	PA1 F02; G1; BR-14; SH-1
FR-02-04	The system shall display catalog details with visibility, operational status and usage treated as distinct properties.	F02	Must	PA1 F02; G1; DR-05; BR-13, BR-18; SH-1, 3
FR-02-05	The system shall allow RM/Admin to change Visible/Hidden independently of operational status and occupancy.	F02	Must	PA1 F02; G1; DR-05; BR-13; SH-3
FR-02-06	The system shall enforce hidden-resource discovery and new-request restrictions on the server.	F02	Must	PA1 F02; G1, G5; BR-05, BR-13; SH-1, 3
FR-02-07	The system shall allow RM/Admin to change operational status using In service and Out of service with BR-16 reasons and notes.	F02	Must	PA1 F02; G1; DR-05; BR-13, BR-16; SH-3
FR-02-08	The system shall recheck catalog state and request eligibility consistently when new requests and approvals are processed.	F02	Must	PA1 F02; G3; BR-05, BR-17; SH-3
FR-02-09	The system shall preserve requests and permitted history when resources are hidden or taken Out of service.	F02	Must	PA1 F02; G6; DR-08; BR-05, BR-18, BR-19; SH-1, 3

FR-02-10	The system shall prevent catalog controls from bypassing physical handover/return, request lifecycle or controlled Admin correction rules.	F02	Must	PA1 F02; G2, G6; DR-02, DR-05; BR-05, BR-20; SH-3, 4
FR-02-11	The system shall validate catalog input according to BR-12 and enforce resource-code uniqueness across both types, including concurrent creation.	F02	Must	PA1 F02; G5; DR-01; BR-12; SH-3
FR-02-12	The system shall create each valid new resource as Hidden and Out of service with the initial readiness reason.	F02	Must	PA1 F02; G1; BR-13; SH-3
FR-02-13	The system shall block location/capacity changes while BR-15 obligations exist and preserve immutable code/type.	F02	Must	PA1 F02; G3; BR-15; SH-3
FR-02-14	The system shall reject stale catalog saves after another actor has updated the record and revalidate current dependencies.	F02	Must	PA1 F02; G3; BR-17; SH-3
FR-02-15	The system shall record catalog changes with actor/time and before/after values while restricting internal status reasons to RM/Admin.	F02	Must	PA1 F02; G6; DR-08; BR-16, BR-19; SH-3, 4
FR-02-16	The system shall preserve resource records and history by excluding permanent deletion from catalog operations.	F02	Must	PA1 F02; G6; DR-01; BR-18; SH-4, 5

F03 - Equipment requests and approval

ID	Requirement	Feature	Priority	Source
FR-03-01	The system shall allow an active authenticated Borrower to submit a Pending request for exactly one equipment item with a nonblank purpose, a future proposed pickup date-time and a specific return deadline.	F03	Must	PA1 F03; G2; BR-05; SH-1
FR-03-02	The system shall accept equipment requests only for a Visible, In service item not currently reserved or on loan.	F03	Must	PA1 F03; G3, G5; BR-05, BR-13; SH-1

FR-03-03	The system shall prevent duplicate active requests by the same Borrower for one item while permitting competing Pending requests from different Borrowers, without imposing automatic borrowing quotas or a maximum loan duration.	F03	Must	PA1 F03; G3; BR-05; SH-1, 3
FR-03-04	The system shall allow any active RM or Admin to review Pending equipment requests with submitted details and current item status and occupancy, enforcing role-based access without staff assignment.	F03	Must	PA1 F03; G2; BR-01; SH-3
FR-03-05	The system shall allow an active RM or Admin to approve an eligible Pending equipment request by confirming a future pickup before its existing return deadline and consistently creating its exclusive reservation and decision record.	F03	Must	PA1 F03; G2, G3; DR-02; BR-01, BR-04, BR-05; SH-3
FR-03-06	The system shall make equipment approval exclusive and consistently reject all competing Pending requests for that item with a system-generated reservation reason, including under concurrent processing.	F03	Must	PA1 F03; G3; BR-01, BR-05; SH-3
FR-03-07	The system shall allow any active RM or Admin to reject a Pending equipment request only with a nonblank reason, retaining the decision actor and time and showing the relevant decision reason to its Borrower.	F03	Must	PA1 F03; G2, G5; BR-05; SH-1, 3
FR-03-08	The system shall allow only an active RM to change an Approved, uncollected request's confirmed pickup before its current expiry to a future time before the unchanged return deadline, retaining the reservation and recomputing expiry.	F03	Must	PA1 F03; G2; BR-01, BR-04, BR-05; SH-1, 3
FR-03-09	The system shall show authorized users current equipment request decisions, proposed or confirmed pickup, return deadline and the computed Collect before time, and	F03	Must	PA1 F03; G2, G5; BR-04; SH-1, 3

	report failed operations without false success.			
FR-03-10	The system shall allow an active Borrower to cancel their own Pending or valid Approved equipment request before handover, with a mandatory reason and confirmation.	F03	Must	PA1 F03; G2, G5; BR-05; SH-1, 3
FR-03-11	The system shall allow any active RM or Admin to explicitly cancel an Approved, uncollected request when the item becomes damaged or out of service.	F03	Must	PA1 F03; G2, G5; BR-05; SH-1, 3
FR-03-12	The system shall release only the cancelled request's reservation, consistently with its state transition.	F03	Must	PA1 F03; G2, G5; BR-05; SH-1, 3
FR-03-13	The system shall automatically cancel Approved, uncollected equipment requests at the capped expiry threshold.	F03	Must	PA1 F03; G4; DR-06; BR-04; SH-1, 3
FR-03-14	The system shall use the latest valid appointment and current request state for expiry and dependent operations.	F03	Must	PA1 F03; G4; DR-02, DR-06; BR-04; SH-3
FR-03-15	The system shall enforce expiry in handover and appointment-change operations even when automatic cancellation processing is delayed.	F03	Must	PA1 F03; G4; DR-02, DR-06; BR-04; SH-3

F04 - Handover, return, and overdue tracking

ID	Requirement	Feature	Priority	Source
FR-04-01	The system shall allow any active RM or Admin to record physical handover only for an Approved, reserved and uncollected request with an active Borrower and an In service item, within confirmed_pickup_at <= now < expiry_at.	F04	Must	PA1 F04; G2; DR-02, DR-07; BR-04, BR-05; SH-3

FR-04-02	The system shall consistently convert the request's reservation into an active equipment loan on successful handover, recording the actual handover time and staff actor without duplicate or contradictory transitions.	F04	Must	PA1 F04; G2; DR-02; BR-04; SH-3
FR-04-03	The system shall allow any active RM or Admin to record confirmed physical receipt of an unreturned equipment loan, retaining the actual return time and actor and consistently closing the loan and clearing its occupancy.	F04	Must	PA1 F04; G2; DR-03, DR-07; BR-04; SH-3
FR-04-04	The system shall preserve independent catalog restrictions and historical records when recording return, making subsequent borrowing conditional on recorded receipt and all current eligibility checks.	F04	Must	PA1 F04; G2, G6; DR-03, DR-05; BR-13; SH-3
FR-04-05	The system shall identify an equipment loan as currently overdue only when handover is recorded, return is not recorded and system time is strictly later than its return deadline, without automatically releasing the item.	F04	Must	PA1 F04; G2; DR-03, DR-06; BR-04; SH-3
FR-04-06	The system shall allow active RMs and Admins to view and open current overdue loans for follow-up or return processing, while allowing Borrowers to see overdue status only within their own request records.	F04	Must	PA1 F04; G2; DR-06; BR-01, BR-19; SH-1, 3

F05 - Room schedule view

ID	Requirement	Feature	Priority	Source
FR-05-01	The system shall let a signed-in user with permitted access select a room and a date and display its schedule for that date. The default date shall be today in UTC+7.	F05	Must	PA1 F05; G1; DR-04, DR-09; BR-03; SH-1, 2
FR-05-02	The system shall list every approved booking of the selected room on the selected date in ascending order of start time, showing the start time and the end time of each. If there is none, the system	F05	Must	PA1 F05; G1, G3; BR-03; SH-1, 2

	shall state that the room has no approved bookings that day.			
FR-05-03	The system shall show only approved bookings on the schedule. Pending, rejected and cancelled bookings shall not appear, and a booking cancelled before its start time shall disappear from the schedule at once.	F05	Must	PA1 F05; G1; BR-03, BR-05; SH-1, 2
FR-05-04	The system shall display the name, capacity and operational status of the selected room on the schedule page.	F05	Must	PA1 F05; G1; BR-13, BR-18; SH-1
FR-05-05	The system shall display the configured periods of the selected date and distinguish free periods from approved occupied intervals, as well as a closed day from a day with no bookings. The fixed all-week timetable and break rules are defined in BR-03.	F05	Should	PA1 F05; G1; BR-03 (timetable confirmed 3 Nov 2026); SH-1, 2
FR-05-06	The system shall not show other Borrowers' names or purposes on the Borrower schedule. Showing requester names and purposes to all active Resource Managers and Admins remains an assumption pending confirmation of staff-visible fields.	F05	Should	PA1 F05; G1, G5; BR-19; SH-1 (assumption, staff-visible fields pending)

F06 - Room booking requests

ID	Requirement	Feature	Priority	Source
FR-06-01	The system shall let a Borrower request one room on one date by selecting one or more consecutive configured 45-minute periods and providing a purpose and headcount. It shall derive the start and end times from the selected periods.	F06	Must	PA1 F06; G1; DR-04; BR-03; SH-1
FR-06-02	The system shall reject selections containing invalid period identifiers, non-consecutive periods or periods outside configured operating hours for the selected room and date. Arbitrary time ranges are not accepted. Selection shall remain within one morning or afternoon session under BR-03; crossing lunch or selecting a break alone is rejected.	F06	Must	PA1 F06; G5; BR-03; SH-1
FR-06-03	The system shall reject a booking request whose start time is not later than the current time in UTC+7.	F06	Must	PA1 F06; G5; DR-09; BR-03; SH-1

FR-06-04	The system shall reject a booking request whose headcount is not a whole number of at least 1, or is greater than the capacity of the room.	F06	Must	PA1 F06; G3; DR-04; BR-12; SH-1
FR-06-05	The system shall reject a booking request whose time range overlaps an approved booking of the same room. Time ranges are half-open, so a booking that ends at the start time of another does not overlap it. Pending requests do not block each other; approval rechecks overlap (F07). For a selection spanning a break, overlap checks cover the entire derived interval including that break.	F06	Must	PA1 F06; G3; DR-04; BR-03, BR-05; SH-1, 3
FR-06-06	The system shall accept new booking requests only for a Visible, In service room. For a Hidden or Out of service room, the interface shall not offer an enabled booking action and the backend shall reject direct requests. Under maintenance is an Out of service reason.	F06	Must	PA1 F06; G5; BR-05, BR-13; SH-1
FR-06-07	The system shall save a valid booking request with status Pending, linked to the requester and the room, and show it to the requester and all active Resource Managers.	F06	Must	PA1 F06; G1; BR-05; SH-1, 3
FR-06-08	The system shall take the requester identity from the authenticated session and accept booking requests only from the Borrower role.	F06	Must	PA1 F06; G5; §6.2 Actors; NFR-03; SH-1
FR-06-09	When a booking request fails validation, the system shall show a message that names the field and the rule that failed, and shall keep the values the user entered.	F06	Should	PA1 F06; G5; NFR-11, NFR-12; SH-1

F07 – Room Booking Approval and Cancellation

ID	Requirement	Feature	Priority	Source
FR-07-01	The system shall allow a Resource Manager to **approve** a pending room booking request within their assigned scope, provided no approved booking already occupies the same room on the same day with any overlapping time slots.	F07	Must	PA1 Vision §2.4 F07
FR-07-02	The system shall allow a Resource Manager to **reject** a pending room booking request within their assigned	F07	Must	PA1 Vision §2.4 F07

ID	Requirement	Feature	Priority	Source
	scope, with an optional written reason recorded in the history log.			
FR-07-03	The system shall prevent approval of a room booking request if another approved booking for the same room on the same day has a time slot that **overlaps** (i.e., the requested start time is before the existing end time and the requested end time is after the existing start time).	F07	Must	PA1 Vision §2.1 (conflict prevention)
FR-07-04	The system shall display an **error message** to the Resource Manager when they attempt to approve a booking that would create a scheduling conflict, and shall not proceed with the approval.	F07	Must	PA1 Vision §2.1
FR-07-05	The system shall allow a **Borrower** to cancel their own room booking request at any time before the booking's confirmed start time, provided the booking status is pending or approved.	F07	Must	PA1 Vision §2.4 F07
FR-07-06	The system shall allow an **Admin** to approve or reject any room booking request across all assigned scopes, subject to the same overlap-prevention rules in FR-07-03.	F07	Must	PA1 Vision §2.4 F09 (Admin global access)
FR-07-07	The system shall mark a room as **unavailable for new booking requests** when its status is set to "under maintenance". In this state: (a) the room booking button shall be disabled in the UI, and (b) any backend request to book the room shall be rejected with an appropriate error.	F07	Must	PA1 Vision §2.4 F02, F07
FR-07-08	The system shall **not** automatically cancel or reassign already-approved room bookings when a room is subsequently marked under maintenance; such cases	F07	Must	PA1 Vision §2.4 (out-of-scope clarification)

ID	Requirement	Feature	Priority	Source
	are handled by the unit outside the application.			
FR-07-09	The system shall record the approval, rejection, or cancellation action in the **history log** with the actor's identity, timestamp, and the resulting status, and the reason if provided.	F07	Must	PA1 Vision §2.4 F08 (history recording)

F08 – Request and Resource-History Tracking

ID	Requirement	Feature	Priority	Source
FR-08-01	The system shall record a history entry for every business event that changes the status of an equipment loan request or a room booking. Each entry shall include: (a) event type, (b) timestamp (UTC+7), (c) actor (user ID and role), (d) resource identifier, (e) previous state, (f) new state, and (g) reason/note where applicable.	F08	Must	PA1 F08; G6; DR-08; BR-19; SH-3, 4, 5
FR-08-02	The system shall not record history entries for routine page views, navigation actions, or non-state-changing user interactions (e.g., browsing the catalogue, opening a form without submitting).	F08	Must	PA1 F08; G6; BR-19; §3.5 History and privacy; SH-5
FR-08-03	The system shall record history entries for the following equipment loan events (at minimum): request submitted, request approved, request rejected, pickup appointment set, pickup appointment changed by Resource Manager, request cancelled by Borrower, request auto-cancelled (24-hour expiry), handover recorded, return recorded, overdue status applied.	F08	Must	PA1 F08; G6; DR-06, DR-08; BR-04, BR-19; SH-3
FR-08-04	The system shall record history entries for the following room booking events (at minimum): booking submitted, booking approved, booking rejected, booking cancelled by Borrower, room status changed to/from 'under maintenance'.	F08	Must	PA1 F08; G6; DR-08; BR-19; SH-3

FR-08-05	The system shall allow a Borrower to view the history of their own equipment loan requests and their own room booking requests only. A Borrower shall not be able to view history entries belonging to other users.	F08	Must	PA1 F08; G6; BR-19; SH-1
FR-08-06	The system shall allow any active Resource Manager to view the history of all equipment loan requests and room bookings associated with all resources across the unit with equal operational visibility under BR-01.	F08	Must	PA1 F08; G6; BR-01, BR-19; SH-3
FR-08-07	The system shall allow an Admin to view the complete history log for all resources, requests, and state-change events across the entire system without scope restriction.	F08	Must	PA1 F08; G6; BR-19; SH-4
FR-08-08	The system shall preserve history entries indefinitely; deactivating a user account or removing a resource from active use shall not delete or hide associated history records.	F08	Must	PA1 F08; G6; DR-08; BR-11, BR-19; SH-4, 5
FR-08-09	The system shall display the history log in reverse-chronological order (most recent event first) by default, and shall allow filtering by resource, request ID, date range, and event type.	F08	Should	PA1 F08; G6; SH-3, 4 (usability decision in PA2 analysis, no specific BR)

F09 - Global administration

ID	Requirement	Feature	Priority	Source
FR-09-01	The system shall allow an active Admin to create an account with exactly one role and valid initial credentials.	F09	Must	PA1 F09; G5; BR-02, BR-07, BR-11; SH-4
FR-09-02	The system shall allow an active Admin to deactivate or reactivate another account subject to administrative safeguards.	F09	Must	PA1 F09; G5; BR-05, BR-10, BR-11; SH-4
FR-09-03	The system shall preserve requests, reservations, loan records and history when an account is deactivated.	F09	Must	PA1 F09; G6; DR-08; BR-05, BR-11, BR-19; SH-4, 5

FR-09-04	The system shall allow an active Admin to replace another account's single role only after checking outstanding Borrower obligations and administrative safeguards.	F09	Must	PA1 F09; G5; BR-08, BR-10, BR-11; SH-4
FR-09-05	The system shall allow an active Admin to manually reset another account's password after external identity verification and confirmation.	F09	Must	PA1 F09; G5; DR-07; BR-07, BR-09, BR-10; SH-4
FR-09-06	The system shall record account registration and administrative changes with target, event type, actual actor or setup origin, timestamp and relevant non-secret changes.	F09	Must	PA1 F09; G6; DR-08; BR-02, BR-19; SH-4, 5
FR-09-07	The system shall prevent Admin self-deactivation, Admin self-role changes and any operation that would leave no active Admin.	F09	Must	PA1 F09; G5; BR-11; SH-4
FR-09-08	The system shall support provisioning the first Admin during system setup without exposing privileged public registration.	F09	Must	PA1 F09; G5; BR-02, BR-11; SH-4
FR-09-09	The system shall allow only an active Admin to initiate controlled state corrections for inconsistent resource or request states strictly within the approved correction operations catalog, while denying non-Admin access.	F09	Must	PA1 F09; G6; DR-08; BR-20; SH-4
FR-09-10	The system shall require a nonblank justification reason of 1–500 characters and display a preview of current and proposed affected values before confirming an administrative state correction.	F09	Must	PA1 F09; G6; DR-08; BR-20; SH-4
FR-09-11	The system shall reject stale correction submissions upon detecting concurrent data modification, and shall reject proposed states that violate system invariants or attempt to bypass physical returns or appointment edit rules.	F09	Must	PA1 F09; G6; DR-08; BR-20; SH-4
FR-09-12	The system shall apply confirmed state corrections atomically to all affected records and append an immutable audit log entry containing before/after values, justification reason, Admin identity and	F09	Must	PA1 F09; G6; DR-08; BR-20; SH-4

timestamp while preserving previous history.

5.2 Non-Functional Requirements

ID	Category	Requirement (measurable)
NFR-01	Performance	Under 200 concurrent users on the reference data set (50 resources, 20 rooms, 5,000 loan and booking records), read operations (catalogue search, room schedule, own request list) shall respond in ≤ 1.0 s at P95, measured at the API from one client on a stable broadband connection after a warm-up of 10 requests. **(assumption: load and data set)**
NFR-02	Performance	Under 50 concurrent users, write operations (submit a loan or booking request, approve, cancel) shall respond in ≤ 2.0 s at P95, under the same data set and measurement conditions as NFR-01. **(assumption)**
NFR-03	Security	The server shall check authentication, role and ownership or assigned-resource scope on 100% of protected endpoints. A request without a session shall get 401, and a request outside the role or scope shall get 403. Hiding controls in the interface shall not be the only protection.
NFR-04	Security	Passwords shall be stored only as bcrypt hashes with cost ≥ 10. The session token shall be a JWT in an HttpOnly and Secure cookie that expires within 24 h. No plaintext password or token shall appear in the database, in logs or in the repository.
NFR-05	Security	A deactivated account shall be rejected on its next request (401), even when its token has not expired.
NFR-06	Security	All production traffic shall use HTTPS. The backend shall validate every input: invalid or oversized input shall get a 4xx response and never a 5xx response. An OWASP ZAP baseline scan of the staging deployment shall report 0 High-risk alerts.
NFR-07	Availability, reliability	The system shall be available ≥ 99.0% of the time during working hours 07:00–22:00 UTC+7 over the period from first deployment to the PA5 demo, excluding maintenance announced at least 24 h ahead. **(assumption: working hours, free-tier hosting)**
NFR-08	Availability, reliability	The database shall be backed up at least daily. After a data loss, service shall be restored in ≤ 2 h (RTO) with at most 24 h of data lost (RPO). **(assumption: the Supabase plan must allow backups; PA1 risk 8 requires them)**

ID	Category	Requirement (measurable)
NFR-09	Availability, reliability	When 20 concurrent approvals compete for the same room time slot, or for the same equipment item, at most one shall succeed; the others shall receive a conflict error and stay pending. After the test there shall be 0 overlapping approved bookings and 0 double-reserved items.
NFR-10	Usability	The interface shall work without horizontal scrolling from 360 px to 1920 px screen width, and in the latest two versions of Chrome, Edge, Firefox and Safari.
NFR-11	Usability	The key screens (sign-in, catalogue, room schedule, booking form, request list) shall meet WCAG 2.1 AA basics: text contrast ≥ 4.5:1, a visible label on every field, all booking-form functions operable by keyboard in a logical Tab order, and error messages that name the field and the fix.
NFR-12	Usability	At least 4 of 5 first-time Borrowers shall submit a valid equipment or room request within 3 minutes at the first attempt, without help. **(assumption: participants are students who have not seen the system)**

5.3 Domain Requirements and Business Rules

5.3.1 Domain Requirements

ID	Domain requirement	Description	Related requirements and rules
DR-01	Resource identity	The system shall distinguish individually identifiable equipment from rooms and retain stable references for requests and history.	FR-02-01/04/11/16; BR-12/18
DR-02	Reservation and physical loan	The system shall distinguish approved uncollected reservations from physical loans; approval does not prove handover.	FR-03-05; FR-04-01/02; BR-04/05
DR-03	Actual return and occupancy	Equipment remains occupied until authorized staff record physical receipt. Passing a planned return deadline does not release a loan.	FR-04-03/04/05; BR-04
DR-04	Room use and capacity	Room use concerns one room and one date with a selected set of periods, derived interval, purpose and headcount checked against room capacity.	FR-06-01/04/05; BR-03
DR-05	Independent resource properties	The system shall represent visibility, operational readiness and reservation or loan occupancy separately.	FR-02-04/05/07/10; BR-13/18
DR-06	Expiry and overdue	Uncollected reservation expiry and overdue physical loans are distinct domain conditions; neither is evidence of physical return.	FR-03-13/14/15; FR-04-05; BR-04
DR-07	External physical activities	Collection, physical receipt and manual identity verification occur outside the application and are recorded by authorized staff.	FR-04-01/03; FR-09-05; BR-09
DR-08	Business event evidence	The system shall retain resource/request relationships, actual actor or system origin, event time and relevant changes without replacing earlier evidence.	FR-08-01/03/04/08; FR-09-06
DR-09	Consistent business time	The system shall use system-evaluated time for decisions and present business times consistently in UTC+7.	FR-06-03; BR-03/04/10

5.3.2 Business Rules

ID	Business rule	Policy
BR-01	Equal RM Operational Access	All active Resource Managers have equal operational access to all resources and requests in the single simulated unit. No resource assignment, request ownership, primary/secondary manager, claim or transfer is required. One RM may approve and another may hand over or receive the same item. Each event records its actual actor and time. Shared authority does not permit conflicting approvals or duplicate transitions. Approval and reservation remain consistent under concurrent operations; stale requests are rechecked before mutation. Borrower personal-data ownership still applies. Admin retains account administration, controlled state correction and global operational support, but cannot edit a confirmed pickup appointment. Any active RM may make that edit subject to BR-04.
BR-02	Borrower Registration and Login	An unauthenticated person may register with display name, unique username, unique required email and password. The server creates one Borrower role only; attempts to obtain RM/Admin through registration are rejected. Only Admin can grant privileged roles. Admin account provisioning remains available as a separate F09 operation. Username or email plus password may authenticate the same active account. The identifier rules must prevent ambiguity between accounts. Identifier and password validation follow BR-06 and BR-07 below, confirmed on 1 November 2026. Email verification, verification links and OTP are excluded. A stored email is unverified and is not evidence of email ownership or identity. Registration permits subsequent login without email confirmation.
BR-02		Password recovery remains manual Admin reset. Admin communicates replacement credentials outside the application; the old password stops authenticating and existing sessions are invalidated. Reset does not reactivate an inactive account or change its role. Password values never appear in logs/history. External identity checks follow BR-09; session effects follow BR-10.
BR-03	Fixed Room Periods	A room booking selects one or more consecutive configured periods for one room on one day. Each period is exactly 45 minutes. The system derives start/end times from selected period identifiers; a duration divisible by 45 alone does not make arbitrary start/end times valid. One, two and four periods contain 45, 90 and 180 minutes of use respectively. Same-day booking is allowed when the first selected period starts in the future. Selection must stay within configured operating hours and satisfy capacity, availability and conflict rules. No automatic maximum period count is added beyond the operating schedule. Approved adjacent bookings are allowed when one ends exactly when the next begins.

ID	Business rule	Policy
BR-03		Confirmed by Phuc on 3 November 2026: Rooms operate Monday through Sunday, 07:30–11:00 and 13:30–17:00 UTC+7, with breaks at 09:00–09:30 and 15:00–15:30. Select consecutive 45-minute periods within one session. A booking spanning a break retains the room throughout that break; breaks cannot be booked alone. Crossing the lunch closure requires two requests. The timetable is fixed; runtime timetable editing is outside the current scope. Period; Session; Start; End P1; Morning; 07:30; 08:15 P2; Morning; 08:15; 09:00 P3; Morning; 09:30; 10:15 P4; Morning; 10:15; 11:00 P5; Afternoon; 13:30; 14:15 P6; Afternoon; 14:15; 15:00 P7; Afternoon; 15:30; 16:15 P8; Afternoon; 16:15; 17:00
BR-03		The reserved interval is first selected period start, last selected period end), including any intervening break. Validate conflicts against this entire interval. Consecutiveness follows the configured order within a session, so P2–P3 is valid although separated by a break. P4–P5 is invalid in one request. No additional quota is imposed; four periods per session is a consequence of the timetable. Weekend room use does not add event-management features. Resource visibility, operational status, capacity and approved overlaps still restrict requests. Scenario; Expected result P1–P2; 90 minutes of use; reservation 07:30–09:00 P2–P3; 90 minutes of use; reservation 08:15–10:15 including the break P1–P4; 180 minutes of use; reservation 07:30–11:00 (210 elapsed minutes) P5–P8; 180 minutes of use; reservation 13:30–17:00 (210 elapsed minutes) P1 and P3 without P2; Reject non-consecutive selection
BR-03		Break-only, lunch-only or P4–P5 selection; Reject; two requests are needed to use both sessions Sunday P3 with a future start; Accept if other eligibility checks pass P1 ends 08:15 and next booking starts with P2 at 08:15; Adjacency alone does not overlap

ID	Business rule	Policy
BR-04	Equipment Pickup Expiry	For an approved request that has not been handed over, define: expiry_at = min(confirmed_pickup_at + 24 hours, return_due_at) Both input values are specific date-times, interpreted consistently in UTC+7. The confirmed pickup must precede the return deadline. There is no requirement that pickup be at least 24 hours before return; short and same-day loans remain supported. 1. Handover is allowed only while confirmed_pickup_at <= now < expiry_at; early handover is prohibited, in addition to all other permission, account and resource checks. 2. At now >= expiry_at, an approved uncollected request is automatically cancelled and its reservation released. Equality is expired, not a final opportunity for handover. 3. An RM may edit a confirmed pickup only while now < current expiry_at. The replacement must be a future appointment before the existing return deadline. Recompute expiry using the replacement and the unchanged return deadline.
BR-04		4. A request that is already expired cannot be revived by changing its appointment, even if a background job has not yet changed its stored status. Create a new eligible request instead. 5. Handover, appointment editing and expiry must use current state consistently. Competing operations must not both cancel and hand over an item or release another request's reservation. 6. Once handover is recorded, this expiry rule no longer applies. The item remains on loan until authorized staff record physical return; if unreturned at now > return_due_at, it is overdue. No automatic release occurs at the planned return deadline. 7. Borrower/request views display Collect before using the computed expiry. Background-job delay does not authorize late handover or appointment edits; those endpoints independently enforce the cutoff. Maximum job delay is an open non-functional target.
BR-05	Related Confirmed Rules	- Visibility is separate from operational status. Hidden resources are absent from Borrower catalog/search but retained in authorized personal history; all RMs/Admin retain management access. - Borrowers propose a future pickup when requesting; RM/Admin confirm a future pickup on approval. If the proposed time has passed, approval requires a new future pickup before the existing return deadline. Only RMs edit a confirmed appointment afterward. - No automatic borrowing quota or maximum loan duration is added.
BR-05		- Duplicate active requests by one Borrower for the same item are rejected. Requests for held/on-loan equipment and approved occupied room intervals are rejected; distinct pending requests may compete, with final conflict prevention on approval. For equipment, a successful approval automatically rejects all other Pending requests for that item with the system reason "Equipment has been reserved for another request". The approval/reservation/rejections are consistent under concurrency; rejected requests do not automatically reopen later. - Account deactivation blocks login and protected actions while preserving records. Staff may approve a retained Pending request and receive returns, but cannot hand over equipment to an inactive Borrower. Approval while inactive does not pause expiry. Other active RMs continue processing without reassignment.

ID	Business rule	Policy
BR-05		- When approved uncollected equipment becomes damaged/out-of-service, any RM/Admin may explicitly cancel with a reason and release the reservation. Catalog edits alone do not cancel requests or fabricate a return. - A Borrower may cancel pending/approved room requests only before start. Equipment cancellation is permitted before handover; afterward return is required. - Reasons are required for rejection, manual out-of-service transition, staff cancellation and Admin correction. Borrower equipment cancellation also requires a nonblank reason. The room-cancellation reason policy remains open. - The last active Admin cannot be deactivated/demoted. Borrower role changes with outstanding obligations follow BR-08. Exact resource/request correction operations remain open. - Existing approved room bookings affected by later maintenance are handled outside the application. F10/F11 remain deferred.
BR-06	Account Identifiers	Trim leading/trailing whitespace from username, email and display name. Username has 3–30 ASCII letters, digits or underscores, excludes @, and is unique case-insensitively. Email is required, syntactically valid and unique case-insensitively by application policy; it remains unverified. Login applies the same identifier normalization. Display name has 1–100 characters after trimming, permits Vietnamese and need not be unique. Username cannot be mistaken for an email because it excludes @.
BR-07	Password Policy	Passwords have 15–64 characters, allow spaces and require no mandatory mix of uppercase, lowercase, digits or symbols. Do not trim or silently truncate passwords. Apply the same validation to registration, Admin creation and Admin reset. Registration requires matching password confirmation. No self-service password change/recovery or forced change at next login is included. Credential-storage mechanisms are deferred to security design; passwords never appear in history or readable logs.
BR-08	Role Change with Outstanding Obligations	Block changing a Borrower to RM/Admin while equipment requests are Pending or valid Approved, any loan is unreturned (including overdue), room requests are Pending, or Approved room bookings have not ended. Cancelled/rejected/completed records and elapsed room bookings do not block the change. Recheck current effective states at mutation time, including expiry; do not rely on a stale screen. No automatic bulk cancellation is performed to enable a role change. Historical actor identities remain unchanged. RMs have no assignments to transfer.
BR-09	Manual Password Reset Verification	Before resetting another account, Admin verifies the requester outside the application using a student/staff card or unit-maintained records and selects the matching account. A self-declared email alone is insufficient. No document upload is added and the application does not claim to verify identity automatically. Admin confirms that the external check occurred, supplies a valid replacement password and hands it over through the verified external channel. Reset invalidates all target-account sessions but changes neither role nor activation status.
BR-10	Session Lifecycle	A session expires at 24 hours from successful login; at equality or later protected calls require a new login. There is no Remember me or automatic renewal. Logout revokes the current session on the server, including reuse of its token, while other sessions remain valid. Account deactivation, role change and Admin password reset invalidate all target-account sessions. Reactivation requires a new login and never restores old sessions. Protected calls enforce current activation, role and session validity; implementation choice is deferred to design.
BR-11	Administrative Account Boundaries	Admin may manage other accounts, including other Admins, but cannot deactivate or change the role of their own account. The last active Admin cannot be deactivated or demoted, including concurrent attempts. Preserve history; permanent account deletion, username/email editing and profile-editing screens are excluded. The first Admin is provisioned during system setup with the same account/password validation, not via public registration. Each account has exactly one role; public registration grants Borrower only. Existing RM and Admin operational exceptions remain in force.

ID	Business rule	Policy
BR-12	Catalog Identity and Validation	One equipment record represents one individually identifiable item, not a stock quantity. RM/Admin enters a resource code unique across equipment and rooms, 3–30 ASCII letters/digits/hyphens/underscores, compared case-insensitively. Trim outer whitespace. Type is Equipment or Room. Name is required, 1–100 trimmed characters, permits Vietnamese and need not be unique. Location is required, 1–200 trimmed characters; for equipment it denotes storage/collection location. Description is optional, at most 2,000 trimmed characters. A room requires a positive integer capacity; capacity is not applicable to equipment. A stable internal identity preserves references. Code and type are immutable after creation, even if no request exists.
BR-13	Publication and Operational Status	Visibility has Visible/Hidden values. Operational status has In service/Out of service values. In service means released for operational use, not unreserved or free at a requested time. Under maintenance is a possible internal reason for Out of service, not a third operational state. New resources default to Hidden + Out of service with the system reason "Awaiting readiness confirmation". Staff must explicitly confirm readiness and change status/publication controls; creation does not publish an immediately requestable resource.
BR-14	Catalog Search and Filters	Authenticated users search by partial code or name without case sensitivity; accent-insensitive Vietnamese matching is not required. Empty search returns the filtered list. Filters include Equipment/Room and In service/Out of service; staff additionally filter Visible/Hidden. Borrower visibility restrictions apply before search and pagination, including counts. Sort by normalized code ascending and paginate 20 records per page. Operational-status filtering does not override loan occupancy or room schedule checks.
BR-15	Catalog Editing with Active Obligations	Code and type cannot change. Staff may edit name/description with actor/time and before/after values retained. Block equipment-location changes while any Pending/valid Approved equipment request or unreturned loan exists. Block room-location or room-capacity changes while any Pending room request or Approved booking not yet ended exists. Recheck current effective states, including expiry, at save time. Do not auto-cancel obligations to enable editing. These locks do not prohibit independent visibility/operational-status changes under their existing rules. Erroneous code/type is handled by hiding the old record and creating a correct one, without migrating or deleting history.
BR-16	Status Reasons and Privacy	A manual transition to Out of service requires a nonblank reason of 1–500 trimmed characters. Transition to In service and visibility changes accept an optional note of at most 500 trimmed characters. Retain actor, timestamp and before/after state for each successful change. Borrowers see Out of service, not the internal reason; RM/Admin may inspect reasons and change history. On return to In service, clear the current out-of-service reason but retain it historically. The default creation reason in BR-13 is system-supplied. Distinguish private catalog reasons from relevant request approval/rejection/cancellation reasons; those request decisions follow their own visibility rules.
BR-17	Concurrent Catalog Changes	If another actor saved the resource after the current edit was opened, reject the stale save rather than silently overwrite newer data. Show that the record changed, require reload and review before resubmission, and preserve the newer record. Apply to descriptive fields, visibility and operational status. Recheck relevant request/booking dependencies at save time even if the catalog itself was not edited. The implementation technique is a design decision.
BR-18	Catalog Scope and Detail Views	No permanent resource deletion, image/upload, QR/barcode, import/export, category hierarchy or one-click history undo is included. Hide resources to withdraw them from Borrower discovery; maintain references in permitted personal history. Detail views show code, name, type, location, description and operational status; rooms also show capacity and access to the schedule. Equipment usage is separately Not reserved / Reserved / On loan. Borrowers must not see another Borrower’s identity through usage indicators. The fixed operating timetable is defined in BR-03; catalog editing does not expose timetable changes.
BR-19	Business History and Disclosure	Retain business events and their actual actor or system origin, time, relevant before/after values and decision reasons. Preserve historical attribution after role changes, deactivation and resource withdrawal. General click/page-view tracking is excluded. Borrowers access their own records only; RM operational access is unit-wide, and Admin has global authorized access. Internal Out of service reasons remain staff-only. Additional calendar/history fields require I-02. No deletion workflow is introduced. Automatic expiry uses BR-04, not an unconditional 24-hour timer.

ID	Business rule	Policy
BR-20	Controlled Administrative Corrections	Only Admin may invoke a permitted resource/request correction, with a mandatory reason, affected-value preview, current-state validation and retained before/after evidence. Corrections must be consistent and must preserve historical events. They cannot bypass RM-only appointment edits or replace physical receipt with a time-based release. Unsupported and stale operations are rejected without partial changes. The catalog of allowed corrections, including erroneous handover/return records, is I-03. Account administration continues through its separate use cases.

5.4 Acceptance Criteria

Each acceptance criterion maps to the functional requirement with the same numeric suffix. These criteria specify expected outcomes for future PA4 tests; they do not record executed results. Current role, session, account activation and ownership checks apply to every protected operation. Test each listed invalid input, boundary and concurrent operation separately.

F01 Authentication and access

AC-01-01

Requirement: FR-01-01 | Use case: UC-01

Given an active account
When either identifier and the correct password are supplied
Then a session starts with the current role. Invalid credentials or an inactive account issue no session; no email verification is required.

AC-01-02

Requirement: FR-01-02 | Use case: UC-02

Given two valid sessions
When one logs out
Then its token cannot authorize protected calls while the other session remains valid. An already ended session may return to the login screen without recreating a session.

AC-01-03

Requirement: FR-01-03 | Use case: UC-01, UC-03, UC-04, UC-05, UC-07, UC-11, UC-12, UC-19, UC-21

Given a direct API call
When the role, session or ownership check fails
Then access is denied without mutation or private-data disclosure. All RMs have equal operational access; Admin cannot edit confirmed pickup appointments.

AC-01-04

Requirement: FR-01-04 | Use case: UC-06

Given valid data
When registration succeeds
Then exactly one active Borrower is created and the person is directed to sign in. Duplicate identifiers, invalid fields, confirmation mismatch and requested privileged roles create no partial account, including concurrent submissions.

AC-01-05

Requirement: FR-01-05 | Use case: UC-01, UC-03, UC-06

Given Phuc01 and phuc01
When a second account is created
Then the username collision is rejected. Username containing @, fewer than 3 or more than 30 characters is rejected. Email duplicates differing only in case/outer whitespace are rejected. Vietnamese display names of 1–100 trimmed characters are allowed.

AC-01-06

Requirement: FR-01-06 | Use case: UC-03, UC-05, UC-06

Given a proposed password of 14 or 65 characters
When submitted
Then it is rejected. Lengths 15 and 64 are allowed if other checks pass; spaces are preserved and character-class combinations are not mandatory. Registration confirmation must match exactly.

AC-01-07

Requirement: FR-01-07 | Use case: UC-01, UC-02, UC-04, UC-05

Given login at time t
When now is at or after t + 24 hours
Then the session is rejected. Logout affects only its session; deactivation, role change or reset revokes all target sessions immediately for subsequent protected calls. Reactivation never revives them; no automatic renewal exists.

F02 Equipment and room catalog

AC-02-01

Requirement: FR-02-01 | Use case: UC-08

Given an existing resource
When staff attempt to change code or type
Then reject the change and preserve all references. Duplicate names are allowed; duplicate codes are not.

AC-02-02

Requirement: FR-02-02 | Use case: UC-08

Given a resource created by RM A
When RM B makes a permitted valid edit
Then it succeeds without assignment. Borrower write attempts are rejected on the server.

AC-02-03

Requirement: FR-02-03 | Use case: UC-07

Given visible records
When a Borrower searches part of a code/name in different case
Then matching visible records are returned, ordered by normalized code with 20 per page. Empty search preserves filters; no match displays an empty result. Unaccented Vietnamese matching is not required. Hidden records never affect Borrower results or counts.

AC-02-04

Requirement: FR-02-04 | Use case: UC-07, UC-17

Given an In service item already on loan
When its detail is viewed
Then show In service and On loan separately and block a new request. For rooms show capacity and access to the schedule, not an unconditional free-room promise. Borrowers cannot see other requesters' identities.

AC-02-05

Requirement: FR-02-05 | Use case: UC-09

Given an on-loan item
When hidden
Then it disappears from Borrower discovery but remains on loan and accessible to staff and permitted personal history. Showing it does not clear Out of service or existing occupancy.

AC-02-06

Requirement: FR-02-06 | Use case: UC-07, UC-10, UC-18

Given a known hidden code/ID
When a Borrower opens a general detail URL, searches it or submits a new request directly
Then access/submission is denied. Authorized personal-history references remain permitted.

AC-02-07

Requirement: FR-02-07 | Use case: UC-09, UC-10, UC-18

Given a manual Out of service transition
When the reason is blank or exceeds 500 trimmed characters
Then reject it. A valid transition blocks new requests. Switching to In service clears the current reason, preserves historical reasons and does not release a reservation/loan or override room conflicts.

AC-02-08

Requirement: FR-02-08 | Use case: UC-09, UC-10, UC-11, UC-18, UC-19

Given a stale Borrower screen
When staff have hidden or taken the resource Out of service
Then new submission is rejected. Approval repeats current catalog/occupancy checks; no conflicting approval or partial reservation may result.

AC-02-09

Requirement: FR-02-09 | Use case: UC-07, UC-09, UC-21

Given an existing request
When its resource becomes hidden or Out of service
Then the Borrower can identify it in their own history without gaining hidden-catalog or new-request access. Staff retain operational records. Catalog edits alone do not cancel requests.

AC-02-10

Requirement: FR-02-10 | Use case: UC-09, UC-14, UC-22

Given an item on loan
When it is hidden or set In service
Then it stays on loan until recorded return. Staff cancellation for approved uncollected out-of-service equipment remains an explicit reasoned operation. Room maintenance still leaves approved bookings for external handling.

AC-02-11

Requirement: FR-02-11 | Use case: UC-08

Given code EQ-001
When eq-001 is submitted for another equipment item or room
Then reject it. Require code length 3–30, name 1–100, location 1–200 and optional description at most 2,000 after trimming. Room capacity must be a positive integer. Invalid/concurrent duplicate creation leaves no partial resource.

AC-02-12

Requirement: FR-02-12 | Use case: UC-08, UC-09

Given successful creation
When the resource is inspected
Then it is Hidden + Out of service with reason Awaiting readiness confirmation. It cannot receive Borrower requests until explicitly published, put In service and otherwise eligible.

AC-02-13

Requirement: FR-02-13 | Use case: UC-08

Given Pending/valid Approved equipment requests or an unreturned loan
When equipment location changes
Then reject it. Given Pending room requests or Approved bookings not yet ended, when room location/capacity changes, then reject them. Name/description edits and permitted status changes remain possible; no auto-cancellation is performed.

AC-02-14

Requirement: FR-02-14 | Use case: UC-08, UC-09

Given two RMs editing the same version
When A saves then B saves
Then B is instructed to reload/review and cannot overwrite A's data. Apply to information and status controls. Even without a resource edit, a newly created request/booking blocks a now-ineligible location/capacity change.

AC-02-15

Requirement: FR-02-15 | Use case: UC-07, UC-08, UC-09, UC-21

Given a successful catalog change
When staff inspect history
Then the actor/time and changed values are available. Borrower-facing catalog and personal-history responses do not leak the internal out-of-service reason. Clearing the current reason does not erase its history.

AC-02-16

Requirement: FR-02-16 | Use case: UC-08, UC-09

Given a resource no longer used
When staff withdraw it
Then they hide it rather than permanently delete it. No ordinary catalog UI/API may erase the resource or its historical references.

F03 Equipment requests decisions and cancellation

AC-03-01

Requirement: FR-03-01 | Use case: UC-10

Given An authenticated requester supplies equipment request data.
When The requester submits the request.
Then Reject missing purpose, invalid/missing date-times, multiple items, or pickup at/after return. A valid submission creates one identifiable Pending request owned by the authenticated Borrower and records submission time. It creates no reservation. At submission require proposed pickup > now. Equality or a past pickup is rejected; no additional minimum lead time is imposed.

AC-03-02

Requirement: FR-03-02 | Use case: UC-10

Given A request targets an item whose current catalog and occupancy states can be checked.
When Submission is attempted, including through a stale view or direct API call.
Then Hidden, out of service, reserved or on-loan items cannot receive a new request, including through a direct API call or stale page. A future planned return does not bypass current occupancy. Rejecting submission leaves no request/reservation partially created.

AC-03-03

Requirement: FR-03-03 | Use case: UC-10

Given One or more Borrowers request the same equipment item.
When Requests are submitted sequentially or concurrently.
Then Pending, valid Approved and On-loan requests count as active for duplicate prevention; overdue loans remain active. Repeated/concurrent submissions cannot create duplicate active requests. Pending requests by distinct Borrowers do not reserve the item. Terminal records do not by themselves prevent an otherwise eligible new request. No automatic quota or maximum loan duration is introduced.

AC-03-04

Requirement: FR-03-04 | Use case: UC-11

Given An account attempts to access a Pending equipment request.
When The account opens the staff review operation.
Then An RM can review any request regardless of which RM previously acted. Borrowers cannot invoke staff decisions. Private request access follows the role/ownership rules in FR-01-03.

AC-03-05

Requirement: FR-03-05 | Use case: UC-11

Given A Pending request is reviewed against current resource state and its existing return deadline.
When An active RM or Admin attempts approval with a confirmed pickup appointment.
Then Recheck Pending state, visible/in service item and absence of conflicting reservation/loan. At approval require confirmed pickup > now and confirmed pickup < return. If the proposed pickup has passed, staff must confirm a new future pickup before the existing return deadline; otherwise approval is rejected. The computed expiry must be in the future. Success stores Approved, the confirmed appointment, return deadline and actual decision actor/time with exactly one reservation. Failure leaves no partial approval or reservation. A deactivated Borrower's Pending request may be approved; handover remains prohibited until reactivation. Deactivation does not pause the pickup/expiry clock.

AC-03-06

Requirement: FR-03-06 | Use case: UC-11

Given Different Borrowers have Pending requests for the same item.
When Approval competes with another approval or a new submission.
Then At most one request becomes Approved. All other Pending requests for the same item become Rejected with the system-generated reason "Equipment has been reserved for another request", timestamp and system attribution linked to the winning approval. A losing/stale approval attempt reports the resulting state and creates no reservation. Concurrent new submissions cannot leave an eligible new Pending request for an already reserved item. Other equipment and non-Pending records remain unchanged. Failed approval causes no partial reservation or competing-request rejection. Later cancellation/return does not automatically reopen rejected requests; Borrowers may submit a new eligible request.

AC-03-07

Requirement: FR-03-07 | Use case: UC-11

Given A staff member reviews an equipment request.
When Rejection is attempted with a supplied reason.
Then Missing or whitespace-only reason is rejected. Successful rejection records actor/time and reason, exposes the relevant decision reason to the requester and creates no reservation. A stale request that is no longer Pending cannot be rejected through this operation.

AC-03-08

Requirement: FR-03-08 | Use case: UC-12

Given An Approved request has a current appointment, return deadline and computed expiry.
When An account attempts to replace the pickup appointment.
Then Borrower and Admin attempts are rejected. Require now < current expiry, replacement pickup > now and replacement pickup < existing return deadline. Preserve the deadline, recompute expiry, retain the reservation and record old/new appointment and actor/time. Reject changes after collection or cancellation and reject revival of an expired request even if its stored label is Approved. F11 is not required.

AC-03-09

Requirement: FR-03-09 | Use case: UC-10, UC-11, UC-12, UC-21

Given An account has access to a request under role and ownership rules.
When It views the request after a decision, appointment change or failed operation.
Then Borrower sees only personal requests; staff have authorized operational access. After approval or rescheduling, the view uses the latest confirmed appointment and expiry. A failed operation reports the relevant validation/conflict and current state without displaying a false success. Displayed controls do not replace server validation.

AC-03-10

Requirement: FR-03-10 | Use case: UC-15

Given an active Borrower and an equipment request
When the Borrower attempts cancellation with a reason and confirmation
Then Reject missing/whitespace-only reason, another Borrower's request or a collected/terminal request. Record successful cancellation with actor/time and reason. Once handed over, require physical return rather than cancellation. Already expired approvals follow automatic-expiry handling instead of being revived or treated as a fresh valid approval.

AC-03-11

Requirement: FR-03-11 | Use case: UC-15

Given an Approved uncollected request and equipment that became damaged or Out of service
When an active RM or Admin attempts exceptional staff cancellation
Then Require the stated exceptional condition and a nonblank reason; record actual staff actor/time. This is not unrestricted staff cancellation and does not permit cancellation of a handed-over item. Catalog changes alone do not cancel requests or fabricate returns.

AC-03-12

Requirement: FR-03-12 | Use case: UC-15

Given a Pending or Approved request and its reservation, if any
When cancellation is processed, including concurrently with handover
Then Pending cancellation releases no reservation. Approved cancellation releases its own reservation exactly once. Preserve other requests, active loans and visibility/availability restrictions. Concurrent cancellation and handover cannot both succeed with incompatible effects; refresh stale views to the resulting state.

AC-03-13

Requirement: FR-03-13 | Use case: Automatic system expiry; no actor-initiated UC

Given an Approved uncollected request with a confirmed pickup and return deadline
When the system evaluates missed-pickup expiry
Then Compute expiry_at = min(confirmed_pickup_at + 24 hours, return_due_at). Eligibility is now >= expiry_at. Record automatic cancellation time and a system cause distinguishable from a Borrower/staff reason; release its reservation consistently. Short same-day loans remain supported. The automatic process requires no human-entered cancellation reason.

AC-03-14

Requirement: FR-03-14 | Use case: UC-12, UC-13

Given a request whose appointment or physical collection state may have changed
When expiry or a dependent operation is evaluated against current records
Then A valid RM change recomputes expiry from the replacement appointment and unchanged deadline. Recheck after competing changes rather than using stale expiry data. A completed handover is never cancelled by missed-pickup expiry. Duplicate expiry evaluations have no additional release/event effects.

AC-03-15

Requirement: FR-03-15 | Use case: UC-12, UC-13

Given a stored Approved request and its current effective expiry
When handover or appointment editing is attempted, including while background cancellation is delayed
Then At now >= current expiry, reject handover and appointment change even if a stored Approved label remains. Never release an on-loan item merely because time passed. Maximum background-processing delay and scheduling mechanism remain subject to I-04 and later design.

F04 Handover return and overdue

AC-04-01

Requirement: FR-04-01 | Use case: UC-13

Given An approved request has a confirmed pickup and expiry threshold.
When Staff attempt physical handover, including at the time boundaries or after account/catalog changes.
Then Require an active Borrower, no earlier handover, the request's reservation and an operationally suitable item. Allow only confirmed_pickup_at <= now < expiry_at. Reject early collection, expired/cancelled requests and out-of-service items. Hidden status alone does not cancel an existing approval or prohibit otherwise eligible handover. Staff verify the person and item outside the application.

AC-04-02

Requirement: FR-04-02 | Use case: UC-13

Given An equipment request satisfies the handover conditions.
When Handover is recorded, repeated or competes with cancellation or expiry.
Then Record actual handover time and staff actor; update the request/item together without making the item available in between. Repeated handover or competing handover/cancellation/expiry operations produce no duplicate loan or contradictory transition. A second RM may perform handover even if another RM approved.

AC-04-03

Requirement: FR-04-03 | Use case: UC-14

Given An equipment request may or may not have an outstanding physical loan.
When Staff attempt to record physical return, including a duplicate attempt or return by an inactive Borrower.
Then Require a recorded handover and staff confirmation of physical receipt. Record actual return time and actor, close the loan and clear its occupancy consistently. Reject return before handover and duplicate return. An inactive Borrower does not prevent return processing.

AC-04-04

Requirement: FR-04-04 | Use case: UC-14

Given An item being returned has visibility, operational status and loan history.
When An authorized return clears its loan occupancy.
Then Returning an item does not automatically change Hidden to Visible or Out of service to In service. Subsequent borrowing is possible only after physical receipt is recorded and all catalog/occupancy checks pass. Request and event history remain available under existing access rules. No repair, cost or fine process is created.

AC-04-05

Requirement: FR-04-05 | Use case: UC-16

Given Requests have varying collection/return states and return deadlines.
When The system evaluates overdue status at or after a deadline.
Then A handed-over, unreturned item is overdue only when now > return_due_at. Equality alone is not overdue. Pending, rejected, cancelled, uncollected and returned requests are not current overdue loans. Crossing the deadline does not cancel the loan, fabricate receipt or release the item.

AC-04-06

Requirement: FR-04-06 | Use case: UC-16, UC-21

Given Current overdue loans and historical returned loans exist.
When Staff open the overdue view or a Borrower opens a request.
Then Display the relevant request/item, Borrower, return deadline and current loan status within staff permissions. A Borrower can see the overdue status of their own request but not other Borrowers' private records. After return the loan leaves the current overdue list; historical records remain. No automatic email, SMS or fine is implied.

F05 Room schedule

AC-05-01

Requirement: FR-05-01 | Use case: UC-17

Given an authorized user
When a room is selected without a date
Then use today in UTC+7; changing the date loads that room/date without creating a booking.

AC-05-02

Requirement: FR-05-02 | Use case: UC-17

Given several Approved bookings entered out of order
When the schedule opens
Then show their exact start/end times in start-time order; an empty day explicitly has no Approved bookings.

AC-05-03

Requirement: FR-05-03 | Use case: UC-17

Given Pending, Rejected, Cancelled and Approved requests
When the calendar refreshes
Then only Approved intervals occupy it; cancelling an eligible Approved booking removes its interval.

AC-05-04

Requirement: FR-05-04 | Use case: UC-17

Given a selected room
When its schedule opens
Then show that room's name, capacity and current In service/Out of service status, rather than inferring operational readiness from an empty calendar.

AC-05-05

Requirement: FR-05-05 | Use case: UC-17

Given Sunday and a P2–P3 Approved booking
When the schedule opens
Then display all eight configured periods, reserve 08:15–10:15 including the break and distinguish other free periods. No weekend closure is inferred.

AC-05-06

Requirement: FR-05-06 | Use case: UC-17

Given another Borrower's booking
When a Borrower loads the calendar or calls its data endpoint
Then expose its occupied interval without the requester name or purpose. Additional staff fields depend on I-02.

F06 Room requests

AC-06-01

Requirement: FR-06-01 | Use case: UC-18

Given an eligible Borrower and room
When valid purpose, headcount and P2–P3 are submitted
Then derive 08:15–10:15 for one room/day and create a Pending request, not a reservation.

AC-06-02

Requirement: FR-06-02 | Use case: UC-18

Given a booking form
When P1+P3 without P2, P4–P5, a break-only interval or unknown period IDs are submitted
Then reject without a request; consecutive P2–P3 is valid despite the break.

AC-06-03

Requirement: FR-06-03 | Use case: UC-18

Given the first selected period starts at t
When now >= t
Then reject; a same-day future first period remains eligible.

AC-06-04

Requirement: FR-06-04 | Use case: UC-18

Given capacity C
When headcount is 0, fractional or C+1
Then reject; positive integers up to C pass this check.

AC-06-05

Requirement: FR-06-05 | Use case: UC-18

Given an Approved P2–P3 booking
When a request overlaps any of its 08:15–10:15 interval
Then reject. Exact end/start adjacency passes the overlap check. Pending requests alone do not occupy the room.

AC-06-06

Requirement: FR-06-06 | Use case: UC-18

Given a Hidden or Out of service room
When the UI or a direct API attempts a new request
Then deny it. Visible and In service alone do not bypass capacity/time/overlap checks.

AC-06-07

Requirement: FR-06-07 | Use case: UC-18

Given valid request data
When submission succeeds
Then retain one Pending record linked to the room and session Borrower and make it accessible to that Borrower and every active RM.

AC-06-08

Requirement: FR-06-08 | Use case: UC-18

Given a submission with a forged Borrower ID or a staff session
When the endpoint checks authorization
Then reject impersonation/staff submission; use authenticated Borrower identity for valid requests.

AC-06-09

Requirement: FR-06-09 | Use case: UC-18

Given invalid form values
When submission fails
Then name the failing field/rule, retain the entered values and show no false success.

F07 Room decisions and cancellation

AC-07-01

Requirement: FR-07-01 | Use case: UC-19

Given an eligible Pending room request
When any active RM approves it
Then recheck future start, periods, capacity, publication/status and overlap before recording one Approved reservation.

AC-07-02

Requirement: FR-07-02 | Use case: UC-19

Given a Pending request
When rejection has a whitespace-only reason
Then reject the operation; with a nonblank reason save Rejected with actual staff actor/time and no reservation.

AC-07-03

Requirement: FR-07-03 | Use case: UC-19

Given competing overlapping requests
When staff approve concurrently
Then at most one overlapping reservation exists and the loser stays Pending. End/start equality alone is not overlap.

AC-07-04

Requirement: FR-07-04 | Use case: UC-19

Given an interval reserved since the review screen loaded
When staff approve the stale request
Then report conflict and save neither approval nor partial occupancy.

AC-07-05

Requirement: FR-07-05 | Use case: UC-20

Given an owner’s Pending/Approved booking starting at t
When cancellation occurs before t
Then cancel and release its interval once; at or after t, for another owner or for a terminal record, reject. Apply the recorded I-01 reason policy.

AC-07-06

Requirement: FR-07-06 | Use case: UC-19

Given an active Admin
When approving/rejecting a Pending room request
Then apply the same eligibility, overlap and mandatory rejection-reason checks as for any RM.

AC-07-07

Requirement: FR-07-07 | Use case: UC-18; UC-19

Given a Hidden or Out of service room
When a new booking is attempted through the UI, a stale form or a direct API call
Then do not offer an enabled booking action and reject submission without a partial request or changing existing reservations. Under maintenance is an internal Out of service reason, not a separate status.

AC-07-08

Requirement: FR-07-08 | Use case: UC-19

Given a previously Approved booking
When the room becomes Out of service
Then retain its approval and history and do not automatically reassign/cancel it.

AC-07-09

Requirement: FR-07-09 | Use case: UC-19, UC-20

Given successful approval/rejection/cancellation
When history is opened
Then show the actual actor, time and resulting state plus the applicable reason. Repeating a completed operation creates no duplicate successful event.

F08 Business history

AC-08-01

Requirement: FR-08-01 | Use case: UC-21

Given approval by RM A and handover by RM B
When history is inspected after either account changes
Then preserve both original actor identities/roles, times, resource/request references and relevant before/after values. Automatic events identify System.

AC-08-02

Requirement: FR-08-02 | Use case: UC-21

Given browsing and an unsubmitted form
When business history is inspected
Then no page-view or form-open event appears and no credentials, tokens or copied identity documents are disclosed.

AC-08-03

Requirement: FR-08-03 | Use case: UC-21

Given a loan lifecycle with pickup changes and capped expiry or physical collection/return
When history is inspected
Then retain the applicable equipment events and distinguish system expiry from human cancellation; derive overdue from the specific deadline and physical records.

AC-08-04

Requirement: FR-08-04 | Use case: UC-21

Given room lifecycle and status changes
When history is inspected
Then retain submission/decision/cancellation and visibility/operational changes; maintenance is a reason, not a third status.

AC-08-05

Requirement: FR-08-05 | Use case: UC-21

Given two Borrowers' histories
When either requests the other's records directly
Then deny access. Own decision reasons remain available; private catalog reasons and staff notes remain hidden. I-02 governs any additional fields.

AC-08-06

Requirement: FR-08-06 | Use case: UC-21

Given an RM who did not create or approve a request
When opening its operational history
Then allow unit-wide access without assignment checks.

AC-08-07

Requirement: FR-08-07 | Use case: UC-21

Given an Admin
When opening account, resource and request history
Then allow authorized global access while still excluding secrets.

AC-08-08

Requirement: FR-08-08 | Use case: UC-21

Given existing history
When its account is deactivated or resource hidden
Then preserve the records and their identities; normal ownership/access checks remain in force.

AC-08-09

Requirement: FR-08-09 | Use case: UC-21

Given permitted events across dates/types
When history is opened and filtered
Then default to newest first and apply resource/request/date/event-type filters without exposing unauthorized rows.

F09 Account administration and controlled corrections

AC-09-01

Requirement: FR-09-01 | Use case: UC-03

Given an active Admin and valid unique account data
When creation is confirmed
Then one account is created with the selected role and no credential disclosure. Invalid/duplicate data creates no account.

AC-09-02

Requirement: FR-09-02 | Use case: UC-01, UC-04

Given an eligible target
When deactivation succeeds
Then all its sessions are revoked and login is blocked.
When reactivated, a new login is required; old sessions remain invalid. Self-deactivation and removal of the last active Admin are rejected.

AC-09-03

Requirement: FR-09-03 | Use case: UC-04, UC-14

Given a Borrower with outstanding work
When deactivated
Then no bulk cancellation or fabricated return occurs. Staff may approve retained Pending requests and receive returns, but handover is blocked until reactivation; expiry continues normally.

AC-09-04

Requirement: FR-09-04 | Use case: UC-04

Given a Borrower with any BR-08 blocker
When a role change is requested
Then it is rejected and obligations remain unchanged. With no blockers and valid safeguards, the role changes and all target sessions are revoked. Prior actors remain unchanged; RM transfer is not required.

AC-09-05

Requirement: FR-09-05 | Use case: UC-05

Given an externally verified target
When Admin confirms a valid replacement
Then the old password and all existing sessions become invalid. Role/status remain unchanged. Missing verification confirmation or invalid replacement causes no reset; no email/OTP is sent.

AC-09-06

Requirement: FR-09-06 | Use case: UC-03, UC-04, UC-05, UC-06, UC-21

Given a successful account change
When history is inspected
Then the event identifies the affected account and origin without passwords or copied identity documents. Historical request actors remain stable; no general clickstream logging is required.

AC-09-07

Requirement: FR-09-07 | Use case: UC-04

Given a direct or UI self-status/role request
When it would deactivate or change the Admin's own role
Then reject it. Concurrent changes to different Admins cannot collectively remove the last active Admin. Other Admin accounts remain manageable subject to the same rules.

AC-09-08

Requirement: FR-09-08 | Use case: Setup prerequisite; UC-06 rejects public privileged registration

Given initial system setup
When the first Admin is provisioned
Then account/password validation applies and setup origin is identifiable without logging secrets. Public registration attempts to create RM/Admin are rejected; no public bootstrap screen is provided.

AC-09-09

Requirement: FR-09-09 | Use case: UC-22

Given a non-Admin or a correction outside the I-03 permitted catalog
When correction is attempted
Then deny it; ordinary account/reset operations remain separate.

AC-09-10

Requirement: FR-09-10 | Use case: UC-22

Given a permitted correction
When a blank reason is supplied
Then reject. With a reason, show current/proposed affected values and require confirmation before mutation.

AC-09-11

Requirement: FR-09-11 | Use case: UC-22

Given newer records or an invalid proposed state
When Admin confirms
Then reject without partial mutation, overlap, false physical return or unauthorized pickup edit.

AC-09-12

Requirement: FR-09-12 | Use case: UC-22

Given a permitted correction with current validated records
When Admin confirms
Then update affected records consistently and append before/after values, reason, actor and time while preserving older history.


Room timetable boundary scenarios

Scenario	Expected outcome	Criteria
P1-P2	90 minutes; reserve 07:30-09:00	AC-06-01/02
P2-P3	90 minutes of use; reserve 08:15-10:15 including break	AC-06-01/02/05
P1-P4 or P5-P8	180 minutes of use; 210 elapsed minutes per full session	AC-06-01/02/05
P1 plus P3 without P2	Reject non-consecutive selection	AC-06-02
P4-P5 or break/lunch alone	Reject; separate morning and afternoon requests	AC-06-02
Future Sunday P3	Allow if other checks pass	AC-06-03
One approved booking ends when another starts	Allow exact adjacency	AC-06-05; AC-07-03

6 Use Case Model

6.1 Use Case Diagram

CampusBorrow - Overall Use Case Model




The overview places five functional groups inside one central CampusBorrow system boundary. Borrower and Admin appear on the left; Resource Manager and prospective Borrower appear on the right. Actors repeat beside the relevant groups to shorten connections; repeated actors represent the same role, not additional roles. Every active UC appears once. Individual straight connections use separate endpoints and actor colors: blue for Borrower, green for RM, purple for Admin and orange for prospective Borrower. Colors have no permission semantics. Use the SVG for zooming and the focused PNGs for report placement. The focused diagrams retain their separate layouts.


Focused Views

View	Review scope	Outputs
Accounts and access	W4 detailed account/catalog draft	Source
Equipment and room catalog	W4 detailed account/catalog draft	Source
Equipment loan lifecycle	Additional detailed equipment draft	Source
Room booking	Provisional feature-level coverage; detailed requirements pending	source
History and controlled corrections	Provisional feature-level coverage; detailed requirements pending	Source


CampusBorrow - Accounts and access





CampusBorrow - Equipment and room catalog



CampusBorrow - Equipment loan lifecycle







Model Interpretation and Permission Exceptions

- The CampusBorrow rectangle is the system boundary. Solid undirected associations identify interaction, not execution order or unrestricted authority. Preconditions, session/role checks and lifecycle guards in the specifications remain mandatory.
- No include/extend relation is added merely because approval precedes handover or login precedes a protected operation. These are state dependencies/preconditions, not mandatory reused subflows. Conditional paths remain explicit alternative/exception flows in the current specifications.
- No actor generalization is asserted. Admin does not inherit every RM capability: only RM may edit a confirmed pickup appointment (UC-12). Neither staff role automatically acquires Borrower request-submission rights.
- All RMs have equal operational permissions; there is no resource/request assignment or exclusive owner. Actual actors are recorded per event.

- UC-15 has a Borrower cancellation path and a narrowly scoped staff exception: approved uncollected equipment that becomes damaged/Out of service. It is not a blanket RM/Admin cancellation permission.
- Automatic missed-pickup expiry is not an actor-initiated use case and is omitted from the diagrams. FR-03-12, FR-03-13, FR-03-14, FR-03-15 retain expiry_at = min(confirmed_pickup_at + 24 hours, return_due_at), reservation release and concurrency safeguards. This rule never cancels an existing physical loan.
- In service / Out of service describe operational status; Visible / Hidden describe publication. Neither independently clears reservations or loans. New resources start Hidden + Out of service; reasons remain staff-only.
- Login and registration are pre-authentication interactions. Successful registration creates a Borrower only. There are three account roles, even though the diagram also shows the unauthenticated registration participant.
- FR-09-08 provisions the initial Admin during deployment/setup. It has no public use-case screen or public bootstrap actor; its deliberate UI exception is documented in traceability.
- F10/F11 have no active diagram nodes. The equal-RM model contains no assignment use case.

6.2 Actors

Actor	Description
Borrower	A person whose account has the Borrower role. Signs in/out, discovers visible resources, submits personal equipment/room requests, cancels under the applicable rules and reads personal request/history data. Cannot maintain the catalog, approve requests or manage accounts.
Resource Manager	An active staff account with unit-wide operational access: catalog maintenance, approvals, pickup edits, physical handover/return and operational history. No assignments are required. Cannot administer accounts or invoke Admin-only correction functions.
Admin	An administrative account that manages other accounts subject to self/last-Admin and outstanding-obligation safeguards; maintains catalog data, supports operational processing and performs controlled corrections. Cannot edit confirmed pickup appointments.
Prospective Borrower (unauthenticated)	A pre-registration participant interacting with UC-24; not a fourth account role. Provides registration data and receives a Borrower account only.

6.3 Use Case List

Accounts and access

ID	Use case	Primary actor	Priority	Related FR
UC-01	Sign in	All three roles	Must	FR-01-01, FR-01-03, FR-09-02, FR-01-05, FR-01-07
UC-02	Sign out	All three roles	Must	FR-01-02, FR-01-07
UC-03	Create an account	Admin	Must	FR-09-01, FR-01-03, FR-09-06, FR-01-05, FR-01-06
UC-04	Change account status or role	Admin	Must	FR-01-03, FR-09-02, FR-09-03, FR-09-04, FR-09-06, FR-01-07, FR-09-07
UC-05	Reset a password manually	Admin	Must	FR-01-03, FR-09-05, FR-09-06, FR-01-06, FR-01-07
UC-06	Register a Borrower account	Unauthenticated prospective Borrower	Must	FR-09-06, FR-01-04, FR-01-05, FR-01-06

Equipment and room catalog

ID	Use case	Primary actor	Priority	Related FR
UC-07	Browse and search resources	All three roles	Must	FR-01-03, FR-02-03, FR-02-04, FR-02-06, FR-02-09, FR-02-15
UC-08	Create or update a catalog record	RM, Admin	Must	FR-02-01, FR-02-02, FR-02-11, FR-02-12, FR-02-13, FR-02-14, FR-02-15, FR-02-16
UC-09	Change visibility or operational status	RM, Admin	Must	FR-02-05, FR-02-07, FR-02-08, FR-02-09, FR-02-10, FR-02-12, FR-02-14, FR-02-15, FR-02-16

Equipment loan lifecycle

ID	Use case	Primary actor	Priority	Related FR

UC-10	Submit equipment borrowing request	Borrower	Must	FR-02-06, FR-02-07, FR-02-08, FR-03-01, FR-03-02, FR-03-03, FR-03-09
UC-11	Approve or reject an equipment request	Any RM, Admin	Must	FR-01-03, FR-02-08, FR-03-04, FR-03-05, FR-03-06, FR-03-07, FR-03-09
UC-12	Change a pickup appointment	Any RM only	Must	FR-01-03, FR-03-14, FR-03-15, FR-03-08, FR-03-09
UC-13	Record equipment handover	Any RM, Admin	Must	FR-03-14, FR-03-15, FR-04-01, FR-04-02
UC-14	Record equipment return	Any RM, Admin	Must	FR-09-03, FR-02-10, FR-04-03, FR-04-04
UC-15	Cancel an equipment request	Borrower; RM/Admin for the out-of-service equipment exception	Must	FR-03-10, FR-03-11, FR-03-12
UC-16	View overdue loans	RM, Admin	Must	FR-04-05, FR-04-06

Room booking

ID	Use case	Primary actor	Priority	Related FR
UC-17	View a room schedule	All three roles	Must	FR-02-04, FR-05-01–FR-05-06; imported draft, review pending
UC-18	Submit a room booking request	Borrower	Must	FR-02-06, FR-02-07, FR-02-08, FR-06-01–FR-06-09; imported draft, review pending
UC-19	Approve or reject a room booking	Any RM, Admin	Must	FR-01-03, FR-02-08; **Pending:** F07; approval FRs pending (2.2.7)
UC-20	Cancel a room booking	Borrower	Must	No detailed FR assigned yet; **Pending:** F07; cancellation FRs pending (2.2.7)

History and controlled corrections

ID	Use case	Primary actor	Priority	Related FR
UC-21	View requests and business history	All three roles	Must	FR-01-03, FR-09-06, FR-02-09, FR-08-01, FR-02-15, FR-04-06, FR-03-09; **Pending:** F08; complete history FRs pending (2.2.8)
UC-22	Correct inconsistent resource and request states	Admin	Must	FR-02-10; **Pending:** F09; correction operations/FRs pending (2.2.8)

7 Use Case Specifications

7.1 UC-01 Sign in

Field	Specification
Use case ID	UC-01
Use case name	Sign in
Brief description	Authenticate an active account by username or email.
Primary actor	Borrower, Resource Manager or Admin
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must
Related requirements	FR-01-01, FR-01-03, FR-01-05, FR-01-07
Trigger	Valid credentials submitted.
Pre-conditions	An account exists; no authenticated session is required.
Post-conditions	An active account obtains a session using its current role. On failure no session is issued.
Main flow	1. The user enters username or email and password. 2. The system trims/normalizes the identifier and checks the exact password and account activation. 3. The system creates a session expiring 24 hours after login and loads the current role. 4. The system opens the role-appropriate view.
Alternative flows	A1 (step 1): 1. The user supplies email instead of username. 2. The system resolves the same account using the email policy and continues at step 2. A2 (step 2): 1. The identifier differs only in case or outer whitespace. 2. The system normalizes it; the password remains unchanged.
Exception flows	E1 (step 2): 1. Credentials are invalid or the account is inactive. 2. The system denies login without issuing a session. E2 (step 3): 1. Session creation fails. 2. The system reports failure without displaying an authenticated success.

Business rules	BR-02, BR-06, BR-07, BR-10; see confirmed rules.
Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.2. UC-02 Sign out

Field	Specification
Use case ID	UC-02
Use case name	Sign out
Brief description	End the current authenticated session.
Primary actor	Borrower, Resource Manager or Admin
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must
Related requirements	FR-01-02, FR-01-07
Trigger	The user selects Sign out.
Pre-conditions	A current or previously issued session is presented.
Post-conditions	The current session cannot authorize further calls; other sessions are unchanged.
Main flow	1. The user selects Sign out. 2. The system revokes the current session server-side. 3. The client clears its current authentication state. 4. The system displays the login screen.
Alternative flows	A1 (step 2): 1. The session has already expired or been revoked. 2. The system returns to login without recreating it. A2 (step 2): 1. Other valid sessions exist for the account. 2. The system leaves them valid and continues at step 3.
Exception flows	E1 (step 2): 1. Server revocation cannot be confirmed because the service is unavailable. 2. The client may clear local state but must not claim server-side revocation succeeded; it reports failure and permits retry. The session remains subject to its expiry and other invalidation rules.
Business rules	BR-10; see confirmed rules.

Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.3. UC-03 Create an account

Field	Specification
Use case ID	UC-03
Use case name	Create an account
Brief description	Provision another account through the Admin interface.
Primary actor	Admin
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must
Related requirements	FR-09-01, FR-01-03, FR-09-06, FR-01-05, FR-01-06
Trigger	Admin selects Create account.
Pre-conditions	The actor is an active authenticated Admin.
Post-conditions	One account with the chosen single role exists; failure creates no partial account.
Main flow	1. Admin opens account creation. 2. Admin enters display name, username, email, one role and an initial password. 3. The system validates identifiers, uniqueness, password and role. 4. Admin confirms; the system creates the account and records a non-secret event. 5. Admin conveys initial credentials outside the application.
Alternative flows	A1 (step 2): 1. Admin selects RM or Admin instead of Borrower. 2. The system grants exactly that one role after the same validation. A2 (step 3): 1. Name/identifier input includes outer whitespace or mixed case. 2. The system applies BR-06 and continues validation.
Exception flows	E1 (step 3/4): 1. Data is invalid or a concurrent creation takes the same identifier. 2. The system rejects creation without a partial account. E2 (step 4): 1. The actor session/role is no longer authorized. 2. The system denies creation.

Business rules	BR-06, BR-07, BR-11; see confirmed rules.
Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.4. UC-04 Change account status or role

Field	Specification
Use case ID	UC-04
Use case name	Change account status or role
Brief description	Activate/deactivate another account or replace its single role.
Primary actor	Admin
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must
Related requirements	FR-01-03, FR-09-02, FR-09-03, FR-09-04, FR-09-06, FR-01-07, FR-09-07
Trigger	Admin chooses a status or role change.
Pre-conditions	An active authenticated Admin selects an existing target account.
Post-conditions	The permitted change is recorded; deactivation/role change revokes all target sessions. History and obligations are preserved. A rejected change leaves state unchanged.
Main flow	1. Admin opens the target account; the system shows current role/status and outstanding equipment/room obligations. 2. Admin chooses deactivation and confirms. 3. The system rechecks current authorization, target and self/last-active-Admin safeguards. 4. The system deactivates the target and revokes all its sessions consistently. 5. The system records the actor, target, timestamp and change without cancelling requests or fabricating returns.

Alternative flows	A1 (step 2): 1. Admin chooses reactivation. 2. After safeguards, the system activates the account and records the change. 3. The target must log in again; old sessions remain invalid. A2 (step 2): 1. Admin chooses a different single role. 2. The system checks BR-08 obligations and BR-11 safeguards using current states. 3. If permitted, it replaces the role, revokes all target sessions and records the change. A3 (step 3): 1. A Borrower being deactivated still has obligations. 2. Deactivation remains allowed; records and normal expiry are preserved, staff may approve Pending requests/receive returns, and new handover remains blocked.
Exception flows	E1 (A2): 1. The Borrower has a Pending/valid Approved equipment request, unreturned loan, Pending room request or Approved room booking not ended. 2. Reject role change and identify blocking obligations without auto-cancelling them. E2 (step 3/A2): 1. Admin attempts self-deactivation/self-role change or removal of the last active Admin, including concurrent attempts. 2. Reject without partial changes. E3 (step 3/4): 1. Authorization or relevant state changes concurrently. 2. Recheck and reject an invalid transition; do not preserve old privilege after a successful change.
Business rules	BR-05, BR-08, BR-10, BR-11; see confirmed rules.
Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.5. UC-05 Reset a password manually

Field	Specification
Use case ID	UC-05
Use case name	Reset a password manually
Brief description	Replace another account’s password following external identity verification.
Primary actor	Admin
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must

Related requirements	FR-01-03, FR-09-05, FR-09-06, FR-01-06, FR-01-07
Trigger	Admin selects Reset password for another account.
Pre-conditions	An active Admin receives a request outside the application; the target account exists.
Post-conditions	The replacement works only if the account is active; old password and all target sessions are invalid. Role/status stay unchanged.
Main flow	1. Admin verifies identity externally using a student/staff card or unit-maintained records; email alone is insufficient. 2. Admin selects the matching account, confirms completion of the identity check and enters a replacement password. 3. The system rechecks Admin authority and validates the replacement. 4. The system replaces the credential and revokes all target sessions consistently; it records the event without passwords or identity-document copies. 5. Admin conveys the replacement through the verified external channel.
Alternative flows	A1 (step 3): 1. The target is inactive. 2. Reset may proceed but does not activate it; login remains blocked. A2 (step 3): 1. The target is another Admin. 2. The same identity check, password policy and session revocation apply.
Exception flows	E1 (step 1/2): 1. Identity cannot be verified or verification confirmation is missing. 2. Do not reset; preserve credentials and sessions. E2 (step 3): 1. The password is invalid or actor is not authorized. 2. Reject without partial reset. E3 (step 5): 1. External handoff fails after a successful reset. 2. Report the operational issue; do not claim delivery or restore the old credential/session.
Business rules	BR-07, BR-09, BR-10; see confirmed rules.
Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.6. UC-06 Register a Borrower account

Field	Specification
Use case ID	UC-06
Use case name	Register a Borrower account

Brief description	Create a personal Borrower account without Admin provisioning.
Primary actor	Unauthenticated prospective Borrower
Secondary actors	None; external identity checks/credential handoff, when applicable, are manual steps rather than an integrated service.
Priority	Must
Related requirements	FR-09-06, FR-01-04, FR-01-05, FR-01-06
Trigger	The person selects Register.
Pre-conditions	No authenticated session is required.
Post-conditions	One active Borrower exists and can sign in without email verification; failure creates no partial account.
Main flow	1. The person enters display name, username, email, password and password confirmation. 2. The system normalizes name/identifiers and validates fields, identifier uniqueness and exact confirmation match. 3. The system creates exactly one active Borrower account and records registration without credentials. 4. The system confirms creation and directs the person to sign in; no verification email/OTP is sent.
Alternative flows	A1 (step 2): 1. Identifier input differs in case or includes outer whitespace. 2. The system applies BR-06 before checking uniqueness. A2 (step 1/2): 1. The person supplies a Vietnamese display name or a password containing spaces. 2. The system permits them within length rules and preserves password spaces.
Exception flows	E1 (step 2/3): 1. A username/email already exists or is taken by a concurrent submission. 2. Reject without a duplicate/partial account. E2 (step 2): 1. Input is invalid, password confirmation mismatches or RM/Admin is requested. 2. Reject and show relevant field errors without echoing passwords.
Business rules	BR-02, BR-06, BR-07, BR-11
Non-functional constraints	Enforce authorization and applicable session revocation on the server; never expose passwords in logs/history. The confirmed 24-hour session limit follows BR-10. Hashing, transport/storage design and additional measurable NFRs belong to 2.2.9; no unapproved targets are asserted.

7.7. UC-07 Browse and search resources

Field	Specification
Use case ID	UC-07
Use case name	Browse and search resources
Brief description	Find a resource and inspect permitted details without confusing operational status with occupancy.
Primary actor	Borrower, Resource Manager or Admin
Secondary actors	None; room schedule and request processing are linked application use cases, not external actors.
Priority	Must
Related requirements	FR-02-03, FR-02-04, FR-02-06, FR-02-09, FR-02-15
Trigger	The actor opens the catalog or submits search/filter input.
Pre-conditions	The actor has an active account and valid session.
Post-conditions	Authorized results/details are displayed; no records are changed or reserved.
Main flow	1. The actor opens the catalog. 2. The actor enters an optional partial code/name and type/operational-status filters; staff may also filter visibility. 3. The system applies role visibility, case-insensitive matching and filters, then orders by normalized code and paginates 20 records per page. 4. The actor opens a result. 5. The system rechecks access and shows permitted fields, separate operational/usage labels, and room capacity/schedule access where applicable.
Alternative flows	A1 (step 2): 1. The actor leaves search blank. 2. The system returns the filtered, paginated list. A2 (step 3): 1. An RM/Admin selects Hidden. 2. Matching hidden resources are shown to staff only. A3 (step 5): 1. The resource is Out of service. 2. Borrower sees the status and disabled request action; staff can inspect the internal reason. A4 (step 5): 1. Equipment is In service but Reserved/On loan, or a room has bookings. 2. Display usage/schedule separately and apply lifecycle eligibility checks.

Exception flows	E1 (step 3): 1. No records match. 2. Display an empty result with no hidden-record count leakage. E2 (step 5): 1. A Borrower follows a hidden-resource URL or the record became hidden after search. 2. Deny general detail access; permitted own-history access remains separate. E3 (step 3/5): 1. Retrieval fails or the session is invalid. 2. Report failure/require login rather than display fabricated availability.
Business rules	BR-13, BR-14, BR-16, BR-18; see business rules.
Non-functional constraints	Server-side authorization, current-state checks, non-disclosure of internal reasons and stale-save prevention are mandatory. Session rules BR-10 apply. Search performance/load targets and detailed responsive/accessibility design remain with the NFR/UI owners; no unapproved target is asserted.

UC-08 Create or update a catalog record

Field	Specification
Use case ID	UC-08
Use case name	Create or update a catalog record
Brief description	Create a single equipment/room record or edit permitted descriptive fields.
Primary actor	Resource Manager or Admin
Secondary actors	None; room schedule and request processing are linked application use cases, not external actors.
Priority	Must
Related requirements	FR-02-01, FR-02-02, FR-02-11, FR-02-12, FR-02-13, FR-02-14, FR-02-15, FR-02-16
Trigger	The actor selects Add resource or Edit information.
Pre-conditions	The actor is an active authenticated RM/Admin; an existing resource is selected for edits.
Post-conditions	A valid resource is created Hidden + Out of service, or a permitted edit is saved with history; failures preserve prior records.

Main flow	1. The actor selects Add resource and chooses Equipment or Room. 2. The actor enters code, name, location and optional description; Room also requires capacity. 3. The system validates required fields, lengths, type and case-insensitive code uniqueness across both resource types. 4. The actor confirms creation; the system rechecks authority/uniqueness and creates a stable record as Hidden + Out of service with reason Awaiting readiness confirmation. 5. The system records creation and displays the management detail; publication/readiness changes use UC-09.
Alternative flows	A1 (step 1): 1. The actor opens Edit information for an existing record. 2. Code/type are read-only. 3. The actor edits name/description or eligible location/capacity. 4. At save, the system checks current version and BR-15 obligations, saves permitted changes and records before/after values. A2 (step 2): 1. Type is Equipment. 2. Capacity is not applicable and no stock-quantity field is added. A3 (step 1): 1. Staff discover an incorrect immutable code/type. 2. They hide the old record using UC-09 and create a correctly identified record; prior history is not migrated or deleted.
Exception flows	E1 (step 3/4): 1. Input is invalid or another creation takes the same code. 2. Reject without a duplicate or partial record. E2 (A1 save): 1. Pending/Approved/loan or room-booking obligations block a location/capacity edit. 2. Reject it without cancelling obligations. E3 (A1 save): 1. Another actor saved since the edit opened. 2. Reject the stale save and require reload/review; preserve the newer version. E4 (step 4/A1): 1. The actor lacks current authority or attempts a direct code/type change/deletion. 2. Deny the operation.
Business rules	BR-01, BR-12, BR-13, BR-15, BR-17, BR-18; see business rules.
Non-functional constraints	Server-side authorization, current-state checks, non-disclosure of internal reasons and stale-save prevention are mandatory. Session rules BR-10 apply. Search performance/load targets and detailed responsive/accessibility design remain with the NFR/UI owners; no unapproved target is asserted.

UC-09 Change visibility or operational status

Field	Specification
Use case ID	UC-09
Use case name	Change visibility or operational status
Brief description	Publish/withdraw a resource or update its operational status without falsifying usage.

Primary actor	Resource Manager or Admin
Secondary actors	None; room schedule and request processing are linked application use cases, not external actors.
Priority	Must
Related requirements	FR-02-05, FR-02-07, FR-02-08, FR-02-09, FR-02-10, FR-02-14, FR-02-15
Trigger	The actor opens visibility/operational-status controls.
Pre-conditions	The actor is an active authenticated RM/Admin and selects an existing resource.
Post-conditions	The permitted state change and event are saved; occupancy and history remain valid. Failed/stale saves leave current state unchanged.
Main flow	1. The system displays visibility, operational status, current usage and current internal reason separately. 2. The actor selects Out of service and enters a nonblank reason. 3. The system validates reason length, current authority, record version and lifecycle consistency. 4. The actor confirms; the system saves the status and current reason with actor/time and before/after values. 5. Borrower-facing access displays only the status and blocks new requests; staff retain access to the internal reason/history.
Alternative flows	A1 (step 2): 1. The actor selects In service and optionally adds a note. 2. The system applies the same validation/version checks, clears the current out-of-service reason and preserves it historically. 3. Existing reservation/loan/room conflicts still apply. A2 (step 2): 1. The actor changes Visible/Hidden with an optional note. 2. The system changes visibility without resetting operational status or usage. A3 (step 4): 1. Equipment has an Approved uncollected request. 2. Out of service blocks handover but does not automatically cancel; eligible staff cancellation remains UC-15. A4 (step 4): 1. A room has existing Approved bookings. 2. The operational change is allowed; those bookings are handled outside the application without automatic cancellation.
Exception flows	E1 (step 3): 1. A required reason is blank or a reason/note exceeds 500 trimmed characters. 2. Reject and show the relevant error. E2 (step 3/4): 1. Another actor saved a newer version. 2. Reject and require reload/review; no silent overwrite. E3 (step 3): 1. The call lacks authority or attempts to erase loan occupancy through status changes. 2. Deny it and preserve the lifecycle records.

Business rules	BR-05, BR-13, BR-15, BR-16, BR-17, BR-18
Non-functional constraints	Server-side authorization, current-state checks, non-disclosure of internal reasons and stale-save prevention are mandatory. Session rules BR-10 apply. Search performance/load targets and detailed responsive/accessibility design remain with the NFR/UI owners; no unapproved target is asserted.

UC-10 Submit equipment borrowing request

Field	Specification
Use case ID	UC-10
Use case name	Submit equipment borrowing request
Brief description	Submit a request for one equipment item without reserving it before approval.
Primary actor	Borrower
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-02-06, FR-02-07, FR-02-08, FR-03-01, FR-03-02, FR-03-03, FR-03-09
Trigger	The Borrower selects Request equipment for a catalog item.
Pre-conditions	The Borrower has an active account and valid session. The selected item is visible, In service and not reserved or on loan; no duplicate active request by this Borrower exists. These conditions are rechecked at submission.
Post-conditions	Success: one Pending request owned by the authenticated Borrower is recorded with submission time; no reservation is created. Failure: no partial request or reservation is created; an existing duplicate remains unchanged.

Main flow	1. The Borrower opens the request form for one equipment item. 2. The Borrower enters a nonblank purpose, proposed pickup date-time and specific return date-time. 3. The system checks required values and requires proposed pickup > now and proposed pickup < return_due_at. 4. The Borrower confirms submission. 5. The system rechecks current authorization, future pickup/return ordering, item visibility/readiness/occupancy and duplicate active requests, then creates one Pending request consistently. 6. The system displays the request ID, proposed pickup, return deadline and Pending status.
Alternative flows	A1 (step 5): 1. Other Borrowers have Pending requests for the same eligible item. 2. The system accepts this request without reserving the item; requests compete at approval. A2 (step 5): 1. This Borrower has only terminal records for the item. 2. Those records do not prevent a new request if current checks pass.
Exception flows	E1 (step 3): 1. Purpose is blank, dates are invalid/missing, multiple items are supplied, pickup is not future or pickup is at/after return. 2. Reject the submission with the relevant validation message. E2 (step 5): 1. The item became Hidden, Out of service, reserved or on loan. 2. Reject even from a stale screen/direct API call; planned future return does not override occupancy. E3 (step 5): 1. A duplicate Pending, valid Approved or On-loan request exists, including an overdue loan or a concurrent submission. 2. Reject the duplicate; at most one active request is created for this Borrower/item. E4 (step 5/6): 1. Authorization fails or the save/read fails. 2. Deny unauthorized access or report failure without false success; do not expose another Borrower's records or create partial data.
Business rules	BR-01, BR-05, BR-13, BR-18; EQ-01 in the equipment specification. No automatic quota, maximum loan duration or RM selection applies. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-11 Approve or reject an equipment request

Field	Specification
Use case ID	UC-11

Use case name	Approve or reject an equipment request
Brief description	Decide a Pending request, reserving equipment on approval and resolving competing Pending requests consistently.
Primary actor	Resource Manager or Admin
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-01-03, FR-02-08, FR-03-04, FR-03-05, FR-03-06, FR-03-07, FR-03-09
Trigger	An active RM/Admin opens a Pending request for a decision.
Pre-conditions	The actor has a valid staff session and operational permission. The request exists and is Pending; current eligibility is rechecked before the decision. Borrower inactivity does not itself prohibit approval.
Post-conditions	Approval: the request becomes Approved with one exclusive reservation, confirmed pickup, unchanged return deadline and actual decision actor/time; competing Pending requests for the item become Rejected. Rejection: the request becomes Rejected with actor/time/reason and creates no reservation. Failed/stale operations make no partial changes and preserve any competing operation’s committed result.
Main flow	1. The actor opens the request; the system shows its submitted details, current item status and occupancy. 2. The actor selects Approve and confirms a future pickup appointment before the existing return deadline. 3. The system rechecks authority, Pending state, confirmed pickup > now and confirmed pickup < the unchanged return deadline, Visible + In service status and absence of a conflicting reservation or loan; it computes expiry_at. 4. The system consistently approves the request, reserves the item exclusively and records the confirmed appointment, deadline, decision actor and time. 5. As part of the same consistent decision, the system rejects all other Pending requests for that item with reason "Equipment has been reserved for another request", system attribution, timestamp and a reference to the winning approval. 6. The system displays the current decision and Collect before time to authorized users.

Alternative flows	A1 (step 2): 1. The actor chooses Reject and enters a nonblank reason. 2. The system rechecks authority/Pending state. 3. It saves rejection with actor/time/reason, makes the relevant reason visible to the requester and creates no reservation. A2 (step 2): 1. The proposed pickup has passed. 2. Staff confirm a new future appointment before the unchanged return deadline. 3. Continue at step 3; Admin may set this initial confirmed time. A3 (step 3): 1. The Borrower is inactive. 2. Approval may proceed if all other conditions pass. 3. Handover remains blocked until reactivation; expiry is not paused.
Exception flows	E1 (step 2/3): 1. No future pickup exists before the return deadline or the supplied appointment is invalid. 2. Reject approval without changing the deadline or creating a reservation. E2 (A1): 1. The rejection reason is absent or whitespace-only. 2. Reject the decision and request a valid reason. E3 (step 3–5/A1): 1. Another approval, rejection or cancellation changes the current state, or item eligibility is lost. 2. Reject the stale action and display the authorized current result; at most one approval reserves the item. E4 (step 3–5): 1. Authorization or persistence fails. 2. Deny/report failure with no partial approval, reservation or competing-request rejections. Concurrent submission cannot leave a new eligible Pending request for the now-reserved item.
Business rules	BR-01, BR-04, BR-05, BR-13; EQ-01–03 in the equipment specification. Later cancellation/return never automatically reopens rejected requests. Initial appointment confirmation differs from RM-only UC-12. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-12 Change a pickup appointment

Field	Specification
Use case ID	UC-12
Use case name	Change a pickup appointment
Brief description	Replace a valid confirmed appointment after external contact, retaining the reservation and return deadline.

Primary actor	Resource Manager only
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-01-03, FR-03-14, FR-03-15, FR-03-08, FR-03-09
Trigger	After a Borrower contacts the RM team outside the application, an RM opens the appointment-edit action.
Pre-conditions	The actor is an active authenticated RM. The request is Approved, uncollected and not expired; now < current expiry_at. No staff assignment is required.
Post-conditions	Success: the new appointment and recalculated expiry apply, the original return deadline and reservation remain, and old/new appointment values with actor/time are retained. Failure: no appointment or reservation change and no expired request revival.
Main flow	1. The RM opens the request and reviews current pickup, return deadline and Collect before time. 2. The RM enters a future replacement pickup appointment. 3. The system checks RM authority, current Approved/uncollected state and now < current expiry_at; it requires replacement pickup > now and replacement pickup < existing return_due_at. 4. The RM confirms; the system rechecks current state and time, saves the replacement and recomputes expiry_at = min(replacement pickup + 24 hours, unchanged return_due_at). 5. The system records old/new appointment and actual RM/time, retains the reservation and shows the updated pickup window.
Alternative flows	A1 (step 3): 1. The old pickup has passed but the current expiry has not. 2. A future replacement before return may still be accepted. A2 (step 4): 1. The return deadline is earlier than replacement pickup + 24 hours. 2. Use the return deadline as the new expiry. A3 (step 4): 1. Replacement pickup + 24 hours is earlier than the return deadline. 2. Use that 24-hour threshold as the new expiry.

Exception flows	E1 (step 3/4): 1. Admin, Borrower or an invalid staff session attempts the edit. 2. Deny it; Admin operational support does not grant this permission. E2 (step 3/4): 1. The replacement is past/present or at/after return. 2. Reject without changing the deadline. E3 (step 3/4): 1. Current expiry has been reached, including with a stale Approved label, or collection/cancellation occurred. 2. Reject; expired requests cannot be revived by editing. E4 (step 4): 1. A competing state change makes the edit invalid or persistence fails. 2. Report the current authorized result/failure, retain consistent state and avoid a partial edit.
Business rules	BR-01, BR-04, BR-05. F11 remains deferred: no in-app change-request or chat workflow. Handover must obey the replacement pickup window. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-13 Record equipment handover

Field	Specification
Use case ID	UC-13
Use case name	Record equipment handover
Brief description	Record physical collection and convert an equipment reservation into an active loan.
Primary actor	Resource Manager or Admin
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-03-14, FR-03-15, FR-04-01, FR-04-02
Trigger	The Borrower arrives to collect equipment and staff open the handover action.

Pre-conditions	The staff actor is active and authenticated. The request is Approved, reserved for this request and uncollected; the Borrower is active, the item is In service and confirmed_pickup_at <= now < expiry_at. All conditions are rechecked at confirmation.
Post-conditions	Success: actual handover time and staff actor are recorded, request/item become On loan and the reservation is converted without a free-occupancy interval. Failure: no new handover or partial conversion is recorded; current records remain consistent.
Main flow	1. The actor opens the approved request and checks the person and physical item outside the application. 2. The system displays current request, reservation, account status, pickup appointment and expiry. 3. The actor confirms physical handover. 4. The system rechecks current authority, active Borrower, operational readiness, reservation and pickup window. 5. The system consistently records handover time/actor and converts the reservation to an active loan. 6. The system displays the On-loan state and return deadline.
Alternative flows	A1 (step 4): 1. The item is Hidden but still In service with a valid reservation. 2. Hiding alone does not prohibit handover; proceed if all other checks pass. A2 (step 4): 1. A different RM approved the request. 2. The current RM may hand over without reassignment. A3 (step 4): 1. An inactive Borrower was reactivated before confirmation. 2. Proceed only if the current pickup window and all other conditions remain valid.
Exception flows	E1 (step 4): 1. now < confirmed_pickup_at or now >= expiry_at. 2. Reject early/expired handover, even if background expiry has not updated Approved. E2 (step 4): 1. The Borrower is inactive, the item is Out of service or the required reservation is absent. 2. Reject handover; staff must not fabricate collection. E3 (step 4/5): 1. A duplicate handover, cancellation, expiry or appointment edit wins a race. 2. Recheck the resulting state; no second loan or contradictory transition is allowed. E4 (step 4/5): 1. Permission is lost or persistence fails. 2. Report failure with no partial loan or reservation release.
Business rules	BR-01, BR-04, BR-05, BR-13. Early handover is prohibited. At/after handover, use return rather than cancellation; expiry never cancels a completed physical loan. See business rules and equipment requirements.

Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-14 Record equipment return

Field	Specification
Use case ID	UC-14
Use case name	Record equipment return
Brief description	Record physical receipt, close an existing loan and preserve independent catalog restrictions.
Primary actor	Resource Manager or Admin
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-09-03, FR-02-10, FR-04-03, FR-04-04
Trigger	Equipment is physically returned and staff open the return action.
Pre-conditions	The actor is an active authenticated RM/Admin. A handover is recorded and no return is yet recorded. Staff verify physical receipt; Borrower inactivity does not block the operation.
Post-conditions	Success: actual return time and actor are retained, the request becomes Returned and loan occupancy is cleared consistently; visibility, operational status and history are preserved. The loan no longer appears as currently overdue. Failure: no duplicate return or partial occupancy release.
Main flow	1. The actor opens the unreturned loan and verifies the returned equipment. 2. The actor confirms physical receipt. 3. The system rechecks staff authority and that handover exists with no recorded return. 4. The system records actual return time/actor, closes the loan and clears its occupancy consistently. 5. The system displays Returned; subsequent requests remain subject to current catalog/occupancy checks.

Alternative flows	A1 (step 3): 1. The Borrower is inactive. 2. Staff still record the physical return. A2 (step 4): 1. The item is Hidden or Out of service. 2. Preserve those flags after clearing loan occupancy; separate catalog actions govern any later status change. A3 (step 4): 1. The loan is overdue. 2. Record return without a fine, retain history and remove it from the current overdue list.
Exception flows	E1 (step 3): 1. There is no recorded handover or no physical receipt is confirmed. 2. Reject return; planned return time is not proof of receipt. E2 (step 3/4): 1. Return has already been recorded, including by a concurrent staff action. 2. Reject the duplicate without releasing occupancy or recording an event twice. E3 (step 3/4): 1. Authorization or persistence fails. 2. Report failure without partial closure/release or false success.
Business rules	BR-01, BR-04, BR-05, BR-13. A subsequent borrower must wait for recorded receipt, not merely the previous deadline. No repair/cost/penalty workflow or historical-event rewriting is added. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-15 Cancel an equipment request

Field	Specification
Use case ID	UC-15
Use case name	Cancel an equipment request
Brief description	Cancel an eligible uncollected request and release only its reservation, retaining the reason and history.
Primary actor	Borrower; Resource Manager or Admin only for the damaged/Out of service exception
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-03-10, FR-03-11, FR-03-12

Trigger	A Borrower selects Cancel on a personal request, or authorized staff invoke the damaged/Out of service exception.
Pre-conditions	Borrower path: active authenticated owner; request is Pending or valid Approved and uncollected. Staff path: active authenticated RM/Admin; request is Approved and uncollected, and the equipment has become damaged/Out of service. Current expiry and state are checked before a human cancellation.
Post-conditions	Success: request is Cancelled with reason, actual actor and time; its reservation, if any, is released exactly once. Other requests, physical loans, visibility and operational restrictions are preserved. Failure: no new cancellation or duplicate release; a competing operation's outcome is retained.
Main flow	1. The Borrower opens a personal eligible request and chooses Cancel. 2. The system displays the current request and asks for a reason and confirmation. 3. The Borrower supplies a nonblank reason and confirms. 4. The system rechecks active session, ownership, reason, current state, absence of handover and approval expiry where applicable. 5. The system consistently records cancellation and releases only this request's reservation, if present. 6. The system displays the cancellation outcome without reopening competing rejected requests.
Alternative flows	A1 (step 4/5): 1. The request is Pending. 2. Record cancellation without releasing a reservation, because this request holds none. A2 (step 4/5): 1. The request is a valid Approved uncollected request. 2. Cancel and release its reservation consistently. A3 (step 1): 1. An active RM/Admin identifies an Approved uncollected request whose item has become damaged/Out of service. 2. Staff enter a mandatory nonblank reason and confirm. 3. The system validates the specific exception, current state and expiry, then records the staff-attributed cancellation and releases its reservation. This is not unrestricted staff cancellation.

Exception flows	E1 (step 3/4 or A3): 1. The reason is absent or whitespace-only. 2. Reject without cancellation. E2 (step 4): 1. The Borrower is not the owner, the account lacks authority, or staff do not meet the exception. 2. Deny access/action without disclosing another Borrower's private records. E3 (step 4/5): 1. Handover, rejection, cancellation or expiry has already occurred or wins a race. 2. Display the permitted current state without a second transition; handed-over items require UC-14. E4 (step 4): 1. An approval has expired despite a stale Approved label. 2. Apply automatic-expiry rules rather than a new human cancellation; do not revive the approval. E5 (step 5): 1. Persistence fails. 2. Report failure with no partial cancellation or release.
Business rules	BR-04, BR-05, BR-13. Equipment cancellation reasons are mandatory. Catalog status changes alone do not cancel requests. Automatic expiry is FR-03-13, FR-03-14, FR-03-15, not a separate actor-initiated use case; room cancellation rules are separate. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-16 View overdue loans

Field	Specification
Use case ID	UC-16
Use case name	View overdue loans
Brief description	Identify current overdue equipment loans and open a record for operational follow-up.
Primary actor	Resource Manager or Admin
Secondary actors	None in the application interaction; physical participants and external contact do not introduce additional account roles.
Priority	Must
Related requirements	FR-04-05, FR-04-06
Trigger	An active RM/Admin opens the overdue-loan view.

Pre-conditions	The actor has an active account, valid session and staff access to unit-wide operational records.
Post-conditions	The current authorized overdue results are shown; viewing changes no loan or catalog state. A return requires the separate UC-14 action. Failure displays no fabricated result or unauthorized private data.
Main flow	1. The actor opens the overdue-loan view. 2. The system checks current staff permissions and evaluates system time against each relevant loan's specific return deadline. 3. The system includes only loans with recorded handover, no recorded return and now > return_due_at. 4. The system displays request/item, Borrower, return deadline and current loan status within staff permissions. 5. The actor opens a record for follow-up or chooses the separate return action.
Alternative flows	A1 (step 3): 1. No loans meet the overdue condition. 2. Display an empty current-overdue list. A2 (step 3): 1. now equals return_due_at. 2. Exclude that loan until time is strictly later; it remains on loan. A3 (step 5): 1. Staff receive the item. 2. Continue through UC-14, then refresh; the returned loan no longer belongs to the current overdue list while its history remains.
Exception flows	E1 (step 2/5): 1. The account is unauthorized or its session has expired. 2. Deny staff-list access. A Borrower may see only their own overdue status through the personal request view under UC-21. E2 (step 5): 1. Another staff member has returned the item since the list loaded. 2. Show its current authorized state and do not permit a duplicate return. E3 (step 2–4): 1. Retrieval fails. 2. Report the failure instead of presenting an empty list as a successful result.
Business rules	BR-01, BR-04, BR-05. Pending, rejected, cancelled, uncollected and returned requests are not current overdue loans. Crossing the deadline never fabricates receipt, cancels a physical loan or releases its item; no automatic notification or fine is generated. See business rules and equipment requirements.
Non-functional constraints	Enforce current authorization, session validity and record ownership on the server; preserve consistent state under concurrent/repeated operations and disclose only authorized data. Use system-evaluated time and consistent UTC+7 presentation. Quantitative performance/availability targets and detailed UI accessibility criteria remain subject to 2.2.9; specification preparation is not evidence of executed tests.

UC-17 — View a Room Schedule

Field	Content
Use case ID	UC-17
Use case name	View a room schedule
Brief description	An authorized user views configured periods and approved bookings for one room on one date.
Primary actor	User with permitted room access (Borrower, Resource Manager or Admin)
Secondary actors	None
Priority	Must
Related requirements	FR-05-01–FR-05-06; FR-02-04
Trigger	The user selects a room and date or opens its schedule from the catalogue.
Pre-conditions	1. The user is signed in and has permitted access to the room.
Post-conditions	The schedule is displayed; viewing it does not change a booking.
Main flow	1. The user selects a room and date; the default date is today in UTC+7. 2. The system retrieves the room's capacity, operational status, configured periods and approved bookings. 3. The system displays free periods and approved occupied intervals, including their start and end times. 4. The user reviews the schedule.
Alternative flows	A1 (after step 3): 1. An eligible Borrower chooses to request the room. 2. The system opens the booking form (UC-18) A2 (after step 3): 1. No approved bookings exist. 2. The system shows an empty-bookings message.
Exception flows	E1 (at step 2): 1. Access is not permitted or the session has expired.

Field	Content
	2. The system denies access and saves no changes. E2 (at step 2): 1. Schedule retrieval fails. 2. The system reports the error rather than displaying an empty schedule as a successful result E3 (at step 3): 1. The room is Out of service. 2. A permitted schedule may be viewed, but new requests are disabled.
Business rules	BR-01, BR-03 and BR-05. Only approved bookings occupy the schedule; pending requests are not presented as approved. Hidden rooms are excluded from Borrower catalogue navigation. Other Borrowers' names and purposes are not shown. Daily periods and breaks follow BR-03.
Non-functional constraints	Server-side authorization and privacy apply. Proposed performance, responsive and accessibility targets remain subject to NFR review; no test pass is implied.

UC-18 — Submit a Room Booking Request

Field	Content
Use case ID	UC-18
Use case name	Submit a room booking request
Brief description	A Borrower requests one room for one date by selecting consecutive configured periods and providing purpose and headcount.
Primary actor	Borrower
Secondary actors	Resource Manager and Admin (subsequent processing)
Priority	Must
Related requirements	FR-06-01–FR-06-09; FR-02-06–FR-02-08

Field	**Content**
Trigger	The Borrower chooses to request a room from its schedule.
Pre-conditions	1. The Borrower is signed in and active. 2. The selected room is Visible and In service.
Post-conditions	A valid request is Pending, identified and visible to its Borrower and active Resource Managers. It does not reserve the room. A failed submission saves no request.
Main flow	1. The Borrower selects a date and one or more consecutive configured 45-minute periods within one morning or afternoon session. 2. The Borrower enters purpose and headcount 3. The system derives and displays the start and end of the reservation. 4. The Borrower confirms the request. 5. The system validates the session, role, room, selected periods, future start, capacity and overlap with approved bookings. 6. The system saves the request as Pending and displays its identifier and status.
Alternative flows	A1 (before step 4): 1. The Borrower changes the date or selected periods. 2. The system updates the derived interval. A2 (at step 1): 1. The Borrower selects periods across the break within one session. 2. The system includes the entire intervening break in the room reservation.
Exception flows	E1 (at step 5): 1. Periods are invalid, non-consecutive, outside operating hours, break-only or span both sessions. 2. The system identifies the error and rejects submission. E2 (at step 5): 1. Start is at or before the current time, headcount is invalid or exceeds capacity, or a required field is missing.

Field	Content
	2. The system identifies the field and retains entered values. E3 (at step 5): 1. The selected interval overlaps an approved booking. 2. The system reports the conflict and retains entered values. E4 (at step 5): 1. The room is Hidden or Out of service, or the user is unauthorized. 2. The system rejects submission E5 (at step 6): 1. A system error occurs. 2. The system reports failure and saves no partial request.
Business rules	BR-01, BR-03, BR-05 and BR-13. One request covers one room and one day. Rooms operate daily 07:30–11:00 and 13:30–17:00 UTC+7; breaks are 09:00–09:30 and 15:00–15:30. A selection spanning a break holds the room throughout it. P4–P5 requires two requests. Pending requests do not block one another; approval rechecks overlap.
Non-functional constraints	Server validates role and all input. Proposed response-time, responsive and accessibility targets remain subject to NFR review.

UC-19 — Approve or Reject a Room Booking

Field	Content
Use case ID	UC-19
Use case name	Approve or reject a room booking
Brief description	An authorized RM or Admin decides a Pending room request; approval reserves the interval without overlap.
Primary actor	Resource Manager or Admin
Secondary actors	Borrower

Field	**Content**
Priority	Must
Related requirements	F07 detailed FRs pending; FR-05-03, FR-06-05 and FR-06-06
Trigger	An active Resource Manager or Admin opens a Pending room request.
Pre-conditions	1. The actor is signed in, active and authorized 2. The request is Pending.
Post-conditions	Approval reserves the interval and displays it as occupied; rejection does not reserve it. The decision, actor and time are recorded. Failed operations leave state unchanged.
Main flow	1. The actor selects a Pending request. 2. The actor reviews the room, selected periods, derived interval, headcount, purpose and eligibility. 3. The actor chooses Approve. 4. The system rechecks status, future start, room eligibility, capacity and overlap consistently. 5. The system approves the request, records the decision, actor and time, and displays the interval as occupied.
Alternative flows	A1 (at step 3): 1. The actor chooses Reject. 2. The actor enters a nonblank reason. 3. The system records the rejection, reason, actor and time and makes the relevant reason available to the Borrower.
Exception flows	E1 (at step 4): 1. An approved interval overlaps. 2. The system rejects approval and leaves the request Pending. E2 (at step 4): 1. The start has passed, the room is Out of service, capacity is invalid or the request is stale. 2. The system rejects approval without partial changes E3 (at A1):

Field	Content
	1. The rejection reason is blank. 2. The system requests a reason and leaves the request Pending. E4 (at any step): 1. Access fails, another actor has processed the request or a system error occurs. 2. The system reports the problem without a duplicate transition.
Business rules	BR-01, BR-03 and BR-05. Any active RM or Admin can process requests; overlapping approved bookings are prohibited, while adjacent intervals are allowed. BR-05 requires a rejection reason. The v4 UC-19 wording still refers to Q-10 for this policy and needs reconciliation in the shared report. Existing approvals affected by a later Out of service change are handled outside the system.
Non-functional constraints	Authorization and consistent concurrent decisions are required. Quantitative response-time and load targets remain proposals.

UC-20 — Cancel a Room Booking

Field	Content
Use case ID	UC-20
Use case name	Cancel a room booking
Brief description	A Borrower cancels their own eligible Pending or Approved room request before its start.
Primary actor	Borrower
Secondary actors	None
Priority	Must
Related requirements	F07 cancellation FRs pending; FR-05-03
Trigger	The Borrower chooses Cancel on their own request.
Pre-conditions	1. The Borrower is signed in and owns the request

Field	Content
	2. The request is Pending or Approved and its start is in the future.
Post-conditions	The request is Cancelled; an approved interval is released and no longer appears occupied. The event is recorded. Failed cancellation changes nothing.
Main flow	1. The Borrower opens their request. 2. The Borrower selects Cancel and confirms the action 3. The system rechecks identity, ownership, status and start time. 4. The system records cancellation and releases any approved interval. 5. The system updates the personal request view and room schedule.
Alternative flows	A1 (at step 2): 1. The Borrower chooses to keep the request. 2. The system closes the confirmation without a state change.
Exception flows	E1 (at step 3): 1. The current time is at or after the start. 2. The system rejects cancellation E2 (at step 3): 1. The request is already rejected, cancelled or changed concurrently. 2. The system reports the current state and makes no duplicate transition. E3 (at any step): 1. Ownership or session validation fails or a system error occurs. 2. The system reports failure and saves no partial cancellation.
Business rules	BR-01, BR-03 and BR-05. Borrower cancellation requires confirmation and must occur before start. A later Out of service change does not automatically cancel approved bookings. The Borrower room-cancellation reason remains recorded as open in requirements v4 (Q-10).

Field	Content
Non-functional constraints	Server-side ownership and concurrent-state checks are required. Proposed response-time and accessibility targets remain subject to NFR review.

UC-21 View requests and business history

Field	Specification
Use case ID	**UC-21**
Use case name	**View requests and business history**
Brief description	Retrieve, display, and filter lifecycle statuses, operational queues, and chronological immutable business audit events for equipment loan requests, room bookings, catalog updates, and administrative actions, strictly scoped according to the caller's authenticated role and ownership permissions.
Primary actor	**Borrower, Resource Manager, Administrator** (All three roles within respective permission boundaries).
Secondary actors	None in the application interaction; automated background tasks (e.g., automatic missed-pickup expiry) generate attributable system audit events with system origin, not external actor sessions.
Priority	**Must** (Core traceability, transparency, and operational governance requirement).
Related requirements	F08, FR-01-03, FR-02-09, FR-02-15, FR-03-09, FR-04-06, FR-09-06
Trigger	The actor navigates to the request or history view (Borrower: M04 personal requests/history; RM/Admin: M06 operational queue/history).
Pre-conditions	The actor has an active authenticated account with a valid session (≤ 24 hours, BR-10). Data access is scoped to the actor's current role.
Post-conditions	Authorized requests and chronological audit events are displayed in newest-first order without state mutation. Credentials, internal maintenance notes, and other Borrowers' private data are excluded.

Main flow	1. The user navigates to the request/history view (Borrower: M04 personal history; RM/Admin: M06 operational queue). 2. The system checks session validity and scopes data to the actor's role (Borrower: own records; RM: unit-wide operational scope; Admin: all global records). 3. The system derives dynamic statuses (overdue loans, expired collection windows) and displays records sorted newest-first. 4. The user optionally filters by resource code, request ID, date range or status, or selects a record to view details. 5. The system displays the authorized event progression with timestamps, actor roles/names, outcomes and non-confidential reasons.
Alternative flows	A1 (step 2): 1. A Borrower's past request references a resource now Hidden or Out of service. 2. Display the historical reference and status label without exposing internal maintenance notes or reopening catalog access. A2 (step 3): 1. An RM inspects events processed by different staff members. 2. Display actual actor identities without requiring resource assignment or claiming (BR-01). A3 (step 3): 1. An equipment request expired or was rejected due to a competing approval. 2. Display the event with System origin and the system-generated reason. A4 (step 5): 1. A past actor account was deactivated or changed role. 2. Retain original actor identifier and event timestamp unchanged. A5 (step 4): 1. Filter criteria match no records. 2. Display an empty list within caller scope without leaking out-of-scope record counts.
Exception flows	E1 (step 2): 1. Session is expired, invalid or revoked. 2. Deny access and redirect to Sign in (UC-01). E2 (step 2/4): 1. A Borrower attempts direct URL access to another user's request. 2. Deny access (HTTP 403) with a generic error without confirming record existence. E3 (step 2): 1. An RM attempts access to Admin audit logs or state corrections. 2. Deny access (HTTP 403); restrict strictly to operational scope. E4 (step 4): 1. Filter parameters are invalid (e.g. start date > end date). 2. Reject input with validation message and keep current view. E5 (step 3/5): 1. Database retrieval fails or times out. 2. Report failure and allow retry; do not display a false empty list.
Business rules	BR-01, BR-04, BR-05, BR-08, BR-10, BR-16, BR-23. All RMs share equal operational access without assignment. Borrowers access only their own records; internal maintenance reasons, telemetry and credentials are never exposed. Account changes preserve historical references. Overdue status is derived dynamically. See business rules.

Non-functional constraints	Enforce server-side authorization, role scoping and session validity (BR-10); never expose credentials in logs or responses. Display dates and times consistently in UTC+7. Pagination defaults to 20 records per page. Performance (P95 ≤ 1.0s under 200 CCU) and WCAG AA accessibility criteria follow 2.2.9.

UC-22 Correct inconsistent resource and request states

Field	Specification
Use case ID	**UC-22**
Use case name	**Correct inconsistent resource and request states**
Brief description	Investigate, validate, preview, and atomically rectify anomalous, desynchronized, or contradictory resource and request lifecycle states through an authorized, transactional, and fully audited administrative workflow strictly governed by the approved correction catalog.
Primary actor	**Administrator** (Admin role exclusively).
Secondary actors	None; reporting Borrowers or staff communicate suspected data discrepancies outside the application interaction.
Priority	**Must** (Data integrity, system stability, and exception governance requirement).
Related requirements	F09, FR-01-03, FR-02-10, FR-08-01, FR-08-02, FR-08-04, FR-09-04
Trigger	Admin investigates a reported anomaly or data inconsistency and opens State Correction (Screen M10).
Pre-conditions	The actor is an active authenticated Admin with a valid session. Target records exist and the intended correction matches an operation in the approved catalog (Q-09).
Post-conditions	Target resource and linked request records are updated atomically to consistent states. An immutable correction event with Admin ID, UTC+7 timestamp, before/after values and mandatory reason is recorded. Historical physical event records remain unchanged. Failure leaves database state unmodified.

Main flow	1. Admin opens the State Correction view (M10) and enters the target resource code or request ID. 2. The system verifies Admin authority, retrieves target entities and linked obligations, and displays current states. 3. Admin selects an operation from the approved catalog (Q-09) and enters a mandatory justification reason (1–500 trimmed characters). 4. The system validates invariants and displays a side-by-side preview of current (Before) and proposed (After) values. 5. Admin confirms; the system atomically updates all target records, inserts an immutable before/after audit event, and displays the result.
Alternative flows	A1 (step 4): 1. The correction affects multiple linked requests. 2. Preview and update all related records within the same atomic commit. A2 (step 3): 1. Reason text contains outer whitespace. 2. Trim whitespace and validate length (1–500 characters). A3 (step 4): 1. Admin cancels at preview. 2. Discard staged changes without modifying data or writing an audit log.
Exception flows	E1 (step 2): 1. Caller is not an active Admin. 2. Deny access (HTTP 403) without making changes. E2 (step 3): 1. Operation is unapproved, unsupported or attempts raw SQL/DB editing. 2. Reject request under Q-09 policy. E3 (step 3): 1. Admin attempts to edit confirmed pickup appointments, simulate returns without physical receipt, or alter account roles. 2. Block action and direct Admin to regular workflows (UC-04, UC-12, or UC-14). E4 (step 3): 1. Justification reason is blank, whitespace-only or exceeds 500 characters. 2. Reject submission and require valid reason. E5 (step 4/5): 1. Proposed correction creates room schedule overlap or duplicate reservation. 2. Reject with conflict error and abort transaction. E6 (step 5): 1. Concurrency conflict: records changed since preview was loaded. 2. Abort transaction, preserve current records, and require reload. E7 (step 5): 1. Database transaction fails. 2. Roll back all changes completely; display error.
Business rules	BR-01, BR-08, BR-10, BR-13, BR-15, BR-16, BR-20, BR-22, BR-23, BR-24. Corrections are restricted to Admin and approved catalog operations (Q-09). A nonblank reason (1–500 trimmed characters) and preview confirmation are mandatory. Invariants (no room overlap, no duplicate reservations) must hold. Corrections cannot bypass pickup edits (UC-12), physical returns (UC-14), or erase historical events. See business rules.
Non-functional constraints	Multi-entity state updates must execute in a single atomic database transaction (ACID) with optimistic concurrency locking. Append immutable before/after audit records with Admin attribution and reason. Server-side RBAC enforcement is mandatory; transactional commit latency ≤ 1.0s.

8 Prototype / Mockups

Screen	Related use case(s)	Mockup / link
S01 Sign in	UC-01	Frame
S11 Borrower registration	UC-06	Frame
S02 Accounts	UC-03, UC-05	Frame
S03 Catalogue	UC-07	Frame
S14 Manage resources	UC-08?09	Frame
S04 Equipment request	UC-10	Frame
S05 Equipment processing	UC-11?12	Frame
S06 Handover and return	UC-13?14, UC-16	Frame
S07 Room schedule	UC-17	Frame
S07b Room out of service	UC-17?18	Frame
S08 Room booking	UC-18	Frame
S09 Room requests	UC-19	Frame
S10 My requests	UC-15, UC-20?21	Frame
S12 Request history	UC-21	Frame
S13 State correction	UC-22	Frame
S07 Room schedule mobile	UC-17	Frame
S08 Room booking mobile	UC-18	Frame

9 Requirements Traceability Matrix

All 89 current functional requirements have matching acceptance criteria and current use-case references or an explicit noninteractive exception. Screen identifiers follow Minh's S screen register and are linked

by purpose; they are not assumed to be aliases of the consolidated edition's M identifiers. PA3 design and PA4 test-case identifiers remain pending. This matrix records specification coverage, not completed implementation or test execution.

Requirement	Use case	Screen	Acceptance criterion	Design	Test case
FR-01-01	UC-01	S01	AC-01-01	Pending PA3	Pending PA4
FR-01-02	UC-02	S01	AC-01-02	Pending PA3	Pending PA4
FR-01-03	UC-01, UC-03, UC-04, UC-05, UC-07, UC-11, UC-12, UC-19, UC-21	S01; S02; S03; S05; S09; S12; S10	AC-01-03	Pending PA3	Pending PA4
FR-01-04	UC-06	S11	AC-01-04	Pending PA3	Pending PA4
FR-01-05	UC-01, UC-03, UC-06	S01; S02; S11	AC-01-05	Pending PA3	Pending PA4
FR-01-06	UC-03, UC-05, UC-06	S02; S11	AC-01-06	Pending PA3	Pending PA4
FR-01-07	UC-01, UC-02, UC-04, UC-05	S01; S02	AC-01-07	Pending PA3	Pending PA4
FR-02-01	UC-08	S14	AC-02-01	Pending PA3	Pending PA4
FR-02-02	UC-08	S14	AC-02-02	Pending PA3	Pending PA4
FR-02-03	UC-07	S03	AC-02-03	Pending PA3	Pending PA4
FR-02-04	UC-07, UC-17	S03; S07; S07b	AC-02-04	Pending PA3	Pending PA4
FR-02-05	UC-09	S14	AC-02-05	Pending PA3	Pending PA4
FR-02-06	UC-07, UC-10, UC-18	S03; S04; S08	AC-02-06	Pending PA3	Pending PA4
FR-02-07	UC-09, UC-10, UC-18	S14; S04; S08	AC-02-07	Pending PA3	Pending PA4
FR-02-08	UC-09, UC-10, UC-11, UC-18, UC-19	S14; S04; S05; S08; S09	AC-02-08	Pending PA3	Pending PA4
FR-02-09	UC-07, UC-09, UC-21	S03; S14; S12; S10	AC-02-09	Pending PA3	Pending PA4
FR-02-10	UC-09, UC-14, UC-22	S14; S06; S13	AC-02-10	Pending PA3	Pending PA4
FR-02-11	UC-08	S14	AC-02-11	Pending PA3	Pending PA4
FR-02-12	UC-08, UC-09	S14	AC-02-12	Pending PA3	Pending PA4
FR-02-13	UC-08	S14	AC-02-13	Pending PA3	Pending PA4
FR-02-14	UC-08, UC-09	S14	AC-02-14	Pending PA3	Pending PA4
FR-02-15	UC-07, UC-08, UC-09, UC-21	S03; S14; S12; S10	AC-02-15	Pending PA3	Pending PA4

Requirement	Use case	Screen	Acceptance criterion	Design	Test case
FR-02-16	UC-08, UC-09	S14	AC-02-16	Pending PA3	Pending PA4
FR-03-01	UC-10	S04	AC-03-01	Pending PA3	Pending PA4
FR-03-02	UC-10	S04	AC-03-02	Pending PA3	Pending PA4
FR-03-03	UC-10	S04	AC-03-03	Pending PA3	Pending PA4
FR-03-04	UC-11	S05	AC-03-04	Pending PA3	Pending PA4
FR-03-05	UC-11	S05	AC-03-05	Pending PA3	Pending PA4
FR-03-06	UC-11	S05	AC-03-06	Pending PA3	Pending PA4
FR-03-07	UC-11	S05	AC-03-07	Pending PA3	Pending PA4
FR-03-08	UC-12	S05	AC-03-08	Pending PA3	Pending PA4
FR-03-09	UC-10, UC-11, UC-12, UC-21	S04; S05; S12; S10	AC-03-09	Pending PA3	Pending PA4
FR-03-10	UC-15	S10	AC-03-10	Pending PA3	Pending PA4
FR-03-11	UC-15	S10	AC-03-11	Pending PA3	Pending PA4
FR-03-12	UC-15	S10	AC-03-12	Pending PA3	Pending PA4
FR-03-13	Automatic system expiry; no actor-initiated UC	S10; S05 (expiry outcome only)	AC-03-13	Pending PA3	Pending PA4
FR-03-14	UC-12, UC-13	S05; S06	AC-03-14	Pending PA3	Pending PA4
FR-03-15	UC-12, UC-13	S05; S06	AC-03-15	Pending PA3	Pending PA4
FR-04-01	UC-13	S06	AC-04-01	Pending PA3	Pending PA4
FR-04-02	UC-13	S06	AC-04-02	Pending PA3	Pending PA4
FR-04-03	UC-14	S06	AC-04-03	Pending PA3	Pending PA4
FR-04-04	UC-14	S06	AC-04-04	Pending PA3	Pending PA4
FR-04-05	UC-16	S06	AC-04-05	Pending PA3	Pending PA4
FR-04-06	UC-16, UC-21	S06; S12; S10	AC-04-06	Pending PA3	Pending PA4
FR-05-01	UC-17	S07; S07b	AC-05-01	Pending PA3	Pending PA4
FR-05-02	UC-17	S07; S07b	AC-05-02	Pending PA3	Pending PA4

Requirement	Use case	Screen	Acceptance criterion	Design	Test case
FR-05-03	UC-17	S07; S07b	AC-05-03	Pending PA3	Pending PA4
FR-05-04	UC-17	S07; S07b	AC-05-04	Pending PA3	Pending PA4
FR-05-05	UC-17	S07; S07b	AC-05-05	Pending PA3	Pending PA4
FR-05-06	UC-17	S07; S07b	AC-05-06	Pending PA3	Pending PA4
FR-06-01	UC-18	S08	AC-06-01	Pending PA3	Pending PA4
FR-06-02	UC-18	S08	AC-06-02	Pending PA3	Pending PA4
FR-06-03	UC-18	S08	AC-06-03	Pending PA3	Pending PA4
FR-06-04	UC-18	S08	AC-06-04	Pending PA3	Pending PA4
FR-06-05	UC-18	S08	AC-06-05	Pending PA3	Pending PA4
FR-06-06	UC-18	S08	AC-06-06	Pending PA3	Pending PA4
FR-06-07	UC-18	S08	AC-06-07	Pending PA3	Pending PA4
FR-06-08	UC-18	S08	AC-06-08	Pending PA3	Pending PA4
FR-06-09	UC-18	S08	AC-06-09	Pending PA3	Pending PA4
FR-07-01	UC-19	S09	AC-07-01	Pending PA3	Pending PA4
FR-07-02	UC-19	S09	AC-07-02	Pending PA3	Pending PA4
FR-07-03	UC-19	S09	AC-07-03	Pending PA3	Pending PA4
FR-07-04	UC-19	S09	AC-07-04	Pending PA3	Pending PA4
FR-07-05	UC-20	S10	AC-07-05	Pending PA3	Pending PA4
FR-07-06	UC-19	S09	AC-07-06	Pending PA3	Pending PA4
FR-07-07	UC-18; UC-19	S08; S09	AC-07-07	Pending PA3	Pending PA4
FR-07-08	UC-19	S09	AC-07-08	Pending PA3	Pending PA4
FR-07-09	UC-19, UC-20	S09; S10	AC-07-09	Pending PA3	Pending PA4
FR-08-01	UC-21	S12; S10	AC-08-01	Pending PA3	Pending PA4
FR-08-02	UC-21	S12; S10	AC-08-02	Pending PA3	Pending PA4

Requirement	Use case	Screen	Acceptance criterion	Design	Test case
FR-08-03	UC-21	S12; S10	AC-08-03	Pending PA3	Pending PA4
FR-08-04	UC-21	S12; S10	AC-08-04	Pending PA3	Pending PA4
FR-08-05	UC-21	S12; S10	AC-08-05	Pending PA3	Pending PA4
FR-08-06	UC-21	S12; S10	AC-08-06	Pending PA3	Pending PA4
FR-08-07	UC-21	S12; S10	AC-08-07	Pending PA3	Pending PA4
FR-08-08	UC-21	S12; S10	AC-08-08	Pending PA3	Pending PA4
FR-08-09	UC-21	S12; S10	AC-08-09	Pending PA3	Pending PA4
FR-09-01	UC-03	S02	AC-09-01	Pending PA3	Pending PA4
FR-09-02	UC-01, UC-04	S01; S02	AC-09-02	Pending PA3	Pending PA4
FR-09-03	UC-04, UC-14	S02; S06	AC-09-03	Pending PA3	Pending PA4
FR-09-04	UC-04	S02	AC-09-04	Pending PA3	Pending PA4
FR-09-05	UC-05	S02	AC-09-05	Pending PA3	Pending PA4
FR-09-06	UC-03, UC-04, UC-05, UC-06, UC-21	S02; S11; S12; S10	AC-09-06	Pending PA3	Pending PA4
FR-09-07	UC-04	S02	AC-09-07	Pending PA3	Pending PA4
FR-09-08	Setup prerequisite; UC-06 rejects public privileged registration	Setup process; no public screen	AC-09-08	Pending PA3	Pending PA4
FR-09-09	UC-22	S13	AC-09-09	Pending PA3	Pending PA4
FR-09-10	UC-22	S13	AC-09-10	Pending PA3	Pending PA4
FR-09-11	UC-22	S13	AC-09-11	Pending PA3	Pending PA4
FR-09-12	UC-22	S13	AC-09-12	Pending PA3	Pending PA4

Domain requirements traceability

Domain ID	FR and BR links	Acceptance basis
DR-01	FR-02-01/04/11/16; BR-12/18	AC-02-01/04/11/16
DR-02	FR-03-05; FR-04-01/02; BR-04/05	AC-03-05; AC-04-01/02

Domain ID	FR and BR links	Acceptance basis
DR-03	FR-04-03/04/05; BR-04	AC-04-03/04/05
DR-04	FR-06-01/04/05; BR-03	AC-06-01/04/05
DR-05	FR-02-04/05/07/10; BR-13/18	AC-02-04/05/07/10
DR-06	FR-03-13/14/15; FR-04-05; BR-04	AC-03-13/14/15; AC-04-05
DR-07	FR-04-01/03; FR-09-05; BR-09	AC-04-01/03; AC-09-05
DR-08	FR-08-01/03/04/08; FR-09-06	AC-08-01/03/04/08; AC-09-06
DR-09	FR-06-03; BR-03/04/10	AC-06-03

Business rules traceability

Rule	Related requirements	Acceptance basis
BR-01	FR-01-03; FR-02-02; FR-02-05; FR-03-04; FR-03-05; FR-03-06; FR-03-08; FR-04-01; FR-04-02; FR-04-03; FR-06-07; FR-07-01; FR-07-02; FR-07-03; FR-07-04; FR-07-06; FR-08-01; FR-08-06; FR-08-07; FR-09-06; FR-09-09; FR-09-10; FR-09-11; FR-09-12	Matching AC IDs for the linked FRs
BR-02	FR-01-01; FR-01-04; FR-06-08; FR-09-01; FR-09-05	Matching AC IDs for the linked FRs
BR-03	FR-05-01; FR-05-02; FR-05-03; FR-05-05; FR-06-01; FR-06-02; FR-06-03; FR-06-04; FR-06-05; FR-06-07; FR-06-09; FR-07-01; FR-07-03; FR-07-04; FR-07-05; FR-07-06	Matching AC IDs for the linked FRs
BR-04	FR-02-10; FR-03-01; FR-03-05; FR-03-08; FR-03-09; FR-03-12; FR-03-13; FR-03-14; FR-03-15; FR-04-01; FR-04-02; FR-04-03; FR-04-04; FR-04-05; FR-04-06; FR-08-03	Matching AC IDs for the linked FRs
BR-05	FR-01-03; FR-02-06; FR-02-08; FR-02-09; FR-02-10; FR-03-01; FR-03-02; FR-03-03; FR-03-05; FR-03-06; FR-03-07; FR-03-10; FR-03-11; FR-03-12; FR-04-01; FR-04-03; FR-05-02; FR-05-03; FR-06-05; FR-06-06; FR-07-01; FR-07-02; FR-07-05; FR-07-06; FR-07-07; FR-07-08; FR-07-09; FR-08-03; FR-09-02; FR-09-03	Matching AC IDs for the linked FRs
BR-06	FR-01-01; FR-01-04; FR-01-05; FR-09-01; FR-09-08	Matching AC IDs for the linked FRs
BR-07	FR-01-01; FR-01-04; FR-01-06; FR-09-01; FR-09-05; FR-09-08	Matching AC IDs for the linked FRs
BR-08	FR-09-03; FR-09-04	Matching AC IDs for the linked FRs
BR-09	FR-09-05	Matching AC IDs for the linked FRs
BR-10	FR-01-01; FR-01-02; FR-01-03; FR-01-07; FR-09-02; FR-09-04; FR-09-05	Matching AC IDs for the linked FRs
BR-11	FR-01-01; FR-01-03; FR-01-04; FR-06-08; FR-09-01; FR-09-02; FR-09-04; FR-09-07; FR-09-08	Matching AC IDs for the linked FRs
BR-12	FR-02-01; FR-02-02; FR-02-11; FR-02-13; FR-06-04	Matching AC IDs for the linked FRs
BR-13	FR-02-04; FR-02-05; FR-02-06; FR-02-07; FR-02-08; FR-02-12; FR-03-02; FR-04-04; FR-05-04; FR-06-06; FR-07-01; FR-07-07; FR-08-04	Matching AC IDs for the linked FRs
BR-14	FR-02-03	Matching AC IDs for the linked FRs

Rule	Related requirements	Acceptance basis
BR-15	FR-02-02; FR-02-13	Matching AC IDs for the linked FRs
BR-16	FR-02-05; FR-02-07; FR-02-15; FR-05-06; FR-08-04; FR-08-05	Matching AC IDs for the linked FRs
BR-17	FR-02-02; FR-02-08; FR-02-14	Matching AC IDs for the linked FRs
BR-18	FR-02-04; FR-02-06; FR-02-09; FR-02-16; FR-05-01; FR-05-04; FR-08-08	Matching AC IDs for the linked FRs
BR-19	FR-02-09; FR-02-15; FR-02-16; FR-03-09; FR-04-02; FR-04-04; FR-04-06; FR-05-06; FR-07-09; FR-08-01; FR-08-02; FR-08-03; FR-08-04; FR-08-05; FR-08-06; FR-08-07; FR-08-08; FR-08-09; FR-09-06	Matching AC IDs for the linked FRs
BR-20	FR-02-10; FR-09-09; FR-09-10; FR-09-11; FR-09-12	Matching AC IDs for the linked FRs

Non functional traceability

Measurement conditions, workload and hosting assumptions still need the outcomes recorded under I-04. NFR-04 must preserve the full password and session-revocation policies; implementation compatibility is I-05. Verification methods are planned activities rather than completed checks.

ID	Relevant flows	Verification basis
NFR-01	Relevant flows, services and S screens	JMeter test plan with 200 threads, 2-minute ramp-up and 10-minute steady state against the staging deployment loaded with the reference data. Read P95 from the aggregate report. Run in WBS 6.1.6.
NFR-02	Relevant flows, services and S screens	JMeter mixed write scenario with 50 threads, 5-minute steady state, same environment as NFR-01. Read P95 per operation from the aggregate report.
NFR-03	Relevant flows, services and S screens	Automated authorization matrix test in CI using direct API calls for anonymous users, each role, active/inactive accounts and owning/non-owning Borrowers. Check equal RM access to multiple resources and the Admin pickup-edit exception against the permission table.
NFR-04	Relevant flows, services and S screens	Inspect stored credentials and cookie flags; test password boundaries including multibyte input, logout token reuse, expiration, deactivation, role change and manual reset. Record the credential/token implementation decision under I-05.
NFR-05	Relevant flows, services and S screens	E2E test: sign in, deactivate the account as Admin, repeat a protected call with the old cookie and expect 401.
NFR-06	Relevant flows, services and S screens	OWASP ZAP baseline scan on staging before the PA5 release; negative API tests that send invalid, missing and oversized fields; check that HTTP is redirected to HTTPS.
NFR-07	Relevant flows, services and S screens	External uptime monitor calling a health endpoint every 5 minutes. Uptime = successful checks ÷ all checks inside the working-hours window, taken from the monitor logs.
NFR-08	Relevant flows, services and S screens	Restore a backup into a new database, measure the elapsed time and compare record counts with the source. Record the result and any plan limitation.
NFR-09	UC-11 and UC-19	Concurrency test (WBS 6.1.4): run 20 parallel approval calls for each resource type, repeated 10 times. Check the winning reservation, each competing request's final state and reason, and query for overlapping room bookings and double-reserved equipment.
NFR-10	Relevant flows, services and S screens	Checklist run on sign-in, catalogue, room schedule, booking form and request list at 360, 768 and 1920 px in each browser.

ID	Relevant flows	Verification basis
NFR-11	Relevant flows, services and S screens	Lighthouse or axe accessibility score ≥ 90 on each key screen, a contrast check on mockup colours, and a manual keyboard-only walkthrough of the booking flow. Results go to the §8 accessibility audit. Automated scores are supporting checks, not proof of WCAG conformance; manually verify the stated contrast, labels, keyboard order and error feedback.
NFR-12	Relevant flows, services and S screens	Moderated test with 5 students on the prototype (later the application): one scripted task, no hints, stopwatch time and success recorded per participant.

10 Requirements Review

Issue found	Requirement(s)	Resolution
Some FR identifiers were incorrectly indexed (skipped, duplicated or out-of-sequence numbers).	FR-01, FR-02, FR-03, FR-04, FR-09 (affected groups)	Re-indexed the affected FRs using the FR-<group>-<sequence> convention, and updated all references in the use cases and the Traceability matrix accordingly.
Use case specifications UC-06 (Register a Borrower account) and UC-16 (View overdue loans) were missing from the raw draft.	UC-06; UC-16; FR-01-04, FR-01-05, FR-01-06, FR-09-08; FR-04-05, FR-04-06	Added the complete specifications for UC-06 and UC-16, and linked them to the related FRs, business rules and screens (S11, S06).
Conflicts between the use case specifications and the prototype/mockups (flows, data fields and screen behavior were inconsistent).	Related use cases and corresponding screens	Cross-checked each use case against its mockup and resolved the conflicts by aligning the use cases and mockups with the team's agreed decisions. Intentional exceptions are documented in the Traceability matrix.

4	Traceability, Business Rules (BR), and Domain Requirements (DR) were incomplete. FR source metadata, priority columns, and key lifecycle/correction requirements were missing from §5.1 tables.	All FRs (FR-01 to FR-09, total 89 FRs); business rules (BR-01–BR-20); domain requirements (§5.3); Traceability matrix (§9)	Completed the Traceability matrix, BR, and DR linkages. Standardized the 4-part Source attribute (PA1 Fxx; G#; DR/BR; SH-#) and Priority across all FR tables in §5.1 with an explicit convention note. Restored missing functional requirements: FR-03-10 to FR-03-15 (equipment cancellation, staff cancellation, and capped auto-expiry under UC-15) and FR-09-09 to FR-09-12 (controlled administrative state corrections under UC-22 and BR-20), bringing §5.1 to exactly 89 FRs in full alignment with the Traceability Matrix and Acceptance Criteria.
5	Conflicts between initial draft requirements (FR-07-01, FR-07-02, FR-07-06, FR-08-06, NFR-03) and confirmed operational business rules (BR-01, BR-05).	FR-07-01, FR-07-02, FR-07-06, FR-08-06; NFR-03; BR-01, BR-05; §6.2 Actors	Eliminated obsolete 'assigned scope' and staff assignment restrictions in FR-07-01, FR-07-02, FR-07-06, FR-08-06, and NFR-03 to align with BR-01 and §6.2 (all active Resource Managers share equal operational authority across the single simulated unit). Updated FR-07-02 to mandate a nonblank written reason for booking rejection rather than leaving it optional, strictly complying with BR-05.

11 AI Usage Log

No.	Member	Tool	Task / Purpose	How the Output Was Verified and Changed
1	Nguyen Hoang My Trang	Antigravity (Claude Sonnet 4.6 Thinking)	Refine detailed Use Case specification for UC-09, "View History & State Correction" (Section 7, Table 8).	Enforced the business rule requiring Admin to provide a mandatory justification (`reason_for_change` of at least 10 characters) with automated audit logging; rejected direct history overwrite. Cross-checked resource and request status transitions with UC-04/05/06 and UC-07/08.
2	Nguyen Hoang My Trang	Antigravity (Claude Sonnet 4.6 Thinking and Gemini 3.8 Flash)	Prepare a checklist and log framework for the internal team Requirements Review meeting (Section 10, Table 11); cross-check member contributions.	Built review log Table 11 to track discrepancies across member drafts (Trang, Phuc, Minh, Nhat Anh). Verified that all flagged issues were resolved before baseline finalization.

3	Nguyen Hoang My Trang	Antigravity (Claude Sonnet 4.6 Thinking)	Audit the final SRS master dossier (Sections 1–11) for consistency; prepare the Contribution Assessment (Table 0) and AI Usage Log (Table 12).	Verified all nine Must-have features (F01–F09) against the PA1 Vision, eliminating out-of-scope items F10, F11, and notifications.
4	Nguyen Hoang My Trang	Antigravity (Claude Sonnet 4.6 Thinking and Gemini 3.8 Flash)	Draft the Week 05 Status Report (`W05-status.md`) for PA2 completion and establish the Week 06 Pre-PA3 preparation plan.	Recorded 100% completion across all 12 Week 05 tasks and documented the 02/11 meeting minutes with full team attendance (4/4). Simplified the Week 06 plan to about two high-level preparatory tasks per member (C4 Container sketch, initial ERD, overview diagrams, architecture ADR, and test strategy) to avoid wasted effort before official PA3 specifications were released.
5	Nguyen Hoang My Trang	Antigravity (Gemini 3.8 Flash)	Compile, format, and export the personal PA2 AI Usage Log (`ai-log-pa2.md`) in accordance with the course GenAI Policy.	Reviewed all session transcripts (31/10–02/11), logging tools, prompts, and verification steps. Ensured compliance with the table format, WBS codes, and academic integrity disclosures. Confirmed that AI-generated content was critically reviewed, edited, or rewritten.

6	Nguyen Tien Minh	Claude Code (Claude Sonnet 5.5)	Draft SRS Section 5.1 (F05 room schedule view and F06 room booking requests; WBS 2.2.6) and Section 5.2 non-functional requirements (WBS 2.2.9).	Rewrote the first draft into the PA2 template tables (Tables 3 and 4). Checked each row against the team-agreed PA1 final (Section 2.4 scope, Section 3.3 environment, Section 5 risks), WBS 2.2.6 and 2.2.9, and ADR-001 (half-open ranges, `timestamptz`, UTC+7). Used 360 px from PA1 instead of 375 px from the task list. Added no booking hours or duration limits because PA1 sets none. Marked figures from the task list and other unspecified values as assumptions for team confirmation.
7	Nguyen Tien Minh	Claude Code (Claude Sonnet 5.5), Figma MCP server, and ui-ux-pro-max skill	Draft SRS Section 7 specifications for UC-07 and UC-08 (WBS 2.3.6); design the UI for UC-01 to UC-08, build it as HTML, push editable frames and prototype links into Figma, and run an accessibility audit (WBS 2.3.8).	Checked the flows against PA1 final F05–F08 and Section 5.1; marked cases PA1 does not decide as assumptions. Replaced a dark-glass design-system suggestion with the Calendar/Scheduling palette and Inter for the light admin app. Removed an AI-invented sign-in lockout rule. Axe-core found zero violations on 11 screens. Layout checks at 360, 768, and 1280 px identified and fixed a 360 px schedule-stats overflow and a 40 px skip link. Deleted an old-UI Figma capture and manually filled empty date, time, and password fields. Manual keyboard and screen-reader checks remain open.

8	Nguyen Tien Minh	OpenAI Codex (tool confirmed by Minh; session history cleared)	Compare Minh's room requirements, grouped use cases, and mockup notes with Phuc's requirements, then assemble review packages and identify unresolved decisions.	Review notes record checks of use-case mapping, shared Resource Manager access, and room rules. The integrated package distinguishes confirmed requirements from open questions and does not claim an approved baseline. The original Phuc v2 archive was preserved. Minh confirmed Codex was used; the original session history is no longer available.
9	Nguyen Tien Minh	OpenAI Codex with Figma MCP and Playwright	Review the existing mockups against Phuc's use cases; create a separate Figma file, build or revise room mobile and representative desktop frames, and document prototype and accessibility limitations.	Compared requirements and exported screens; corrected use-case labels and a clipped S08 mobile field. Used Playwright to inspect frames and export PNGs. Some prototype navigation was created, but a complete end-to-end walkthrough and keyboard and screen-reader tests were not completed. Earlier axe results apply to the earlier HTML, not the revised Figma.
10	Nguyen Tien Minh	Figma Agent, with prompts prepared by OpenAI Codex	Revise selected account, catalogue, equipment, room schedule, booking, history, and correction mockups, and adapt	The user supplied Phuc's v4 requirements and directed the changes. Codex compared the resulting frames visually, identified inconsistencies for correction, and checked exported room screens. Figma Agent did not complete prototype interactions.

			the room screens to the v4 timetable.	
11	Nguyen Tien Minh	OpenAI Codex	Integrate Phuc's requirements v4 into Minh's SRS Section 5.1, grouped Section 7 room use cases, and Section 8 mockup links; add function names and checklists, and export current PNGs.	Compared v4 against the prior review package, kept F05/F06 and NFR approval status explicit, and identified conflicting UC-19/BR-05 wording. Checked 15 FR names/checklists and 17 PNGs and links, and fixed broken Markdown table spacing. Read `requirements-v4.zip` without modifying it. Full prototype and accessibility verification remains open.
12	Phan Nhat Anh	ChatGPT (OpenAI)	Identify assigned PA2 tasks and draft the contribution using the team task list and available requirements.	Identified Nhat Anh's task allocation and supplied the teammates' work. Asked which tasks could be completed and whether they depended on other members. Focused on domain requirements, business rules, acceptance criteria, and traceability; use-case specifications remained with their assigned owners.

13	Phan Nhat Anh	ChatGPT (OpenAI)	Draft and revise Section 5.3, separating domain requirements and business rules into tables.	Requested separate tables and preservation of Phuc's and Minh's shared rules. Questioned missing business-rule entries and requested comparison with the consolidated requirements. The revised contribution contains DR-01 to DR-09 and follows the consolidated BR-01 to BR-20 register; BR-19 concerns history and disclosure, and BR-20 concerns controlled corrections. Payments, deposits, and monetary penalties remain excluded.
14	Phan Nhat Anh	ChatGPT (OpenAI)	Write and update Given / When / Then acceptance criteria for F01–F09.	Supplied updated team materials and requested criteria matching the new requirements. Added AC-09-09 to AC-09-12 and corrected AC-07-07 to test blocked room-booking submissions rather than staff approval. Automated document checks confirmed 89 uniquely numbered criteria with explicit Given, When, and Then clauses. These checks validate specification structure, not application behavior.

15	Phan Nhat Anh	ChatGPT (OpenAI)	Build and update the Requirements Traceability Matrix.	Requested checks for missing requirements and mappings. The updated RTM links all 89 supplied FRs to matching acceptance criteria, current use-case references, and relevant screens, with documented exceptions for setup and automatic expiry. Automated checks confirmed one main RTM row per FR and four correction mappings to UC-22 and S13. PA3 design and PA4 test-case identifiers remain pending.
16	Phan Nhat Anh	ChatGPT (OpenAI)	Compare the contribution with the SRS template and consolidated FR, AC, and UC content.	Requested a consistency review and then an update to the DOCX. The review identified outdated correction mappings, differing BR numbering, an AC-07-07 mismatch, and incomplete UC-21 sorting/filtering coverage. Synchronized the ACs and RTM with consolidated requirements. The UC-21 change remains an owner handoff; unresolved cancellation, disclosure, correction, and NFR decisions are recorded without claiming team approval.

17	Phan Nhat Anh	ChatGPT (OpenAI)	Format and revise the Word contribution.	Requested removal of update labels and yellow highlighting, clarifying that only Section 5.3.3 should be deleted while acceptance-criteria use-case references and the RTM were retained. Rendered and visually inspected the DOCX layout. The contribution keeps separate domain and BR tables and excludes use-case specifications. No implementation, executed acceptance tests, or completed accessibility audit is claimed.
18	Doan Hong Phuc	ChatGPT (confirm)	Structure the problem statement and clarify product scope for WBS 2.1.1 and 2.1.2.	Review to confirm: Compared the draft with PA1 and organized the problem statement into context, problems, goals, operating environment, and constraints. Distinguished simulated assumptions from observed institutional practices. Retained F01–F09 as the core scope, deferred F10/F11, and excluded payments, deposits, and monetary penalties.
19	Doan Hong Phuc	ChatGPT (confirm)	Identify stakeholders and explain their roles and interests under WBS 2.1.1.	Review to confirm: Separated runtime actors from organizational stakeholders. Described Borrower, Resource Manager, and Admin responsibilities without granting extra application permissions to lecturers, university management, or course assessors. Removed wording that

				implied real interviews or sponsorship without evidence.
20	Doan Hong Phuc	ChatGPT (confirm)	Draft account, authentication, and permission requirements for F01 and relevant F09 functions under WBS 2.2.1.	Review to confirm: Checked the requirements against the three-role model. Clarified Borrower-only self-registration, manual Admin password reset, session invalidation, account deactivation, and role-change safeguards. Replaced resource-assignment restrictions with equal unit-wide Resource Manager operational access while retaining Borrower ownership checks.
21	Doan Hong Phuc	ChatGPT (confirm)	Refine equipment and room catalogue requirements under WBS 2.2.2.	Review to confirm: Distinguished Visible/Hidden publication, In service/Out of service readiness, and current occupancy. Checked resource-code uniqueness, required fields, room capacity, stale edits, and restrictions on location/capacity changes. Preserved historical references and prevented disclosure of internal status reasons to Borrowers.

22	Doan Hong Phuc	ChatGPT (confirm)	Clarify equipment requests, decisions, handover, return, and overdue requirements under WBS 2.2.3 and 2.2.4.	Review to confirm: Checked one-item requests, future pickup, exclusive approval, and rejection of competing Pending equipment requests. Applied expiry = min(confirmed pickup + 24 hours, return deadline). Distinguished expired uncollected reservations from overdue physical loans; required recorded physical receipt before releasing a loan; restricted confirmed-pickup edits to Resource Managers.
23	Doan Hong Phuc	ChatGPT (confirm)	Organize the use-case model, actors, and use-case list under WBS 2.3.1.	Review to confirm: Compared actor associations and feature coverage with F01–F09. Checked that shared Resource Manager access and Admin operational exceptions were reflected in the model. Kept initial Admin provisioning and automatic equipment expiry as documented noninteractive cases rather than inventing public setup or actor-initiated expiry use cases.
24	Doan Hong Phuc	ChatGPT (confirm)	Structure detailed account, catalogue, and equipment use-case specifications under WBS 2.3.2–2.3.5.	Review to confirm: Checked the 15 required specification fields, numbered main flows, alternative paths, and exception flows. Compared role, state, timing, and concurrency conditions with related FRs and shared rules. Updated references to the current UC register and

provided specifications for Nhat Anh's separate AC and RTM work.