



First Run

Model used yolov8n.pt *n stands for nano*

parameters: `yolo train model=yolov8n.pt data=dataset/data.yaml epochs=10
imgsz=640`

results:







Second run

After doing research I realized I should be using the latest model YOLOv11

```
parameters: yolo train model=yolov11n.pt data=dataset/data.yaml epochs=50
imgsz=640 patience=5 batch=-1 cache=True device=0
```

patience parameter stopped training at 22 epochs





third run

I'm now going to try the standard epochs of 300, I've also read in github forums that the patience is default to 50, meaning my 5 patience was way too strict. New patience of

50(15%-20%) of total epochs. I'm also decreasing the image size to increase the batch size within my 3gb GPU.

```
parameter: yolo train model=runs/detect/train6/weights/last.pt
data=dataset/data.yaml epochs=300 imgsz=540 patience=50 batch=-1 cache=True
device=0
```



This run was a flop! it only improved after one epoch :(And the confusion matrix has gotten worse since run 3

Fourth run

I've been using images that resemble my chess set off of roboflow, but I now added 21 of my own annotated images of my actual chess set and uploaded the data. I'm going back to my run 2 model to train and I'm going to also lower the image size to fit more.

```
parameters: yolo train model=runs/detect/train6/weights/best.pt  
data=dataset/data.yaml epochs=300 imgsz=416 patience=50 batch=-1 cache=True  
device=0
```

Jump: 2026/07/06

Fifth run