Survey on the Classification of Topological Phases of Matter

Julian L. Avila-Martinez Asdrúbal Moreno-Mosquera

November 13, 2025

Física, Universidad Distrital Francisco José de Caldas
jlavilam@udistrital.edu.co

UNIVERSIDAD DISTRITAL FRANCISCO JOSÉ DE CALDAS

INTERNATIONAL YEAR OF Quantum Science and Technology

IQSE 2025 International Symposium on Quantum Science and Engineering

Outline

The Standard Model of Phases

The GLW Paradigm: Spontaneous Symmetry Breaking

The **Ginzburg-Landau-Wilson (GLW)** framework was the standard paradigm for classifying phases of matter.

- **Core Idea:** Phase transitions are driven by **Spontaneous Symmetry Breaking** (SSB).
- **Key Tool:** A **local order parameter** (ϕ) emerges to describe the broken-symmetry state.
  - High-T (Symmetric): $\langle\phi\rangle = 0$
  - Low-T (Broken): $\langle\phi\rangle \neq 0$

Figure 1: SSB: Free energy $F(\phi)$ vs. order parameter ϕ.



The GLW Paradigm: Spontaneous Symmetry Breaking

The **Ginzburg-Landau-Wilson (GLW)** framework was the standard paradigm for classifying phases of matter.

- **Core Idea:** Phase transitions are driven by **Spontaneous Symmetry Breaking** (SSB).
- **Key Tool:** A **local order parameter** (ϕ) emerges to describe the broken-symmetry state.
  - High-T (Symmetric): $\langle \phi \rangle = 0$
  - Low-T (Broken): $\langle \phi \rangle \neq 0$

Figure 1: SSB: Free energy $F(\phi)$ vs. order parameter ϕ.



The **Ginzburg-Landau-Wilson (GLW)** framework was the standard paradigm for classifying phases of matter.

- **Core Idea:** Phase transitions are driven by **Spontaneous Symmetry Breaking** (SSB).
- **Key Tool:** A **local order parameter** (ϕ) emerges to describe the broken-symmetry state.
  - High-T (Symmetric): $\langle \phi \rangle = 0$
  - Low-T (Broken): $\langle \phi \rangle \neq 0$

Figure 1: SSB: Free energy $F(\phi)$ vs. order parameter ϕ.



The GLW Paradigm: Spontaneous Symmetry Breaking

The **Ginzburg-Landau-Wilson (GLW)** framework was the standard paradigm for classifying phases of matter.

- **Core Idea:** Phase transitions are driven by **Spontaneous Symmetry Breaking** (SSB).
- **Key Tool:** A **local order parameter** (ϕ) emerges to describe the broken-symmetry state.
  - High-T (Symmetric): $\langle \phi \rangle = 0$
  - Low-T (Broken): $\langle \phi \rangle \neq 0$

Figure 1: SSB: Free energy $F(\phi)$ vs. order parameter ϕ.



Core Contributions: The GLW Toolkit

Landau (1937)

Provided the foundational **mean-field framework**. Defined the order parameter based on **symmetry arguments**.

Ginzburg (1950)

Extended the theory to include **spatial fluctuations** ($|\nabla\phi|^2$). Introduced the **coherence length** (ξ).

Wilson (1971)

Provided the complete solution via the **Renormalization Group (RG)**. Explained **universality** and critical exponents.

Core Contributions: The GLW Toolkit

Landau (1937)

Provided the foundational **mean-field framework**. Defined the order parameter based on **symmetry arguments**.

Ginzburg (1950)

Extended the theory to include **spatial fluctuations** ($|\nabla\phi|^2$). Introduced the **coherence length** (ξ).

Wilson (1971)

Provided the complete solution via the **Renormalization Group (RG)**. Explained **universality** and critical exponents.

Core Contributions: The GLW Toolkit

Landau (1937)

Provided the foundational **mean-field framework**. Defined the order parameter based on **symmetry arguments**.

Ginzburg (1950)

Extended the theory to include **spatial fluctuations** ($|\nabla\phi|^2$). Introduced the **coherence length** (ξ).

Wilson (1971)

Provided the complete solution via the **Renormalization Group (RG)**. Explained **universality** and critical exponents.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the **same** symmetries.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion

GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- The Issue:
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the same symmetries.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion

GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the same symmetries.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion
GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the same symmetries.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion
GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the **same symmetries**.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion

GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the **same symmetries**.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion
GLW fails. We need a new framework, one based on more than just symmetry.

The Paradigm Fails: A Crisis in Physics

The GLW framework is fundamentally incomplete.

- **The Problem:** It cannot describe phases **without** a broken symmetry.
- **Key Example:** The **Quantum Hall Effect (QHE)**.
- **The Issue:**
  - QHE states (plateaus) are distinct phases of matter.
  - Yet, they all share the **same symmetries**.
  - No SSB $\implies$ no local ϕ.

Figure 2: QHE: ρ_{xy} is quantized; ρ_{xx} vanishes.



Conclusion

GLW fails. We need a new framework, one based on more than just symmetry.

The New Paradigm: Topology

The Geometric Phase: A Conceptual View



- A system evolves along a cyclic path C.
- The parameters of its Hamiltonian return to their start.
- ...but the wavefunction acquires an unexpected phase.

The Geometric Phase: A Conceptual View



- A system evolves along a cyclic path C.
- The parameters of its Hamiltonian return to their start.
- ...but the wavefunction acquires an unexpected phase.

The Geometric Phase: A Conceptual View



- A system evolves along a cyclic path $\mathcal{C}$.
- The parameters of its Hamiltonian return to their start.
- …but the wavefunction acquires an unexpected phase.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

The Two Phases

Dynamical Phase

- **Source:** The system's own energy over time.
- **Depends on:** How long the evolution takes (the duration T).
- **Analogy:** A clock hand sweeping.

Geometric Phase (Berry Phase)

- **Source:** The *geometry* of the parameter space.
- **Depends on:** The path C taken (its shape, its enclosed area).
- **Analogy:** The change in longitude after travelling a loop on a globe.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase** (1984)
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase** (1984)
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase** (1984)
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase** (1984)
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase (1984)**
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
  - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
  - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
  - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
  - A topological invariant (Chern number) found in data.
- **Berry Phase (1984)**
  - The unifying mathematical framework.
- **QSH Effect** (2005)
  - "Two copies" of the QHE, protected by topology.
- **Topological Insulators** (2007)
  - Generalization to 3D and new topological phases.

A Conceptual Timeline

Conceptual Foundations

A trail of clues in physics:

- **Dirac Monopole** (1931)
    - Required geometric structure in EM.
- **Bohm-Aharonov Effect** (1951)
    - Phase shift from a *path* in a non-trivial space.
- **Pancharatnam Phase** (1958)
    - Geometric phase in classical polarization optics.

The Topological Era

Unifying geometry with matter:

- **Integer QHE** (1982)
    - A topological invariant (Chern number) found in data.
- **Berry Phase (1984)**
    - The unifying mathematical framework.
- **QSH Effect** (2005)
    - “Two copies” of the QHE, protected by topology.
- **Topological Insulators** (2007)
    - Generalization to 3D and new topological phases.

Topological Invariants: The Local-to-Global Principle

Analogy: Geometry (Gauss-Bonnet)

Integrating *local* curvature over a *global* (closed) space yields a *quantized* invariant.

$$\frac{1}{2\pi}\int_{\mathcal{M}} K\,dA = \chi(\mathcal{M}) = 2 - 2g$$

Here, $g = 2$, so $\chi = -2$.

Application: Physics (1D SSH Model)

The exact same principle defines the topological phase.

$$\nu = \frac{1}{\pi}\oint_{\mathrm{BZ}} A_\nu(k)\,dk = \begin{cases} 1 & \text{(Topological)} \\ 0 & \text{(Trivial)} \end{cases}$$

Here, $\nu \in \mathbb{Z}$ is the invariant.

Topological Invariants: The Local-to-Global Principle

Analogy: Geometry (Gauss-Bonnet)

Integrating *local* curvature over a *global* (closed) space yields a *quantized* invariant.

$$\frac{1}{2\pi}\int_{\mathcal{M}} K\,dA = \chi(\mathcal{M}) = 2 - 2g$$

Here, $g = 2$, so $\chi = -2$.

Application: Physics (1D SSH Model)

The exact same principle defines the topological phase.

$$\nu = \frac{1}{\pi}\oint_{\mathrm{BZ}} A_\nu(k)\,dk = \begin{cases} 1 & \text{(Topological)} \\ 0 & \text{(Trivial)} \end{cases}$$

Here, $\nu \in \mathbb{Z}$ is the invariant.

Analogy: Geometry (Gauss-Bonnet)

Integrating *local* curvature over a *global* (closed) space yields a *quantized* invariant.

$$\frac{1}{2\pi}\int_{\mathcal{M}} K\,dA = \chi(\mathcal{M}) = 2 - 2g$$

Here, $g = 2$, so $\chi = -2$.

Application: Physics (1D SSH Model)

The exact same principle defines the topological phase.

$$\nu = \frac{1}{\pi}\oint_{\mathrm{BZ}} A_\nu(k)\,dk = \begin{cases} 1 & \text{(Topological)} \\ 0 & \text{(Trivial)} \end{cases}$$

Here, $\nu \in \mathbb{Z}$ is the invariant.

Topological Invariants: The Local-to-Global Principle

Analogy: Geometry (Gauss-Bonnet)

Integrating *local* curvature over a *global* (closed) space yields a *quantized* invariant.

$$\frac{1}{2\pi}\int_{\mathcal{M}} K\,dA = \chi(\mathcal{M}) = 2 - 2g$$

Here, $g = 2$, so $\chi = -2$.

Application: Physics (1D SSH Model)

The exact same principle defines the topological phase.

$$\nu = \frac{1}{\pi}\oint_{\text{BZ}} A_\nu(k)\,dk = \begin{cases} 1 & \text{(Topological)} \\ 0 & \text{(Trivial)} \end{cases}$$

Here, $\nu \in \mathbb{Z}$ is the invariant.

The Analogy at a Glance

Concept	Geometry (Gauss-Bonnet)	Physics (Topological Phase)
Local Property	Gaussian Curvature (K)	Berry Connection/Curvature ($A_k, \mathcal{F}$)
Global Space	Closed Surface ($\mathcal{M}$)	Brillouin Zone (BZ $\cong T^n$)
Quantized Invariant	Euler Characteristic ($\chi \in \mathbb{Z}$)	Winding/Chern Number ($\nu, C \in \mathbb{Z}$)

The Takeaway: Robustness

- The invariant (ν or χ) is robust to smooth, local deformations.
- (e.g., small bumps on the manifold, or small changes to the Hamiltonian $H(k)$).
- It can *only* change if the topology is broken (i.e., the energy gap closes).

The Analogy at a Glance

Concept	Geometry (Gauss-Bonnet)	Physics (Topological Phase)
Local Property	Gaussian Curvature (K)	Berry Connection/Curvature ($A_k, \mathcal{F}$)
Global Space	Closed Surface ($\mathcal{M}$)	Brillouin Zone (BZ $\cong T^n$)
Quantized Invariant	Euler Characteristic ($\chi \in \mathbb{Z}$)	Winding/Chern Number ($\nu, C \in \mathbb{Z}$)

The Takeaway: Robustness

- The invariant (ν or χ) is robust to smooth, local deformations.
- (e.g., small bumps on the manifold, or small changes to the Hamiltonian $H(k)$).
- It can *only* change if the topology is broken (i.e., the energy gap closes).

The Analogy at a Glance

Concept	Geometry (Gauss-Bonnet)	Physics (Topological Phase)
Local Property	Gaussian Curvature (K)	Berry Connection/Curvature ($A_k, \mathcal{F}$)
Global Space	Closed Surface ($\mathcal{M}$)	Brillouin Zone ($\text{BZ} \cong T^n$)
Quantized Invariant	Euler Characteristic ($\chi \in \mathbb{Z}$)	Winding/Chern Number ($\nu, C \in \mathbb{Z}$)

The Takeaway: Robustness

- The invariant (ν or χ) is robust to smooth, local deformations.
- (e.g., small bumps on the manifold, or small changes to the Hamiltonian $H(k)$).
- It can *only* change if the topology is broken (i.e., the energy gap closes).

The Analogy at a Glance

Concept	Geometry (Gauss-Bonnet)	Physics (Topological Phase)
Local Property	Gaussian Curvature (K)	Berry Connection/Curvature ($A_k, \mathcal{F}$)
Global Space	Closed Surface ($\mathcal{M}$)	Brillouin Zone (BZ $\cong T^n$)
Quantized Invariant	Euler Characteristic ($\chi \in \mathbb{Z}$)	Winding/Chern Number ($\nu, C \in \mathbb{Z}$)

The Takeaway: Robustness

- The invariant (ν or χ) is robust to smooth, local deformations.
- (e.g., small bumps on the manifold, or small changes to the Hamiltonian $H(k)$).
- It can *only* change if the topology is broken (i.e., the energy gap closes).

Topological Manifolds in Physics

Spinor Evolution

System: Adiabatic Spinor in Rotating Magnetic Field

Phase Type: Berry Phase

Manifold: Unit Sphere ($\mathbf{S}^2$) / Bloch Sphere



Crystalline Electrons

System: Electrons in Crystalline Solids

Phase Type: Zak Phase / Berry Phase

Manifold: Brillouin Zone ($\mathbf{T}^d$) / Torus

1D Crystal

System: One-Dimensional (1D) Crystal

Phase Type: Zak Phase

Manifold: Closed Loop ($\mathbf{S}^1$)



Topological Manifolds in Physics

Spinor Evolution

System: Adiabatic Spinor in Rotating Magnetic Field

Phase Type: Berry Phase

Manifold: Unit Sphere ($\mathbf{S}^2$) / Bloch Sphere



Crystalline Electrons

System: Electrons in Crystalline Solids

Phase Type: Zak Phase / Berry Phase

Manifold: Brillouin Zone ($\mathbf{T}^d$) / Torus

1D Crystal

System: One-Dimensional (1D) Crystal

Phase Type: Zak Phase

Manifold: Closed Loop ($\mathbf{S}^1$)



Topological Manifolds in Physics

Spinor Evolution

System: Adiabatic Spinor in Rotating Magnetic Field

Phase Type: Berry Phase

Manifold: Unit Sphere ($\mathbf{S}^2$) / Bloch Sphere



Crystalline Electrons

System: Electrons in Crystalline Solids

Phase Type: Zak Phase / Berry Phase

Manifold: Brillouin Zone ($\mathbf{T}^d$) / Torus

1D Crystal

System: One-Dimensional (1D) Crystal

Phase Type: Zak Phase

Manifold: Closed Loop ($\mathbf{S}^1$)



The Classification

The 10-Fold Way: Symmetries

The Three Fundamental Symmetries

- Time-Reversal (T) $T^2 = 0, +1, -1$, Particle-Hole (P) $P^2 = 0, +1, -1$
- Chiral (S) $S = TP, \quad S^2 = 0, 1$

		10 Symmetry Classes					
		TRS	**PHS**	**CS**	**d=1**	**d=2**	**d=3**
Standard (Wigner-Dyson)	A (unitary)	0	0	0	$--$	$\mathbb{Z}$	$--$
	AI (orthogonal)	+1	0	0	$--$	$--$	$--$
	AII (symplectic)	−1	0	0	$--$	$\mathbb{Z}_2$	$\mathbb{Z}_2$
Chiral	AIII (chiral unitary)	0	0	1	$\mathbb{Z}$	$--$	$\mathbb{Z}$
	BDI (chiral orthogonal)	+1	+1	1	$\mathbb{Z}$	$--$	$--$
	CII (chiral symplectic)	−1	−1	1	$\mathbb{Z}$	$--$	$\mathbb{Z}_2$
BdG	D (p-wave SC)	0	+1	0	$\mathbb{Z}_2$	$\mathbb{Z}$	$--$
	C (d-wave SC)	0	−1	0	$--$	$\mathbb{Z}$	$--$
	DIII (p-wave TRS SC)	−1	+1	1	$\mathbb{Z}_2$	$\mathbb{Z}_2$	$\mathbb{Z}$
	CI (d-wave TRS SC)	+1	−1	1	$--$	$--$	$\mathbb{Z}$

The 10-Fold Way: Symmetries

The Three Fundamental Symmetries

- Time-Reversal (T) $T^2 = 0, +1, -1$, Particle-Hole (P) $P^2 = 0, +1, -1$
- Chiral (S) $S = TP, \quad S^2 = 0, 1$

		10 Symmetry Classes					
		TRS	**PHS**	**CS**	**d=1**	**d=2**	**d=3**
Standard (Wigner-Dyson)	A (unitary)	0	0	0	$--$	$\mathbb{Z}$	$--$
	AI (orthogonal)	$+1$	0	0	$--$	$--$	$--$
	AII (symplectic)	-1	0	0	$--$	$\mathbb{Z}_2$	$\mathbb{Z}_2$
Chiral	AIII (chiral unitary)	0	0	1	$\mathbb{Z}$	$--$	$\mathbb{Z}$
	BDI (chiral orthogonal)	$+1$	$+1$	1	$\mathbb{Z}$	$--$	$--$
	CII (chiral symplectic)	-1	-1	1	$\mathbb{Z}$	$--$	$\mathbb{Z}_2$
BdG	D (p-wave SC)	0	$+1$	0	$\mathbb{Z}_2$	$\mathbb{Z}$	$--$
	C (d-wave SC)	0	-1	0	$--$	$\mathbb{Z}$	$--$
	DIII (p-wave TRS SC)	-1	$+1$	1	$\mathbb{Z}_2$	$\mathbb{Z}_2$	$\mathbb{Z}$
	CI (d-wave TRS SC)	$+1$	-1	1	$--$	$--$	$\mathbb{Z}$

The Math-Physics Link: The Periodic Table

The "Engine": Clifford Algebras

The 10 AZ symmetry classes have a 1-to-1 correspondence with the 10 real and complex Clifford Algebras.

The "Pattern": Bott Periodicity

This mathematical structure dictates that the classification is periodic:

- Period 2 for Complex classes.
- Period 8 for Real classes.

The Math-Physics Link: The Periodic Table

The “Engine”: Clifford Algebras

The 10 AZ symmetry classes have a 1-to-1 correspondence with the 10 real and complex Clifford Algebras.

The “Pattern”: Bott Periodicity

This mathematical structure dictates that the classification is periodic:

- Period 2 for Complex classes.
- Period 8 for Real classes.

Conclusions & Future Work

Conclusions: The Topological Paradigm

Problem: The Old Paradigm (GLW)

- Based on Spontaneous Symmetry Breaking (SSB).
- Relies on a **local order parameter**.
- FAILS for phases with no local order (e.g., QHE).

Solution: The New Paradigm (Topology)

- Replaces local order → global topological invariant ($\nu, C \in \mathbb{Z}$).
- Invariant is computed from the **Berry Phase**.
- This phase encodes the **geometry** of the parameter space (BZ).

Result: A New "Periodic Table"

- Symmetries (T, P, S) + Topology $\implies$ **10-fold Way**.
- This structure maps directly to the 10 **Clifford Algebras**.

Conclusions: The Topological Paradigm

Problem: The Old Paradigm (GLW)

- Based on Spontaneous Symmetry Breaking (SSB).
- Relies on a **local order parameter**.
- FAILS for phases with no local order (e.g., QHE).

Solution: The New Paradigm (Topology)

- Replaces local order → global topological invariant ($\nu, C \in \mathbb{Z}$).
- Invariant is computed from the **Berry Phase**.
- This phase encodes the **geometry** of the parameter space (BZ).

Result: A New "Periodic Table"

- Symmetries (T, P, S) + Topology $\implies$ **10-fold Way**.
- This structure maps directly to the 10 **Clifford Algebras**.

Conclusions: The Topological Paradigm

Problem: The Old Paradigm (GLW)

- Based on Spontaneous Symmetry Breaking (SSB).
- Relies on a **local order parameter**.
- FAILS for phases with no local order (e.g., QHE).

Solution: The New Paradigm (Topology)

- Replaces local order → global topological invariant ($\nu, C \in \mathbb{Z}$).
- Invariant is computed from the **Berry Phase**.
- This phase encodes the **geometry** of the parameter space (BZ).

Result: A New "Periodic Table"

- Symmetries (T, P, S) + Topology $\implies$ **10-fold Way**.
- This structure maps directly to the 10 **Clifford Algebras**.

Future Work: Deeper Connections

The Foundation: K-Theory

- Bott Periodicity & K-Theory
- Classification of Vector Bundles
- Cohomology & Characteristic Classes

The Dynamics: TQFT

- Topological Quantum Field Theory (TQFT)
- Effective Field Theories (e.g., Chern-Simons)
- Fractional Statistics & Anyonic Braiding
- Topological Entanglement

From **static classification** → **dynamic computation**.

Future Work: Deeper Connections

The Foundation: K-Theory

- Bott Periodicity & K-Theory
- Classification of Vector Bundles
- Cohomology & Characteristic Classes

The Dynamics: TQFT

- Topological Quantum Field Theory (TQFT)
- Effective Field Theories (e.g., Chern-Simons)
- Fractional Statistics & Anyonic Braiding
- Topological Entanglement

From **static classification** → **dynamic computation**.

Future Work: Deeper Connections

The Foundation: K-Theory

- Bott Periodicity & K-Theory
- Classification of Vector Bundles
- Cohomology & Characteristic Classes

The Dynamics: TQFT

- Topological Quantum Field Theory (TQFT)
- Effective Field Theories (e.g., Chern-Simons)
- Fractional Statistics & Anyonic Braiding
- Topological Entanglement

From static classification → dynamic computation.

References

References

[1] Alexander Altland. ***Condensed Matter Field Theory.*** Ed. by Ben Simons. Second edition. Includes bibliographical references and index. Leiden: Cambridge University Press, 2010. 1770 pp. ISBN: 9780511789984.

[2] Freeman J. Dyson. **"The Threefold Way. Algebraic Structure Of Symmetry Groups And Ensembles In Quantum Mechanics".** In: *Journal of Mathematical Physics* 3.6 (Nov. 1962), pp. 1199–1215. ISSN: 1089-7658. DOI: 10.1063/1.1703863.

References ii

[3] Motohiko Ezawa. **"Supersymmetric Structure Of Quantum Hall Effects In Graphene".** In: *Physics Letters A* 372.6 (Feb. 2008), pp. 924–929. ISSN: 0375-9601. DOI: `10.1016/j.physleta.2007.08.071`.

[4] Eduardo Fradkin. ***Field Theories Of Condensed Matter Physics.*** Cambridge University Press, Feb. 2013. ISBN: 9781139015509. DOI: `10.1017/cbo9781139015509`.

[5] Roman Geiko and Gregory W. Moore. **"Dyson's Classification And Real Division Superalgebras".** In: *Journal of High Energy Physics* 2021.4 (Apr. 2021). ISSN: 1029-8479. DOI: `10.1007/jhep04(2021)299`.

[6] M. Z. Hasan and C. L. Kane. **“Colloquium: Topological Insulators”.** In: *Reviews of Modern Physics* 82.4 (Nov. 2010), pp. 3045–3067. ISSN: 1539-0756. DOI: `10.1103/revmodphys.82.3045`.

[7] Alexei Kitaev, Vladimir Lebedev, and Mikhail Feigel’man. **“Periodic Table For Topological Insulators And Superconductors”.** In: *AIP Conference Proceedings*. AIP, 2009. DOI: `10.1063/1.3149495`.

[8] Ling Lu, John D. Joannopoulos, and Marin Soljačić. **“Topological States In Photonic Systems”.** In: *Nature Physics* 12.7 (June 2016), pp. 626–629. ISSN: 1745-2481. DOI: `10.1038/nphys3796`.

[9] Takahiro Morimoto and Akira Furusaki. **"Topological Classification With Additional Symmetries From Clifford Algebras".** In: *Physical Review B* 88.12 (Sept. 2013), p. 125129. ISSN: 1550-235X. DOI: `10.1103/physrevb.88.125129`.

[10] Jiannis K. Pachos. **"Manifestations Of Topological Effects In Graphene".** In: *Contemporary Physics* 50.2 (Mar. 2009), pp. 375–389. ISSN: 1366-5812. DOI: `10.1080/00107510802650507`.

[11] Kee-Su Park. ***Topological Effects, Index Theorem And Supersymmetry In Graphene.*** 2010. DOI: `10.48550/ARXIV.1009.6033`.

[12] Xiao-Liang Qi and Shou-Cheng Zhang. **"Topological Insulators And Superconductors".** In: *Reviews of Modern Physics* 83.4 (Oct. 2011), pp. 1057–1110. ISSN: 1539-0756. DOI: `10.1103/revmodphys.83.1057`.

[13] S. Das S. Sahoo. **"Fractional Quantum Hall Effect In Graphene".** In: *Indian Journal of Pure & Applied Physics* Vol. 47 (Sept. 2009), pp. 658–662.

[14] Albert Schwarz. ***Topology For Physicists.*** Ed. by Silvio Levy. Grundlehren der Mathematischen Wissenschaften Ser. v.308. Description based on publisher supplied metadata and other sources. Berlin, Heidelberg: Springer Berlin / Heidelberg, 1996. 1299 pp. ISBN: 9783662029985.

[15] Shun-Qing Shen. ***Topological Insulators. Dirac equation in condensed matter.*** Second edition. Physics. Singapore: Springer, 2017. 266 pp. ISBN: 9789811351792.

[16] Tudor D. Stanescu. ***Introduction To Topological Quantum Matter & Quantum Computation.*** Includes bibliographical references and index. Boca Raton, FL: CRC Press, Taylor & Francis Group, 2017. 1 p. ISBN: 9781482245936.

[17] David Vanderbilt. ***Berry Phases In Electronic Structure Theory: Electric Polarization, Orbital Magnetization And Topological Insulators.*** Cambridge University Press, Oct. 2018. ISBN: 9781107157651. DOI: `10.1017/9781316662205`.

[18] X. G. WEN. **“Topological Orders In Rigid States”.** In: *International Journal of Modern Physics B* 04.02 (Feb. 1990), pp. 239–271. ISSN: 1793-6578. DOI: `10.1142/s0217979290000139`.

[19] Xiao-Gang Wen. **"Colloquium : Zoo Of Quantum-Topological Phases Of Matter".** In: *Reviews of Modern Physics* 89.4 (Dec. 2017), p. 041004. ISSN: 1539-0756. DOI: `10.1103/revmodphys.89.041004`.

[20] Su-Yang Xu. **"Discoveries Of New Topological States Of Matter Beyond Topological Insulators".** In: 2014. URL: `https://api.semanticscholar.org/CorpusID:124150210`.

[21] Martin R. Zirnbauer. **"Bott Periodicity And The "periodic Table" Oftopological Insulators And Superconductors".** In: July 24, 2017.

Thank you!

Questions or Comments?

Survey on the Classification of Topological Phases of Matter

Julian L. Avila-Martinez   Asdrúbal Moreno-Mosquera

November 13, 2025

Física, Universidad Distrital Francisco José de Caldas
jlavilam@udistrital.edu.co

UNIVERSIDAD DISTRITAL FRANCISCO JOSÉ DE CALDAS

INTERNATIONAL YEAR OF Quantum Science and Technology

IQSE 2025 International Symposium on Quantum Science and Engineering