Aybee Platform API Reference

Base URL

```
https://platform.aybee.ai/version-test/api/1.1
```

Authentication

All requests require a Bearer token in the `Authorization` header:

```
Authorization: Bearer 499ce90a809acb4efe0a7a9eed19a82e
```

Pagination

All list endpoints support cursor-based pagination:

- `limit` (int): Number of records per page (max 100)
- `cursor` (int): Offset for pagination (start at 0, increment by limit)

Response wrapper:

```json
{
  "response": {
    "cursor": 0,
    "results": [...],
    "count": 100,
    "remaining": 319
  }
}
```

- `count`: number of results returned in this page
- `remaining`: number of results still available after this page

---

1. Company

Endpoint: `GET /obj/company`

Represents a customer organization on the platform.

Key Fields

Field	Type	Description
`_id`	string	Unique identifier
`name`	string	Company display name
`nameLowercase`	string	Lowercased name (for search/sorting)
`status`	string	Account status. Values: `"Registered"`, `"As you go"`, `"Package Customer"`, `"One-Off"`
`numberCredits`	number	**Current credit balance** (can be negative if overcharged)
`allowOvercharge?`	boolean	Whether the company can go into negative credits
`OS Pricing Type`	string	Pricing model, observed value: `"SLG"`
`OS Credit Package`	string	Current package tier. Values: `"As you go"`, `"Business"`, `"Explorer"`, `"Custom/Enterprise"`
`OS Schedule Renew`	string	Renewal frequency. Values: `"Anually"`, `"Quarterly"`, `"No renewal"`
`currency`	string	Optional. e.g. `"Euro"`
`registeredDate`	ISO 8601	When the company registered
`Created Date`	ISO 8601	Record creation timestamp
`Modified Date`	ISO 8601	Last modification timestamp
`Created By`	string	User ID who created the record

Billing Fields (optional)

Field	Type	Description
`billingAddress`	string	Street address
`billingCity`	string	City
`billingPostalCode`	string	Postal/ZIP code

Field	Type	Description
`billingCountry`	string	Country name

Relationship Fields (lists of IDs)

Field	Type	Description
`Company_user`	string[]	User IDs associated with this company
`Customer_Projects`	string[]	All project IDs linked to this company
`active/finished Projects`	string[]	Projects that are active or completed
`Credit Packages`	string[]	Credit package IDs owned by this company
`Credit Transactions`	string[]	Credit transaction IDs for this company
`Transactions`	string[]	Transaction IDs for this company
`Payments`	string[]	Payment record IDs

Other Fields

Field	Type	Description
`Stripe Customer ID`	string	Stripe integration ID
`hubspotCompanyID`	string	HubSpot CRM integration ID
`Company Search Satellite`	string	ID referencing the `companysearchsatellite` object (used for cross-entity linking)
`Brand Design`	string	Brand design asset ID
`Invitation`	string	Invitation record ID
`[deprecated] Active Credit Package`	string	Legacy field — active credit package ID
`Inactive Bonus Claimed`	boolean	Whether inactive bonus was claimed

2. Transaction

Endpoint: `GET /obj/transaction`

Represents a credit-related event tied to a project or credit package allocation. Each transaction links to one or more Credit Transactions (the actual credit movements).

Key Fields

Field	Type	Description
`_id`	string	Unique identifier
`Company`	string	**Company ID** this transaction belongs to
`Project`	string	Project ID this transaction is associated with (optional — absent for package allocations)
`Credit Package`	string	Credit package ID (present for package-related transactions)
`Credit Transactions`	string[]	List of Credit Transaction IDs created by this transaction
`OS Transaction Type`	string	Type of transaction. Values: `"Use"`, `"Buy"`, `"Credit Allocation"`
`OS Project Status`	string	Project status at time of transaction. Values: `"In Review"`, `"Running"`, `"Paused"`, `"Finished"`, `"Cancelled"`
`information`	string	Human-readable description of the transaction
`Invoices`	string[]	Associated invoice IDs (optional)
`Created Date`	ISO 8601	Record creation timestamp
`Modified Date`	ISO 8601	Last modification timestamp
`Created By`	string	User or system ID who created the record

Notes

- `OS Transaction Type: "Use"` → typically has a `Project` field; represents credits consumed by running a project.
- `OS Transaction Type: "Buy"` or `"Credit Allocation"` → typically has a `Credit Package` field; represents credits being added.

- The `information` field contains descriptive strings like `"Aybee GmbH - Asset Testing 1/10/26"` or `"Business package. 1000 credits added."`.

---

3. Credit Transaction

Endpoint: `GET /obj/credittransaction`

Represents an individual credit movement (buy or use). This is the atomic unit of credit tracking.

Key Fields

Field	Type	Description
`_id`	string	Unique identifier
`creditAmount`	number	Number of credits in this transaction (always positive)
`CreditTransactionType`	string	Direction. Values: `"Buy"` (credits added), `"Use"` (credits consumed)
`Info`	string	Human-readable description
`Company`	string	**Company ID** (present on newer records; absent on older pre-Jan 2025 records)
`User`	string	User ID who performed the action (optional)
`Created Date`	ISO 8601	Record creation timestamp
`Modified Date`	ISO 8601	Last modification timestamp
`Created By`	string	User ID who created the record (optional)

Notes

- **Older records (pre-Jan 2025) do NOT have the `Company` field.** To associate them with a company, traverse through the parent `Transaction` record or the `Credit Transactions` array on the `Company` object.
- `"Buy"` info pattern: `"{User Name} bought {amount} credits for {cost} euros on behalf of {Company Name}"`.
- `"Use"` info contains the project/task description, e.g. `"Gloryfeel - Packaging Test"`.

- `creditAmount` is always positive. Use `CreditTransaction Type` to determine add vs deduct.

---

4. Credit Package

Endpoint: `GET /obj/creditpackage`

Represents a credit package/subscription assigned to a company.

Key Fields

Field	Type	Description
`_id`	string	Unique identifier
`OS Credit Package`	string	Package tier. Values: `"As you go"`, `"Business"`, `"Explorer"`, `"Team"`, `"Custom/Enterprise"`
`OS Credit Package Status`	string	Status. Values: `"Active"`, `"Done"`
`creditPrice`	number	Price per credit (in the package's currency)
`OS Currency`	string	Currency. Values: `"Euro"`, `"USD"`
`initialCredits`	number	Credits included at package creation (only on paid/tiered packages, not `"As you go"`)
`remainingCredits`	number	**Credits remaining** in this specific package (can be negative)
`totalCost`	number	Total cost of the package
`startDate`	ISO 8601	Package start date
`renewalDate`	ISO 8601	Next renewal date
`OS Schedule Renew`	string	Renewal frequency. Values: `"Anually"`, `"Quarterly"`, `"No renewal"`
`Credit Transactions`	string[]	Credit transaction IDs charged against this package (optional — only on some records)
`Company Search Satellite`	string	Links to company indirectly via shared satellite ID

Field	Type	Description
`companyNameLowercase`	string	Denormalized company name (only on some records)
`Created Date`	ISO 8601	Record creation timestamp
`Modified Date`	ISO 8601	Last modification timestamp
`Created By`	string	User ID who created the package

Notes

- **There is no direct `Company` field on credit packages.** To link a package to a company, use:
  1. The company's `Credit Packages` array (contains package `_id`s) — **most reliable**.
  2. The shared `Company Search Satellite` ID (both company and package reference the same satellite record).
- `"As you go"` packages typically have no `initialCredits` and `remainingCredits: 0` — they act as billing containers.
- Paid packages (`Business`, `Explorer`, `Team`, `Custom/Enterprise`) have `initialCredits` and track `remainingCredits`.

---

5. Company Search Satellite

Endpoint: `GET /obj/companysearchsatellite`

A lightweight lookup/index object that acts as a **bridge entity** connecting Companies to Credit Packages. Each satellite record is linked to exactly one Company and carries minimal metadata for search purposes.

Key Fields

Field	Type	Description
`_id`	string	Unique identifier (referenced by `Company.Company Search Satellite` and `CreditPackage.Company Search Satellite`)
`name`	string	Company/display name (denormalized for search)
`Company`	string	**Company ID** — direct reference to the parent company
`hasProject`	boolean	Whether this company has at least one project

Field	Type	Description
`Created Date`	ISO 8601	Record creation timestamp
`Modified Date`	ISO 8601	Last modification timestamp
`Created By`	string	Creator ID

Notes

- This is the **key linking table** for connecting Credit Packages to Companies. The relationship chain is:
  - `CreditPackage.Company Search Satellite` → `CompanySearchSatellite._id` → `CompanySearchSatellite.Company` → `Company._id`
- Each company has exactly one satellite record.
- The `name` field is a denormalized copy of the company name for search indexing.

Data Model Relationships

```
Company (1) ◄──── Company Search Satellite (1:1)
    │                        ▲
    │                        │
    │              Credit Package references
    │              satellite via shared ID
    │
    ├── Credit Packages[] ────► Credit Package (1:many)
    │                                │
    │                                └── remainingCredits
    │
    ├── Transactions[] ──────► Transaction (1:many)
    │                                │
    │                                ├── Company (back-reference)
    │                                ├── Project (optional)
    │                                └── Credit Transactions[]
    │
    ├── Credit Transactions[] ──► Credit Transaction (1:many)
    │                                │
    │                                ├── Company (back-ref, may be absent on old
records)
    │                                ├── creditAmount
```

```
│                                   └── CreditTransaction Type ("Buy"/"Use")
│
└── numberCredits (current balance — source of truth)
```

Linking Strategy Summary

From → To	Method
Company → Credit Packages	`Company.Credit Packages[]` contains package `_id`s
Company → Transactions	`Company.Transactions[]` contains transaction `_id`s
Company → Credit Transactions	`Company.Credit Transactions[]` contains credit tx `_id`s
Company → Satellite	`Company.Company Search Satellite` = satellite `_id`
Transaction → Company	`Transaction.Company` field (direct)
Transaction → Credit Transactions	`Transaction.Credit Transactions[]`
Credit Transaction → Company	`CreditTransaction.Company` field (may be absent pre-Jan 2025)
Credit Package → Company (indirect)	`CreditPackage.Company Search Satellite` → look up `CompanySearchSatellite.Company`
Credit Package → Company (preferred)	Reverse lookup: find Company whose `Credit Packages[]` contains the package `_id`
Satellite → Company	`CompanySearchSatellite.Company` field (direct)

Credit Balance Logic

- **`Company.numberCredits`** = The company's current overall credit balance. This is the **source of truth** for remaining credits.
- **`CreditPackage.remainingCredits`** = Credits remaining within a specific package.
- **`CreditTransaction.creditAmount`** + **`CreditTransaction.CreditTransaction Type`** = Individual credit movements. Sum of `"Buy"` minus sum of `"Use"` should approximate the company balance.

Quick Start: Get Remaining Credits Per Company

The simplest approach uses `numberCredits` directly from Company objects — no aggregation needed:

```javascript
const API_BASE = "https://platform.aybee.ai/version-test/api/1.1";
const headers = { Authorization: "Bearer <API_KEY>" };

// Fetch all companies (paginated)
let all = [], cursor = 0;
while (true) {
  const res = await fetch(`${API_BASE}/obj/company?limit=100&cursor=${cursor}`, { he
  const data = await res.json();
  const results = data.response.results || [];
  all = all.concat(results);
  if (results.length < 100 || all.length >= data.response.count + cursor) break;
  cursor += 100;
}

// Display credit balances
all.forEach(c => {
  console.log(`${c.name}: ${c.numberCredits} credits (status: ${c.status})`);
});
```

Available Data Types (Endpoints)

Data Type	Endpoint	Record Count (approx)
`company`	`/obj/company`	~419
`transaction`	`/obj/transaction`	~1,417
`credittransaction`	`/obj/credittransaction`	~2,282
`creditpackage`	`/obj/creditpackage`	~622
`companysearchsatellite`	`/obj/companysearchsatellite`	~353