


INSTITUTE OF COMPUTER SCIENCE UNIVERSITY OF AUGSBURG



Bachelor's Thesis

Title of the Bachelor's or Master's Thesis

Name

Student ID Number: Student ID Number
First Reviewer: Prof. Dr. Jakob Siegfried Kottmann
Second Reviewer: Prof. Dr. Mónica Benito
Scientific Supervisor:
Date: June 4, 2026

written at
Chair of Quantum Algorithms
Prof. Dr. Jakob Siegfried Kottmann
Institut of Computer Science
University of Augsburg
D-86135 Augsburg, Germany

Abstract

Describe the content of the present thesis here. Briefly explain the starting point of the thesis and outline its objectives. Then, discuss the methods used and the results achieved.

Contents

1. Introduction	1
2. Theoretical Fundamentals of Quantum Computing	3
2.1. Basics	3
2.1.1. XXX	3
2.1.2. Fermions	5
2.1.3. Quantum Excitation	8
3. Different design approaches	9
3.1. Approach A: Operator-Algebra	9
3.2. Approach B: Generator-based evolution (symbolically)	9
4. Implementation in C++	11
5. Evaluation and results	13
6. Summary and Outlook	15
List of Figures	17
List of Tables	19
Bibliography	21
A. Appendix Chapter	23
A.1. foo	23
A.2. bar	23
B. Second Appendix Chapter	25

1. Introduction

2. Theoretical Fundamentals of Quantum Computing

2.1. Basics

This chapter describes ...

2.1.1. XXX

Quantum States

In an n -dimensional Hilbert space with a chosen orthonormal basis, a quantum state, denoted by the ket $|\psi\rangle$, can be represented as an n -dimensional complex column vector $\vec{\psi}$:

$$|\psi\rangle \doteq \vec{\psi} = \begin{pmatrix} c_1 \\ c_2 \\ \vdots \\ c_n \end{pmatrix}. \quad (2.1)$$

Its corresponding dual state, denoted by the bra $\langle\psi|$, is represented by the conjugate transpose of this column vector, resulting in an n -dimensional row vector $\vec{\psi}^\dagger$:

$$\langle\psi| \doteq \vec{\psi}^\dagger = (c_1^* \quad c_2^* \quad \dots \quad c_n^*) \quad (2.2)$$

[2, p.16f.], [4, p. 10f.].

To ensure consistency with the probability interpretation, quantum states must be normalized to unity. Therefore, for a quantum state $|\psi\rangle$, the sum of the absolute squares of its probability amplitudes must equal one:

$$|c_1|^2 + |c_2|^2 + \dots + |c_n|^2 = 1 \quad (2.3)$$

[2, p.5].

Operators and Observables

A linear operator acts on a ket from the left to produce another ket vector, or on a bra from the right to produce another bra vector:

$$X |\alpha\rangle = |\beta\rangle, \quad (2.4)$$

$$\langle\alpha| X = \langle\beta|. \quad (2.5)$$

2. Theoretical Fundamentals of Quantum Computing

An operator X is defined as the **null operator** if, for any arbitrary ket $|\alpha\rangle$, it satisfies:

$$X |\alpha\rangle = 0. \quad (2.6)$$

Operators can be added ($X + Y = Y + X$) and multiplied. While operator multiplication is generally noncommutative ($XY \neq YX$), it is strictly associative:

$$X(YZ) = (XY)Z = XYZ \quad (2.7)$$

[4, p.11, 13-15].

Because quantum states are represented as vectors in $\mathbb{C}^n$, a linear operator can be represented by a complex $n \times n$ matrix U . Given an input ket $|\psi\rangle$, the resulting state $|\phi\rangle$ is calculated via matrix-vector multiplication:

$$|\phi\rangle = U |\psi\rangle. \quad (2.8)$$

Crucially, physical operations that evolve a quantum state must preserve its probability normalization. Consequently, physical evolution operators are restricted to unitary matrices, ensuring that the inner product—and thus the normalization—remains invariant [2, p.19].

An **observable** represents a physical quantity of a system that can be experimentally measured. Classical examples include position, momentum, angular momentum, and energy. In an N -qubit system, an observable is defined mathematically as a $2^N \times 2^N$ Hermitian matrix H . Because the operator is Hermitian, it guarantees that all possible measurement outcomes are strictly real numbers and correspond directly to the eigenvalues of H [4, p.16f.], [5, p.8]. Crucially, the act of measurement fundamentally alters the system: upon obtaining a specific eigenvalue, the quantum state instantaneously collapses into the corresponding eigenstate of that observable [4, p.22].

Due to the inherent probabilistic nature of quantum mechanics, we generally cannot predict the outcome of a single measurement with absolute certainty. Instead, we evaluate the **expectation value**, which represents the statistical average of measured values over a large ensemble of identically prepared systems [4, p. 23].

In the context of this thesis, the primary observables of interest are Hamiltonians, which represent the total energy of the physical system. Let H be the Hamiltonian. We conventionally assume that its resulting energy eigenvalues are ordered from the ground state upwards ($E_0 \leq E_1 \leq E_2 \leq \dots$), satisfying the eigenvalue equation:

$$H |E_i\rangle = E_i |E_i\rangle. \quad (2.9)$$

Given a hamiltonian Operator H and a quantum state $|\psi\rangle$ the expectation value can be calculated as:

$$\langle H \rangle_\psi := \langle \psi | H | \psi \rangle \quad (2.10)$$

[2, p.42]

Unitary Operations and Generators

The physical transformations applied to quantum states are represented by unitary operators. To construct parameterized quantum gates, these unitary operations are typically expressed via the exponential map:

$$U(\theta) = e^{-i\frac{\theta}{2}G}, \quad (2.11)$$

where θ is a real-valued scalar parameter (such as a time or rotation angle), and G is a Hermitian matrix ($G = G^\dagger$) known as the *generator* of the operation. [2, p.34, 39] [3, p.1]

Tensor Products

2.1.2. Fermions

Fermions are fundamental particles characterized by a half-integer spin (e.g., $1/2, 3/2, \dots$). They constitute the basic building blocks of matter, encompassing elementary particles such as electrons, protons, and neutrons. In the context of computational many-body physics, accurately simulating the behavior of fermions requires enforcing the rules that describe their interactions.

Indistinguishability and the Pauli Exclusion Principle

In classical physics, identical objects can be tracked along distinct, observable trajectories. In quantum mechanics, however, identical particles are fundamentally indistinguishable; it is physically impossible to track their individual paths or assign them persistent labels without collapsing or disturbing the system's state. Because measurable physical quantities are calculated as expectation values, which rely on the product of the wavefunction and its complex conjugate ($\langle \psi | H | \psi \rangle = \sum_i |c_i|^2 E_i$), the indistinguishability principle dictates that these observables must remain strictly invariant under the permutation (exchange) of any two identical particles.

The Pauli Exclusion Principle, formulated by Wolfgang Pauli in 1925, is a direct physical consequence of this indistinguishability applied specifically to fermions. It establishes that no two identical fermions can simultaneously occupy the exact same quantum state within a given system. Originally conceptualized to explain atomic electron configurations, where no two electrons can share the same four quantum numbers, this principle is a defining, non-negotiable characteristic of fermionic behavior. This exclusion must be rigorously preserved; any application of creation ($a_i^\dagger$) or annihilation (a_i) operators must naturally prevent multiple occupancies.

2. Theoretical Fundamentals of Quantum Computing

Wavefunction Symmetry and Antisymmetry

In many-body quantum mechanics, systems of identical particles are tightly constrained by symmetry. The total wavefunction of such a system must be either entirely symmetric or entirely antisymmetric under the exchange of any two identical particles.

Antisymmetric Wavefunctions: Fermions are strictly governed by totally antisymmetric wavefunctions. Consequently, exchanging the spatial and spin coordinates of any two identical fermions introduces a global phase factor of -1 to the wavefunction. The Pauli Exclusion Principle is a direct mathematical corollary of this antisymmetry; if two identical fermions were to occupy the identical quantum state, their exchange would require the wavefunction to equal its own negative, implying the wavefunction must identically vanish.

Symmetric Wavefunctions: Bosons, conversely, are described by totally symmetric wavefunctions. Exchanging any two identical bosons yields a phase factor of $+1$, leaving the wavefunction fundamentally unaltered. Free from the antisymmetric cancellation constraints that restrict fermions, identical bosons can condense into the same quantum state.

Distinctions Between Fermions and Qubits

While fermions are physical particles governed by indistinguishability, qubits are idealized, fully distinguishable two-state systems that serve as the fundamental units of quantum computation. In a quantum processor or qubit-based simulator, individual qubits are independently addressable. This distinguishability yields a crucial algebraic divergence: operators acting on disparate qubits naturally commute ($AB = BA$ or $AB - BA = 0$). In contrast, fermionic creation ($a_i^\dagger$) and annihilation (a_i) operators must anticommute ($a_i^\dagger a_j^\dagger = -a_j^\dagger a_i^\dagger$ or $a_i^\dagger a_j^\dagger + a_j^\dagger a_i^\dagger = 0$) to preserve wavefunction antisymmetry and enforce the Pauli Exclusion Principle.

Second Quantization and Fermionic Operators

In quantum mechanics, a many-body system of identical particles is described using the formalism of second quantization. Within this framework, the physical state of a system is manipulated via fundamental mathematical tools known as creation ($a_k^\dagger$) and annihilation (a_k) operators. These operators act directly upon a quantum state: $a_k^\dagger$ creates a fermion in a specific spin-orbital k , while a_k destroys a fermion in that same orbital. Because fermions inherently obey the Pauli Exclusion Principle, these operators naturally enforce strict physical boundaries; applying a creation operator to an already occupied orbital, or an annihilation operator to an empty

one, identically annihilates the wavefunction (yielding zero).

$$\hat{a}|0\rangle = 0, \quad (2.12)$$

$$\hat{a}^\dagger|0\rangle = |1\rangle, \quad (2.13)$$

$$\hat{a}|1\rangle = |0\rangle, \quad (2.14)$$

$$\hat{a}^\dagger|1\rangle = 0. \quad (2.15)$$

Crucially, to preserve the indistinguishability of fermions and guarantee that the many-particle wavefunction remains totally antisymmetric under particle exchange, these operators are mathematically constrained to strictly anticommute. However, because quantum hardware utilizes distinguishable qubits that naturally commute, fermionic operators cannot be mapped directly to single qubits. Instead, they must be explicitly constructed from composite qubit operators. Under standard orbital-to-qubit mappings, the fermionic operators are defined as:

$$\hat{a}_k^\dagger = \mathbb{I}^{\otimes(k-1)} \otimes \hat{\sigma}_k^+ \otimes \hat{\sigma}_z^{\otimes(N-k)} \quad (2.16)$$

$$\hat{a}_k = \mathbb{I}^{\otimes(k-1)} \otimes \hat{\sigma}_k^- \otimes \hat{\sigma}_z^{\otimes(N-k)} \quad (2.17)$$

This composite definition relies on two functional components to replicate fermionic behavior:

- **Ladder Operators ($\hat{\sigma}_k^\pm$):** Defined using the standard Pauli matrices as $\hat{\sigma}_k^\pm = \frac{1}{2}(\hat{\sigma}_x \pm i\hat{\sigma}_y)$. These operators execute the local "creation" or "annihilation" at the specific target qubit k by raising or lowering the computational basis state between $|0\rangle$ (empty) and $|1\rangle$ (occupied).
- **Parity Strings ($\hat{\sigma}_z^{\otimes(N-k)}$):** A non-local tensor product of Pauli-Z operators acting on the adjacent qubits. This string encodes the necessary parity information into the phase of the wavefunction, artificially enforcing the required fermionic antisymmetry within a inherently commuting qubit environment.

The Jordan-Wigner Transformation

Having established the nature of fermionic operators on distinguishable hardware, a encoding scheme is required to apply them across an entire system. The Jordan-Wigner (JW) transformation serves as the foundational mechanism for this mapping. The scheme establishes a direct bijection, mapping N fermionic spin-orbitals to N individual qubits. Within this framework, the computational basis states directly represent the Fock space occupation number vectors: a qubit in state $|1\rangle$ denotes an occupied spin-orbital, while $|0\rangle$ denotes an empty one.

By utilizing the operator definitions established in the previous section, the JW transformation systematically applies the non-local parity strings ($\hat{\sigma}_z$) to all qubits preceding (or succeeding, depending on the chosen convention) the target site k .

2. Theoretical Fundamentals of Quantum Computing

When evaluated against a quantum state, these Z operators iteratively scan the adjacent orbitals, multiplying a global phase factor of -1 for every occupied state they encounter. This mechanism systematically and globally replicates the exact antisymmetric phase inversions demanded by the Pauli Exclusion Principle.

[4, chapter 7.1, 7.2] [2, chapter 1.1, 5.3] [5, chapter 2.1] [3, chapter II.E] [1, chapter III.B]

2.1.3. Quantum Excitation

This principle unifies the preceding theoretical fundamentals, providing a mathematical framework to model the transitions of electrons between orbitals.

Fermionic Excitation

Fermionic excitations can be represented by a generator G , which is constructed from creation ($\hat{a}^\dagger$) and annihilation ($\hat{a}$) operators. For instance, the generator G_{pq} describes a single excitation, denoting the transition of an electron from the p -th spin-orbital to the q -th spin-orbital, or vice versa:

$$G_{pq} = i(\hat{a}_p^\dagger \hat{a}_q - \hat{a}_q^\dagger \hat{a}_p). \quad (2.18)$$

Higher-order excitations are constructed in a similar manner. The generator G_{pqrs} models a double excitation, accounting for the simultaneous transition of one electron between the p -th and q -th orbitals and a second electron between the r -th and s -th orbitals. Mathematically, this is expressed as:

$$G_{pqrs} = i(\hat{a}_p^\dagger \hat{a}_q \hat{a}_r^\dagger \hat{a}_s - \text{h.c.}) \quad (2.19)$$

Here, h.c. denotes the Hermitian conjugate of the preceding term. This standard notation simplifies the equation while ensuring the operator correctly captures the reverse electron exchange process, analogous to the subtracted term in the single excitation.

Generalizing this concept, an n -fold fermionic excitation can be compactly represented by a generator $G_{\mathbf{pq}}$, which encapsulates all possible simultaneous electron exchanges between a set of occupied orbitals $\{p_k\}$ and a set of target orbitals $\{q_k\}$. Because this represents n simultaneous events, it is defined as a product of n operator pairs:

$$G_{\mathbf{pq}} = i \left(\prod_{k=1}^n \hat{a}_{p_k}^\dagger \hat{a}_{q_k} - \text{h.c.} \right). \quad (2.20)$$

To apply these generators within a quantum simulator or on physical quantum hardware, they are constructed into an unitary Operation (e.g., $U = \exp(-i\theta G)$).

[3, chapter II.] [1, chapter III.A]

3. Different design approaches

3.1. Approach A: Operator-Algebra

- Concept: Implementation of the exact Algebra
- Structure: Addition, subtraction und multiplication of chained operators.

This approach tries to follow the exact definition of the algebra operators. It begins with defining the operators itself. A function is defined that encodes the logic of the operators. Given a specific state it calculates how the operator by definition acts on this state. Given the operator $a_j^\dagger$ and the state ϕ it would act as following.

$$a_j^\dagger \phi = a_j^\dagger |n_0, n_1, \dots, n_j, \dots\rangle = (1 - n_j)(-1)^{\sum_{k=0}^{j-1} n_k} |n_0, n_1, \dots, 1_j, \dots\rangle \quad (3.1)$$

3.2. Approach B: Generator-based evolution (symbolically)

- Concept: Apply Generator directly on a state
- Unitary operation: How to calculate $U = \exp\left(\sum \theta_{pq} \hat{E}_{pq}\right)$ efficient?

4. Implementation in C++

- Explanation
- Decision on implementation
- Software architecture
- Effizienz strategy:
 - Why C++ (Memory management, Speed, etc.)
 - Data structures
 - Optimization of the loop

5. Evaluation and results

- Check for Correctness with Tequila
- Performance-analyse: how does the computation scale with difference states
- Comparison of different approaches

6. Summary and Outlook

List of Figures

List of Tables

Bibliography

- [1] A. Anand, P. Schleich, S. Alperin-Lea, P. W. K. Jensen, S. Sim, M. Díaz-Tinoco, J. S. Kottmann, M. Degroote, A. F. Izmaylov, and A. Aspuru-Guzik. A quantum computing view on unitary coupled cluster theory, 2022.
- [2] J. S. Kottmann. Foundations of quantum information processing. Lecture Notes, University of Augsburg, 2025. Summer Semester 2025.
- [3] J. S. Kottmann, A. Anand, and A. Aspuru-Guzik. A feasible approach for automatically differentiable unitary coupled-cluster on quantum computers, 2020.
- [4] J. J. Sakurai and J. Napolitano. *Modern Quantum Mechanics*. Cambridge University Press, 3rd edition, 2020.
- [5] P. Schleich, L. Mantilla Calderón, C. Sun, M. Bagherimehrab, A. Aldossary, J. S. Kottmann, and A. Aspuru-Guzik. *Quantum Computing for Quantum Chemistry*. ACS In Focus. American Chemical Society, 2025.

A. Appendix Chapter

If you want to add information to the thesis that is only marginally relevant for understanding your work, create an appendix for this purpose. Internet reference [?], reference with multiple authors [?]

A.1. foo

A.2. bar

B. Second Appendix Chapter

