




PyKronecker: A Python Library for the Efficient Manipulation of Kronecker Products and Related Structures

Edward Antonian¹, Gareth W. Peters², and Michael Chantler¹

¹ Heriot-Watt University, UK ² University of California Santa Barbara, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright, and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Matrix operators composed of Kronecker products and related objects, such as Kronecker sums, arise in many areas of applied mathematics including signal processing, semidefinite programming, and quantum computing ([Loan, 2000](#)). As such, a computational toolkit for manipulating Kronecker-based systems, in a way that is both efficient and idiomatic, has the potential to aid research in many fields. PyKronecker aims to deliver this in the Python programming language by providing a simple API that integrates well with the widely-used NumPy library ([Harris et al., 2020](#)), with support for automatic differentiation and accelerated computation on GPU/TPU hardware using Jax ([Bradbury et al., 2018](#)).

Kronecker products

The Kronecker product of an $(n \times n)$ matrix \mathbf{A} and an $(m \times m)$ matrix \mathbf{B} , denoted $\mathbf{A} \otimes \mathbf{B}$, is defined by

$$\mathbf{A} \otimes \mathbf{B} = \begin{bmatrix} \mathbf{A}_{1,1}\mathbf{B} & \dots & \mathbf{A}_{1,n}\mathbf{B} \\ \vdots & \ddots & \vdots \\ \mathbf{A}_{n,1}\mathbf{B} & \dots & \mathbf{A}_{n,n}\mathbf{B} \end{bmatrix}$$

The resultant operator has shape $(nm \times nm)$ and, as such, can act on vectors of length nm . The Kronecker sum of \mathbf{A} and \mathbf{B} , denoted $\mathbf{A} \oplus \mathbf{B}$ can be defined in terms of the Kronecker product as

$$\mathbf{A} \oplus \mathbf{B} = \mathbf{A} \otimes \mathbf{I}_m + \mathbf{I}_n \otimes \mathbf{B}$$

where \mathbf{I}_d is the d -dimensional identity matrix, resulting in an operator of the same size as $\mathbf{A} \otimes \mathbf{B}$. By applying these definitions recursively, the Kronecker product or sum of more than two matrices can also be defined. In general, the Kronecker product/sum of k square matrices $\{\mathbf{A}^{(i)}\}_{i=1}^k$, with shapes $\{n_i \times n_i\}_{i=1}^k$ can be written respectively as

$$\bigotimes_{i=1}^k \mathbf{A}^{(i)} = \mathbf{A}^{(1)} \otimes \mathbf{A}^{(2)} \otimes \dots \otimes \mathbf{A}^{(k)}$$

and

$$\bigoplus_{i=1}^k \mathbf{A}^{(i)} = \mathbf{A}^{(1)} \oplus \mathbf{A}^{(2)} \oplus \dots \oplus \mathbf{A}^{(k)}$$

The resultant operators can act on either vectors of length $N = \prod_{i=1}^k n_i$, or equivalently tensors of shape (n_1, n_2, \dots, n_k) .

Efficient implementation of Kronecker-Vector Multiplication

Whilst a naive implementation of matrix-vector multiplication in this space has time and memory complexity of $O(N^2)$ a much more efficient implementation can be achieved. Work on this topic can be traced back to Roth (1934), however the first direct treatment can be found in Pereyra & Scherer (1973) and Boor (1979), both of which describe an efficient algorithm for the multiplication of a Kronecker product matrix onto a vector/tensor in algebraic terms. Later work such as Davio (1981), Buis & Dyksen (1996) and Fackler (2019) focused on optimising this algorithm further by considering other practical issues such as available hardware and physical memory layout. In particular, Fackler (2019) proposes the *kronx* algorithm, which forms the basis for the implementation found in PyKronecker, with some differences resulting from the C-style row-major memory layout used in Python as opposed to the Fortran-style column-major layout of Matlab, which was the target language of the aforementioned paper. In practice, by applying the *kronx* algorithm, the required memory and time complexity is reduced to $O(N)$ and $O(N \sum_{i=1}^k n_i)$ respectively. This makes it possible to solve many problems that would otherwise be intractable.

Statement of need

PyKronecker is aimed at researchers in any area of applied mathematics where systems involving Kronecker products arise. It has been designed with the following specific goals in mind.

- a) *To provide a simple and intuitive object-oriented interface for manipulating systems involving Kronecker-products with Python.*

In PyKronecker, expressions are written in terms of a high-level operator abstraction. Users can define new composite operators by applying familiar matrix operations such as scaling, matrix addition/multiplication and transposition. This allows Kronecker operators to be manipulated as if they are large NumPy arrays, removing the need to write efficient but sometimes cryptic expressions involving the individual sub-matrices. This can greatly simplify code, making it easier to read, debug and refactor, allowing users to focus on their research goals without concerning themselves with underlying performance.

- b) *To execute matrix-vector multiplications in a way that is maximally efficient and runs on parallel GPU/TPU hardware.*

Significant effort has gone into optimising the execution of matrix-vector and matrix-tensor multiplications. In particular, these comprise the *kronx* algorithm, Just In Time (JIT) compilation, and parallel processing on GPU/TPU hardware. As a result of this, PyKronecker is able to achieve very fast execution times compared to alternative implementations (see table 1) .

- c) *To allow automatic differentiation for complex loss functions involving Kronecker products.*

Many widely-used optimisation algorithms in Machine Learning (ML), such as stochastic gradient descent, rely on rapidly evaluating the derivative of an objective function. Automatic differentiation has played a key role in accelerating ML research by removing the need to manually derive analytical gradients (Baydin et al., 2018). By integrating with the Jax library, PyKronecker enables automatic differentiation of complex functions involving Kronecker products out of the box.

To the best of the our knowledge, no existing software achieves all three of these aims.

Comparison with existing libraries

One potential alternative in Python is the PyLops library which provides an interface for general functionally-defined linear operators, and includes a Kronecker product implementation (Ravasi & Vasconcelos, 2020). It also supports GPU acceleration with CuPy (Okuta et al., 2017). However, as a more general library, PyLops does not provide support for the Kronecker

product of more than two matrices, implement a Kronecker sum operator, implement matrix-tensor multiplication, or provide automatic differentiation. It is also significantly slower than PyKronecker when operating on simple NumPy arrays.

Another alternative is the library Kronecker.jl (Stock et al., 2020), implemented in the Julia programming language (Bezanson et al., 2017). Kronecker.jl has many of the same aims as PyKronecker and has a clean interface, making use of Julia's support for unicode and infix functions to create Kronecker products with a custom \otimes operator. However, at this time, the library does not support GPU acceleration or automatic differentiation, although the former is in development.

Table 1. shows a feature comparison of these libraries, along with a custom efficient NumPy implementation. It also shows the time to compute the multiplication of a Kronecker product against a vector for two scenarios. In the first, the Kronecker product is constructed from two of matrices of size (400×400) and (500×500) , and in the second Kronecker product is constructed from three of matrices of size (100×100) , (150×150) and (200×200) respectively. Experiments were performed with an Intel Core 2.80GHz i7-7700HQ CPU, and an Nvidia 1050Ti GPU. In both cases, PyKronecker on the GPU is the fastest by a significant margin.

Implementa- tion	Python	Auto- diff	GPU support	Compute time (400, 500)	Compute time (100, 150, 200)
Pure NumPy	Yes	No	No	5.04 ms \pm 343 μ s	38.9 ms \pm 4.07 ms
Kronecker.jl	No	No	No	9.61 ms \pm 881 μ s	380 ms \pm 6.15 ms
PyLops (CPU)	Yes	No	No	17.9 ms \pm 986 μ s	478 ms \pm 4.79 ms
PyLops (GPU)	Yes	No	Yes	54.6 ms \pm 1.04 ms	4.06 s \pm 182 ms
PyKronecker (CPU)	Yes	Yes	No	1.92 ms \pm 136 μ s	15.1 ms \pm 2.24 ms
PyKronecker (GPU)	Yes	Yes	Yes	261 μ s \pm 17.3 μ s	220 μ s \pm 59.5 μ s

Outlook and Future Work

There are several features that we are developing to expand the functionality of PyKronecker. The first is to provide support for non-square operators. In a typical problem, the Kronecker operators encountered represent simple linear transformations which preserve dimensionality, however, there are a significant minority of contexts where this is not the case. The inclusion of this feature would increase the range of possible applications. Secondly, we would like add support for sparse matrices. This would enable computation with larger matrices and faster execution times where possible. However this would require integration with Jax's sparse module, which is currently under development. Finally, for convenience, it may be useful to add some commonly used algorithms such as the conjugate gradient method for solving linear systems (Shewchuk, 1994), least squares, and various matrix decompositions such as eigenvalue, Cholesky and LU.

References

- Baydin, A. G., Pearlmutter, B. A., Radul, A. A., & Siskind, J. M. (2018). Automatic differentiation in machine learning: A survey. *Journal of Machine Learning Research*, 18, 1–43.

- 107 Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A fresh approach to
108 numerical computing. *SIAM Review*, 59(1), 65–98. <https://doi.org/10.1137/141000671>
- 109 Boor, C. D. (1979). Efficient computer manipulation of tensor products. *ACM Transactions*
110 *on Mathematical Software*, 5, 173–182.
- 111 Bradbury, J., Frostig, R., Hawkins, P., Johnson, M. J., Leary, C., Maclaurin, D., Necula, G.,
112 Paszke, A., VanderPlas, J., Wanderman-Milne, S., & Zhang, Q. (2018). JAX: Composable
113 transformations of Python+NumPy programs (Version 0.3.13) [Computer software]. [http:](http://github.com/google/jax)
114 [//github.com/google/jax](http://github.com/google/jax)
- 115 Buis, P. E., & Dyksen, W. R. (1996). Efficient vector and parallel manipulation tensor products.
116 *ACM Transactions on Mathematical Software*.
- 117 Davio, M. (1981). Kronecker products and shuffle algebra. *IEEE Transactions on Computers*,
118 C-30, 116–125. <https://doi.org/10.1109/TC.1981.6312174>
- 119 Fackler, P. L. (2019). Algorithm 993 : Efficient computation with kronecker products. *ACM*
120 *Transactions on Mathematical Software (TOMS)*, 45.
- 121 Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D.,
122 Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk,
123 M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant,
124 T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. [https:](https://doi.org/10.1038/s41586-020-2649-2)
125 [//doi.org/10.1038/s41586-020-2649-2](https://doi.org/10.1038/s41586-020-2649-2)
- 126 Loan, C. F. V. (2000). The ubiquitous kronecker product. *Journal of Computational and Applied*
127 *Mathematics*, 123(1), 85–100. [https://doi.org/https://doi.org/10.1016/S0377-0427\(00\)](https://doi.org/10.1016/S0377-0427(00)00393-9)
128 [00393-9](https://doi.org/10.1016/S0377-0427(00)00393-9)
- 129 Okuta, R., Unno, Y., Nishino, D., Hido, S., & Loomis, C. (2017). CuPy: A NumPy-
130 compatible library for NVIDIA GPU calculations. *Proceedings of Workshop on Machine*
131 *Learning Systems (LearningSys) in the Thirty-First Annual Conference on Neural Information*
132 *Processing Systems (NIPS)*. http://learningsys.org/nips17/assets/papers/paper_16.pdf
- 133 Pereyra, V., & Scherer, G. (1973). *Efficient computer manipulation of tensor products*
134 *with applications to multidimensional approximation* (Vol. 27). [https://www.ams.org/](https://www.ams.org/journal-terms-of-use)
135 [journal-terms-of-use](https://www.ams.org/journal-terms-of-use)
- 136 Ravasi, M., & Vasconcelos, I. (2020). PyLops—a linear-operator python library for scalable
137 algebra and optimization. *SoftwareX*, 11, 100361. [https://doi.org/https://doi.org/10.](https://doi.org/10.1016/j.softx.2019.100361)
138 [1016/j.softx.2019.100361](https://doi.org/10.1016/j.softx.2019.100361)
- 139 Roth, W. E. (1934). On direct product matrices. *Bulletin of the American Mathematical*
140 *Society*.
- 141 Shewchuk, J. R. (1994). *An introduction to the conjugate gradient method without the*
142 *agonizing pain*.
- 143 Stock, M., Pahikkala, T., Airola, A., & Baets, B. D. (2020). *A general-purpose toolbox for*
144 *efficient kronecker-based learning*.