


GRUPO 02 – Correcciones Trabajo Práctico: COLAS

RESULTADO DE LA CORRECCIÓN: DESAPROBADO

OBSERVACIONES


NO COMPILA. Múltiples errores con paths. Falta un include en auxiliares.h. Lo realizan en el .c pero no funciona. Error redefinición variable "TAMANIO_MAXIMO". En el repo siguen mal configurados.



```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6
7 struct Nodo {
8     TipoElemento datos;
9     struct Nodo *siguiente;
10 };
11
```

PROBLEMS 15 OUTPUT DEBUG CONSOLE TERMINAL PORTS

In file included from /home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/validaciones/implementaciones/auxiliares.c:8:
/home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/validaciones/implementaciones/auxiliares.c:302:6: error: conflicting types for 'rellenarCola'; have 'struct ColaRep *(int)'
302 | Cola rellenarCola(int elementos)
| ~~~~~
In file included from /home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/validaciones/implementaciones/auxiliares.c:8:
/home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/validaciones/implementaciones/auxiliares.c:8: note: previous declaration of 'rellenarCola' with type 'int(int)'
40 | Cola rellenarCola(int elementos);
| ~~~~~
/home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/colas/validaciones/colas_punteros.c:1:10: fatal error: colas.h: No such file or directory
1 | #include "colas.h"
| ~~~~~
compilation terminated.
Build finished with error(s).
The terminal process failed to launch (exit code: -1).
Terminal will be reused by tasks, press any key to close it.



```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6 struct ColaRep {
7     TipoElemento *valores;
8     unsigned int frente;
9     unsigned int final;
10 };
11
12 // Funcion interna que hace avanzar el frente y el final hacia adelante
13 int paso(int posicion) {
14     return ((posicion % TAMANIO_MAXIMO) + 1);
15 }
16
17
18 Cola c_crear() {
19     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
20     nuevaCola->valores = calloc((TAMANIO_MAXIMO + 1), sizeof(TipoElemento));
21     // Esto es fundamental ya que esta vacia si hacemos un paso con el final y nos encontramos con el frente
22 }
```

PROBLEMS 15 OUTPUT DEBUG CONSOLE TERMINAL PORTS

/home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/colas/validaciones/colas_arreglos_circular.c:1:10: fatal error: colas.h: No such file or directory
1 | #include "colas.h"
| ~~~~~
compilation terminated.
/home/claudia/programacionII-2026/Grupo02/grupo2julianlivolsi/libs/colas/validaciones/c_intercambiar.c:1:10: fatal error: colas.h: No such file or directory
1 | #include "colas.h"
| ~~~~~
compilation terminated.
Build finished with error(s).
The terminal process failed to launch (exit code: -1).
Terminal will be reused by tasks, press any key to close it.

GRUPO 02 – Correcciones Trabajo Práctico: COLAS

The screenshot shows the Visual Studio Code editor with the file explorer on the left displaying the project structure for 'GRUPO2JULIANLIVOLSI'. The main editor window shows the file 'AUXILIARES.h' with the following code:

```
1 #ifndef AUXILIARES_H
2 #define AUXILIARES_H
3
4 #include "../listas/headers/listas.h"
5 #include "../pilas/headers/pilas.h"
6 // Macros para el menu
7 // #define MENU_MIN 0
8 // #define MENU_MAX 10
9
10 //----- Validaciones de entrada -----//
11 int pedirEntero(char mensaje[], int min, int max);
12 // Valida que la entrada sea un entero, recibe mensaje para el usuario, minimo y maximo del ingreso
13 float pedirFloat(const char* mensaje, float min, float max);
14 // Valida que la entrada sea un entero, recibe mensaje para el usuario, minimo y maximo del ingreso
15 void pedirCadena(char mensaje[], char buffer[], int max_len);
16 // Valida que la entrada sea una cadena, recibe mensaje para el usuario, destino y longitud maxima
17
18 //----- Generales -----//
19 int mostrarMenu(const char *titulo, const char *opciones[], int cantidadOpciones);
20 // Muestra el menu
21 void limpiarBuffer();
```

The bottom panel shows the 'PROBLEMS' view with the following errors:

- 302:6: error:** conflicting types for 'rellenarCola'; have 'struct ColaRep *(int)'
- 302:6: note:** previous declaration of 'rellenarCola' with type 'int(int)'
- 40:6: note:** previous declaration of 'rellenarCola' with type 'int(int)'
- fatal error:** colas.h: No such file or directory
- fatal error:** colas.h: No such file or directory


The screenshot shows the Visual Studio Code editor with the file explorer on the left displaying the project structure for 'GRUPO2JULIANLIVOLSI'. The main editor window shows the file 'colas.h' with the following code:

```
1 #ifndef COLAS_H
2 #define COLAS_H
3
4 #include <stdbool.h>
5 #include "../tipoElemento/headers/tipo_elemento.h"
6
7 static const int TAMANIO_MAXIMO = 10;
8
9 struct ColaRep;
10 typedef struct ColaRep *Cola;
11
12 Cola c_crear();
13
```

The bottom panel shows the 'PROBLEMS' view with the following errors:


- 15: error:** unknown type name 'Cola'
- 46: error:** redefinition of 'TAMANIO_MAXIMO'
- 7:18: error:** redefinition of 'TAMANIO_MAXIMO' with type 'int'
- 8: error:** conflicting types for 'rellenarCola'; have 'struct ColaRep *(int)'
- 302:6: error:** conflicting types for 'rellenarCola'; have 'struct ColaRep *(int)'
- 302:6: note:** previous declaration of 'rellenarCola' with type 'int(int)'
- 40:6: note:** previous declaration of 'rellenarCola' with type 'int(int)'
- fatal error:** colas.h: No such file or directory

GRUPO 02 – Correcciones Trabajo Práctico: COLAS



The screenshot shows the GitHub web interface for the repository 'grupo2julianlivolsi'. The file 'colas_arreglos.c' is selected in the 'implementaciones' directory. The code is displayed in a dark-themed editor. It includes headers for 'colas.h', 'stdlib.h', 'stdio.h', and 'stdbool.h'. A struct 'ColaRep' is defined with fields 'valores', 'frente', and 'final'. The 'Cola c_crear()' function allocates memory for the struct and initializes the 'frente' and 'final' pointers to 0. The 'bool c_es_llena(Cola cola)' function checks if the queue is full by comparing 'final' with 'TAMANIO_MAXIMO'.

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6
7 struct ColaRep {
8     TipoElemento *valores;
9     unsigned int frente;
10    unsigned int final;
11 };
12
13
14 Cola c_crear() {
15     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
16     nuevaCola->valores = calloc((TAMANIO_MAXIMO+1), sizeof(TipoElemento));
17     nuevaCola->frente = 0;
18     nuevaCola->final = 0;
19     return nuevaCola;
20 }
21
22
23 bool c_es_llena(Cola cola) {
24     return (cola->final == (TAMANIO_MAXIMO));
```



The screenshot shows the GitHub web interface for the repository 'grupo2julianlivolsi'. The file 'colas_arreglos_circular.c' is selected in the 'implementaciones' directory. The code is displayed in a dark-themed editor. It includes headers for 'colas.h', 'stdlib.h', 'stdio.h', and 'stdbool.h'. A struct 'ColaRep' is defined with fields 'valores', 'frente', and 'final'. The 'Cola c_crear()' function allocates memory for the struct and initializes the 'frente' and 'final' pointers to 0. The 'int paso(int posicion)' function calculates the next position in the circular queue. The 'Cola c_crear()' function also includes a comment about the circular nature of the queue.

```
1 #include "colas.h"
2 #include <stdlib.h>
3 #include <stdio.h>
4 #include <stdbool.h>
5
6 struct ColaRep {
7     TipoElemento *valores;
8     unsigned int frente;
9     unsigned int final;
10 };
11
12
13 // Funcion interna que hace avanzar el frente y el final hacia adelante
14 int paso(int posicion) {
15     return ((posicion % TAMANIO_MAXIMO) + 1);
16 }
17
18
19 Cola c_crear() {
20     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
21     nuevaCola->valores = calloc((TAMANIO_MAXIMO + 1), sizeof(TipoElemento));
22     // Esto es fundamental ya que esta vacia si hacemos un paso con el final y nos encontramos con el frente
23     nuevaCola->frente = 1;
24     nuevaCola->final = TAMANIO_MAXIMO;
```

GRUPO 02 – Correcciones Trabajo Práctico: COLAS

The screenshot shows a GitHub repository for 'grupo2julianlivolsi'. The file 'colas_punteros.c' is selected in the 'implementaciones' directory. The code is in C and defines a linked list structure for a queue. The commit message is 'Carga de archivos base para el tp de Colas' by user 'esnauj'.

```
1  #include "colas.h"
2  #include <stdlib.h>
3  #include <stdio.h>
4  #include <stdbool.h>
5
6
7  struct Nodo {
8      TipoElemento datos;
9      struct Nodo *siguiente;
10 };
11
12 struct ColaRep {
13     struct Nodo *frente;
14     struct Nodo *final;
15 };
16
17
18 Cola c_crear(void) {
19     Cola nuevaCola = (Cola) malloc(sizeof(struct ColaRep));
20     nuevaCola->frente = NULL;
21     nuevaCola->final = NULL;
22     return nuevaCola;
23 }
24
```