

SellerListings

List tickets, update your listings and search your inventory.

Update a seller listing

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
listingId	integer <int64>	
REQUEST BODY SCHEMA: application/json		
One of PatchSellerListingRequest		
ticket_price >	(Money (object or null))	The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null))	The amount that the seller will receive for each ticket sold.
seating >	(SeatingRequest (object or null))	The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null))	The price printed on the ticket, not including any booking fees.
ticket_type	string or null	The type of ticket(s) in this listing.
split_type	string or null	The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets	integer or null <int32>	The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32>	The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32>	The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32>	An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time>	The date when the seller will have the tickets in hand.
external_id	string or null	

	An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.

external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

PATCH /sellerlistings/{listingId}

Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "notes": "string",
  "instant_delivery": true,
  "published": true,
  "lms_optin": true,
  - "eticket_ids": [
    0
  ],
  - "external_event_information": [
    + { ... }
  ],
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
  - "barcodes": [
    + { ... }
  ]
}
```

Response samples

Content type
application/hal+json

CopyExpand allCollapse all

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
-  "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    +  "state": { ... }
  },
-  "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    +  "state": { ... }
  },
-  "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
-  "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
-  "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "in_hand_at": "2019-08-24T14:15:22Z",
  "is_ticket_concierge": true,
  "is_auto_po": true,
-  "barcodes": [
    + { ... }
  ],
  "instant_delivery": true,
  "undeliverable": true,
-  "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
-  "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
```

```
- "_links": {
  + "self": { ... },
  + "event:createSellerListing": { ... },
  + "sellerListing:constraints": { ... },
  + "sellerListing:contactusWebpage": { ... },
  + "sellerListing:delete": { ... },
  + "sellerListing:etickets": { ... },
  + "sellerListing:eticketUploads": { ... },
  + "sellerListing:lmsOptin": { ... },
  + "sellerListing:lmsOptout": { ... },
  + "sellerListing:lmsPickup": { ... },
  + "sellerListing:optionalVerificationRequests": { ... },
  + "sellerListing:pricing": { ... },
  + "sellerListing:publish": { ... },
  + "sellerListing:saveEtickets": { ... },
  + "sellerListing:shipments": { ... },
  + "sellerListing:ticketLocation": { ... },
  + "sellerListing:unpublish": { ... },
  + "sellerListing:updatedDisplayNumberOfTickets": { ... },
  + "sellerListing:updateFaceValue": { ... },
  + "sellerListing:updateInHandAt": { ... },
  + "sellerListing:updateNotes": { ... },
  + "sellerListing:updateNumberOfTickets": { ... },
  + "sellerListing:updatePreview": { ... },
  + "sellerListing:updateSeating": { ... },
  + "sellerListing:updatesPlittType": { ... },
  + "sellerListing:updateticketLocation": { ... },
  + "sellerListing:updateticketPrice": { ... },
  + "sellerListing:updateticketType": { ... },
  + "sellerListing:uploadTicket": { ... },
  + "sellerListing:verificationRequests": { ... },
  + "sellerListing:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

Get a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId	integer <int64>
required	

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.

sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **404** The URI requested is invalid or the resource requested, such as an event, does not exist.
- > **500** Internal server error

GET /sellerlistings/{listingId}

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
}
```

CopyExpand allCollapse all

```
- "ticket_proceeds": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"in_hand_at": "2019-08-24T14:15:22Z",
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
],
"instant_delivery": true,
"undeliverable": true,
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
- "_links": {
  + "self": { ... },
  + "event:createsellerlisting": { ... },
  + "sellerlisting:constraints": { ... },
  + "sellerlisting:contactuswebpage": { ... },
  + "sellerlisting:delete": { ... },
  + "sellerlisting:etickets": { ... },
  + "sellerlisting:eticketuploads": { ... },
  + "sellerlisting:lmsoptin": { ... },
  + "sellerlisting:lmsoptout": { ... },
  + "sellerlisting:lmspickup": { ... },
  + "sellerlisting:optionalverificationrequests": { ... },
  + "sellerlisting:pricing": { ... },
  + "sellerlisting:publish": { ... },
  + "sellerlisting:saveetickets": { ... },
  + "sellerlisting:shipments": { ... },
  + "sellerlisting:ticketlocation": { ... },
  + "sellerlisting:unpublish": { ... },
  + "sellerlisting:updatedisplaynumberoftickets": { ... },
  + "sellerlisting:updatefacevalue": { ... },
  + "sellerlisting:updateinhandat": { ... },
  + "sellerlisting:updatenotes": { ... },
  + "sellerlisting:updatenumberoftickets": { ... },
  + "sellerlisting:updatepreview": { ... },
  + "sellerlisting:updateseating": { ... },
  + "sellerlisting:updatesplittype": { ... },
  + "sellerlisting:updateticketlocation": { ... },
  + "sellerlisting:updateticketprice": { ... },
  + "sellerlisting:updatetickettype": { ... },
  + "sellerlisting:uploadeticket": { ... },
  + "sellerlisting:verificationrequests": { ... },
  + "sellerlisting:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

}}

Delete a seller listing

AUTHORIZATIONS: >	<i>OAuth2</i>
PATH PARAMETERS	

listingId
required integer <int64>

Responses

— 204

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **500** Internal server error

DELETE /sellerlistings/{listingId}

Response samples

401

403

500

Content type
application/hal+json

```
{
  "code": "string",
  "message": "string",
  - "errors": {
    + "property1": [ ... ],
    + "property2": [ ... ]
  }
}
```

Copy Expand all Collapse all

List seller listings (recent updates)

List seller listings for the authenticated user that have been created or updated over a certain period of time.

AUTHORIZATIONS: >	<i>OAuth2</i>
QUERY PARAMETERS	

updated_since string <date-time>
Filters the response to only return items that have been updated since the given timestamp

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(SellerListingsLinks (object or null))
_embedded >	(SellerListingsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /sellerlistings/recentupdates

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  "_links": {
    "self": { ... },
    "first": { ... },
    "last": { ... },
    "next": { ... },
    "prev": { ... }
  },
  "_embedded": {
    "items": [ ... ]
  }
}
```

CopyExpand allCollapse all

List seller listings

List seller listings for the authenticated user.

AUTHORIZATIONS: >

OAuth2

QUERY PARAMETERS

event_id	integer or null <int32>
requested_event_id	string or null <guid>
page	integer <int32> Specifies which page of data to retrieve.
page_size	integer <int32> Set custom page sizes on response.
updated_since	string <date-time> Filters the response to only return items that have been updated since the given timestamp
sort	string Determines the ordering of items. A comma-separated string containing <code>available_tickets</code> , <code>created_at</code> , <code>event_date</code> , <code>event_name</code> , <code>expiration_date</code> , <code>price</code> , <code>resource_version</code> , or <code>ticket_availability_date</code> .

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(SellerListingsLinks (object or null))
_embedded >	(SellerListingsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /sellerlistings

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  - "_links": {
    + "self": { ... },
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
  - "_embedded": {
    + "items": [ ... ]
  }
}
```

Create a seller listing for a requested event

Creates a seller listing for an event requested by the current user.

AUTHORIZATIONS: >		OAuth2
REQUEST BODY SCHEMA: application/json		
One of PostRequestedEventSellerListingRequest		
ticket_price >	(Money (object or null))	The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null))	The amount that the seller will receive for each ticket sold.
seating > required	(SeatingRequest (object or null))	The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null))	The price printed on the ticket, not including any booking fees.
ticket_type required	string or null	The type of ticket(s) in this listing.
split_type required	string or null	The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets required	integer or null <int32>	The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32>	The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32>	The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32>	An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time>	The date when the seller will have the tickets in hand.

external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
relist_transaction_id	integer or null <int32> Used when relisting tickets previously purchased on Stubhub marketplace. Include the transaction ID in the id value field.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
is_ticket_concierge	boolean or null Whether the listing represents a shorted ticket
is_auto_po	boolean or null Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.
event >	(EventRequest (object or null)) The event information.
venue >	(VenueRequest (object or null)) The venue where the event will take place.
country >	(CountryRequest (object or null)) The country where the event will take place.

Responses

✓ 201

RESPONSE SCHEMA: application/hal+json	
id	integer or null <int64>

	The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.

sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

POST /sellerlistings

Request samples

Payload

Content type

application/json

CopyExpand allCollapse all

```
{
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "notes": "string",
  "instant_delivery": true,
  "published": true,
```

```
      "lms_optin": true,
-   "eticket_ids": [
        0
      ],
      "relist_transaction_id": 0,
-   "external_event_information": [
        { ... }
      ],
-   "purchase_price_per_ticket": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
-   "total_purchase_price": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
    "sales_tax_paid": true,
    "is_ticket_concierge": true,
    "is_auto_po": true,
-   "barcodes": [
        { ... }
      ],
-   "event": {
      "name": "string",
      "start_date": "2019-08-24T14:15:22Z",
      "date_confirmed": true,
      "note": "string"
    },
-   "venue": {
      "name": "string",
      "city": "string",
      "state_province": "string"
    },
-   "country": {
      "code": "string"
    }
  }
}
```

Response samples

- 201
- 400
- 401
- 403
- 500

Content type
application/hal+json

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
-  "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
-  "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
}
```

Copy Expand all Collapse all

```
- "ticket_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"updated_at": "2019-08-24T14:15:22Z",
"external_id": "string",
"expires_at": "2019-08-24T14:15:22Z",
"display_number_of_tickets": 0,
- "face_value": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "ticket_proceeds": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"in_hand_at": "2019-08-24T14:15:22Z",
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
],
"instant_delivery": true,
"undeliverable": true,
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
```

```
- "_links": {
  + "self": { ... },
  + "event:createSellerListing": { ... },
  + "sellerListing:constraints": { ... },
  + "sellerListing:contactusWebpage": { ... },
  + "sellerListing:delete": { ... },
  + "sellerListing:etickets": { ... },
  + "sellerListing:eticketUploads": { ... },
  + "sellerListing:lmsOptin": { ... },
  + "sellerListing:lmsOptout": { ... },
  + "sellerListing:lmsPickup": { ... },
  + "sellerListing:optionalVerificationRequests": { ... },
  + "sellerListing:pricing": { ... },
  + "sellerListing:publish": { ... },
  + "sellerListing:saveEtickets": { ... },
  + "sellerListing:shipments": { ... },
  + "sellerListing:ticketLocation": { ... },
  + "sellerListing:unpublish": { ... },
  + "sellerListing:updatedDisplayNumberOfTickets": { ... },
  + "sellerListing:updateFaceValue": { ... },
  + "sellerListing:updateInHandAt": { ... },
  + "sellerListing:updateNotes": { ... },
  + "sellerListing:updateNumberOfTickets": { ... },
  + "sellerListing:updatePreview": { ... },
  + "sellerListing:updateSeating": { ... },
  + "sellerListing:updatesPlittType": { ... },
  + "sellerListing:updateticketLocation": { ... },
  + "sellerListing:updateticketPrice": { ... },
  + "sellerListing:updateticketType": { ... },
  + "sellerListing:uploadTicket": { ... },
  + "sellerListing:verificationRequests": { ... },
  + "sellerListing:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

Create a seller listing

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
eventId integer <int32> required		
REQUEST BODY SCHEMA: application/json		
One of PostSellerListingRequest		
ticket_price >	(Money (object or null))	The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null))	The amount that the seller will receive for each ticket sold.

seating > required	(SeatingRequest (object or null)) The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_type required	string or null The type of ticket(s) in this listing.
split_type required	string or null The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets required	integer or null <int32> The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32> The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32> An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
relist_transaction_id	integer or null <int32> Used when relisting tickets previously purchased on Stubhub marketplace. Include the transaction ID in the id value field.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.

is_ticket_concierge	boolean or null Whether the listing represents a shorted ticket
is_auto_po	boolean or null Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

✓ 201

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket

is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

POST /events/{eventId}/sellerlistings

Request samples

Payload

Content type
application/json

```
{
-  "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
-  "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
}
```

Copy

Expand all

Collapse all

```
- "seating": {
  "section": "string",
  "row": "string",
  "seat_from": "string",
  "seat_to": "string",
  "hide_seat_details": true
},
- "face_value": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"ticket_type": "string",
"split_type": "string",
"number_of_tickets": 0,
"display_number_of_tickets": 0,
"ticket_location_address_id": 0,
- "listing_note_ids": [
  0
],
"in_hand_at": "2019-08-24T14:15:22Z",
"external_id": "string",
"notes": "string",
"instant_delivery": true,
"published": true,
"lms_optin": true,
- "eticket_ids": [
  0
],
"relist_transaction_id": 0,
- "external_event_information": [
  + { ... }
],
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
]
}
```

Response samples

- 201
- 400
- 401
- 403
- 500

Content type

application/hal+json

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
```

```
- "seating": {
  "section": "string",
  "row": "string",
  "seat_from": "string",
  "seat_to": "string",
  + "state": { ... }
},
- "display_seating": {
  "section": "string",
  "row": "string",
  "seat_from": "string",
  "seat_to": "string",
  + "state": { ... }
},
- "ticket_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"updated_at": "2019-08-24T14:15:22Z",
"external_id": "string",
"expires_at": "2019-08-24T14:15:22Z",
"display_number_of_tickets": 0,
- "face_value": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "ticket_proceeds": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"in_hand_at": "2019-08-24T14:15:22Z",
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
],
"instant_delivery": true,
"undeliverable": true,
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
```

```
-  "_links": {
+    "self": { ... },
+    "event:createSellerListing": { ... },
+    "sellerListing:constraints": { ... },
+    "sellerListing:contactusWebpage": { ... },
+    "sellerListing:delete": { ... },
+    "sellerListing:etickets": { ... },
+    "sellerListing:eticketUploads": { ... },
+    "sellerListing:lmsOptIn": { ... },
+    "sellerListing:lmsOptOut": { ... },
+    "sellerListing:lmsPickup": { ... },
+    "sellerListing:optionalVerificationRequests": { ... },
+    "sellerListing:pricing": { ... },
+    "sellerListing:publish": { ... },
+    "sellerListing:saveEtickets": { ... },
+    "sellerListing:shipments": { ... },
+    "sellerListing:ticketLocation": { ... },
+    "sellerListing:unpublish": { ... },
+    "sellerListing:updatedDisplayNumberOfTickets": { ... },
+    "sellerListing:updateFaceValue": { ... },
+    "sellerListing:updateInHandAt": { ... },
+    "sellerListing:updateNotes": { ... },
+    "sellerListing:updateNumberOfTickets": { ... },
+    "sellerListing:updatePreview": { ... },
+    "sellerListing:updateSeating": { ... },
+    "sellerListing:updatesPlittType": { ... },
+    "sellerListing:updateticketLocation": { ... },
+    "sellerListing:updateticketPrice": { ... },
+    "sellerListing:updateticketType": { ... },
+    "sellerListing:uploadTicket": { ... },
+    "sellerListing:verificationRequests": { ... },
+    "sellerListing:webpage": { ... }
+  },
-  "_embedded": {
+    "constraints": { ... },
+    "event": { ... },
+    "listing_notes": [ ... ],
+    "relist_transaction": { ... },
+    "split_type": { ... },
+    "ticket_type": { ... },
+    "venue": { ... }
+  }
}
```

}}

SellerListings (External Id)

Manage your inventory using identifiers from an external inventory management system.

Get a seller listing by external ID

Get a seller listing by identifier that has been assigned to the listing in an external inventory management system.

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

externalListingId required	string or null
---	----------------

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concienge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.

purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /externalsellerlistings/{externallistingId}

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
```

CopyExpand allCollapse all

```
- "face_value": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "ticket_proceeds": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"in_hand_at": "2019-08-24T14:15:22Z",
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
],
"instant_delivery": true,
"undeliverable": true,
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
- "_links": {
  + "self": { ... },
  + "event:createsellerlisting": { ... },
  + "sellerlisting:constraints": { ... },
  + "sellerlisting:contactuswebpage": { ... },
  + "sellerlisting:delete": { ... },
  + "sellerlisting:etickets": { ... },
  + "sellerlisting:eticketuploads": { ... },
  + "sellerlisting:lmsoptin": { ... },
  + "sellerlisting:lmsoptout": { ... },
  + "sellerlisting:lmspickup": { ... },
  + "sellerlisting:optionalverificationrequests": { ... },
  + "sellerlisting:pricing": { ... },
  + "sellerlisting:publish": { ... },
  + "sellerlisting:saveetickets": { ... },
  + "sellerlisting:shipments": { ... },
  + "sellerlisting:ticketlocation": { ... },
  + "sellerlisting:unpublish": { ... },
  + "sellerlisting:updatedisplaynumberoftickets": { ... },
  + "sellerlisting:updatefacevalue": { ... },
  + "sellerlisting:updateinhandat": { ... },
  + "sellerlisting:updatenotes": { ... },
  + "sellerlisting:updatenumberoftickets": { ... },
  + "sellerlisting:updatepreview": { ... },
  + "sellerlisting:updateseating": { ... },
  + "sellerlisting:updatesplittype": { ... },
  + "sellerlisting:updateticketlocation": { ... },
  + "sellerlisting:updateticketprice": { ... },
  + "sellerlisting:updatetickettype": { ... },
  + "sellerlisting:uploadeticket": { ... },
  + "sellerlisting:verificationrequests": { ... },
  + "sellerlisting:webpage": { ... }
},
```

```
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
```

Update a seller listing by external ID

Update a seller listing by identifier that has been assigned to the listing in an external inventory management system.

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

externalId

required

string or null

REQUEST BODY SCHEMA:

application/json

One of

PatchSellerListingRequest

ticket_price >	(Money (object or null)) The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
seating >	(SeatingRequest (object or null)) The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_type	string or null The type of ticket(s) in this listing.
split_type	string or null The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32> The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32> An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.

external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time>

	The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "notes": "string",
  "instant_delivery": true,
  "published": true,
  "lms_optin": true,
  - "eticket_ids": [
    0
  ],
  - "external_event_information": [
    + { ... }
  ],
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
  - "barcodes": [
    + { ... }
  ]
}
```

Response samples

- 200
- 400
- 401
- 403
- 500

Content type
application/hal+json

Copy Expand all Collapse all

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "in_hand_at": "2019-08-24T14:15:22Z",
  "is_ticket_concierge": true,
  "is_auto_po": true,
  - "barcodes": [
    + { ... }
  ],
  "instant_delivery": true,
  "undeliverable": true,
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
```

```
-  "_links": {
+    "self": { ... },
+    "event:createSellerListing": { ... },
+    "sellerListing:constraints": { ... },
+    "sellerListing:contactusWebpage": { ... },
+    "sellerListing:delete": { ... },
+    "sellerListing:etickets": { ... },
+    "sellerListing:eticketUploads": { ... },
+    "sellerListing:lmsOptIn": { ... },
+    "sellerListing:lmsOptOut": { ... },
+    "sellerListing:lmsPickup": { ... },
+    "sellerListing:optionalVerificationRequests": { ... },
+    "sellerListing:pricing": { ... },
+    "sellerListing:publish": { ... },
+    "sellerListing:saveEtickets": { ... },
+    "sellerListing:shipments": { ... },
+    "sellerListing:ticketLocation": { ... },
+    "sellerListing:unpublish": { ... },
+    "sellerListing:updatedDisplayNumberOfTickets": { ... },
+    "sellerListing:updateFaceValue": { ... },
+    "sellerListing:updateInHandAt": { ... },
+    "sellerListing:updateNotes": { ... },
+    "sellerListing:updateNumberOfTickets": { ... },
+    "sellerListing:updatePreview": { ... },
+    "sellerListing:updateSeating": { ... },
+    "sellerListing:updatesPlittType": { ... },
+    "sellerListing:updateticketLocation": { ... },
+    "sellerListing:updateticketPrice": { ... },
+    "sellerListing:updateticketType": { ... },
+    "sellerListing:uploadTicket": { ... },
+    "sellerListing:verificationRequests": { ... },
+    "sellerListing:webpage": { ... }
+  },
-  "_embedded": {
+    "constraints": { ... },
+    "event": { ... },
+    "listing_notes": [ ... ],
+    "relist_transaction": { ... },
+    "split_type": { ... },
+    "ticket_type": { ... },
+    "venue": { ... }
+  }
}
```

}}

Delete a seller listing by external ID

Delete a seller listing by identifier that has been assigned to the listing in an external inventory management system.

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

externalId
required string or null

Responses

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **500** Internal server error

DELETE /externalsellerlistings/{externalId}

Response samples

- 401
- 403
- 500

Content type
application/hal+json

```
{
  "code": "string",
  "message": "string",
  "errors": {
    "property1": [ ... ],
    "property2": [ ... ]
  }
}
```

Copy Expand all Collapse all

SellerListings (Preview)

Preview the changes you want to make to your inventory.

Preview a seller listing

Creates a preview of a seller listing. The listing will not have an `id` and will not actually be created on the StubHub marketplace.

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
eventId required	integer <int32>	
REQUEST BODY SCHEMA: application/json		
One of PostSellerListingPreviewRequest		
ticket_price >	(Money (object or null)) The price of each ticket in the listing.	
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.	
seating > required	(SeatingRequest (object or null)) The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.	

face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_type required	string or null The type of ticket(s) in this listing.
split_type required	string or null The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets required	integer or null <int32> The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32> The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32> An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.

total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

POST /events/{eventId}/sellerlistingpreview

Request samples

Payload

Content type
application/json

```
{
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
```

Copy Expand all Collapse all

```
      "notes": "string",
      "instant_delivery": true,
      "published": true,
      "lms_optin": true,
-   "eticket_ids": [
        0
      ],
-   "external_event_information": [
      + { ... }
    ],
-   "purchase_price_per_ticket": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
-   "total_purchase_price": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
    "sales_tax_paid": true,
-   "barcodes": [
      + { ... }
    ]
  }
}
```

Response samples

- 200
- 400
- 401
- 403
- 500

Content type
application/hal+json

Copy Expand all Collapse all

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
-   "seating": {
      "section": "string",
      "row": "string",
      "seat_from": "string",
      "seat_to": "string",
      + "state": { ... }
    },
-   "display_seating": {
      "section": "string",
      "row": "string",
      "seat_from": "string",
      "seat_to": "string",
      + "state": { ... }
    },
-   "ticket_price": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
    "updated_at": "2019-08-24T14:15:22Z",
    "external_id": "string",
    "expires_at": "2019-08-24T14:15:22Z",
    "display_number_of_tickets": 0,
-   "face_value": {
      "amount": 0,
      "currency_code": "string",
      "display": "string"
    },
}
```

```
- "ticket_proceeds": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"in_hand_at": "2019-08-24T14:15:22Z",
"is_ticket_concierge": true,
"is_auto_po": true,
- "barcodes": [
  + { ... }
],
"instant_delivery": true,
"undeliverable": true,
- "purchase_price_per_ticket": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
- "_links": {
  + "self": { ... },
  + "event:createsellerlisting": { ... },
  + "sellerlisting:constraints": { ... },
  + "sellerlisting:contactuswebpage": { ... },
  + "sellerlisting:delete": { ... },
  + "sellerlisting:etickets": { ... },
  + "sellerlisting:eticketuploads": { ... },
  + "sellerlisting:lmsoptin": { ... },
  + "sellerlisting:lmsoptout": { ... },
  + "sellerlisting:lmspickup": { ... },
  + "sellerlisting:optionalverificationrequests": { ... },
  + "sellerlisting:pricing": { ... },
  + "sellerlisting:publish": { ... },
  + "sellerlisting:saveetickets": { ... },
  + "sellerlisting:shipments": { ... },
  + "sellerlisting:ticketlocation": { ... },
  + "sellerlisting:unpublish": { ... },
  + "sellerlisting:updatedisplaynumberoftickets": { ... },
  + "sellerlisting:updatefacevalue": { ... },
  + "sellerlisting:updateinhandat": { ... },
  + "sellerlisting:updatenotes": { ... },
  + "sellerlisting:updatenumberoftickets": { ... },
  + "sellerlisting:updatepreview": { ... },
  + "sellerlisting:updateseating": { ... },
  + "sellerlisting:updatesplittype": { ... },
  + "sellerlisting:updateticketlocation": { ... },
  + "sellerlisting:updateticketprice": { ... },
  + "sellerlisting:updatetickettype": { ... },
  + "sellerlisting:uploadeticket": { ... },
  + "sellerlisting:verificationrequests": { ... },
  + "sellerlisting:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

}}

Preview a seller listing update

Creates a preview of an update to a seller listing. The updates will not actually be applied to the listing on the StubHub marketplace.

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
listingId required integer <int64>		
REQUEST BODY SCHEMA: application/json		
One of PostSellerListingPreviewRequest		
ticket_price >	(Money (object or null))	The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null))	The amount that the seller will receive for each ticket sold.
seating > required	(SeatingRequest (object or null))	The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null))	The price printed on the ticket, not including any booking fees.
ticket_type required	string or null	The type of ticket(s) in this listing.
split_type required	string or null	The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets required	integer or null <int32>	The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32>	The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32>	The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32>	An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time>	The date when the seller will have the tickets in hand.
external_id	string or null	An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null	A comma-separated string of additional notes about the listing
instant_delivery	boolean or null	

published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.

display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

POST /sellerlistings/{listingId}/updatepreview

Request samples

Payload

Content type
application/json

```
{
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "notes": "string",
  "instant_delivery": true,
  "published": true,
  "lms_optin": true,
  - "eticket_ids": [
    0
  ],
  - "external_event_information": [
    + { ... }
  ],
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
  - "barcodes": [
    + { ... }
  ]
}
```

Response samples

- 200
- 400
- 401
- 403
- 500

Content type

application/hal+json

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
-  "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
-  "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
-  "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
-  "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
-  "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "in_hand_at": "2019-08-24T14:15:22Z",
  "is_ticket_concierge": true,
  "is_auto_po": true,
-  "barcodes": [
    + { ... }
  ],
  "instant_delivery": true,
  "undeliverable": true,
-  "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
-  "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "sales_tax_paid": true,
```

```
-  "_links": {
+    "self": { ... },
+    "event:createSellerListing": { ... },
+    "sellerListing:constraints": { ... },
+    "sellerListing:contactusWebpage": { ... },
+    "sellerListing:delete": { ... },
+    "sellerListing:etickets": { ... },
+    "sellerListing:eticketUploads": { ... },
+    "sellerListing:lmsOptIn": { ... },
+    "sellerListing:lmsOptOut": { ... },
+    "sellerListing:lmsPickup": { ... },
+    "sellerListing:optionalVerificationRequests": { ... },
+    "sellerListing:pricing": { ... },
+    "sellerListing:publish": { ... },
+    "sellerListing:saveEtickets": { ... },
+    "sellerListing:shipments": { ... },
+    "sellerListing:ticketLocation": { ... },
+    "sellerListing:unpublish": { ... },
+    "sellerListing:updatedDisplayNumberOfTickets": { ... },
+    "sellerListing:updateFaceValue": { ... },
+    "sellerListing:updateInHandAt": { ... },
+    "sellerListing:updateNotes": { ... },
+    "sellerListing:updateNumberOfTickets": { ... },
+    "sellerListing:updatePreview": { ... },
+    "sellerListing:updateSeating": { ... },
+    "sellerListing:updatesPlittType": { ... },
+    "sellerListing:updateticketLocation": { ... },
+    "sellerListing:updateticketPrice": { ... },
+    "sellerListing:updateticketType": { ... },
+    "sellerListing:uploadTicket": { ... },
+    "sellerListing:verificationRequests": { ... },
+    "sellerListing:webpage": { ... }
+  },
-  "_embedded": {
+    "constraints": { ... },
+    "event": { ... },
+    "listing_notes": [ ... ],
+    "relist_transaction": { ... },
+    "split_type": { ... },
+    "ticket_type": { ... },
+    "venue": { ... }
+  }
}
```

Preview a seller listing for a requested event

Creates a preview of a seller listing for an event requested by the current user. The listing will not have an `id` and will not actually be created on the StubHub marketplace.

AUTHORIZATIONS: >		OAuth2
REQUEST BODY SCHEMA: application/json		
One of PostRequestedEventSellerListingPreviewRequest		
event >		(EventRequest (object or null)) The event information.
venue >		(VenueRequest (object or null)) The venue where the event will take place.

country >	(CountryRequest (object or null)) The country where the event will take place.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
seating > required	(SeatingRequest (object or null)) The seating information for the ticket(s) in this listing. For PATCH Requests, you need to pass in all the fields of a Seating to update, even when you only need to update some of the fields. Otherwise the rest of the fields will be set to empty.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_type required	string or null The type of ticket(s) in this listing.
split_type required	string or null The way that the ticket(s) are allowed to be split up when sold.
number_of_tickets required	integer or null <int32> The number of tickets available for purchase.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
ticket_location_address_id	integer or null <int32> The identifier of the address where the ticket(s) are located.
listing_note_ids	Array of integers or null <int32> An array of listing note identifiers that provides additional notes on the listing
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
notes	string or null A comma-separated string of additional notes about the listing
instant_delivery	boolean or null
published	boolean or null True when the listing should be published; Otherwise, false.
lms_optin	boolean or null True when the listing should be opted into Last Minute Sales; Otherwise, false.
eticket_ids	Array of integers or null <int32> A array of the identifiers of the E-Tickets to be assigned to the listing.
relist_transaction_id	integer or null <int32> Used when relisting tickets previously purchased on Stubhub marketplace. Include the transaction ID in the id value field.
external_event_information	Array of objects or null (SellerListingExternalEventInformation) Information about the listing's event on other platforms.

purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
is_ticket_concierge	boolean or null Whether the listing represents a shorted ticket
is_auto_po	boolean or null Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation2) Barcode(s) for the ticket(s) in this listing.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.

ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null)) The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

POST /sellerlistingpreview

Request samples

Payload

Content type
application/json

```
{
  - "event": {
    "name": "string",
    "start_date": "2019-08-24T14:15:22Z",
    "date_confirmed": true,
    "note": "string"
  },
  - "venue": {
    "name": "string",
    "city": "string",
    "state_province": "string"
  },
  - "country": {
    "code": "string"
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    "hide_seat_details": true
  },
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "ticket_type": "string",
  "split_type": "string",
  "number_of_tickets": 0,
  "display_number_of_tickets": 0,
  "ticket_location_address_id": 0,
  - "listing_note_ids": [
    0
  ],
  "in_hand_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "notes": "string",
  "instant_delivery": true,
  "published": true,
  "lms_optin": true,
  - "eticket_ids": [
    0
  ],
  "relist_transaction_id": 0,
  - "external_event_information": [
    + { ... }
  ],
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "total_purchase_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
}
```

```
    "sales_tax_paid": true,
    "is_ticket_concierge": true,
    "is_auto_po": true,
  - "barcodes": [
    + { ... }
  ]
}
```

Response samples

- 200
- 400
- 401
- 403
- 500

Content type
application/hal+json

Copy Expand all Collapse all

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "in_hand_at": "2019-08-24T14:15:22Z",
  "is_ticket_concierge": true,
  "is_auto_po": true,
  - "barcodes": [
    + { ... }
  ],
  "instant_delivery": true,
  "undeliverable": true,
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
}
```

```
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
- "_links": {
  + "self": { ... },
  + "event:createSellerListing": { ... },
  + "sellerListing:constraints": { ... },
  + "sellerListing:contactusWebpage": { ... },
  + "sellerListing:delete": { ... },
  + "sellerListing:etickets": { ... },
  + "sellerListing:eticketUploads": { ... },
  + "sellerListing:lmsOptIn": { ... },
  + "sellerListing:lmsOptOut": { ... },
  + "sellerListing:lmsPickup": { ... },
  + "sellerListing:optionalVerificationRequests": { ... },
  + "sellerListing:pricing": { ... },
  + "sellerListing:publish": { ... },
  + "sellerListing:saveEtickets": { ... },
  + "sellerListing:shipments": { ... },
  + "sellerListing:ticketLocation": { ... },
  + "sellerListing:unpublish": { ... },
  + "sellerListing:updatedDisplayNumberOfTickets": { ... },
  + "sellerListing:updateFaceValue": { ... },
  + "sellerListing:updateInHandAt": { ... },
  + "sellerListing:updateNotes": { ... },
  + "sellerListing:updateNumberOfTickets": { ... },
  + "sellerListing:updatePreview": { ... },
  + "sellerListing:updateSeating": { ... },
  + "sellerListing:updatesPlittType": { ... },
  + "sellerListing:updateticketLocation": { ... },
  + "sellerListing:updateticketPrice": { ... },
  + "sellerListing:updateticketType": { ... },
  + "sellerListing:uploadTicket": { ... },
  + "sellerListing:verificationRequests": { ... },
  + "sellerListing:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

E-Tickets

Upload e-tickets for a seller listing

[AUTHORIZATIONS:](#) >

OAuth2

[PATH PARAMETERS](#)

listingId

required

integer <int64>

QUERY PARAMETERS

page	integer <int32> Specifies which page of data to retrieve.
page_size	integer <int32> Set custom page sizes on response.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketUploadsLinks (object or null))
_embedded >	(ETicketUploadsEmbeddedResources (object or null))

- > 400 The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.
- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 500 Internal server error

POST /sellerlistings/{listingId}/eticketuploads

Response samples

- 200
- 400
- 401
- 403
- 500

Content type

application/hal+json

{

"total_items": 0,

"page": 0,

"page_size": 0,

- "_links": {

+ "self": { ... },

+ "first": { ... },

+ "last": { ... },

+ "next": { ... },

+ "prev": { ... }

},

Copy

Expand all

Collapse all

```
- "_embedded": {
  + "items": [ ... ]
}
```

List e-ticket uploads for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId

required

integer <int64>

QUERY PARAMETERS

page

integer <int32>

Specifies which page of data to retrieve.

page_size

integer <int32>

Set custom page sizes on response.

Responses

✔ 200

RESPONSE SCHEMA: application/hal+json

total_items

integer or null <int32>

page

integer or null <int32>

page_size

integer or null <int32>

_links >

(ETicketUploadsLinks (object or null))

_embedded >

(ETicketUploadsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /sellerlistings/{listingId}/eticketuploads

Response samples

- 200
- 401
- 403
- 404
- 500

Content type

application/hal+json

Copy

Expand all

Collapse all

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  - "_links": {
    + "self": { ... },
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
  - "_embedded": {
    + "items": [ ... ]
  }
}
```

Upload e-tickets for an event

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

eventId

required

integer <int32>

QUERY PARAMETERS

page

integer <int32>

Specifies which page of data to retrieve.

page_size

integer <int32>

Set custom page sizes on response.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketUploadsLinks (object or null))
_embedded >	(ETicketUploadsEmbeddedResources (object or null))

> 400 The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> 401 Authentication credentials were missing or incorrect.

> 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 500 Internal server error

POST

/events/{eventId}/eticketuploads

Response samples

- 200
- 400
- 401
- 403
- 500

Content type

application/hal+json

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  "_links": {
    "self": { ... },
    "first": { ... },
    "last": { ... },
    "next": { ... },
    "prev": { ... }
  },
  "_embedded": {
    "items": [ ... ]
  }
}
```

Copy Expand all Collapse all

List e-ticket uploads for an event

AUTHORIZATIONS: >OAuth2

PATH PARAMETERS

eventId integer <int32>
required

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
id	integer <int32> The identifier of the upload.
file_name	string or null The name of the file that was uploaded.
processed_at	string <date-time>

	The date when all of the E-Tickets in the uploaded file were processed.
original_number_of_etickets	integer <int32> The original number of E-Tickets contained in the uploaded file.
status_description	string or null A localised in-depth description of the current status of the upload.
_links >	(ETicketUploadLinks (object or null))
_embedded >	(ETicketUploadEmbeddedResources (object or null))

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **404** The URI requested is invalid or the resource requested, such as an event, does not exist.
- > **500** Internal server error

GET /events/{eventId}/eticketuploads

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "id": 0,
  "file_name": "string",
  "processed_at": "2019-08-24T14:15:22Z",
  "original_number_of_etickets": 0,
  "status_description": "string",
  "_links": {
    "self": { ... },
    "eticketupload:document": { ... }
  },
  "_embedded": {
    "etickets": [ ... ]
  }
}
```

Copy Expand all Collapse all

List e-tickets for a seller listing

AUTHORIZATIONS: > OAuth2

PATH PARAMETERS

listingId
required integer <int64>

QUERY PARAMETERS

page	integer <int32> Specifies which page of data to retrieve.
page_size	integer <int32> Set custom page sizes on response.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketsLinks (object or null))
_embedded >	(ETicketsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /sellerlistings/{listingId}/etickets

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  - "_links": {
    + "self": { ... },
    + "etickets:markback": { ... },
    + "etickets:markedbackdocuments": [ ... ],
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
  - "_embedded": {
    + "items": [ ... ]
  }
}
```

Copy Expand all Collapse all

Mark-back e-tickets from a seller listing

Removes a certain number of e-tickets that you no longer wish to sell from your listing.

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId
required

integer <int64>

QUERY PARAMETERS

page

integer <int32>

Specifies which page of data to retrieve.

page_size

integer <int32>

Set custom page sizes on response.

REQUEST BODY SCHEMA: application/json

One of

PostMarkBackETicketsRequest

quantity

integer <int32>

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items

integer or null <int32>

page

integer or null <int32>

page_size

integer or null <int32>

_links >

(ETicketsLinks (object or null))

_embedded >

(ETicketsEmbeddedResources (object or null))

> 400 The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> 401 Authentication credentials were missing or incorrect.

> 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 500 Internal server error

PATCH

/sellerlistings/{listingId}/etickets

Request samples

Payload

Content type

application/json

{

"quantity": 0

}

Copy

Response samples

200

400

401

403

500

Content type

application/hal+json

{

"total_items": 0,

"page": 0,

"page_size": 0,

- "_links": {

+ "self": { ... },

+ "etickets:markback": { ... },

+ "etickets:markedbackdocuments": [...],

+ "first": { ... },

+ "last": { ... },

+ "next": { ... },

+ "prev": { ... }

},

- "_embedded": {

+ "items": [...]

}

}

Copy

Expand all

Collapse all

Upload and save e-tickets for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId

required

integer <int64>

QUERY PARAMETERS

page

integer <int32>

Specifies which page of data to retrieve.

page_size

integer <int32>

Set custom page sizes on response.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketsLinks (object or null))
_embedded >	(ETicketsEmbeddedResources (object or null))

➤ **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> 401 Authentication credentials were missing or incorrect.

➤ **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

- > **500** Internal server error

POST /sellerlistings/{listingId}/etickets

Response samples

200

400

401

403

500

Content type

application/hal+json

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  "_links": {
    + "self": { ... },
    + "etickets:markback": { ... },
    + "etickets:markedbackdocuments": [ ... ],
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
  "_embedded": {
    + "items": [ ... ]
  }
}
```

Copy Expand all Collapse all

Delete e-ticket from a seller listing

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
listingId required	integer <int64>	
eticketId required	integer <int32>	

Responses

— 204

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **500** Internal server error

DELETE /sellerlistings/{listingId}/etickets/{ETicketId}

Response samples

- 401
- 403
- 500

Content type
application/hal+json

```
{
  "code": "string",
  "message": "string",
  - "errors": {
    + "property1": [ ... ],
    + "property2": [ ... ]
  }
}
```

Copy Expand all Collapse all

Delete e-ticket from an event

AUTHORIZATIONS: >		OAuth2
PATH PARAMETERS		
eventId required	integer <int32>	
eticketId required	integer <int32>	

Responses

— 204

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **500** Internal server error

DELETE /events/{eventId}/etickets/{eticketId}

Response samples

- 401
- 403
- 500

Content type
application/hal+json

```
{
  "code": "string",
  "message": "string",
  "errors": {
    "property1": [ ... ],
    "property2": [ ... ]
  }
}
```

Copy Expand all Collapse all

Get marked back e-ticket file for seller listing

AUTHORIZATIONS: > OAuth2

PATH PARAMETERS

listingId required	integer <int64>
markedBackETicketId required	integer <int32>

Responses

✓ 200

RESPONSE SCHEMA: application/octet-stream

string <binary>

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **404** The URI requested is invalid or the resource requested, such as an event, does not exist.
- > **500** Internal server error

GET

/sellerlistings/{listingId}/markedbacketickets/{markedBackETicketId}/document

Response samples

401

403

404

500

Content type

application/hal+json

{

"code": "string",

"message": "string",

- "errors": {

+ "property1": [...],

+ "property2": [...]

}

}

}

Copy

Expand all

Collapse all

ListingConstraints

List listing constraints for an event

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

eventId

required

integer <int32>

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
min_ticket_price >	(Money (object or null))
max_ticket_price >	(Money (object or null))
min_number_of_tickets	integer or null <int32> The minimum number of tickets available for purchase.
max_number_of_tickets	integer or null <int32> The maximum number of tickets available for purchase.
ticket_location_required	boolean or null True if a ticket location is required for tickets; Otherwise, false.
seats_required	boolean or null

	True if seat-level information (seat_to and seat_from) is required; Otherwise, false.
sections	Array of objects or null (Section) The valid section and row information. If no sections are specified then any text will be accepted for section and row.
primary_order_id_required	boolean or null
home_or_away_required	boolean or null
_links >	(ListingConstraintsLinks (object or null))
_embedded >	(ListingConstraintsEmbeddedResources (object or null))

- > **401** Authentication credentials were missing or incorrect.
- > **404** The URI requested is invalid or the resource requested, such as an event, does not exist.
- > **500** Internal server error

GET /events/{eventId}/listingconstraints

Response samples

- 200
- 401
- 404
- 500

Content type
application/hal+json

```
{
  - "min_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "max_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "min_number_of_tickets": 0,
  "max_number_of_tickets": 0,
  "ticket_location_required": true,
  "seats_required": true,
  - "sections": [
    + { ... }
  ],
  "primary_order_id_required": true,
  "home_or_away_required": true,
  - "_links": {
    + "self": { ... }
  },
  - "_embedded": {
    + "connected_seller_listing_notes": [ ... ],
    + "currencies": [ ... ],
    + "listing_notes": [ ... ],
    + "required_unique_listing_notes": [ ... ],
    + "restricted_on_use_listing_notes": [ ... ],
    + "split_types": [ ... ],
    + "ticket_types": [ ... ]
  }
}
```

Copy Expand all Collapse all

Get listing constraints for a seller listing

AUTHORIZATIONS: > OAuth2

PATH PARAMETERS

listingId required integer <int64>

Responses

> 200

RESPONSE SCHEMA: application/hal+json

min_ticket_price >	(Money (object or null))
max_ticket_price >	(Money (object or null))
min_number_of_tickets	integer or null <int32> The minimum number of tickets available for purchase.
max_number_of_tickets	integer or null <int32> The maximum number of tickets available for purchase.
ticket_location_required	boolean or null True if a ticket location is required for tickets; Otherwise, false.
seats_required	boolean or null True if seat-level information (seat_to and seat_from) is required; Otherwise, false.
sections	Array of objects or null (Section) The valid section and row information. If no sections are specified then any text will be accepted for section and row.
primary_order_id_required	boolean or null
home_or_away_required	boolean or null
_links >	(ListingConstraintsLinks (object or null))
_embedded >	(ListingConstraintsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET

/sellerlistings/{listingId}/constraints

Response samples

200

401

403

404

500

Content type

application/hal+json

Copy

Expand all

Collapse all

```
{
  - "min_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "max_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "min_number_of_tickets": 0,
  "max_number_of_tickets": 0,
  "ticket_location_required": true,
  "seats_required": true,
  - "sections": [
    + { ... }
  ],
  "primary_order_id_required": true,
  "home_or_away_required": true,
  - "_links": {
    + "self": { ... }
  },
  - "_embedded": {
    + "connected_seller_listing_notes": [ ... ],
    + "currencies": [ ... ],
    + "listing_notes": [ ... ],
    + "required_unique_listing_notes": [ ... ],
    + "restricted_on_use_listing_notes": [ ... ],
    + "split_types": [ ... ],
    + "ticket_types": [ ... ]
  }
}
```

Get listing constraints for a requested event

Get listings constraints for an event requested by the current user.

AUTHORIZATIONS: > OAuth2

REQUEST BODY SCHEMA: application/json

One of PutRequestedEventRequest

event >	(EventRequest (object or null)) The event information.
venue >	(VenueRequest (object or null)) The venue where the event will take place.

country > (CountryRequest (object or null))
The country where the event will take place.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

min_ticket_price >	(Money (object or null))
max_ticket_price >	(Money (object or null))
min_number_of_tickets	integer or null <int32> The minimum number of tickets available for purchase.
max_number_of_tickets	integer or null <int32> The maximum number of tickets available for purchase.
ticket_location_required	boolean or null True if a ticket location is required for tickets; Otherwise, false.
seats_required	boolean or null True if seat-level information (seat_to and seat_from) is required; Otherwise, false.
sections	Array of objects or null (Section) The valid section and row information. If no sections are specified then any text will be accepted for section and row.
primary_order_id_required	boolean or null
home_or_away_required	boolean or null
_links >	(ListingConstraintsLinks (object or null))
_embedded >	(ListingConstraintsEmbeddedResources (object or null))

> 400 The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> 401 Authentication credentials were missing or incorrect.

> 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 500 Internal server error

PUT /listingconstraints

Request samples

Payload

Content type
application/json

```
{
  - "event": {
    "name": "string",
    "start_date": "2019-08-24T14:15:22Z",
    "date_confirmed": true,
    "note": "string"
  },
  - "venue": {
    "name": "string",
    "city": "string",
    "state_province": "string"
  },
  - "country": {
    "code": "string"
  }
}
```

Response samples

- 200
- 400
- 401
- 403
- 500

Content type
application/hal+json

Copy Expand all Collapse all

```
{
  - "min_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "max_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "min_number_of_tickets": 0,
  "max_number_of_tickets": 0,
  "ticket_location_required": true,
  "seats_required": true,
  - "sections": [
    + { ... }
  ],
  "primary_order_id_required": true,
  "home_or_away_required": true,
  - "_links": {
    + "self": { ... }
  },
  - "_embedded": {
    + "connected_seller_listing_notes": [ ... ],
    + "currencies": [ ... ],
    + "listing_notes": [ ... ],
    + "required_unique_listing_notes": [ ... ],
    + "restricted_on_use_listing_notes": [ ... ],
    + "split_types": [ ... ],
    + "ticket_types": [ ... ]
  }
}
```

SellerEvents

List seller events

List events with listings that belong to the authenticated user.

AUTHORIZATIONS: >

OAuth2

QUERY PARAMETERS

page	integer <int32> Specifies which page of data to retrieve.
page_size	integer <int32> Set custom page sizes on response.
updated_since	string <date-time> Filters the response to only return items that have been updated since the given timestamp
sort	string Determines the ordering of items. A comma-separated string containing <code>id</code> , <code>number_of_tickets</code> , or <code>resource_version</code> .

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

One of SellerEvents

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(SellerEventsLinks (object or null))
_embedded >	(SellerEventsEmbeddedResources (object or null))

> 401

Authentication credentials were missing or incorrect.

> 403

The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 500

Internal server error

GET /sellerevents

Response samples

Content type
application/hal+json

CopyExpand allCollapse all

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  "_links": {
    "self": { ... },
    "first": { ... },
    "last": { ... },
    "next": { ... },
    "prev": { ... }
  },
  "_embedded": {
    "items": [ ... ]
  }
}
```

Create a seller event

Request for an event to be created on the StubHub marketplace.

AUTHORIZATIONS: > OAuth2

REQUEST BODY SCHEMA: application/json

One of PutRequestedEventRequest

event >	(EventRequest (object or null)) The event information.
venue >	(VenueRequest (object or null)) The venue where the event will take place.
country >	(CountryRequest (object or null)) The country where the event will take place.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id	integer or null <int32> The event identifier.
name	string or null The name of the event.
start_date	string or null <date-time> The date when the event starts.

end_date	string or null <date-time> The date when the event ends.
on_sale_date	string or null <date-time> The date when tickets for the event will go onsale.
date_confirmed	boolean or null True if the event start and end date have been confirmed; Otherwise, false.
merged_events	Array of objects or null (MergedEntity) The list of event ids that are merged into this event.
_links >	(SellerEventLinks (object or null))
lms	boolean or null True if the event is a last minute sale event; otherwise, false.
_embedded >	(SellerEventEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

PUT /sellerevents

Request samples

Payload

Content type

application/json

```
{
  - "event": {
    "name": "string",
    "start_date": "2019-08-24T14:15:22Z",
    "date_confirmed": true,
    "note": "string"
  },
  - "venue": {
    "name": "string",
    "city": "string",
    "state_province": "string"
  },
  - "country": {
    "code": "string"
  }
}
```

Copy Expand all Collapse all

Response samples

200

400

401

403

500

Content type

application/hal+json

Copy

Expand all

Collapse all

```
{
  "id": 0,
  "name": "string",
  "start_date": "2019-08-24T14:15:22Z",
  "end_date": "2019-08-24T14:15:22Z",
  "on_sale_date": "2019-08-24T14:15:22Z",
  "date_confirmed": true,
-  "merged_events": [
    + { ... }
  ],
-  "_links": {
    + "self": { ... },
    + "sellerevent:createsellerlisting": { ... },
    + "sellerevent:sellerlistings": { ... }
  },
  "lms": true,
-  "_embedded": {
    + "external_mappings": [ ... ],
    + "sales_aggregates": [ ... ],
    + "venue": { ... }
  }
}
```

Get a seller event

Get an event with listings belonging to the current user

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS	
eventIdOrRequestedEventId required	string or null

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json	
id	integer or null <int32> The event identifier.
name	string or null The name of the event.
start_date	string or null <date-time> The date when the event starts.
end_date	string or null <date-time> The date when the event ends.

on_sale_date	string or null <date-time> The date when tickets for the event will go onsale.
date_confirmed	boolean or null True if the event start and end date have been confirmed; Otherwise, false.
merged_events	Array of objects or null (MergedEntity) The list of event ids that are merged into this event.
_links >	(SellerEventLinks (object or null))
lms	boolean or null True if the event is a last minute sale event; otherwise, false.
_embedded >	(SellerEventEmbeddedResources (object or null))

- > **401** Authentication credentials were missing or incorrect.
- > **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > **404** The URI requested is invalid or the resource requested, such as an event, does not exist.
- > **500** Internal server error

GET /sellerevents/{eventIdOrRequestedEventId}

Response samples

- 200
- 401
- 403
- 404
- 500

Content type
application/hal+json

```
{
  "id": 0,
  "name": "string",
  "start_date": "2019-08-24T14:15:22Z",
  "end_date": "2019-08-24T14:15:22Z",
  "on_sale_date": "2019-08-24T14:15:22Z",
  "date_confirmed": true,
-  "merged_events": [
    + { ... }
  ],
-  "_links": {
    + "self": { ... },
    + "sellerevent:createsellerlisting": { ... },
    + "sellerevent:sellerlistings": { ... }
  },
  "lms": true,
-  "_embedded": {
    + "external_mappings": [ ... ],
    + "sales_aggregates": [ ... ],
    + "venue": { ... }
  }
}
```

Copy Expand all Collapse all

Shipments

Get a shipping label for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId
required

integer <int64>

shipmentId
required

integer <int32>

Responses

✓ 200

RESPONSE SCHEMA: application/octet-stream

string <binary>

> 401

Authentication credentials were missing or incorrect.

> 403

The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 404

The URI requested is invalid or the resource requested, such as an event, does not exist.

> 500

Internal server error

GET

/sellerlistings/{listingId}/shipments/{shipmentId}/label

Response samples

- 401
- 403
- 404
- 500

Content type

application/hal+json

{

"code": "string",

"message": "string",

- "errors": {

+ "property1": [...],

+ "property2": [...]

}

}

}

CopyExpand allCollapse all

List shipments for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId

required

integer <int64>

QUERY PARAMETERS

page

integer <int32>

Specifies which page of data to retrieve.

page_size

integer <int32>

Set custom page sizes on response.

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ShipmentsLinks (object or null))
_embedded >	(ShipmentsEmbeddedResources (object or null))

- > 401 Authentication credentials were missing or incorrect.
- > 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.
- > 404 The URI requested is invalid or the resource requested, such as an event, does not exist.
- > 500 Internal server error

GET /sellerlistings/{listingId}/shipments

Response samples

- 200
- 401
- 403
- 404
- 500

Content type

application/hal+json

{

"total_items": 0,

"page": 0,

```
    "page_size": 0,
  -  "_links": {
    +    "self": { ... },
    +    "first": { ... },
    +    "last": { ... },
    +    "next": { ... },
    +    "prev": { ... },
    +    "shipment:create": { ... }
  },
  -  "_embedded": {
    +    "items": [ ... ]
  }
}
```

Print a shipping label for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingId

required

integer <int64>

Responses

✔ 200

RESPONSE SCHEMA: application/hal+json

id	integer <int32> The shipment identifier.
tracking_number	string or null The identifier used to track the shipment of the ticket(s).
delivery_address >	(Address (object or null)) The address that the seller must ship the tickets to.
_links >	(ShipmentLinks (object or null))
_embedded >	(ShipmentEmbeddedResources (object or null))

> 400 The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> 401 Authentication credentials were missing or incorrect.

> 403 The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> 500 Internal server error

PUT /sellerlistings/{listingId}/shipments

Response samples

200400401403500

Content type

application/hal+json

CopyExpand allCollapse all

```
{  "id": 0,  "tracking_number": "string",-  "delivery_address": {    "full_name": "string",    "address_1": "string",    "address_2": "string",    "address_3": "string",    "city": "string",    "state_province": "string",    "postal_code": "string",    "country_code": "string",    "country": "string"  },-  "_links": {    +  "self": { ... },    +  "shipment:entertrackingnumber": { ... },    +  "shipment:label": { ... }  },-  "_embedded": {    +  "delivery_method": { ... },    +  "pickup_addresses": [ ... ],    +  "pickups": [ ... ],    +  "shipment_state": { ... }  }}
```

Update a shipment for a seller listing

AUTHORIZATIONS: >

OAuth2

PATH PARAMETERS

listingIdrequired

integer <int64>

shipmentIdrequired

integer <int32>

REQUEST BODY SCHEMA: application/json

One of

PatchShipmentRequest

tracking_number

string or null

The identifier used to track the shipment of the ticket(s).

Responses

✓ 200

RESPONSE SCHEMA: application/hal+json

id

integer <int32>

	The shipment identifier.
tracking_number	string or null The identifier used to track the shipment of the ticket(s).
delivery_address >	(Address (object or null)) The address that the seller must ship the tickets to.
_links >	(ShipmentLinks (object or null))
_embedded >	(ShipmentEmbeddedResources (object or null))

> **400** The request data is not valid. errors will contain an object with a localized message that describes the validation error for each property of the data.

> **401** Authentication credentials were missing or incorrect.

> **403** The request is understood, but it has been refused or access is not allowed. An accompanying error message will explain why.

> **500** Internal server error

PATCH /sellerlistings/{listingId}/shipments/{shipmentId}

Request samples

Payload

Content type
application/json

```
{
  "tracking_number": "string"
}
```

Copy

Response samples

200400401403500

Content type
application/hal+json

```
{
  "id": 0,
  "tracking_number": "string",
  - "delivery_address": {
    "full_name": "string",
    "address_1": "string",
    "address_2": "string",
    "address_3": "string",
    "city": "string",
    "state_province": "string",
    "postal_code": "string",
    "country_code": "string",
    "country": "string"
  },
}
```

CopyExpand allCollapse all

```
- "_links": {
  + "self": { ... },
  + "shipment:entertrackingnumber": { ... },
  + "shipment:label": { ... }
},
- "_embedded": {
  + "delivery_method": { ... },
  + "pickup_addresses": [ ... ],
  + "pickups": [ ... ],
  + "shipment_state": { ... }
}
})
```

Money

Returned for monetary values, such as ticket prices, fees charged and tax amounts.

amount required	number or null <decimal> The decimal amount of the money.
currency_code required	string or null The ISO 4217 currency code that the monetary value is represented in.
display	string or null A user-friendly string representing the monetary value.

```
{
  "amount": 0,
  "currency_code": "string",
  "display": "string"
}
```

Copy

ETickets

The ETickets resource is a collection resource that contains zero or more references to a set of E-Tickets, and links that guide you on ways to interact with the E-Tickets. The collection offers a paginated view of E-Tickets.

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketsLinks (object or null))

_embedded > (ETicketsEmbeddedResources (object or null))

CopyExpand allCollapse all

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
  - "_links": {
    + "self": { ... },
    + "etickets:markback": { ... },
    + "etickets:markedbackdocuments": [ ... ],
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
  - "_embedded": {
    + "items": [ ... ]
  }
}
```

ETicketUpload

Represents an uploaded file that contains one or more E-Tickets.

id	integer <int32> The identifier of the upload.
file_name	string or null The name of the file that was uploaded.
processed_at	string <date-time> The date when all of the E-Tickets in the uploaded file were processed.
original_number_of_etickets	integer <int32> The original number of E-Tickets contained in the uploaded file.
status_description	string or null A localised in-depth description of the current status of the upload.
_links >	(ETicketUploadLinks (object or null))
_embedded >	(ETicketUploadEmbeddedResources (object or null))

CopyExpand allCollapse all

```
{
  "id": 0,
```

```
    "file_name": "string",
    "processed_at": "2019-08-24T14:15:22Z",
    "original_number_of_etickets": 0,
    "status_description": "string",
-   "_links": {
+     "self": { ... },
+     "eticketupload:document": { ... }
+   },
-   "_embedded": {
+     "etickets": [ ... ]
+   }
+ }
```

ETicketUploads

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ETicketUploadsLinks (object or null))
_embedded >	(ETicketUploadsEmbeddedResources (object or null))

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
-  "_links": {
+    "self": { ... },
+    "first": { ... },
+    "last": { ... },
+    "next": { ... },
+    "prev": { ... }
+  },
-  "_embedded": {
+    "items": [ ... ]
+  }
+ }
```

Copy Expand all Collapse all

ListingConstraints

The constraints applied to a listing for a particular event on the StubHub marketplace.

min_ticket_price >	(Money (object or null))
max_ticket_price >	(Money (object or null))
min_number_of_tickets	integer or null <int32> The minimum number of tickets available for purchase.
max_number_of_tickets	integer or null <int32> The maximum number of tickets available for purchase.
ticket_location_required	boolean or null True if a ticket location is required for tickets; Otherwise, false.
seats_required	boolean or null True if seat-level information (seat_to and seat_from) is required; Otherwise, false.
sections	Array of objects or null (Section) The valid section and row information. If no sections are specified then any text will be accepted for section and row.
primary_order_id_required	boolean or null
home_or_away_required	boolean or null
_links >	(ListingConstraintsLinks (object or null))
_embedded >	(ListingConstraintsEmbeddedResources (object or null))

Copy Expand all Collapse all

```
{
  - "min_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "max_ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "min_number_of_tickets": 0,
  "max_number_of_tickets": 0,
  "ticket_location_required": true,
  "seats_required": true,
  - "sections": [
    + { ... }
  ],
  "primary_order_id_required": true,
  "home_or_away_required": true,
  - "_links": {
    + "self": { ... }
  },
}
```

```
-  "_embedded": {
+    "connected_seller_listing_notes": [ ... ],
+    "currencies": [ ... ],
+    "listing_notes": [ ... ],
+    "required_unique_listing_notes": [ ... ],
+    "restricted_on_use_listing_notes": [ ... ],
+    "split_types": [ ... ],
+    "ticket_types": [ ... ]
+  }
+}
```

SellerEvent

An event on the StubHub marketplace with listings that belong to the currently authenticated user.

id	integer or null <int32> The event identifier.
name	string or null The name of the event.
start_date	string or null <date-time> The date when the event starts.
end_date	string or null <date-time> The date when the event ends.
on_sale_date	string or null <date-time> The date when tickets for the event will go onsale.
date_confirmed	boolean or null True if the event start and end date have been confirmed; Otherwise, false.
merged_events	Array of objects or null (MergedEntity) The list of event ids that are merged into this event.
_links >	(SellerEventLinks (object or null))
lms	boolean or null True if the event is a last minute sale event; otherwise, false.
_embedded >	(SellerEventEmbeddedResources (object or null))

```
{
  "id": 0,
  "name": "string",
  "start_date": "2019-08-24T14:15:22Z",
  "end_date": "2019-08-24T14:15:22Z",
  "on_sale_date": "2019-08-24T14:15:22Z",
  "date_confirmed": true,
```

```
- "merged_events": [
  + { ... }
],
- "_links": {
  + "self": { ... },
  + "sellerevent:createsellerlisting": { ... },
  + "sellerevent:sellerlistings": { ... }
},
"lms": true,
- "_embedded": {
  + "external_mappings": [ ... ],
  + "sales_aggregates": [ ... ],
  + "venue": { ... }
}
})
```

SellerEvents

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(SellerEventsLinks (object or null))
_embedded >	(SellerEventsEmbeddedResources (object or null))

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
-  "_links": {
    + "self": { ... },
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... }
  },
-  "_embedded": {
    + "items": [ ... ]
  }
}
```

Copy Expand all Collapse all

SellerListing

A set of tickets for sale on the StubHub marketplace that belong to the currently authenticated user.

id	integer or null <int64> The listing identifier.
created_at	string or null <date-time> The date when the listing was created.
number_of_tickets	integer or null <int32> The number of tickets available for purchase.
seating >	(SeatingDetail (object or null)) The seating information for the ticket(s) in this listing.
display_seating >	(SeatingDetail (object or null)) The seating information that will be displayed to buyers for the ticket(s) in this listing.
ticket_price >	(Money (object or null)) The price of each ticket in the listing.
updated_at	string or null <date-time> The date when the listing was last updated.
external_id	string or null An identifier that has been assigned to the listing in an external inventory management system.
expires_at	string or null <date-time> The date when the listing will be automatically unpublished from the marketplace.
display_number_of_tickets	integer or null <int32> The number of tickets that should be displayed to buyers as available for purchase.
face_value >	(Money (object or null)) The price printed on the ticket, not including any booking fees.
ticket_proceeds >	(Money (object or null)) The amount that the seller will receive for each ticket sold.
in_hand_at	string or null <date-time> The date when the seller will have the tickets in hand.
is_ticket_concierge	boolean Whether the listing represents a shorted ticket
is_auto_po	boolean Whether a listing was automatically generated from a purchase order
barcodes	Array of objects or null (BarcodeInformation) Barcode(s) for the ticket(s) in this listing.
instant_delivery	boolean or null
undeliverable	boolean or null Shipment of the ticket to the buyer cannot be guaranteed before the event. To increase the deliverability of electronic type tickets, preupload them (e.g. pre-upload barcodes or PDF files.) To increase deliverability of paper tickets, opt your tickets into our LMS program.
purchase_price_per_ticket >	(Money (object or null)) The purchase price paid by the seller for each ticket in the listing.
total_purchase_price >	(Money (object or null))

	The total purchase price paid by the seller.
sales_tax_paid	boolean or null True if the seller already paid sales tax for the ticket(s); otherwise, false.
_links >	(SellerListingLinks (object or null))
_embedded >	(SellerListingEmbeddedResources (object or null))

Copy Expand all Collapse all

```
{
  "id": 0,
  "created_at": "2019-08-24T14:15:22Z",
  "number_of_tickets": 0,
  - "seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "display_seating": {
    "section": "string",
    "row": "string",
    "seat_from": "string",
    "seat_to": "string",
    + "state": { ... }
  },
  - "ticket_price": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "updated_at": "2019-08-24T14:15:22Z",
  "external_id": "string",
  "expires_at": "2019-08-24T14:15:22Z",
  "display_number_of_tickets": 0,
  - "face_value": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  - "ticket_proceeds": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
  "in_hand_at": "2019-08-24T14:15:22Z",
  "is_ticket_concierge": true,
  "is_auto_po": true,
  - "barcodes": [
    + { ... }
  ],
  "instant_delivery": true,
  "undeliverable": true,
  - "purchase_price_per_ticket": {
    "amount": 0,
    "currency_code": "string",
    "display": "string"
  },
}
```

```
- "total_purchase_price": {
  "amount": 0,
  "currency_code": "string",
  "display": "string"
},
"sales_tax_paid": true,
- "_links": {
  + "self": { ... },
  + "event:createsellerlisting": { ... },
  + "sellerlisting:constraints": { ... },
  + "sellerlisting:contactuswebpage": { ... },
  + "sellerlisting:delete": { ... },
  + "sellerlisting:etickets": { ... },
  + "sellerlisting:eticketuploads": { ... },
  + "sellerlisting:lmsoptin": { ... },
  + "sellerlisting:lmsoptout": { ... },
  + "sellerlisting:lmspickup": { ... },
  + "sellerlisting:optionalverificationrequests": { ... },
  + "sellerlisting:pricing": { ... },
  + "sellerlisting:publish": { ... },
  + "sellerlisting:saveetickets": { ... },
  + "sellerlisting:shipments": { ... },
  + "sellerlisting:ticketlocation": { ... },
  + "sellerlisting:unpublish": { ... },
  + "sellerlisting:updatedisplaynumberoftickets": { ... },
  + "sellerlisting:updatefacevalue": { ... },
  + "sellerlisting:updateinhandat": { ... },
  + "sellerlisting:updatenotes": { ... },
  + "sellerlisting:updatenumberoftickets": { ... },
  + "sellerlisting:updatepreview": { ... },
  + "sellerlisting:updateseating": { ... },
  + "sellerlisting:updatesplittype": { ... },
  + "sellerlisting:updateticketlocation": { ... },
  + "sellerlisting:updateticketprice": { ... },
  + "sellerlisting:updatetickettype": { ... },
  + "sellerlisting:uploadeticket": { ... },
  + "sellerlisting:verificationrequests": { ... },
  + "sellerlisting:webpage": { ... }
},
- "_embedded": {
  + "constraints": { ... },
  + "event": { ... },
  + "listing_notes": [ ... ],
  + "relist_transaction": { ... },
  + "split_type": { ... },
  + "ticket_type": { ... },
  + "venue": { ... }
}
}
```

SellerListings

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>


```
- "delivery_address": {
  "full_name": "string",
  "address_1": "string",
  "address_2": "string",
  "address_3": "string",
  "city": "string",
  "state_province": "string",
  "postal_code": "string",
  "country_code": "string",
  "country": "string"
},
- "_links": {
  + "self": { ... },
  + "shipment:entertrackingnumber": { ... },
  + "shipment:label": { ... }
},
- "_embedded": {
  + "delivery_method": { ... },
  + "pickup_addresses": [ ... ],
  + "pickups": [ ... ],
  + "shipment_state": { ... }
}
})
```

Shipments

The Shipments resource is a collection resource that contains zero or more references to a set of shipments, and links that guide you on ways to interact with the shipments. The collection offers a paginated view of shipments.

total_items	integer or null <int32>
page	integer or null <int32>
page_size	integer or null <int32>
_links >	(ShipmentsLinks (object or null))
_embedded >	(ShipmentsEmbeddedResources (object or null))

```
{
  "total_items": 0,
  "page": 0,
  "page_size": 0,
-  "_links": {
    + "self": { ... },
    + "first": { ... },
    + "last": { ... },
    + "next": { ... },
    + "prev": { ... },
    + "shipment:create": { ... }
  },
-  "_embedded": {
    + "items": [ ... ]
  }
}
```

Copy Expand all Collapse all

