



League Challenges - User Management API

1.0.0

OAS3

League Challenges - User Management API

Servers

https

user



GET

/api/auth/me

Get own data



Parameters

Try it out

Name	Description
token * required	
string	token
(header)	

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Sucessfully returned user data</div> <div>Media type<div>application/json</div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "mail": "string", "region": "string", "token": "string" }}</pre></div></div>	No links
400	<div>No token</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string"}</pre></div></div>	No links
401	<div>No Authentication in Header</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string"}</pre></div></div>	No links
404	<div>No token</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string"}</pre></div></div>	No links



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "email": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	<div>Sucessfully returned user data</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "mail": "string", "region": "string", "token": "string" } }</pre></div>	No links
400	<div>Invalid input</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links

Code	Description	Links
404	User not found	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		

GET

/api/token/info

Verify token

Parameters

Try it out

Name	Description
<div>token * required</div> <div>string</div> <div>(header)</div>	<div>token</div>

Responses

Code	Description	Links
200	<div>Sucessfully updated</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "mail": "string", "region": "string", "token": "string" } }</pre></div></div>	

 No links |

Code	Description	Links
400	<div>Invalid token</div> <div>Media type<div>application/json</div></div> <div>Example ValueSchema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links

POST

/api/auth/logout

Log out from website

^

Parameters

Try it out

Name	Description
<div>token * required</div> <div>string</div> <div>(header)</div>	<div>token</div>

Responses

Code	Description	Links
200	<div>Successfully logged out</div> <div>Media type<div>application/json</div></div> <div>Controls Accept header.</div> <div>Example ValueSchema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links

Code	Description	Links
400	Session already expired	No links
	<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	
401	No Authentication in Header	No links
	<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	

POST

/api/auth/register

Register new account

⌵

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  
  "email": "string",  
  "password": "string"  
}
```

Responses

Code

Description

Links

Code	Description	Links
200	<div>Sucessfully returned mail of registered acc</div> <div>Media type<div>application/json</div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "mail": "string", "region": "string", "token": "string" }}</pre></div></div>	No links
400	<div>Invalid input</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string"}</pre></div></div>	No links
409	<div>Account with given mail already exists</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string"}</pre></div></div>	No links

DELETE

/api/auth/delete

Deletes user from System

Parameters

Try it out

Name	Description

PUT

/api/users/{user_id}

Set new ingame user id

⌵

Parameters

Try it out

Name	Description
<div><div>token</div><div>* required</div><div>string</div><div>(header)</div></div>	<div>token</div>

Name	Description
user_id * required	<div>user_id</div>
integer	
(path)	

Request body	required	application/json
--------------	----------	------------------

Example Value	Schema
<pre>{ "region": "string", "player_uuid": "string" }</pre>	

Responses

Code	Description	Links
200	<div>Sucessfully patched ingame user id</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value</div> <div>Schema</div> <pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "mail": "string", "region": "string", "token": "string" }, "token": "string" }</pre>	No links
401	<div>Not authorized</div> <div>Media type</div> <div>application/json</div> <div>Example Value</div> <div>Schema</div> <pre>{ "status": "string", "message": "string" }</pre>	No links

Code	Description	Links
404	User not found or invalid	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		

GET /api/users/{user_id} Get user data from user id ^

Parameters Try it out

Name	Description
user_id * required integer (path)	<div>user_id</div>

Responses

Code	Description	Links
200	Sucessfully patched ingame user id	No links
<div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "User": { "id": 0, "player_uuid": "string", "username": "string", "region": "string" }, "token": "string" }</pre></div>		

Code	Description	Links
404	User not found or invalid	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		

competitor

^

GET

/api/users/{user_id}/competitors/

List of competitors of user

Parameters

Try it out

Name	Description
<div><div>token</div><div>* required</div></div> <div>string</div> <div>(header)</div>	<div>token</div>
<div><div>user_id</div><div>* required</div></div> <div>integer</div> <div>(path)</div>	<div>user_id</div>

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	Sucessfully returned list of competitors	No links
<div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "id": 0, "player_uuid": "string", "username": "string", "player_stats": { "id": 0, "icon_path": "string", "name": "string", "avatar": "string", "rank": { "rank": "string", "tier": 0, "league_points": 0 } } }]</pre></div>		

POST

/api/users/{user_id}/competitors/

Add new competitor of user

^

Parameters

Try it out

Name	Description
<div>token * required</div> <div>string</div> <div>(header)</div>	<div>token</div>
<div>user_id * required</div> <div>integer</div> <div>(path)</div>	<div>user_id</div>

Request body required

application/json

Example Value Schema

```
{
  "user_id": 0,
  "player_uuid": "string"
}
```

Responses

Code	Description	Links
200	<div>No content</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links
400	<div>Competitor not found</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links
401	<div>Not authorized</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links
409	<div>Competitorship already exists</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>	No links

GET

/api/users/{user_id}/competitors/puuids Get list of competitors puuids



Parameters

Try it out

Name	Description
user_id * required integer (path)	<div>user_id</div>

Responses

Code	Description	Links
200	<p>Sucessfully returned specific competitors puuids</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>["string"]</pre>	No links

GET

/api/users/{user_id}/competitors/{competitor_puuid} Get specific competitor



Parameters

Try it out

Name	Description
token * required string (header)	<div>token</div>
user_id * required integer (path)	<div>user_id</div>
competitor_puuid * required string (path)	<div>competitor_puuid</div>

Responses

Code	Description	Links
200	<div>Sucessfully returned specific competitor</div> <div>Media type<div>application/json</div><div>Controls Accept header.</div><div>Example Value Schema<pre>{ "Competitor": { "id": 0, "player_uuid": "string", "username": "string", "player_stats": { "id": 0, "icon_path": "string", "name": "string", "avatar": "string", "rank": { "rank": "string", "tier": 0, "league_points": 0 } } }}</pre></div></div> <div>No links</div>	
401	<div>Not authorized</div> <div>Media type<div>application/json</div><div>Example Value Schema<pre>{ "status": "string", "message": "string"}</pre></div></div> <div>No links</div>	

DELETE

/api/users/{user_id}/competitors/{competitor_puuid}

Delete specific competitor of user

⌵

Parameters

Try it out

Name	Description

Name	Description
token * required	<div>token</div>
string (header)	
user_id * required	<div>user_id</div>
integer (path)	
competitor_puuid * required	<div>competitor_puuid</div>
string (path)	

Responses

Code	Description	Links
200	No content Media type <div>application/json</div> <small>Controls Accept header.</small> Example Value Schema <pre>{ "status": "string", "message": "string" }</pre>	No links
401	Not authorized Media type <div>application/json</div> Example Value Schema <pre>{ "status": "string", "message": "string" }</pre>	No links

Code	Description	Links
404	Competitor not found	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		

achievement

GET

/api/users/{user_id}/achievements

Get all favourite achievement of user

Parameters

Try it out

Name	Description
<div><div>user_id * required</div><div>integer</div><div>(path)</div></div>	<div>user_id</div>

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	No content	No links
<div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>["string"]</div>		

POST

/api/users/{user_id}/achievements

Add specific achievement to user favourites

^

Parameters

Try it out

Name	Description
token * required	
string (header)	<div>token</div>
user_id * required	
integer (path)	<div>user_id</div>

Responses

Code	Description	Links
200	No content	No links
<div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>{ "status": "string", "message": "string" }</div>		

Code	Description	Links
400	Achievement already set as favourite	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		
401	Not authorized	No links
<div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string" }</pre></div>		

DELETE

/api/users/{user_id}/achievements/{achievement_name}

Delete specific favourite achievement of user

^

Parameters

Try it out

Name	Description
<div>token * required</div> <div>string</div> <div>(header)</div>	<div>token</div>
<div>user_id * required</div> <div>integer</div> <div>(path)</div>	<div>user_id</div>
<div>achievement_name * required</div> <div>string</div> <div>(path)</div>	<div>achievement_name</div>

Responses

Code	Description	Links
200	<div>No content</div> <div>Media type<div>application/json</div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string" }</pre></div></div>	No links
401	<div>Not authorized</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string" }</pre></div></div>	No links
404	<div>Achievement not found</div> <div>Media type<div>application/json</div></div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "status": "string", "message": "string" }</pre></div></div>	No links

Schemas	
User	

Competitor



Rank



ChampionID



Player



login_data

