TS02 - DM4MILL - GR

Execution Environment

Host name hostej - DCI5CG4401B3V.gsinet.be

Local OS Windows 11 64bit

Katalon version 10.1.0.223

Browser Chrome 134.0.6998.88

Device name

Summary

ID Test Suites/TS02 - DM4MILL - GR

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 13-03-2025 11:00:47 End 13-03-2025 11:03:38

Elapsed 2m - 50,664s

| # ID | Description | Status |
|-------------------------|-------------|--------|
| 4 T 10 (DMANUL O L D 11 | | EAU ED |

Test Cases/DM4MILL - Goods Receipts FAILED

Information

ID Test Cases/DM4MILL - Goods Receipts

Description

Tag DM4MILL - GR

Start 13-03-2025 11:03:21 End 13-03-2025 11:03:38

Elapsed 17,247s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home") Browser is opened with url: 'https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home' | 3,046s | PASSED |
| 2 | maximizeWindow() Current window maximized | 0,083s | PASSED |
| 3 | enhancedClick(findTestObject("Object Repository/Page_Login/a_Default Identity Provider")) Object: 'Object Repository/Page_Login/a_Default Identity Provider' is clicked on | 0,939s | PASSED |
| 4 | setText(findTestObject("Object Repository/Page_Sign In/input_Email or User Name_j_username"), username) Text 'julie.hoste@delaware.pro' is set on object 'Object Repository/Page_Sign In/input_Email or User Name_j_username' | 0,708s | PASSED |
| 5 | delay(2) Delayed 2 second(s) | 2,027s | PASSED |
| 6 | click(findTestObject("Object Repository/Page_Sign In/button_Continue")) Object: 'Object Repository/Page_Sign In/button_Continue' is clicked on | 0,532s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| 7 | delay(2) | 2,038s | PASSED |
| | Delayed 2 second(s) | | |
| 8 | enhancedClick(findTestObject("Object Repository/Page_SAP Universal ID/button_I accept all cookies")) | 1,087s | PASSED |
| | Object: 'Object Repository/Page_SAP Universal ID/button_I accept all cookies' is clicked on | | |
| 9 | delay(2) | 2,037s | PASSED |
| | Delayed 2 second(s) | | |
| 10 | setEncryptedText(findTestObject("Object Repository/Page_SAP Universal ID/input_pro_password"), "UB7+rfb8H+So++olaShgEQ==") | 0,873s | PASSED |
| | Text ****** has been set on object 'Object Repository/Page_SAP Universal ID/input_pro_password' | | |
| 11 | click(findTestObject("Object Repository/Page_SAP Universal ID/button_Sign in_1")) | 0,026s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Object Repository/Page_SAP Universal ID/button_Sign in_1")) | | |
| 12 | setEncryptedText(findTestObject("Object Repository/Page_SAP Universal ID/input_pro_password"), "UB7+rfb8H+So++olaShgEQ==") | 0,021s | NOT_RUN |
| | NOT_RUN: setEncryptedText(findTestObject("Object Repository/Page_SAP Universal ID/input_pro_password"), "UB7+rfb8H+So++olaShgEQ==") | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 13 | click(findTestObject("Object Repository/Page_SAP Universal ID/button_Sign in_1")) | 1,761s | FAILED |
| | Unable to click on object 'Object Repository/Page_SAP Universal ID/button_Sign in_1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_SAP Universal ID/button_Sign in_1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:696) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:51) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | at Com.kms.kataion.core.main.restcasewain.startrestSuite(restcasewain.java. 180) at TempTestSuite1741860042131.run(TempTestSuite1741860042131.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeo(Native at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id | | |
| | Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' | | |
| | Driver info: com kmc katalon colonium driver CChromoDriver | | |

 $\label{lem:com.kms.katalon.selenium.driver.CChromeDriver} Driver info: com.kms.katalon.selenium.driver.CChromeDriver$

Command: [f501d0755c92c972b8a097acda73a777, findElements {using=xpath, value=//div

Elapsed

Status

Description [@id='root']/main/div/div/div/div[2]/div[2]/div/div/div/div/form/div/div[2]/button]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.88, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: C:\Users\hostej\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50577}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50577/devtoo..., se: cdpVersion: 134.0.6998.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore, webSocketUrl: ws://localhost:3611/session..., webauthn:extension:credBlob: true, webauthn: extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f501d0755c92c972b8a097acda73a777 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.iava:50) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements (ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation. java:103) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements$ (RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:362) at jdk.internal.reflect.GeneratedMethodAccessor19.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:249) at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48) at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda\$createProxy\$2(WebDriverDecorator.java:321) at org.openga.selenium.remote.RemoteWebDriver\$ByteBuddy\$wr82FfUf. findElements(Unknown Source) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementBvNormalMethods(WebUiCommonHelper.iava:1063) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)

```
Description
                                                                                                                                                                                                                              Elapsed
                                                                                                                                                                                                                                                                          Status
                        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
 findElementsByDefault(WebUiCommonHelper.java:927)
                        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
 findElementsWithSelfHealing(WebUiCommonHelper.java:773)
                        at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
 (WebUiCommonHelper.java:757)
                        at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
 (WebUiCommonHelper.java:1447)
                        at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.
 findWebElement(WebUIAbstractKeyword.groovy:27)
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
 doCall(ClickKeyword.groovy:66)
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
 (ClickKeyword.groovy)
                        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUlKeywordMain.groovy:35)
                        at\ com. kms. katalon. core. webui. keyword. builtin. Click Keyword. click (Click Keyword. builtin. Click Keyword. builtin. 
 groovy:75)
                        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                        at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
 (WebUiBuiltInKeywords.groovy:696)
                        at Script1741091879882.run(Script1741091879882.groovy:51)
                        ... 18 more
)
```

14 Video 0,003s PASSED

Video recording for test case 'Test Cases/DM4MILL - Goods Receipts' .