### Katalon Studio - TS02 - DM4MILL - GR

#### **Execution Environment**

Host name hostej - DCI5CG4401B3V.gsinet.be

Local OS Windows 11 64bit

Katalon version 10.1.0.223

Browser

Device name

Summary

ID Test Suites/Katalon Studio - TS02 - DM4MILL - GR

Description

Total 1

Passed 0 Failed 1 Error 0 Incomplete 0

Skipped 0

End 27-03-2025 10:56:31 Start 27-03-2025 10:56:27

Elapsed 4,147s

Description Status ID 1

Test Cases/DM4MILL - Goods Receipts **FAILED** 

#### Information

ID Test Cases/DM4MILL - Goods Receipts

Description

Tag DM4MILL - GR

Start 27-03-2025 10:56:27 End 27-03-2025 10:56:31

Elapsed 3,967s Status FAILED

#### **Details**

# Description Elapsed Status

Des	cription	Elapsed	Status
	nBrowser("https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.al/site#Shell-home")	3,446s	FAILED
dmo Ste	ble to open browser with url: 'https://dlwr-dmc-discovery.execution.us10-quality.web.c.cloud.sap/cp.portal/site#Shell-home' (Root cause: com.kms.katalon.core.exception.bFailedException: Unable to open browser with url: 'https://dlwr-dmc-discovery.cution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home'		
(We	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed bUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	bUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	nBrowser(OpenBrowserKeyword.groovy:47) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute enBrowserKeyword.groovy:33)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
(We	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser bUiBuiltInKeywords.groovy:62) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Un	known Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.:119)		
java	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. :448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase at CaseExecutor.java:418)		
•	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhasestCaseExecutor.java:410)		
java	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. 285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	mmonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase stSuiteExecutor.java:160)		
107	$at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: at\ com.kms. java: at\ c$		
180	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: ) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sou	rce) at TempTestSuite1743069380578.run(TempTestSuite1743069380578.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	hod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	tiveMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke legatingMethodAccessorImpl.java:43)		
Cau	ised by: org.openqa.selenium.SessionNotCreatedException: Could not start a new sion. Response code 500. Message: session not created: This version of ChromeDriver supports Chrome version 132		
Cur	rent browser version is 134.0.6998.177 with binary path C:\Program		

Files\Google\Chrome\Application\chrome.exe

Host info: host: 'DCI5CG4401B3V', ip: '192.168.129.68'

Status

```
Description
                                                                                            Elapsed
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version:
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:
                            --window-size=1500,1000, --remote-allow-origins=*],
chromeOptions: {args: [
extensions: []}, unhandledPromptBehavior: ignore, webSocketUrl: true}]}]
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:162)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute
(DriverCommandExecutor.java:216)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:174)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:518)
          at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:232)
         at org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
161)
          at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:
114)
          at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
          at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)
          at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72)
          at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
         at\ com. kms. katalon. core. we bui. driver. chrome. Chrome Driver Builder. create Driver
(ChromeDriverBuilder.java:41)
         at\ com.kms. katalon.core. we bui.driver. Abstract Driver Builder. build
(AbstractDriverBuilder.java:39)
         at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:251)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:161)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:40)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:35)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:47)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:33)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKevwordForPlatform(KevwordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.aroovy:62)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1741091879882.run(Script1741091879882.groovy:33)
```

... 16 more

# Description Elapsed Status