

# Katalon Studio - TS02 - DM4MILL - GR

## Execution Environment

Host name	hostej - DCI5CG4401B3V.gsinet.be
Local OS	Windows 11 64bit
Katalon version	10.1.0.223
Browser	
Device name	

## Summary

ID	Test Suites/Katalon Studio - TS02 - DM4MILL - GR		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	27-03-2025 12:39:26	End	27-03-2025 12:39:30
Elapsed	3,911s		

#	ID	Description	Status
1	Test Cases/DM4MILL - Goods Receipts		FAILED

# DM4MILL - Goods Receipts

## Information

ID	Test Cases/DM4MILL - Goods Receipts		
Description			
Tag	DM4MILL - GR		
Start	27-03-2025 12:39:26	End	27-03-2025 12:39:30
Elapsed	3,615s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# DM4MILL - Goods Receipts

#	Description	Elapsed	Status
1	<p>openBrowser("https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home")</p> <p>Unable to open browser with url: 'https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:47) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:62) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1743075553925.run(TempTestSuite1743075553925.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 132 Current browser version is 134.0.6998.177 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DCI5CG4401B3V', ip: '192.168.129.68'</p>	3,025s	FAILED

# DM4MILL - Goods Receipts

#	Description	Elapsed	Status
	Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog: chromeOptions: {args: [], extensions: []}, unhandledPromptBehavior: ignore, websocketUrl: true}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.chrome.ChromeDriverBuilder.createDriver (ChromeDriverBuilder.java:41) at com.kms.katalon.core.webui.driver.AbstractDriverBuilder.build (AbstractDriverBuilder.java:39) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:251) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:161) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:47) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:62) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1741091879882.run(Script1741091879882.groovy:33) ... 16 more		

# DM4MILL - Goods Receipts

#	Description	Elapsed	Status
---	-------------	---------	--------

)