Katalon Studio - TS02 - DM4MILL - GR - Demo

Execution Environment

Host name hostej - DCI5CG4401B3V.gsinet.be

Local OS Windows 11 64bit

Katalon version 10.1.0.223

Browser Chrome 134.0.6998.177

Device name

Summary

ID Test Suites/Katalon Studio - TS02 - DM4MILL - GR - Demo

Description Katalon TS run

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 27-03-2025 16:27:42 End 27-03-2025 16:31:01

Elapsed 3m - 19,244s

# ID	Description	Status

Test Cases/DM4MILL - Goods Receipts FAILED

Information

ID Test Cases/DM4MILL - Goods Receipts

Description

Tag DM4MILL - GR

Start 27-03-2025 16:27:42 End 27-03-2025 16:31:01

Elapsed 3m - 18,996s

Status FAILED

Details


#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	4,402s	PASSED
2	navigateToUrl("https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home") Navigate to 'https://dlwr-dmc-discovery.execution.us10-quality.web.dmc.cloud.sap/cp.portal/site#Shell-home' successfully	1,754s	PASSED
3	maximizeWindow() Current window maximized	0,100s	PASSED
4	enhancedClick(findTestObject("Object Repository/Page_Login/a_Default Identity Provider")) Object: 'Object Repository/Page_Login/a_Default Identity Provider' is clicked on	1,243s	PASSED
5	setText(findTestObject("Object Repository/Page_Sign In/input_Email or User Name_j_username"), username) Text 'julie.hoste@delaware.pro' is set on object 'Object Repository/Page_Sign In/input_Email or User Name_j_username'	0,789s	PASSED
6	delay(2) Delayed 2 second(s)	2,068s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Sign In/button_Continue")) Object: 'Object Repository/Page_Sign In/button_Continue' is clicked on	0,543s	PASSED
8	delay(2) Delayed 2 second(s)	2,035s	PASSED
9	enhancedClick(findTestObject("Object Repository/Page_SAP Universal ID/button_I accept all cookies")) Object: 'Object Repository/Page_SAP Universal ID/button_I accept all cookies' is clicked on	0,532s	PASSED
10	delay(2) Delayed 2 second(s)	2,033s	PASSED
11	setEncryptedText(findTestObject("Object Repository/Page_SAP Universal ID/input_pro_password"), "UB7+rfb8H+So++olaShgEQ==") Text ****** has been set on object 'Object Repository/Page_SAP Universal ID/input_pro_password'	0,779s	PASSED
12	click(findTestObject("Object Repository/Page_SAP Universal ID/button_Sign in_1")) Object: 'Object Repository/Page_SAP Universal ID/button_Sign in_1' is clicked on	0,423s	PASSED
13	delay(4) Delayed 4 second(s)	4,057s	PASSED
14	scrollToElement(findTestObject("Object Repository/Page_Home/div_DM4Mill GR Good Receipts"), 0) Scroll to object 'Object Repository/Page_Home/div_DM4Mill GR Good Receipts' successfully	9,035s	PASSED
15	click(findTestObject("Object Repository/Page_Home/span_DM4Mill GR")) Object: 'Object Repository/Page_Home/span_DM4Mill GR' is clicked on	1,017s	PASSED

#	Description	Elapsed	Status
16	verifyElementPresent(findTestObject("Object Repository/Page_Home/span_DM4Mill GR"), 30) Object 'Object Repository/Page_Home/span_DM4Mill GR' is present	1,575s	PASSED
17	delay(4) Delayed 4 second(s)	4,038s	PASSED
18	enhancedClick(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Work Centerxmlview100 reservedComp_9efbcc")) Object: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Work Centerxmlview100reservedComp_9efbcc' is clicked on	5,361s	PASSED
19	setText(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/input_Select Work Centerxmlview100rese_915078"), "43") Text '43' is set on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/input_Select Work Centerxmlview100rese_915078'	1,474s	PASSED
20	delay(1) Delayed 1 second(s)	1,039s	PASSED
21	enhancedClick(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/div_Clearxmlview100 reservedComponentCo_b6c65f")) Object: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/div_Clearxmlview100 reservedComponentCo_b6c65f' is clicked on	2,032s	PASSED
22	enhancedClick(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/bdi_Select")) Object: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/bdi_Select' is clicked on	0,443s	PASSED
23	delay(2) Delayed 2 second(s)	2,048s	PASSED

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/input_Order IDxmlview100reservedCompon_66eb78"), orderId) Text '1003344' is set on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/input_Order IDxmlview100reservedCompon_66eb78'	0,905s	PASSED
25	enhancedClick(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Go")) Object: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Go' is clicked on	0,783s	PASSED
26	click(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/td_1003344_1_2")) Object: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/td_1003344_1_2' is clicked on	31,787s	PASSED
27	waitForElementClickable(findTestObject("Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt"), 30) Web element with id: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' located by '//div[2]/div/div[2]/div/span' not found	38,927s	PASSED

Description	Elapsed	Status
	•	
verifyElementClickable(findTestObject("Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt"), CONTINUE_ON_FAILURE)	38,226s	FAILED
Web element with id: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' located by '//div[2]/div/div[2]/div/span' not found (Root cause: com.kms. katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' located by '//div[2]		
/div/div/2]/div/span' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.builtin.		
VerifyElementClickableKeyword\$_verifyElementClickable_closure1.doCall (VerifyElementClickableKeyword.groovy:88)		
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementClickableKeyword\$_verifyElementClickable_closure1.call		
(VerifyElementClickableKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword.		
verifyElementClickable(VerifyElementClickableKeyword.groovy:96)		
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementClickableKeyword. execute(VerifyElementClickableKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementClickable(WebUiBuiltInKeywords.groovy:628)		
at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementClickable\$9.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:92)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1743089241614.run(TempTestSuite1743089241614.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		



29 enhancedClick(findTestObject('Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt")) Unable to click on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' at com.kms.katalon.core.webui.keyword.nternal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.webui.keyword.WebUIBuiltinKeywords.enhancedClick (WebUIBuiltinKeywords.groovy:72) at com.kms.katalon.core.webui.keyword.WebUIBuiltinKeywords.enhancedClick (WebUIBuiltinKeywords.groovy:722) at com.kms.katalon.core.webui.keyword.WebUIBuiltinKeywords.enhancedClick (WebUIBuiltinKeywords.groovy:722) at com.kms.katalon.core.webui.keyword.WebUIBuiltinKeywords.groovy:722) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.grava:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:119) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:710) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:710)	
Unable to click on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:74) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywordsSenhancedClickS2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.gexeute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)	atus
Goods Receipt' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods Receipt' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:199 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:420)	ILED
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:271)	
(WebUlKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
(EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
(EnhancedClickKeyword.groovy:41) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:722) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source) at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:94) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160)	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	
180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
Source) at TempTestSuite1743089241614.run(TempTestSuite1743089241614.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_DDE_DM4MILL_GR_FINAL/span_Mill Goods	
Receipt' located by '//div[2]/div/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.iava:1457)	

(WebUiCommonHelper.java:1457)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$

Description Elapsed Status findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. EnhancedClickKeyword\$_click_closure1.doCall(EnhancedClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin. EnhancedClickKeyword\$_click_closure1.call(EnhancedClickKeyword.groovy) $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:93) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:41)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

 $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. enhanced Click$


(WebUiBuiltInKeywords.groovy:722)

at com.kms.katalon.core.webui.keyword.

WebUiBuiltInKeywords\$enhancedClick\$2.call(Unknown Source)

at Script1741091879882.run(Script1741091879882.groovy:94)

... 16 more



• •