

Katalon Studio - TS02 - DM4MILL - GR

Execution Environment

Host name	hostej - DCI5CG4401B3V.gsinet.be
Local OS	Windows 11 64bit
Katalon version	10.1.0.223
Browser	
Device name	

Summary

ID	Test Suites/Katalon Studio - TS02 - DM4MILL - GR		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	27-03-2025 13:10:00	End	27-03-2025 13:10:03
Elapsed	3,796s		

#	ID	Description	Status
1	Test Cases/DM4MILL - Goods Receipts		FAILED

DM4MILL - Goods Receipts

Information

ID	Test Cases/DM4MILL - Goods Receipts		
Description			
Tag	DM4MILL - GR		
Start	27-03-2025 13:10:00	End	27-03-2025 13:10:03
Elapsed	3,580s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

DM4MILL - Goods Receipts

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:47)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:33)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:62)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at DM4MILL - Goods Receipts.run(DM4MILL - Goods Receipts:34)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1743077389162.run(TempTestSuite1743077389162.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 132</p> <p>Current browser version is 134.0.6998.177 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe</p> <p>Host info: host: 'DCI5CG4401B3V', ip: '192.168.129.68'</p> <p>Build info: version: '4.22.0', revision: 'c5f3146703'</p> <p>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13'</p>	3,026s	FAILED

DM4MILL - Goods Receipts

#	Description	Elapsed	Status
	<pre>Driver info: com.kms.katalon.selenium.driver.CChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog: chromeOptions: {args: [], extensions: []}, unhandledPromptBehavior: ignore, webSocketUrl: true}}]} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java: 114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.chrome.ChromeDriverBuilder.createDriver (ChromeDriverBuilder.java:41) at com.kms.katalon.core.webui.driver.AbstractDriverBuilder.build (AbstractDriverBuilder.java:39) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:251) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:161) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:40) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:47) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:62) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1741091879882.run(Script1741091879882.groovy:34) ... 16 more)</pre>		