xylvar

COMPLIMENTARY SEARCH AND AI VISIBILITY REPORT

How people find Horne Heating and Air Conditioning on Google and in AI answers

We checked your website, your Google rankings, and what Google AI says in search results. Here is what we found on 6 November 2026, and the fixes worth making first.

Prepared for
Horne Heating and Air Conditioning
Charlotte, HVAC, plumbing and electrical

Prepared by
xylvar
SEO and AI visibility for growing companies

Dat
6 N

1 The short version

A fresh snapshot, 6 November 2026. Public pages only, no logins. No email has been sent about this report yet.

AREA	VERDICT	WHAT IT MEANS
Google website rankings	BRAND ONLY	No #1 in any search. The only direct result is the brand search at #2, through the team page, not the homepage. No direct result in the summary top 7 to 9 for any of the 9 money searches.
Google map packs	STRONG	Horne is in the map top 3 for 5 of 9 money searches, #1 for hvac contractor charlotte and hvac installation charlotte, #2 for hvac company charlotte, air conditioning repair charlotte, and ac repair charlotte.
AI visibility in search	NOT NAMED	No AI Overview was returned for any of the 10 searches, so Horne is named in 0 of 0 returned overviews. Live Gemini and Bing answers have not been checked yet.
Page titles	TOO LONG	8 of 12 audited titles are over 60 characters, furnace installation at 94, AC installation at 89, homepage at 87.
Page structure	WATCH	All 12 pages have exactly 1 main heading and no thin pages, but 44 of 347 images are missing alt text, and 3 meta descriptions run over 370 characters.
Business details	STRONG	Your contact email service@hornehvac.com is verified on the site, llms.txt is present, and your SERP knowledge panel shows a 4.9 rating with 3,440 reviews.
Speed	NOT MEASURED	PageSpeed Insights returned HTTP 429 on 6 November 2026, so no score is claimed in this report.

Biggest strength: the map presence and the reviews behind it

Horne is #1 in the map pack for hvac contractor charlotte and hvac installation charlotte, and #2 for three more money searches, with a 4.9 rating. The SERP knowledge panel shows the company, its Charlotte address, phone, 24-hour opening, and 4.9 with 3,440 reviews. People searching on a map already find Horne. The site itself is deep, 24,138 words across the 12 audited pages, with no thin page in the set.

Biggest issue: the website itself does not rank for the money searches

No direct result appears for hvac company charlotte, hvac contractor charlotte, air conditioning repair charlotte, ac repair charlotte, heating repair charlotte, hvac installation charlotte, plumber charlotte, electrician charlotte, or emergency hvac charlotte. The pages that do rank are other Charlotte companies, directories, and Reddit threads, not your service pages.

2 Where you rank on Google today

Google USA, Bright Data SERP API, 6 November 2026. Direct-domain results only. Google redirect entries are not named as competitors, because their final destination is hidden in the redirect URL.

SEARCH	HORNE	WHO IS AHEAD
hvac company charlotte	Not in top 9	reddit.com #1, mcclintockhvac.com #2
hvac contractor charlotte	Not in top 9	reddit.com #1, yelp.com #2
air conditioning repair charlotte	Not in top 9	cityairexperts.com #1, onehourheatandair.com #2
ac repair charlotte	Not in top 8	charlottemechanical.com #1, angi.com #2
heating repair charlotte	Not in top 8	supercoolcharlotte.com #1, cityairexperts.com #2
hvac installation charlotte	Not in top 8	reddit.com #1, mcclintockhvac.com #2
plumber charlotte	Not in top 9	reddit.com #1, mycharlotteplumber.com #2
electrician charlotte	Not in top 7	rossandwitmer.com #1, reddit.com #2
emergency hvac charlotte	Not in top 9	reddit.com #1, onehourheatandair.com #2
horne heating charlotte	#2 through the team page	indeed.com #1 (Horne careers page)

A redirect title we cannot attribute

The title "HVAC, Plumbing and Electrical in Charlotte, NC - Horne Heating ..." appears as a Google redirect entry at #5 for air conditioning repair charlotte and at #5 for ac repair charlotte. Its destination is hidden in the redirect URL, so it cannot be confirmed as a Horne ranking from this data, and it is not counted as one. Do not read it as a win or a loss.

The brand search points at the team page, not the homepage

For horne heating charlotte, the only direct Horne result is the team page at #2, ahead of an Indeed careers page at #1. The homepage does not appear as a direct result in the brand summary top 10. That is unusual for a company of this size, and worth checking before anything else.

Method note: ac repair charlotte, electrician charlotte, and horne heating charlotte first returned HTTP 502 with no results on 6 November 2026. All three succeeded on retry the same day, and retry results are used. Summary top counts are 7 to 10 per search, because that is how many organic rows the SERP summary returned.

3 What AI says in search results

Google AI Overview data captured through the SERP API, 6 November 2026. Live Gemini and Bing answers have not been checked yet. AI answers change day to day.

No overview returned for any of the 10 searches

A top-level AI Overview key was returned for 0 of 10 searches, so Horne is named in 0 of 0 returned overviews. That is a blank in this snapshot, not a named miss: Google returned no AI Overview to name anyone in.

What that does not prove

Absence in the SERP API does not prove a conversational AI tool would give no answer. Live Gemini, Bing, and Google AI Overview conversational checks were not done in this task, and no conversational AI result is claimed in this report.

Your llms.txt is already there, use it

Unlike most companies in this batch, your llms.txt is present, about 100 KB, describing the company and its services. That is the clean source AI tools can quote. Keep it current, and make sure the service pages it points to carry the same facts. Note that your robots.txt blocks AI training crawlers, while allowing search, so AI tools may quote the site in answers without training on it.

Note for the owner: live Gemini, Bing, and Google AI Overview conversational checks were not done in this task, per task instruction, and no conversational AI result is claimed in this report.

4 What is holding the website back

12 URLs audited on 6 November 2026, 24,138 words, 347 images, 44 missing alt text.

Money searches show no Horne page - HIGH

No direct result for any of the 9 money searches. The service pages exist, AC repair, furnace repair, AC installation, furnace installation, heating, cooling, indoor air quality, plumbing, and electrical, with real content, 1,648 to 2,674 words each, but none of them is the ranked answer for its own search. The gap is authority and visibility, not missing pages.

Titles run long - MEDIUM

8 of 12 audited titles are over 60 characters, furnace installation at 94, AC installation at 89, homepage at 87, electrical at 79, plumbing at 75, furnace repair at 74, AC repair at 69, indoor air quality at 61. Every title repeats the full business name, which eats the space the service and city phrases need.

Three meta descriptions are far too long - MEDIUM

The cooling hub meta is 402 characters, the heating hub 386, and the indoor air quality hub 376, verified by direct fetch. All three are auto-generated from page content, starting with the tagline and the heading. The other 9 metas are in the 135 to 159 range. Shorten the three hub metas to one plain sentence each.

Alt text gaps - LOW

44 of 347 images are missing alt text. Our Story is 9 of 22, the homepage 5 of 33, and every other audited page has exactly 3 images missing alt text. Alt text is the cheapest fix in this report.

Schema is one template everywhere - LOW

Every audited page carries the same BreadcrumbList, ImageObject, ListItem, Organization, WebPage, and WebSite markup. No FAQPage, Service, LocalBusiness, or HVACBusiness

type was found on any audited page, even though the service pages answer real customer questions.

Plain fetches fail intermittently - LOW

Plain fetches of the homepage and the contact page returned Cloudflare "error code: 520" on 6 November 2026, while later plain fetches the same day succeeded and all 12 pages loaded through the audit tool. This is an intermittent protection issue, not downtime, but it is worth knowing that simple crawlers are sometimes turned away at the door.

What is clean

All 12 pages have exactly 1 main heading. No thin pages in the set: the thinnest audited page is contact at 1,322 words. Every canonical tag points to its own live URL. The sitemap lists 265 URLs with lastmods to 2026-10-27. Your contact email service@hornehvac.com is verified on the site, on the homepage and the cookie-policy page.

5 How you compare

From SERP direct domain results and map packs, 6 November 2026. Google redirect entries are not named as competitors.

Where Horne leads

No direct organic #1 in this run. In the map packs, Horne is #1 for hvac contractor charlotte and hvac installation charlotte, and #2 for hvac company charlotte, air conditioning repair charlotte, and ac repair charlotte.

Where others lead

McClintock leads hvac company and hvac installation direct results. City Air Experts leads air conditioning repair direct results. Charlotte Mechanical leads ac repair direct results. Super Cool HVAC leads heating repair direct results. Ross and Witmer leads electrician direct results. Reddit threads lead hvac company, hvac contractor, hvac installation, plumber, and emergency hvac direct results, which says the company pages in Charlotte are not answering those searches well.

Reviews and listings

SERP brand knowledge panel: Horne Heating and Air Conditioning, "Small business, HVAC contractor in Charlotte, North Carolina", rating 4.9 with 3,440 reviews, 6805 Craig St, Charlotte, NC 28214, phone (704) 321-4173, hours Open 24 hours. No Places API rating was returned in this run, so no Places rating is claimed. Horne is in the structured map top 3 for 5 of 9 money searches; no map pack was returned for the brand search.

6 What to fix first

In the order the fresh data supports. No ranking or AI mention is promised.

1. Check why the homepage is not the brand result

The brand search returns the team page at #2 and an Indeed careers page at #1, with no homepage in the top 10. Check the homepage canonical, title, and internal links before spending on anything else.

2. Shorten the 8 long titles

Cut the repeated full business name from the titles, starting with furnace installation at 94 characters, AC installation at 89, and the homepage at 87, so the service and city phrases fit inside 60 characters.

3. Rewrite the 3 long meta descriptions

Replace the auto-generated cooling, heating, and indoor air quality hub metas, 402, 386, and 376 characters, with one plain sentence each.

4. Add alt text to the 44 images

Start with Our Story at 9 of 22 and the homepage at 5 of 33, then the 3 missing images on each of the other 10 pages. This needs no new content, only descriptions of the images already on the pages.

5. Aim the service pages at their searches

The service pages are deep, but none ranks for its own search. Add the exact search phrase to the first heading and opening paragraph of each service page, and build supporting guides that link back to them.

6. Add service and FAQ schema

Mark up the service pages with Service and FAQPage schema, so Google can read what each page offers and the questions it answers.

7 What this becomes in 90 days

From fresh data, not a promise.

Days 1 to 30 - Fix the foundations

All quick wins above that do not need new content, plus baseline tracking of the 10 SERP keywords and the SERP AI Overview results, dated 6 November 2026.

Days 31 to 60 - Rebuild the service pages

The service page rewrites, the title and meta fixes, and the first buyer guide for the searches where no direct result appears yet.

Days 61 to 90 - Review results

Check whether the money searches, map packs, and AI overviews have moved, and set next quarter targets. Do not promise a ranking or an AI mention.

What you get every month

AI visibility tracking across the same questions, Google rankings tracking, one to two buyer guides, a technical health check, reviews and listings checks, and a plain-English report with a monthly call.

Want us to fix these, in order?

Start with the brand search, the long titles and metas, and the alt text, then the service page targeting, then the supporting guides. The full findings above are the starting point, not a sales pitch.

Talk through the fixes

Or write to us: **info@xylvar.top** - We reply within 2 business days.

How we did this. We read 12 URLs on 6 November 2026 (titles, headings, word counts, code markup, image descriptions, robots.txt and llms.txt). Google USA results were collected via Bright Data SERP API on 6 November 2026, market USA. Three searches first returned HTTP 502 with no results and succeeded on retry the same day; the other 7 returned ok on the first run. A structured map pack was returned for 9 of 10 searches, and Horne is in the top 3 for 5 of them; no map pack was returned for the brand search. Speed: PageSpeed Insights returned HTTP 429 on 6 November 2026, so no score is claimed. AI Overview data came from the SERP API where present; a top-level overview was returned for 0 of 10 searches, and live Gemini and Bing answers have not been checked yet and are marked as not yet checked in this report. Plain fetches of the homepage and the contact page returned Cloudflare "error code: 520" on 6 November 2026; later plain fetches the same day succeeded, and all 12 pages were fetched through the Bright Data unlocker the same day. Public information only, no logins. This report is complimentary and confidential to Horne Heating and Air Conditioning. Unverified in this snapshot: PageSpeed score, Gemini and Bing answers, a Places rating, a single verified review rating, staff count, revenue, and Horne Heating and Air Conditioning pricing.