xylvar

COMPLIMENTARY SEARCH AND AI VISIBILITY REPORT

How people find Prime Plumbing & Heating on Google and in AI answers

We checked your website, your Google rankings, and what Google AI says in search results. Here is what we found on 6 November 2026, and the fixes worth making first.

Prepared for
Prime Plumbing & Heating
Denver, plumbing and HVAC

Prepared by
xylvar
SEO and AI visibility for growing companies

Date
6 November 202

1 The short version

A fresh snapshot, 6 November 2026. Public pages only, no logins. No email has been sent about this report yet.

AREA	STATUS	WHAT WE FOUND
Google website rankings	WEAK	#1 in 1 of 10 searches, air conditioning repair denver through the AC repair page. No direct result for the other 8 money searches, or for the brand search.
Google map packs	MISSING	Prime Plumbing & Heating is in none of the structured map top 3s for the 9 money searches. No map pack was returned for the brand search.
AI visibility in search	NOT NAMED	No AI Overview was returned for any of the 10 searches, so Prime Plumbing & Heating is named in 0 of 0 returned overviews. Live Gemini and Bing answers have not been checked yet.
Page titles	WATCH	10 of 12 audited titles are within 60 characters, but heating is 70 and water heater installation is 66, and the plumbing page title names no place.
Page structure	WATCH	11 of 12 pages have exactly 1 main heading, but contact has 2, and 168 of 203 images are missing alt text. No audited page is thin: the thinnest is heating at 1,105 words.
Business details	CHECK THE PHONE	Rich schema is present on every page, llms.txt is present, and your contact email info@primeplumbingheating.com is verified on all 12 audited pages. But the knowledge panel shows a different phone, (983) 210-4483, not the (720) 542-8153 on your website.
Speed	NOT MEASURED	PageSpeed Insights returned HTTP 429 on 6 November 2026, so no score is claimed in this report.

Biggest strength: one #1, and a strong review base in the panel

Prime Plumbing & Heating is #1 for air conditioning repair denver through its AC repair page, and the SERP brand panel shows 4.8 with 557 reviews. The site itself is deep: 23,666 words across the 12 audited pages, with rich schema on every page.

Biggest issue: the website and the map are missing from nearly every money search

Eight of the nine money searches show no direct Prime page at all, including plumber denver and plumbing company denver, and Prime is in none of the nine map top 3s. The brand search shows no direct Prime page either, only a Thumbtack listing and redirect entries.

2 Where you rank on Google today

Google USA, Bright Data SERP API, 6 November 2026. Direct-domain results only. Google redirect entries are not named as competitors, because their final destination is hidden in the redirect URL.

SEARCH	PRIME PLUMBING & HEATING, DIRECT	DIRECT LEADER
plumber denver	Not in top 8	applewoodfixit.com #1
plumbing company denver	Not in top 9	mydenverplumber.net #1
emergency plumber denver	Not in top 9	mapquest.com #1
drain cleaning denver	Not in top 9	reddit.com #1
water heater repair denver	Not in top 8	itsdone.com #1
hvac company denver	Not in top 9	brothersplumbing.com #1
heating repair denver	Not in top 8	brothersplumbing.com #1
air conditioning repair denver	#1, AC repair page	Prime Plumbing & Heating holds #1
furnace repair denver	Not in top 8	rightawayheating.com #1
prime plumbing heating denver (brand)	Not in top 10	thumbtack.com #1

One #1, and nine searches with no direct result

Prime Plumbing & Heating has a direct result in 1 of 10 searches, and is #1 in that one: air conditioning repair denver, through the AC repair service page. The other eight money searches and the brand search show no direct Prime page in the summary top 8 to 10.

The brand search is not a win

The brand search has no direct primeplumbingheating.com result in the summary top 10. Direct #1 is a Thumbtack listing for the firm and #2 is an Instagram post. Prime pages appear only as Google redirect entries at ranks 3 to 10, and redirect entries are not counted as rankings because their destination is hidden.

Method note: plumber denver and hvac company denver each first returned HTTP 502 with an empty body and no results on 6 November 2026. Both succeeded on retry the same day, and retry results are used. Summary top counts are 8 to 10 per search, because that is how many organic rows the SERP summary returned. Note: this business is in Denver, Colorado, USA, not Canada; the audit used Google USA and Denver keywords.

3 What AI says in search results

Google AI Overview data captured through the SERP API, 6 November 2026. Live Gemini and Bing answers have not been checked yet. AI answers change day to day.

No overview was returned for any search

No top-level AI Overview key was returned for any of the 10 searches. Prime Plumbing & Heating is therefore named in 0 of 0 returned SERP AI Overviews. That is a blank in the data, not evidence that AI tools never mention the firm.

Your llms.txt is ready, but it did not produce an overview here

Your llms.txt is present and lists your core and location pages, so AI tools have a clean source from you to quote. That did not produce an overview naming Prime Plumbing & Heating in this run. Keep it current as pages change, and treat AI mentions as something to track, not something to promise.

What that does not prove

Absence in the SERP API does not prove a conversational AI tool would give no answer. Live Gemini, Bing, and Google AI Overview conversational checks were not done in this task, and no conversational AI result is claimed in this report.

Note for the owner: live Gemini, Bing, and Google AI Overview conversational checks were not done in this task, per task instruction, and no conversational AI result is claimed in this report.

4 What is holding the website back

12 URLs audited on 6 November 2026, 23,666 words, 203 images, 168 missing alt text.

168 of 203 images are missing alt text - HIGH

Alt text is missing on 83% of the images we checked, the worst result in this batch. Every audited page has at least 11 images missing alt text: homepage 22 of 53, drains 22 of 22, plumbing 16 of 16, emergency plumbing 16 of 18. Only 35 of 203 images carry alt text at all. Fix the service pages first, then the homepage.

Eight money searches show no Prime page - HIGH

Plumber denver, plumbing company denver, emergency plumber denver, drain cleaning denver, water heater repair denver, hvac company denver, heating repair denver and furnace repair denver return no direct Prime Plumbing & Heating result, even though the site has a dedicated service page for each of them. The AC repair page proves the pattern works: it is #1 for its own search. The other service pages need the same treatment, starting with the search phrase in the title and first heading.

The map is missing entirely - HIGH

Prime Plumbing & Heating is in none of the structured map top 3s for the 9 money searches. Golden West Plumbing is #1 in 5 of the 9 packs and in the top 3 of 8 of them. Check the Google Business Profile first: the knowledge panel shows phone (983) 210-4483, not the (720) 542-8153 on the website, and the panel describes the firm as a "Plumber in Twin Lakes, Colorado". Name, address and phone must match the website exactly.

Two titles are over the limit, one names no place - MEDIUM

Heating is 70 characters and water heater installation is 66, both over the 60-character display limit. The plumbing page title is only 35 characters and names no place: "Plumbing | Prime Plumbing & Heating". The homepage meta description is 110 characters, short of the usual 120 to 160 range.

Contact has two main headings - LOW

11 of 12 pages have exactly 1 main heading. Contact has 2: "Contact Us" and "Contact Our HVAC and Plumbing Company in Denver". Keep one.

What is clean

No audited page is thin: the thinnest is heating at 1,105 words, and the homepage is 3,329. Rich schema is present on every page, including Service and FAQPage on the AC repair, emergency plumbing and heating repair pages. Every audited canonical tag points to the page's own live URL, and every audited page has a mobile viewport. The page sitemap lists 55 URLs, robots.txt allows general crawlers with a sitemap line present, and llms.txt is present. Your contact email info@primeplumbingheating.com is verified on all 12 audited pages.

One sitemap quirk to fix - LOW

The /sitemap.xml address returns an empty body. The live sitemap is sitemap_index.xml, which the robots.txt file already points to, so Google can still find it, but the empty /sitemap.xml should be fixed or redirected to the index.

5 How you compare

From SERP direct domain results and map packs, 6 November 2026. Google redirect entries are not named as competitors.

Where Prime Plumbing & Heating leads

One direct #1: air conditioning repair denver, through the AC repair page. That is the only direct #1 in this run.

Where others lead

Applewood leads plumber denver direct results, My Denver Plumber leads plumbing company denver, Brothers Plumbing leads hvac company denver and heating repair denver, Right Away Heating leads furnace repair denver, and Its Done leads water heater repair denver. In the map packs, Golden West Plumbing leads 5 of the 9 packs at #1, and Heart Heating leads hvac company denver.

Reviews and listings

SERP brand knowledge panel: Prime Plumbing & Heating, rating 4.8 with 557 reviews, 7000 Broadway Ste 205, Denver, CO 80221, phone (983) 210-4483, open 7 AM to 9 PM every day. No Places API rating was returned in this run, so no Places rating is claimed. That panel phone differs from the (720) 542-8153 on the website, and the panel describes the firm as a "Plumber in Twin Lakes, Colorado". Prime Plumbing & Heating is in the structured map top 3 for 0 of 9 money searches; no map pack was returned for the brand search.

6 What to fix first

In the order the fresh data supports. No ranking or AI mention is promised.

1. Fix the Google Business Profile phone and listing first

The knowledge panel shows (983) 210-4483 while the website shows (720) 542-8153, and the panel calls the firm a "Plumber in Twin Lakes, Colorado". Correct the phone, address and category on the profile so they match the website exactly, then check whether the map packs start showing the firm.

2. Make the other service pages the answer for their own searches

Start with plumber denver and plumbing company denver: the plumbing and residential plumbing pages should carry the search phrase in the title and first heading, and link to them as the main pages for those topics from the homepage. Repeat the AC repair pattern for drain cleaning, water heater repair, heating repair and furnace repair.

3. Add alt text to the images

168 of 203 images are missing alt text. Start with the service pages: drains 22 of 22, plumbing 16 of 16, emergency plumbing 16 of 18, then the homepage at 22 of 53.

4. Fix the long and short titles and descriptions

Shorten heating from 70 characters and water heater installation from 66, give the plumbing page a title that names Denver, and lengthen the homepage meta description from 110 characters into the usual 120 to 160 range. Give the contact page one main heading instead of two.

5. Fix the empty sitemap address

The /sitemap.xml address returns an empty body. Fix it or redirect it to sitemap_index.xml, which is the live index and is already listed in robots.txt.

6. Keep the AI source current

Your llms.txt is present and current. Keep it updated as pages change, and track whether AI overviews start naming Prime Plumbing & Heating for the money searches, without promising an AI mention.

7 What this becomes in 90 days

From fresh data, not a promise.

Days 1 to 30 - Fix the foundations

All quick wins above that do not need new content, plus baseline tracking of the 10 SERP keywords and the SERP AI Overview results, dated 6 November 2026.

Days 31 to 60 - Rebuild the gap pages

The plumbing, drain cleaning, water heater and heating page rewrites, the alt text work, and the first buyer guide for the searches where no direct result appears yet.

Days 61 to 90 - Review results

Check whether the money searches, map packs, and AI overviews have moved, and set next quarter targets. Do not promise a ranking or an AI mention.

What you get every month

AI visibility tracking across the same questions, Google rankings tracking, one to two buyer guides, a technical health check, reviews and listings checks, and a plain-English report with a monthly call.

Want us to fix these, in order?

Start with the Google Business Profile phone, the service pages for their own searches, and the alt text, then the titles and the sitemap. The full findings above are the starting point, not a sales pitch.

Talk through the fixes

Or write to us: **info@xylvar.top** - We reply within 2 business days.

How we did this. We read 12 URLs on 6 November 2026 (titles, headings, word counts, code markup, image descriptions, robots.txt and llms.txt). Google USA results were collected via Bright Data SERP API on 6 November 2026, market US, for Denver keywords. Plumber denver and hvac company denver each first returned HTTP 502 with an empty body and no results; both succeeded on retry the same day, and retry results are used. A structured map pack was returned for 9 of 10 searches, and Prime Plumbing & Heating is in the top 3 for none of them; no map pack was returned for the brand search. Speed: PageSpeed Insights returned HTTP 429 on 6 November 2026, so no score is claimed. AI Overview data came from the SERP API where present; no top-level overview was returned for any of the 10 searches; live Gemini and Bing answers have not been checked yet and are marked as not yet checked in this report. Public information only, no logins. This report is complimentary and confidential to Prime Plumbing & Heating. Unverified in this snapshot: PageSpeed score, Gemini and Bing answers, a Places rating, a single verified review rating, staff count, and Prime Plumbing & Heating pricing.