# Foodies — REST API Endpoints

Web Programming 1 · Stage 2 · Julien Matar, Peter Nehmeh, Freddy Rayess

> **Base URL:** `http://localhost:4040/api` · All requests and responses are JSON.
> **Status codes:** 200 OK, 201 Created, 204 Deleted, 400 invalid input, 401 not logged in, 403 not allowed, 404 not found, 409 conflict, 429 too many requests, 500 server error. Errors are always `{ "error": "message" }`.
> **Access:** Public = no login · User = logged in (JWT cookie) · Owner = the user who wrote the review · Admin = admin role.
> **Sort values** for `/restaurants?sort=`: `authentic` (most authentic), `mix` (fusion first), `modern` (most modern), `price_asc`, `price_desc`, `top_rated`. **Styles:** `heritage`, `authentic`, `fusion`, `modern`.

| Method | Endpoint | Access | Purpose / body |
|---|---|---|---|
| **Auth (6)** | | | |
| POST | `/api/auth/register` | Public | Create an account { name, email, password } |
| POST | `/api/auth/login` | Public | Log in, sets the JWT cookie { email, password } |
| POST | `/api/auth/logout` | User | Clear the cookie |
| GET | `/api/auth/me` | User | The logged-in user |
| GET | `/api/auth/google` | Public | Start Google sign-in |
| GET | `/api/auth/google/callback` | Public | Finish Google sign-in |
| **Dishes (5)** | | | |
| GET | `/api/dishes?search=&category=&vegetarian=` | Public | List / search dishes (category = id, vegetarian = true\|false) |
| GET | `/api/dishes/:id` | Public | One dish + the restaurants serving it and their prices |
| POST | `/api/dishes` | Admin | Create a dish { name_en, name_ar, description, category_id, is_vegetarian } |
| PUT | `/api/dishes/:id` | Admin | Update a dish (same body) |
| DELETE | `/api/dishes/:id` | Admin | Delete a dish |
| **Restaurants (5)** | | | |
| GET | `/api/restaurants?dish=&region=&style=&sort=` | Public | Filter and sort restaurants, with average rating and tradition score (dish, region = ids) |
| GET | `/api/restaurants/:id` | Public | One restaurant + scores + menu with prices |
| POST | `/api/restaurants` | Admin | Create { name, region_id, address, phone, lat, lng, price_level 1-4, style } |
| PUT | `/api/restaurants/:id` | Admin | Update a restaurant (same body) |
| DELETE | `/api/restaurants/:id` | Admin | Delete a restaurant |
| **Availability: which restaurant serves which dish (3)** | | | |
| POST | `/api/restaurants/:id/dishes` | Admin | Link a dish and set its price { dish_id, price_usd, available } |
| PUT | `/api/restaurants/:id/dishes/:dishId` | Admin | Change price or availability { price_usd?, available? } |
| DELETE | `/api/restaurants/:id/dishes/:dishId` | Admin | Unlink a dish |
| **Reviews (4)** | | | |
| GET | `/api/restaurants/:id/reviews` | Public | Reviews of a restaurant, newest first |
| POST | `/api/restaurants/:id/reviews` | User | Add a review { rating 1-5, tradition_rating 1-5, comment } |
| PUT | `/api/reviews/:id` | Owner | Edit own review |
| DELETE | `/api/reviews/:id` | Owner or admin | Delete a review |
| **Favorites (3)** | | | |
| GET | `/api/favorites` | User | My favorite dishes |

| | | | |
|---|---|---|---|
| POST | /api/favorites/:dishId | User | Add a favorite |
| DELETE | /api/favorites/:dishId | User | Remove a favorite |
| **Lookups (2)** | | | |
| GET | /api/regions | Public | List regions |
| GET | /api/categories | Public | List dish categories |
| **Chatbot (2)** | | | |
| POST | /api/chat | Public, rate-limited | Ask a question, get an answer + matching restaurants { question } |
| GET | /api/admin/chat-logs | Admin | Questions asked to the chatbot |
| **Utilities (2)** | | | |
| GET | /api/dish-of-the-day | Public | Weather-based suggestion (Open-Meteo) |
| GET | /api/rates | Public | USD to LBP and EUR rates (cached) |

Total: 32 endpoints.