Intégration continue pour le web

Correction TP n°1 Javascript

Exercice 1:

En utilisant while

```
const numbers = [20, 30, 42, 66, 99];
let i = 0;
while (i < numbers.length) {
   numbers[i] = numbers[i] + 42;
   i++;
}
console.log(numbers);</pre>
```

En utilisant for

```
const numbers = [20, 30, 42, 66, 99];
for (let i = 0; i < numbers.length; i++) {
   numbers[i] = numbers[i] + 42;
}
console.log(numbers);</pre>
```

En utilisant for of

```
const numbers = [20, 30, 42, 66, 99];
let newTab = [];
for (let number of numbers) {
   newTab.push(number + 42);
}
console.log(newTab);
```

En utilisant map()

```
const numbers = [20, 30, 42, 66, 99];
const newTab = numbers.map(number => number + 42);
console.log(newTab);
```

Exercice 2:

En utilisant for of

```
const numbers = [20, 30, 42, 66, 99];
let sum = 0;
for (let number of numbers) {
   sum += number;
}
console.log(sum);
```

En utilisant reduce()

```
const numbers = [20, 30, 42, 66, 99];
const sum = numbers.reduce((acc, number) => acc + number, 0);
console.log(sum);
```

Exercice 3:

```
const colors = ["blue", "red", "green", "yellow", "cyan"];
colors.forEach(color => console.log(color));
```

Exercice 4:

```
const peoples = [{name: "Julien", age: 25}, {name: "Maud", age: 24}, {name: "Bastien",
const julien = peoples.find(({ name, age }) => name === "Julien" && age === 25);
console.log(julien);
```

Exercice 5:

```
const peoples = [{name: "Julien", age: 25}, {name: "Maud", age: 24}, {name: "Bastien",
const underTwentySix = peoples.filter(({age}) => age < 26)
console.log(underTwentySix)</pre>
```

© Julien Usson