

The alternatives are movable. To classify them, you have to drag and drop them at the good place. You can modify them by clicking in the box. If the user rename an alternative in a voter preference, the alternative is renamed in all the voters preferences.

J-voting client

Edition Visualization

Profile name

Open existing profile

Voter1 name

1. Alternative 1

2. Alternative 2

3. Alternative 3

4. new alternative

Voter2 name

1. Alternative 1

2. Alternative 2

3. Alternative 3

4. new alternative

New voter

J-voting client

Edition

Visualization

Profile name

Open existing profile

Voter1 name

-

1. Alternative 1

2. Alternative 2

3. Alternative 3

4. Alternative 4

5. New alternative

Voter2 name

-

1. Alternative 1

2. Alternative 2

3. Alternative 3

4. Alternative 4

5. New alternative

J-voting client

2. Alternative 2

3. Alternative 3

4. new alternative

Voter3 name

1. Alternative 1

2. Alternative 2

3. Alternative 3

4. new alternative

New voter

J-voting client

Edition

Visualization

☐ rows

☒ columns

☐ wrapped

Voter 1	Voter 2	Voter 3	Voter 4	Voter 5	Voter 6
1	2	4	2	1	3
2	4	5	4	2	2
3	3	1	3	4	1
4	1	2	1	5	5
5	6	3	6	6	4
6	5	6	5	3	6

J-voting client

Edition

Visualization

☐ rows

☐ columns

☒ wrapped

2 voters	1 voter	1 voter	1 voter	1 voter
2	1	4	1	3
4	2	5	2	2
3	3	1	4	1
1	4	2	5	5
6	5	3	6	4
5	6	6	3	6

J-voting client

Edition

Visualization

☒ rows

☐ columns

☐ wrapped

Voter 1	1	2	3	4	5	6
Voter 2	2	4	3	1	6	5
Voter 3	4	5	1	2	3	6
Voter 4	2	4	3	1	6	5
Voter 5	1	2	4	5	6	3
Voter 6	3	2	1	5	4	6

