

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije u Beogradu

Visoka ICT Škola

Web programiranje PHP 1 dokumentacija za sajt

Julijana Milosavljevic 57/18

Mart 2020, Beograd

# Sadržaj

## 1. Uvod

### 1.1. Korišćeni programski jezici

### 1.2. Opis funkcionalnosti

### 1.3. Template

### 1.4. Korisceni css

## 2. Organizacija

### 2.1. Organizaciona šema

### 2.2. Mapa sajta

### 2.3. Slike stranica i opis funkcionalnosti

## 3. Kodovi

### 1.1 Korišćeni programski jezici

HTML ,CSS ,javascript, jquery, AJAX, Bootstrap ,PHP, SQL

## 1.2. Opis funkcionalnosti

Neautorizovani korisnici imaju pristup osnovnim linkovima u meniju(pocetna, o nama, proizvodi, o autoru i prijava)

Autorizovani imaju pristup i linku odjavi se i linku korisnik


Admin pored svega navedenog ima i pristup admin panelu

Admin panelu ima pristup samo admin. Moze vrsiti pregled korisnika i pregled proizvoda, dodavanje proizvoda, izmenu i brisanje proizvoda Anketi imaju pristup samo autorizovani korisnici

Korisnik moze glasati samo jedanput, dobija obavestenje ukoliko je uspesno glasao ili je vec ranije glasao Klikom na rezultate prikazuje se koliko je ljudi glasalo i za koji odgovor

Dinamicki se ispisuju meni, futer, proizvodi na stranici proizvodi i index .Validacija podataka se vrsi i na klijenstskoj i na serverskoj strani.


Autorizovani korisnici mogu da dodaju proizvode u korpu. Klikom na korpu imaju uvid sa su dodali u istu i ukoliko zele mogu da obrisu proizvod. Podaci se cuvaju u local storage sve dok se ne klikne na dugme Kupi, tada se upisuju u bazu.

Baza

### 1.3. Template

Koriscen je tudji css iz template sa izmenama.

## 2.1. Organizaciona šema



## 2.2. Mapa sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>http://huaweimobile.epizy.com/index.php</loc>
<lastmod>2020-03-26T20:14:45+00:00</lastmod>
</url>
</urlset>
```

## 2.3. Slike stranica i opis funkcionalnosti

### Index.php





### Kontakt

Vase ime  
Email adresa  
Naslov



### Kontakt

Vase ime  
Email adresa  
Naslov  
Vasa poruka

Pošalji poruku

### Radno vreme

#### Ponedjeljak-Petak

7:00 - 21:00

#### Subota

7:00 - 14:00



Copyright © 2020  
Huawei mobile

Pocetna  
O nama  
Proizvodi  
Autor  
Prijava  
Odjavite se  
Korisnik  
Korpa

[onama.php](#)

Huawei mobile

POCETNA

O NAMA

PROIZVODI

AUTOR

PROJAVA 



Vodeca kompanija u prodaji aktualnih Huawei telefona.Od  
svake vrste prodajerno samo najnovije modele na trzistu.

Dodjite ,ocekujemo Vas.

[Proizvodi.php](#)

Huawei mobile

POČETNA

O NAMA

PROIZVODI

AUTOR

PRÍJAVA



### Huawei P30

[Kaj je cena, twightlight, foto](#)  
[Vizaj](#)



### Huawei P30 Pro

[Kaj je cena, cena, twightlight, foto](#)  
[Vizaj](#)



### Huawei P30 lite

[Kaj je cena, twightlight](#)  
[Vizaj](#)



### Huawei P30

[Kaj je cena, twightlight, foto](#)  
[Vizaj](#)



### Huawei P30 Pro

[Kaj je cena, cena, twightlight, foto](#)  
[Vizaj](#)



### Huawei P30 lite

[Kaj je cena, twightlight](#)  
[Vizaj](#)





## O autoru



Julijana Milosavljevic

Grad:Beograd

Datum rođenja:13.12.1999.

Zovem se Julijana Milosavljevic.Iz Osećine sam i živim u Beogradu.Završila sam tehničku školu kao "Administrator računarskih mreža".Sada sam druga godina na ICT modul Web programiranje. Hobbiji su mi moda,filmovi,serije.

## Admin.php



Prikazi sve korisnike

Dodaj korisnika

Prikazi sve proizvode

Dodaj proizvod

### Radno vreme

**Ponedjeljak-Petak**  
7:00 - 19:00

**Subota**  
7:00 - 14:00



Copyright © 2020  
Huawei mobile

Pocetna  
O nama  
Proizvodi  
Autor  
Prijava  
Odjavite se  
Korisnik  
Korpa

## Korpa.php



Slika

Naziv

Cena

Kolicina

Ukupna cena

Obrisi



Kupi

Huawei P30 Pro	109000	2	218000 RSD	<a href="#">Remove</a>
----------------	--------	---	------------	------------------------

## Prijava.php



### Prijava

E-mail

Lozinka

Prijava

KREIRAJTE NALOG



## Registracija

## 3.Kodovi

### Admin.php

```
<?php
session_start();
if(isset($_SESSION['korisnik'])){
if($_SESSION['korisnik']->id_uloga != 1){
header("Location: index.php");
}
else{
if(isset($_SESSION['porukaAdmin'])){
$poruka = $_SESSION['porukaAdmin'];
echo "<script>alert('$poruka')</script>";
unset($_SESSION['porukaAdmin']);
}
}
}
else{
header("Location: index.php");
}

?>
<!DOCTYPE html>
<html lang="sr">
<head>
```

```

<title>Admin panel</title>
<link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=Edge">
<meta name="description" content="Prodavnica mobilnih telefona huawei">
<meta name="keywords" content="huawei,mobile,phones">
<meta name="author" content="Julijana Milosavljevic">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="css/bootstrap.min.css">
<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvXpqpZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAF1NEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
<!-- MENU -->
<?php
include "meni2.php";
?>
<section id="" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row">
<div class="col-lg-3">
<a href="#" id="sviKorisnici" data-id="1" class="admin-btn"
name="sviKorisnici">Prikazi sve korisnike</a>
<a href="#" id="dodKor" class="admin-btn" name="dodKor">Dodaj
korisnika</a>
<a href="#" id="sviProizvodi" data-id="3" class="admin-btn"
name="sviProizvodi">Prikazi sve proizvode</a>
<a href="#" id="dodPro" class="admin-btn" name="dodPro">Dodaj
prozivod</a>
</div>
<div class="col-lg-9" id="ispis">
<div id="test"></div>

```

```

</div>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<!-- <script src="js/bootstrap.min.js"></script> -->
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<!-- <script src="js/main.js"></script>
<script src="js/index.js"></script> -->
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/admin.js"></script>
<script type="text/javascript" src="js/proveraProizvod.js"></script>

</body>
</html>

```

## Admin2.php

```

<?php
include "konekcija.php";
if(isset($_POST['id'])){
// 1 svi korisnici
if($_POST["id"] == "1"){
$upit = "SELECT * from korisnici";
$rezultat = $konekcija->query($upit);
$rez = $rezultat->fetchAll();
// var_dump($rez);
// echo $_GET["id"];
$status = 200;
http_response_code($status);
header('Content-Type: application/json');
echo json_encode($rez);
}
}

```

```

//2 dodavanje korisnika
else if($_POST['id'] == '2'){
$ime = $_POST['ime'];
$prezime = $_POST['prezime'];
$email = $_POST['email'];
$password = $_POST['password'];
$uloga = $_POST['uloga'];
// echo "$ime, $prezime";
// validacija podataka
$greske = [];
$imeRi = "/^[A-Z][a-z]{2,25}$/";
$emailRi = "/^(([a-z\d]+\.{1}){2}\d{1,3}\.\d{2}@ict.edu.rs)|((([az\d]+\.\.*)+@(gmail|hotmail|yahoo)\.com))$/";
$passRi = "/^[\\w\\d\\S]{8,25}$/";
if(!preg_match($imeRi, $ime)){
$greske[] = "Ime nije ok";
}
if(!preg_match($imeRi, $prezime)){
$greske[] = "Prezime nije ok";
}
if(!preg_match($emailRi, $email)){
$greske[] = "Email nije ok";
}
if($uloga == 0){
$greske[] = "Izaberite ulogu";
}
if(count($greske) > 0){
echo "Podaci nisu validni";
}
else{
$upit = "INSERT INTO korisnici values(null, :ime, :prezime, :email,:password, :uloga)";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":ime", $ime);
$priprema->bindParam(":prezime", $prezime);
$priprema->bindParam(":email", $email);
$priprema->bindParam(":password", $password);
$priprema->bindParam(":uloga", $uloga);
$rezultat = $priprema->execute();
$message = "Uspesno dodat korisnik";
if($rezultat){
http_response_code(200);
header('Content-Type: application/json');
echo json_encode(['message' => $message]);
}
}
}

```

```

}
}
// var_dump($rezultat);
}
// svi proizvodi
else if($_POST['id'] == "3"){
$upit = "SELECT * from proizvodi";
$rezultat = $konekcija->query($upit);
$rez = $rezultat->fetchAll();
$status = 200;
http_response_code($status);
header('Content-Type: application/json');
echo json_encode($rez);
}
}
else if(isset($_POST["idUpdate"])){
$id = $_POST['idUpdate'];
$upit = "SELECT * from proizvodi where id = :id";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":id", $id);
$rezultat = $priprema->execute();
$rez = $priprema->fetch();
$status = 200;
http_response_code($status);
header('Content-Type: application/json');
echo json_encode($rez);
}
else{
header("Location: index.php");
}
?>

```

## Anketa.php

```

<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title>Anketa</title>
    <link rel="shortcut icon" href="images/favicon.ico"/>
<!--

```

## Eatery Cafe Template

<http://www.templatemo.com/tm-515-eatery>

```
-->
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=Edge">
<meta name="description" content="Prodavnica mobilnih telefona huawei">
<meta name="keywords" content="huawei,mobile,phones">
<meta name="author" content="Julijana Milosavljevic">
<meta name="viewport" content="width=device-width, initial-
scale=1, maximumscale=1">
<link rel="stylesheet" href="css/bootstrap.min.css">
<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXpqpZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAF1NEevoEH3Sl0sibVc0QVnN" crossorigin="an
onymous"/>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
<!-- MENU -->
<?php
include "meni2.php";
?>
<section id="" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row">
<?php include "anketa2.php" ?>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
```



```

<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script type="text/javascript" src="js/jquery.js"></script>
</body>
</html>

```

## Anketa2.php

```

<?php
if(!isset($_SESSION['korisnik'])){
header("Location: index.php");
}
else{
include "konekcija.php";
$pitanje = "SELECT * from ankete where aktivna = 1";
$resultat = $konekcija->query($pitanje);
$rez1 = $rezultat->fetchAll();
}
?>
<?php foreach ($rez1 as $red1) : ?>
    <div class="col-lg-5">
        <?php echo "<h3>".$red1->pitanje."</h3>" ?>
    <?php
    $odgovori = "SELECT o.odgovor, o.id from odgovori o inner join ankete a on o.id_a
nkete = a.id where a.id = 1";
    $rezultat = $konekcija->query($odgovori);
    $rez2 = $rezultat->fetchAll();
    foreach ($rez2 as $red2) :
        ?>

        <?php
        echo "<input type='radio' name='odg' value='".$red2->id."'/>".$red2-
>odgovor."<br/>";
        ?>
    <?php endforeach ?>
    <?php
    echo "<br/><input type='button' name='glasaj' class='glasaj' value='Glasaj' data
-id='".$red1->id."'><br/><br/>";
    echo "<input type='button' id='rez' name='rezultat' value='Rezultati' dataid='".$
$red1->id."'>";
    echo "<div id='ispisRezultata'></div>";
    ?>

```

```
</div>
<?php endforeach ?>
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/anketa.js"></script>
```

## Anketa3.php

```
<?php
session_start();
include "konekcija.php";
if(isset($_POST['idAnketa'])){
$idAnketa = $_POST['idAnketa']; // id ankete
$korisnik = $_SESSION['korisnik'];
$id = $korisnik->id_korisnik; // id korisnika
// provera da li je glasao
$upit = "SELECT * from anketa_korisnik where id_korisnik = :id and id_ankete = :idAnketa";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":id", $id);
$priprema->bindParam(":idAnketa", $idAnketa);
$resultat = $priprema->execute();
$rez = $priprema->fetch();
if($priprema->rowCount() == 1){
// glasao
http_response_code(202);
header('Content-Type: application/json');
echo json_encode($rez);
}
else{
// nije glasao
// treba mi value iz cek polja
// upisujem za koji odgovor je glasao
$odgovor = $_POST['odgovor'];
$upit = "UPDATE rezultat set rezultat = rezultat + 1 where id_odgovor = :odgovor";
;
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":odgovor", $odgovor);
$resultat = $priprema->execute();
// upis da je korisnik glasao
$upit = "INSERT INTO anketa_korisnik values(null, :idKorisnik, :idAnkete)";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":idKorisnik", $id);
$priprema->bindParam(":idAnkete", $idAnketa);
$resultat = $priprema->execute();
$poruka = "Uspesno ste glasali";
if($resultat){
```

```

http_response_code(200);
header('Content-Type:application/json');
echo json_encode(['poruka' => $poruka]);
}
}
}
?>

```

## Anketarezultat.php

```

<?php
include "konekcija.php";
if(isset($_POST['idAnketaRezultat'])){
$idAnkete = $_POST["idAnketaRezultat"];
// upit
$upit = "SELECT r.rezultat, r.id_ankete, o.odgovor from rezultat r INNER JOIN odg
ovori o ON r.id_odgovor = o.id WHERE r.id_ankete = :id";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":id", $idAnkete);
$rezultat = $priprema->execute();
if($rezultat){
$rez = $priprema->fetchAll();
http_response_code(200);
header('Content-Type: application/json');
echo json_encode($rez);
}
else{
echo "Nije se izvrsio upit";
}
}
else{
header("Location: index.php");
}
?>

```

## Brendovi.php

```

<?php
include "konekcija.php";
if(isset($_POST['brend'])){
$upit = "SELECT * from brendovi";
$rezultat = $konekcija->query($upit);
$rez = $rezultat->fetchAll();
http_response_code(200);
header('Content-Type: application/json');
echo json_encode($rez);
}
}
}
?>

```

```
unset($_POST['brend']);
}
?>
```

## Futer.php

```
<footer id="footer" data-stellar-background-ratio="0.5">
  <div class="container">
    <div class="row">
      <div class="col-md-4 col-sm-8">
        <div class="footer-info footer-open-hour">
          <div class="section-title">
            <h2 class="wow fadeInUp" data-wow-delay="0.2s">Radno vreme</h2>
          </div>
          <div class="wow fadeInUp" data-wow-delay="0.4s">
            <div>
              <strong>Ponedeljak-Petak</strong>
              <p>7:00 - 21:00</p>
            </div>
            <div>
              <strong>Subota</strong>
              <p>7:00 - 14:00</p>
            </div>
          </div>
        </div>
      </div>
      <div class="col-lg-3 col-md-2 col-sm-2">
        <ul class="wow fadeInUp social-icon" data-wow-delay="0.4s">
          <li><a href="#" class="fa fa-facebook-square" attr="facebook icon"></a></li>
          <li><a href="#" class="fa fa-twitter"></a></li>
          <li><a href="#" class="fa fa-instagram"></a></li>
          <li><a href="#" class="fa fa-google"></a></li>
        </ul>
        <div class="wow fadeInUp copyright-text" data-wow-delay="0.8s">
          <p><br>Copyright &copy; 2020 <br>Huawei mobile
          <br><br>
        </div>
      </div>
    </div>
    <div class="col-lg-3 col-md-2 col-sm-2 futer">
      <?php
      include "konekcija.php";
      $upit = "SELECT * from meni ORDER BY redosled";
      $rezultat = $konekcija->query($upit);
      if($rezultat){
        $rez = $rezultat->fetchAll();
```

```

// var_dump($rez);
$ispis = "<ul>";
foreach ($rez as $red) {
    if($red->link == "korpa.php")
    $ispis .= "<li><a href='\".$red->link.\"'>\". 'Korpa' .\"</a></li>";
    else
    $ispis .= "<li><a href='\".$red->link.\"'>\".$red->tekst.\"</a></li>";
}
$ispis .= "</ul>";
echo $ispis;
}
else{
echo "Greska u bazi";
}
?>
</div>
</div>
</div>
</footer>

```

## Index.php

```

<?php
session_start();
if(isset($_SESSION['greske'])){
    $greska = $_SESSION['greske'];
    echo "<script>alert('$greska')</script>";
    unset($_SESSION['greske']);
}
?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title>Pocetna</title>
    <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=Edge">
    <meta name="description" content="Prodavnica mobilnih telefona huawei">
    <meta name="keywords" content="huawei,mobile,phones">
    <meta name="author" content="Julijana Milosavljevic">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="css/bootstrap.min.css">

```

```

<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXppqZVQKG6TAh5PV1G0fQNHSoD2xbE+QkPxCaf1NEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
<!-- PRE LOADER -->
<!-- <section class="preloader">
<div class="spinner">
<span class="spinner-rotate"></span>

</div>
</section> -->
<!-- MENU -->
<?php
include "meni2.php";
?>
<!-- HOME -->
<section id="home" class="slider" data-stellar-background-ratio="0.5">
<div class="row">
<div class="owl-carousel owl-theme">
<div class="item item-first">
<!---->
</div>
<div class="item item-second">

</div>
<div class="item item-third">

</div>
</div>
</div>
</div>
</div>
</section>
<!-- TEAM -->
<section id="team" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row">
<div class="col-md-12 col-sm-12">

```

```

<div class="section-title wow fadeInUp" data-wow-delay="0.1s">
<h2>Serije</h2>
</div>
</div>
<?php
include "konekcija.php";
$aktivan = '1';
$upit = 'SELECT * from proizvodi where aktivan = :aktivan limit 3';
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":aktivan", $aktivan);
$rezultat = $priprema->execute();
$rez = $priprema->fetchAll();
foreach ($rez as $red) :
?>
<div class="col-md-4 col-sm-4">
<div class="team-thumb wow fadeInUp" data-wow-delay="0.2s">
<?php
echo "<img src='".$red->slika.'" alt='img' class='img-responsive' />";
?>
<div class="team-hover">
<div class="team-item">
<h4>
<?php
echo $red->opis;
?>
</h4>
</div>
</div>
</div>
<div class="team-info">
<h3><?php
echo $red->naziv;
?></h3>
<p><?php
echo $red->cena;
?></p>
</div>
</div>
<?php
endforeach;
?>
</div>
</div>
</section>

```

```

<!-- TESTIMONIAL -->
<section id="testimonial" data-stellar-background-ratio="0.5">
<div class="overlay"></div>
<div class="container">
<div class="row">
<div class="col-md-12 col-sm-12">
<div class="section-title wow fadeInUp" data-wow-delay="0.1s">
<a id="anketa" href="anketa.php">Pogledajte anketu</a>
</div>
</div>
</div>
</div>
</section>
<!-- CONTACT -->
<section id="contact" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row">
<!-- How to change your own map point
1. Go to Google Maps
2. Click on your location point
3. Click "Share" and choose "Embed map" tab
4. Copy only URL and paste it within the src="" field below
-->
<div class="wow fadeInUp col-md-6 col-sm-12" data-wow-delay="0.4s">
<div id="google-map">
<iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d1415.55399018
485!2d20.427267658078197!3d44.798987994774656!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f
13.1!3m3!1m2!1s0x0%3A0x0!2zNDTCsDQ3JzU2LjQiTiAyMMKwMjUnNDIuMSJF!5e0!3m2!1ssr!2srs
!4v1585187141071!5m2!1ssr!2srs" width="600" height="450" frameborder="0" style="b
order:0;" allowfullscreen="" aria-hidden="false" tabindex="0"></iframe>
</div>
</div>
<?php
if(isset($_POST["submit"])){
$greske2 = [];
$ime = $_POST["name"];
$email = $_POST["email"];
$poruka = $_POST["message"];
// reg
$imeRi = "/^[A-Z][a-z]{2,25}$/";
$emailRi = "/^([a-
z\d]+\.{1}){2}\d{1,3}\.\d{2}@ict.edu.rs)|((([az\d]+\.*)+@(gmail|hotmail|yahoo)\.co
m)$"/";
if(!preg_match($imeRi, $ime)){
$greske2[] = "Ime nije ok";
}
}

```



```

if(!preg_match($emailRi, $email)){
$greske2[] = "Email nije ok";
}
if($poruka == ""){
$greske2[] = "Morate uneti poruku";
}
if(count($greske2) > 0){
echo "Podaci nisu validni";
}
}
}
?>
<div class="col-md-6 col-sm-12">
<div class="col-md-12 col-sm-12">
<div class="section-title wow fadeInUp" data-wow-delay="0.1s">
<h2>Kontakt</h2>
</div>
</div>
<!-- CONTACT FORM -->
<form action="<?= $_SERVER['PHP_SELF']?>" onSubmit="return provera()" method="post" class="wow fadeInUp" id="contact-form" role="form" data-wowdelay="0.8s">
<!-- IF MAIL SENT SUCCESSFUL // connect this with custom JS -->
<h6 class="text-success">Your message has been sent successfully.</h6>
<h6 class="text-danger">Podaci nisu validni</h6>
<div class="col-md-6 col-sm-6">
<input type="text" class="form-control" id="cf-name" name="name"
placeholder="Vase ime">
</div>
<div class="col-md-6 col-sm-6">
<input type="email" class="form-control" id="cf-email"
name="email" placeholder="Email adresa">
</div>
<div class="col-md-12 col-sm-12">
<input type="text" class="form-control" id="cf-subject"
name="subject" placeholder="Naslov">
<textarea class="form-control" rows="6" id="cf-message"
name="message" placeholder="Vasa poruka"></textarea>
<button type="submit" class="form-control" id="cf-submit"
name="submit">Posalji poruku</button>
</div>
</form>
</div>
</div>
</div>
</div>
</section>
<!-- FOOTER -->

```

```

<?php
include "futer.php";
?>

<!-- SCRIPTS -->
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script src="js/index.js"></script>
<script src="js/kontakt.js"></script>
</body>
</html>

```

## Konekcija.php

```

<?php
include "config.php";
try {
$konekcija = new
PDO("mysql:host=$serverBaze;dbname=$bazaPodataka", $username, $password);
$konekcija->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION); // ispisivanje greske
$konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ); // koristi se objekat
}
catch(PDOException $e) {
echo $e->getMessage();
}
?>

```

## Korisnik2.php

```

<?php
session_start();
?>
<!DOCTYPE html>
<html lang="sr">
<head>
<title>Korisnik</title>
<link rel="shortcut icon" href="images/favicon.ico"/>

```

```

<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=Edge">
<meta name="description" content="Prodavnica mobilnih telefona huawei">
<meta name="keywords" content="huawei,mobile,phones">
<meta name="author" content="Julijana Milosavljevic">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="css/bootstrap.min.css">
<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXpqpZZVQGK6TAh5PV1GOfQNHS0D2xbE+QkPxCAF1NEevoEH3Sl0sibVc0QVnN" crossorigin="an
onymous"/>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
<!-- PRE LOADER -->
<section class="preloader">
<div class="spinner">
<span class="spinner-rotate"></span>

</div>
</section>
<!-- MENU -->
<?php
include "meni2.php";
?>
<?php
if(isset($_POST['izmeni'])){
include "konekcija.php";
$id = $_SESSION['korisnik']->id_korisnik;
$ime = $_POST['ime'];
$prezime = $_POST['prezime'];
$email = $_POST['email'];
$pass = md5($_POST['sifra']);
$upit = 'UPDATE korisnici set ime = :ime, prezime = :prezime, email = :email,
password = :pass where id_korisnik = :id';

```

```

$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":ime", $ime);
$priprema->bindParam(":prezime", $prezime);
$priprema->bindParam(":email", $email);
$priprema->bindParam(":pass", $pass);
$priprema->bindParam(":id", $id);
$rezultat = $priprema->execute();
if($rezultat){
echo "<script>alert('Uspesno ste izmenili podatke')</script>";
}
else{
echo "<script>alert('Doslo je do greske')</script>";
}
unset($_POST['izmeni']);
}
?>

```

```

<!-- CONTACT -->

```

```

<section id="contact" data-stellar-background-ratio="0.5">

```

```

<div class="container">

```

```

<div class="row">

```

```

<div class="col-md-6 col-sm-12 padding">

```

```

<div class="col-md-12 col-sm-12">

```

```

<div class="section-title wow fadeInUp" data-wow-delay="0.1s">

```

```

<h2>Izmenite podatke</h2>

```

```

</div>

```

```

</div>

```

```

<?php

```

```

include "konekcija.php";

```

```

// var_dump($_SESSION['korisnik']);

```

```

$korisnik = $_SESSION['korisnik'];

```

```

// echo $korisnik->id_korisnik;

```

```

?>

```

```

<!-- CONTACT FORM -->

```

```

<form action="<?= $_SERVER['PHP_SELF']?>" onSubmit="return
proveraPodataka()" method="post" class="wow fadeInUp" id="contact-form"
role="form" data-wow-delay="0.8s">

```

```

<div class="col-md-12 col-sm-12">

```

```

<?php

```

```

echo "<input type='text' value='".$korisnik->ime."' class='form-control'
id='cf-fname' name='ime' placeholder='Ime'>"

```

```

?>
<!-- <input type="text" class="form-control" id="cf-fname"
name="fname" placeholder="Ime"> -->
</div>
<div class="col-md-12 col-sm-12">
<?php
echo "<input type='text' value='". $korisnik->
prezime.'" class='formcontrol' id='cf-lname' name='prezime' placeholder='Ime'>"
?>
</div>
<div class="col-md-12 col-sm-12">
<?php
echo "<input type='text' value='". $korisnik->email.'" class='formcontrol' id='cf-
lname' name='email' placeholder='Ime'>"
?>
</div>
<div class="col-md-12 col-sm-12">
<input type="text" class="form-control" id="cf-sifra" name="sifra"
placeholder="Nova sifra">
</div>

<div class="col-md-12 col-sm-12">
<input type="submit" name="izmeni" class="form-control prijava
izmena" id="cf-submit" value="Izmeni">
</div>
</form>
</div>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<!-- SCRIPTS -->
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script type="text/javascript" src="js/registracija.js"></script>
</body>

```

```
</html>
```

## Korpa.php

```
<?php
session_start();
if(isset($_SESSION['korisnik'])){
}
else{
    // echo "Nema nista";
    header("Location: index.php");
    $_SESSION['greske'] = "Niste ulogovani";
}

?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title>Korpa</title>
    <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=Edge">
    <meta name="description" content="Prodavnica mobilnih telefona huawei">
    <meta name="keywords" content="huawei,mobile,phones">
    <meta name="author" content="Julijana Milosavljevic">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXppqZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAlfNEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
    <link rel="stylesheet" href="css/animate.css">
    <link rel="stylesheet" href="css/owl.carousel.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="css/magnific-popup.css">
    <link rel="stylesheet" href="css/style.css">
    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
    <!-- MENU -->
<?php
```

```

include "meni2.php";
?>
<section id="" data-stellar-background-ratio="0.5">
<div class="container">
<div id="ispisKorpe">

<!-- ISPIS -->
</div>
<div id="dugme">
<a href="korpa.php" id="dugme-baza">Kupi</a>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<!-- <script src="js/bootstrap.min.js"></script> -->
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<!-- <script src="js/main.js"></script>
<script src="js/index.js"></script> -->
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/admin.js"></script>
<!-- <script type="text/javascript" src="js/proveraProizvod.js"></script> -->
<script type="text/javascript" src="js/korpa.js"></script>
</body>
</html>

```

## Korpaobrada.php

```

<?php
session_start();
if(isset($_POST['zahtev'])){
$korisnik = $_SESSION['korisnik'];
// var_dump($korisnik);
$status = 200;
header('Content-Type: application/json');
echo json_encode($korisnik);
}

```

```
?>
```

## Logout.php

```
<?php
session_start();
if(isset($_SESSION['korisnik'])){
unset($_SESSION['korisnik']);
session_destroy();
header("Location: index.php");
}
else{
header("Location: index.php");
}
?>
```

## Meni2.php

```
<section class="navbar custom-navbar navbar-fixed-top" role="navigation">
  <div class="container">
    <div class="navbar-header">
      <button class="navbar-toggle" data-toggle="collapse" data-
target=".navbarmacollapse">
      <span class="icon icon-bar"></span>
      <span class="icon icon-bar"></span>
      <span class="icon icon-bar"></span>
    </button>
    <!-- LOGO TEXT HERE -->
    <a href="index.php" class="navbar-brand">Huawei mobile</a>
  </div>
  <!-- MENU LINKS -->
  <div class="collapse navbar-collapse">
    <?php
    include "konekcija.php";
    $upit = "SELECT * from meni ORDER BY redosled";
    $rezultat = $konekcija->query($upit);
    if($rezultat){
    $rez = $rezultat->fetchAll();
    // var_dump($rez);
    $ispis = "";
    $ispis.= "<ul class='nav navbar-nav navbar-nav-first'>";
    foreach ($rez as $red) {
    if($red->tekst == "Prijava"){
    break;
    }
    }
```



```

    $ispis.="<li><a href='".$red->link."'class='smoothScroll'>".$red->tekst."</a></li>";
    }
    if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->id_uloza == "1"){
        $ispis.="<li><a
href='".$admin.php."'class='smoothScroll'>".Admin."</a></li>";
    }
    $ispis.="</ul>";
    $ispis.="<ul class='nav navbar-nav navbar-right'>";
    foreach ($rez as $red) {
        if($red->tekst == "Prijava"){
            if(isset($_SESSION['korisnik'])){
                continue;
            }
            else{
                $ispis.="<li><a href='".$red->link."'>".$red->tekst."</a></li>";
            }
        }
        else if ($red->tekst == "Odjavite se") {
            if(!isset($_SESSION['korisnik'])){
                continue;
            }
            else{
                $ispis.="<li><a href='".$red->link."'>".$red->tekst."</a></li>";
            }
        }
        // ovde
        else if($red->tekst == "Korisnik"){
            if(!isset($_SESSION['korisnik'])){
                continue;
            }
            else
                $ispis .="<li><a href='".$red->link."'>".$red->tekst."</a></li>";
        }
        if($red->link == "korpa.php"){
            $ispis.="<a href='".$red->link."'class='korpa'>".<i class='fa fa-shopping-
cart' aria-hidden='true'></i></a>";
        }
    }
    $ispis.="</ul>";
    echo $ispis;
}
else{
    echo "Nema konekcije";
}

```

```
?>

</div>
</div>
</section>
```

## Oautoru.php

```
<?php
    session_start();

?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title>O nama</title>
    <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=Edge">
    <meta name="description" content="Prodavnica mobilnih telefona huawei">
    <meta name="keywords" content="huawei,mobile,phones">
    <meta name="author" content="Julijana Milosavljevic">
    <meta name="viewport" content="width=device-width, initial-
scale=1, maximumscale=1">
    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvXpqpZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAF1NEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
    <link rel="stylesheet" href="css/animate.css">
    <link rel="stylesheet" href="css/owl.carousel.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="css/magnific-popup.css">
    <link rel="stylesheet" href="css/style.css">
    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
    <!-- MENU -->
    <?php
include "meni2.php";
?>
```

```

<section id="" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row autor">
<h2>0 autoru</h2>
<div class="col-lg-3">

</div>
<div class="col-lg-6 onama">
<p>Julijana Milosavljevic</p>
<p>Grad:Beograd</p>
<p>Datum rođenja:13.12.1999.</p>
<p>Zovem se Julijana Milosavljevic.Iz Osecine sam i zivim u Beogradu.Zavrsila sam
tehnicku skolu kao "Administrator racunarskih mreza".Sada sam druga godina na I
CT-modul Web programiranje.
Hobiji su mi moda,filmovi,serije.</p>
</div>

</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<!-- <script src="js/bootstrap.min.js"></script> -->
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<!-- <script src="js/main.js"></script>
<script src="js/index.js"></script> -->
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/admin.js"></script>
<script type="text/javascript" src="js/proveraProizvod.js"></script>
</body>
</html>

```

## Onama.php

```

<?php
session_start();

```

```

?>
<!DOCTYPE html>
<html lang="sr">
<head>
  <title>O nama</title>
  <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=Edge">
  <meta name="description" content="Prodavnica mobilnih telefona huawei">
  <meta name="keywords" content="huawei,mobile,phones">
  <meta name="author" content="Julijana Milosavljevic">
  <meta name="viewport" content="width=device-width, initial-
scale=1, maximumscale=1">
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXpqpZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAF1NEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
  <link rel="stylesheet" href="css/animate.css">
  <link rel="stylesheet" href="css/owl.carousel.css">
  <link rel="stylesheet" href="css/owl.theme.default.min.css">
  <link rel="stylesheet" href="css/magnific-popup.css">
  <link rel="stylesheet" href="css/style.css">
  <!-- MAIN CSS -->
  <link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
  <!-- MENU -->
  <?php
include "meni2.php";
?>
  <section id="" data-stellar-background-ratio="0.5">
  <div class="container">
  <div class="row">
  <div class="col-lg-6">
  
  </div>
  <div class="col-lg-6 onama">
  <p>Vodeca kompanija u prodaji aktuelnih Huawei telefona.Od svake vrste prodajemo
samo najnovije modele na trzistu.</p>
  <p>Dodjite ,ocekujemo Vas.</p>

```

```

</div>

</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<script src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.4.1.min.js"></script>
<!-- <script src="js/bootstrap.min.js"></script> -->
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<!-- <script src="js/main.js"></script>
<script src="js/index.js"></script> -->
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/admin.js"></script>
<script type="text/javascript" src="js/proveraproizvod.js"></script>
</body>
</html>

```

## Prijava.php

```

<?php
session_start();
?>
<!DOCTYPE html>
<html lang="sr">
<head>
<title>Prijava</title>
<link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=Edge">
<meta name="description" content="Prodavnica mobilnih telefona huawei">
<meta name="keywords" content="huawei,mobile,phones">
<meta name="author" content="Julijana Milosavljevic">

```

```

<meta name="viewport" content="width=device-width, initial-
scale=1, maximumscale=1">
<link rel="stylesheet" href="css/bootstrap.min.css">
<link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfXpqpZZVQGK6TAh5PVlGOfQNHSoD2xbE+QkPxCaf1NEevoEH3Sl0sibVc0QVnN" crossorigin="an
onymous"/>
<link rel="stylesheet" href="css/animate.css">
<link rel="stylesheet" href="css/owl.carousel.css">
<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
<!-- PRE LOADER -->
<section class="preloader">
<div class="spinner">
<span class="spinner-rotate"></span>

</div>
</section>
<!-- MENU -->
<?php
include "meni2.php";
?>

<!-- CONTACT -->
<section id="contact" data-stellar-background-ratio="0.5">
<div class="container">
<div class="row">
<div class="col-md-6 col-sm-12 padding">
<div class="col-md-12 col-sm-12">
<div class="section-title wow fadeInUp" data-wow-delay="0.1s">
<h2>Prijava</h2>
</div>
</div>
</div>
<?php
if(isset($_POST["dugme"])){
$greske = [];
$email = $_POST["email"];
$pass = $_POST["pass"];
// reg

```

```

$emailRi = "/^(([a-
z\d]+\.{1}){2}\d{1,3}\.\d{2}@ict.edu.rs)|((([az\d]+\.\.)*+@(gmail|hotmail|yahoo)\.co
m)$)"/";
$passRi = "/^[\\w\\d\\S]{4,25}$/"; // promeni na osam
if(!preg_match($emailRi, $email)){
$greske[] = "Email nije ok";
}
// if(!preg_match($passRi, $pass)){
// $greske[] = "Password nije ok";
// }
if(count($greske) > 0){
echo "<script>alert('Podaci nisu validni')</script>";
}
else{
// upit baza
include "konekcija.php";
if($konekcija){
$upit = "SELECT * FROM korisnici WHERE email =:email AND password =:pass";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":email", $email);
$priprema->bindParam(":pass", $pass);
$rezultat = $priprema->execute();
// var_dump($rezultat);

if($rezultat){
if($priprema->rowCount() == 1){
$rez = $priprema->fetch();
// var_dump($rez);
$_SESSION['korisnik'] = $rez;
if(($_SESSION['korisnik']->id_uloza) == 1){
header("Location: admin.php");
}
}
else{
header("Location: index.php");
}
}
}
}
else{
echo "Greska";
}
}
else{
echo "Nema konekcije";
}
}
}

```

```

}
?>
<!-- CONTACT FORM -->
<form action="<?=$_SERVER['PHP_SELF']?>" onSubmit="return proveraPodataka()" method="post" class="wow fadeInUp" id="contact-form" role="form" data-wow-delay="0.8s">
  <!-- IF MAIL SENT SUCCESSFUL // connect this with custom JS -->
  <h6 class="text-success">Your message has been sent successfully.</h6>

  <!-- IF MAIL NOT SENT -->
  <h6 class="text-danger">E-mail must be valid and message must be longer than 1 character.</h6>
  <input type="text" class="form-control" id="email" name="email" placeholder="Email">

  <input type="text" class="form-control" id="pass" name="pass" placeholder="Lozinka">
  <div class="col-md-12 col-sm-12">
    <input type="submit" name="dugme" class="form-control prijava" id="cf-submit" value="Prijava">
    <a href="registracija.php" id="registracija">Kreirajte nalog</a>
  </div>
</form>
</div>
</div>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<!-- SCRIPTS -->
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script type="text/javascript" src="js/prijava.js"></script>
</body>
</html>

```

Proizvodi.php



```

<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title>Proizvodi</title>
    <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=Edge">
    <meta name="description" content="Huawei">
    <meta name="keywords" content="huawei teleofni">
    <meta name="author" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="css/bootstrap.min.css">
    <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvXpqpZZVQGK6TAh5PV1GOfQNHSoD2xbE+QkPxCAF1NEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
    <link rel="stylesheet" href="css/animate.css">
    <link rel="stylesheet" href="css/owl.carousel.css">
    <link rel="stylesheet" href="css/owl.theme.default.min.css">
    <link rel="stylesheet" href="css/magnific-popup.css">
    <link rel="stylesheet" href="css/style.css"/>
    <!-- MAIN CSS -->
    <link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
    <!-- PRE LOADER -->
    <!-- <section class="preloader">
    <div class="spinner">
    <span class="spinner-rotate"></span>

    </div>
    </section> -->
    <!-- MENU -->
    <?php
    include "meni2.php";
    ?>
    <section id="portfolio" class="light-bg">
    <div class="container">

```

```

<!-- <div class="row">
<div class="col-lg-3 breed">
<?php
$upit3 = "SELECT * from brendovi";
$rezultat3 = $konekcija->query($upit3);
$rez3 = $rezultat3->fetchAll();
$ispis = "<select id='lista'><option value='0'>Izaberite...</option>";
foreach ($rez3 as $red) {
$ispis.="<option value='".$red->id."'>".$red->naziv."</option>";
}
$ispis.="</select>";
echo $ispis;
?>
</div>
</div> -->

<div class="row row-0-gutter">
<!-- start portfolio item -->
<?php
include "konekcija.php";
$aktivan = '1';
if(isset($_POST['idBrenda']))){
echo $_POST['idBrenda'];
}
$upit = 'SELECT * from proizvodi where aktivan = :aktivan';
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":aktivan", $aktivan);
$rezultat = $priprema->execute();
$rez = $priprema->fetchAll();
// broj redova koji vraca baza
$brojRedova = $priprema->rowCount();
// echo $brojRedova;
// promeniti ukoliko se zeli drugaciji broj po stranici
$brojArtikalaPoStranici = 3;
// na veci jer moze da se javi decimalni broj
$brojStranica = ceil($brojRedova/$brojArtikalaPoStranici);
// echo $brojStranica;
if(!isset($_GET["page"])){
$strana = 1;
}
else{
$strana = $_GET['page'];
}
$rezulatNaStranici = ($strana - 1) * $brojArtikalaPoStranici;

```

```

$upit2 = "SELECT * from proizvodi where aktivan = '1' limit ".$rezultatNaStranici
.", ".$brojArtikalaPoStranici.";
$rezultat2 = $konekcija->query($upit2);
$rez2 = $rezultat2->fetchAll();
foreach ($rez2 as $red) :
?>
<div class="col-md-4 col-0-gutter">
<div class="ot-portfolio-item">
<figure class="effect-bubba">
<?php
echo "<img src='".$red->slika.'" alt='img' class='imgresponsive' />";
?>
<figcaption>
<?php
echo "<h2>".$red->naziv."</h2>";
echo "<p>".$red->opis."</p>";
echo "<a href='#' data-toggle='modal' data-target='#Modal-".$red-
>id.'">Vise</a>";
?>
<!-- <a href="#" data-toggle="modal" data-target="#Modal1">View more</a> -->
</figcaption>
</figure>
</div>
</div>
<?php
endforeach
?>
<!-- end portfolio item -->

</div><!-- end container -->
</section>
<section id="paginacija">
<div class="container">
<?php
// ispis linkova
for ($strana=1; $strana <= $brojStranica; $strana++) {
echo "<a href='proizvodi.php?page=".$strana.'">".$strana."</a>";
}
?>
</div>
</section>
<?php
foreach ($rez as $red) :
?>
<!-- Modal for portfolio item 1 -->

```

```

<?php
echo "<div class='modal fade' id='Modal-".$red->id."' tabindex='-
1' role='dialog'
aria-labelledby='Modal-label-".$red->id."'>";
?>
<!-- <div class="modal fade" id="Modal-1" tabindex="-
1" role="dialog" arialabelledby="Modal-label-1"> -->
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close" data-
dismiss="modal" arialabel="Close"><span aria-
hidden="true">&times;</span></button>
<?php
echo "<h4 class='modal-title' id='Modal-label-".$red->id."'>".$red-
>naziv."</h4>";
?>
<!-- <h4 class="modal-title" id="Modal-label-1">Black seduction</h4> -->
</div>
<div class="modal-body">
<?php
echo "<img src='".$red->slika."' alt='img01' class='img-responsive sredina' />";
?>
<!--  -->
<!-- <div class="modal-works"><span>Branding</span><span>Web
Design</span></div>
--> <?php
echo "<p>Note: ".$red->opis."</p>";
?>
<!-- <p>Moderan i dinamičan muškarac sada ima još jedno tajno oružje
nepobedivog šarma.</p> -->
</div>
<div class="modal-footer">
<?php
if(isset($_SESSION['korisnik'])) :
echo "<button type='button' class='btn btn-default btn-left dodaj-u-korpu' data-
dismiss='modal' data-id='".$red->id."'>Dodaj u korpu</button>";
else :
echo "<button type='button' disabled title='Morate se ulogovati'
class='btn btn-default btn-left dodaj-u-korpu' data-dismiss='modal' data-
id='".$red->id."'>Dodaj u korpu</button>";
endif
?>

```

```

<!-- <button type="button" class="btn btn-default btn-
left" datadismiss="modal">Dodaj u korpu</button> -->
<button type="button" class="btn btn-default" datadismiss="modal">Close</button>
</div>
</div>
</div>
</div>
<?php
endforeach;
?>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<!-- SCRIPTS -->
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script src="js/korpaslanje.js"></script>
</body>
</html>

```

## Proizvodifunkc.php

```

<?php
session_start();
include "konekcija.php";
// -----UPDATE-----
if(isset($_POST['updateProizvod'])){
//
// dohvatanje iz forme
$id = $_POST['id'];
$naziv = $_POST['naziv'];
$opis = $_POST['opis'];
$slika = $_FILES['slika'];
$alt = $_POST['alt'];
$cena = $_POST['cena'];
$aktivan = $_POST['aktivan'];
// SLIKA
$tmp = $_FILES['slika']['tmp_name'];
$direktorijumSlika = 'images/products/';

```

```
$imeFajla = $_FILES['slika']['name'];
// echo $imeFajla;
$putanja = $direktorijumSlika.time().$imeFajla;
// echo $putanja;
$rezultat = move_uploaded_file($tmp, $putanja);
// regularni izrazi
$greske1 = [];
$nazivRi = "/^[A-Za-z0-9\s]+$/" ;
$opisRi = "/^[A-Za-z0-9\\,\\s]+$/" ;
$cenaRi = "/^[0-9]{4,7}$/" ;
$altRi = "/^[a-z0-9]+$/" ;
if(!preg_match($nazivRi, $naziv)){
$greske1[] = 'Naziv nije ok';
}
if(!preg_match($opisRi, $opis)){
$greske1[] = 'Opis nije ok';
}
if(!preg_match($cenaRi, $cena)){
$greske1[] = 'Cena nije ok';
}
if(!preg_match($altRi, $alt)){
$greske1[] = 'Alt nije ok';
}
// foreach ($greske1 as $value) {
// echo $value;
// }
if(count($greske1) > 0){
foreach ($greske1 as $value) {
echo $value."<br/>";
}
}
else{
$upit = 'UPDATE proizvodi set naziv = :naziv, opis = :opis, slika =:slika, alt =
:alt, cena = :cena, aktivan = :aktivan where id = :id';
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":naziv", $naziv);
$priprema->bindParam(":opis", $opis);
$priprema->bindParam(":slika", $putanja);
$priprema->bindParam(":alt", $alt);
$priprema->bindParam(":cena", $cena);
$priprema->bindParam(":aktivan", $aktivan);
$priprema->bindParam(":id", $id);
$rezultat = $priprema->execute();
if($rezultat){
$_SESSION['porukaAdmin'] = "Uspesna izmena proizvoda";
```

```
header("Location: admin.php");
// echo "<script>alert('Uspesno izvrшена izmena')</script>";
}
else{
$_SESSION['porukaAdmin'] = "Nije uspela izmena";
header("Location: admin.php");
}
}
}
// -----BRISANJE-----
else if(isset($_POST['idBrisanje'])){
$id = $_POST['idBrisanje'];
$upit = 'DELETE from proizvodi where id = :id';
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":id", $id);
$rezultat = $priprema->execute();
if($rezultat){
http_response_code(200);
echo "Uspesno brisanje";
}
else{
echo "Ne postoji proizvod u bazi";
}
}
// -----INSERT-----
else if(isset($_POST['insertProizvod'])){
$greske = [];
// dohvatanje
$naziv = $_POST['naziv'];
$opis = $_POST['opis'];
$slika = $_FILES['slika'];
$alt = $_POST["alt"];
$cena = $_POST['cena'];
$aktivan = $_POST['aktivan'];
$brend = $_POST['brend'];
// var_dump($slika);
// echo $_FILES['slika']['name'];
// echo "<br/>";
// echo $_FILES['slika']['tmp_name'];
// echo "<br/>";
// echo $_FILES['slika']['type'];
// echo "<br/>";
// echo $_FILES['slika']['size'];
// echo "<br/>";
// echo $_FILES['slika']['error'];
```

```

$tmp = $_FILES['slika']['tmp_name'];
$direktorijumSlika = 'images/products/';
$imeFajla = $_FILES['slika']['name'];
// echo $imeFajla;
$putanja = $direktorijumSlika.time().$imeFajla;
// echo $putanja;
$rezultat = move_uploaded_file($tmp, $putanja);
// if($rezultat){
// echo "uspelo";
// }
// else{
// echo "Grreska";
// }
// regularni
$nazivRi = "/^[A-Za-z0-9\s]+$/" ;
$opisRi = "/^[A-Za-z0-9\\,\\s]+$/" ;
$cenaRi = "/^[0-9]{4,7}$/" ;
// test
if(!preg_match($nazivRi, $naziv)){
$greske[] = 'Naziv nije ok';
}
if(!preg_match($opisRi, $opis)){
$greske[] = 'Opis nije ok';
}
if(!preg_match($cenaRi, $cena)){
$greske[] = 'Cena nije ok';
}
// ukoliko je sve proslo salje se bazi
var_dump($greske);
if(count($greske) == 0){
echo "jeste";
$upit = 'INSERT INTO proizvodi values(null, :naziv, :opis, :slika, :alt, :cena, :
aktivan, :brend)';
$prirema = $konekcija->prepare($upit);
$prirema->bindParam(":naziv", $naziv);
$prirema->bindParam(":opis", $opis);
$prirema->bindParam(":slika", $putanja);
$prirema->bindParam(":alt", $alt);
$prirema->bindParam(":cena", $cena);
$prirema->bindParam(":aktivan", $aktivan);
$prirema->bindParam(":brend", $brend);
$rezultat = $prirema->execute();
// var_dump($rezultat);
if($rezultat){
// RESI OVO

```



```

// http_response_code(201);
// echo 'Uspesno dodato';
// echo "<script>alert('Uspesno dodat proizvod')</script>";
// ostane na ovoj strani
$_SESSION['porukaAdmin'] = "Uspesno dodat proizvod";
header("Location: admin.php");
}
else{
echo "Nije ok";
http_response_code(409);
// echo "Podaci nisu validni";
}
}
}
else{
// echo "nema nista";
// redirekcija
header("Location: index.php");
}
?>

```

## Registracija.php

```

<!DOCTYPE html>
<html lang="sr">
<head>
  <title>Registracija</title>
  <link rel="shortcut icon" href="images/favicon.ico"/>
<!--
Eatery Cafe Template
http://www.templatemo.com/tm-515-eatery
-->
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=Edge">
  <meta name="description" content="Prodavnica mobilnih telefona huawei">
  <meta name="keywords" content="huawei,mobile,phones">
  <meta name="author" content="Julijana Milosavljevic">
  <meta name="viewport" content="width=device-width, initial-
scale=1, maximumscale=1">
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <link href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css" rel="stylesheet" integrity="sha384-
wvfxPqpZZVQGK6TAh5PVlGOfQNHSoD2xbE+QkPxCAlfINEvoEH3Sl0sibVcOQVnN" crossorigin="an
onymous"/>
  <link rel="stylesheet" href="css/animate.css">
  <link rel="stylesheet" href="css/owl.carousel.css">

```

```

<link rel="stylesheet" href="css/owl.theme.default.min.css">
<link rel="stylesheet" href="css/magnific-popup.css">
<link rel="stylesheet" href="css/style.css">
<!-- MAIN CSS -->
<link rel="stylesheet" href="css/templatemo-style.css">
</head>
<body>
  <!-- MENU -->
  <?php
  include "meni2.php";
  ?>

  <!-- CONTACT -->
  <section id="contact" data-stellar-background-ratio="0.5">
  <div class="container">
  <div class="row">

  <div class="col-md-6 col-sm-12 padding">
  <div class="col-md-12 col-sm-12">
  <div class="section-title wow fadeInUp" data-wow-delay="0.1s">
  <h2>Registracija</h2>
  </div>
  </div>
  <?php

  if(isset($_POST["dugmes"])){
  $greske2 = [];
  $ime = $_POST["fname"];
  $prezime = $_POST["lname"];
  $email = $_POST["email"];
  $repEmail = $_POST["repEmail"];
  $pass = md5($_POST["pass"]);
  // reg
  $imeRi = "/^[A-Z][a-z]{2,25}$/";
  $emailRi = "/^([a-z\d]+\.\{1\}\{2\}\d{1,3}\.\d{2}@ict.edu.rs)|(([az\d]+\.\{1\}\{2\}\d{1,3}\.\d{2}@gmail|hotmail|yahoo)\.com)$"/;
  $passRi = "/^[\\w\\d\\S]{8,25}$/";
  if(!preg_match($imeRi, $ime)){
  $greske2[] = "Ime nije ok";
  }
  if(!preg_match($imeRi, $prezime)){
  $greske2[] = "Prezime nije ok";
  }
  if(!preg_match($emailRi, $email)){

```

```

$greske2[] = "Email nije ok";
}
if($repEmail != $email){
$greske2[] = "Email nije isti";
}
if(count($greske2) > 0){
$poruka = "Podaci nisu validni";
}
else{
// $poruka = "Uspesno ste se registrovali";
include "konekcija.php";

$upit_1 = "SELECT * FROM korisnici WHERE email = :email";

$rezultat_1 = $konekcija->prepare($upit_1);
$rezultat_1->bindParam(':email', $email);
$rezultat_1->execute();
$korisnici = $rezultat_1->fetch();
if($korisnici != null){
echo "<script>alert('Vec postoji korisnik')</script>";
}
else{
// upis u bazu

$upit = "INSERT INTO korisnici(ime,prezime,email, password,id_uloga) values(:ime
,:prezime,:email,:pass,2)";
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":ime", $ime);
$priprema->bindParam(":prezime", $prezime);
$priprema->bindParam(":email", $email);
$priprema->bindParam(":pass", $pass);
$rezultat = $priprema->execute();
// var_dump($rezultat);
if($rezultat){
echo "<script>alert('Uspesno ste se registrovali')</script>";
}}} } ?>
<!-- CONTACT FORM -->
<form action="<?= $_SERVER['PHP_SELF']?>" onSubmit="return proveraPodataka()" me
thod="post" class="wow fadeInUp" id="contact-form" role="form" data-wow-
delay="0.8s">

<div class="col-md-12 col-sm-12">
<input type="text" class="form-control" id="cf-
fname" name="fname" placeholder="Ime">
</div>

```

```

<div class="col-md-12 col-sm-12">
  <input type="text" class="form-control" id="cf-
lname" name="lname" placeholder="Prezime">
</div>
<div class="col-md-12 col-sm-12">
  <input type="text" class="form-control" id="cf-
email" name="email" placeholder="Email adresa">
</div>
<div class="col-md-12 col-sm-12">
  <input type="text" class="form-control" id="cf-
repEmail" name="repEmail" placeholder="Ponovite email">
</div>
<div class="col-md-12 col-sm-12">
  <input type="text" class="form-
control" id="pass" name="pass" placeholder="Sifra">
</div>

<div class="col-md-12 col-sm-12">
  <input type="submit" name="dugmes" class="form-control prijava" id="cf-
submit" value="Posalji"/>
</div>
</form>
</div>
</div>
</div>
</section>
<!-- FOOTER -->
<?php
include "futer.php";
?>
<!-- SCRIPTS -->
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.stellar.min.js"></script>
<script src="js/wow.min.js"></script>
<script src="js/owl.carousel.min.js"></script>
<script src="js/jquery.magnific-popup.min.js"></script>
<script src="js/smoothscroll.js"></script>
<script src="js/custom.js"></script>
<script type="text/javascript" src="js/registracija.js"></script>
</body>
</html>

```

Slanjeizkorpebazi.php

```
<?php
```

```

include "konekcija.php";
if(isset($_POST['upis'])){
$idKorisnik = $_POST['idKor'];
$idProizvod = $_POST['idPro'];
$kolicina = $_POST['kolicina'];
// echo $idKorisnik. '/' . $idProizvod. "/" . $kolicina;
$upit = 'INSERT INTO kupovina values(null, :idK, :idP, :kol)';
$priprema = $konekcija->prepare($upit);
$priprema->bindParam(":idK", $idKorisnik);
$priprema->bindParam(":idP", $idProizvod);
$priprema->bindParam(":kol", $kolicina);
// var_dump($rez);
try{
$rezultat = $priprema->execute();
if($rezultat){
$status = 201;
$poruka = "Stigao ".$idProizvod;
}
else{
$status = 500;
$poruka = "Greska";
}
}
catch(PDOException $ex){
$poruka = "Doslo je do greske u bazi";
$status = 409;
}
http_response_code($status);
echo json_encode($poruka);
}
?>

```

## Sviproizvodi.php

```

<?php
include "konekcija.php";
// var_dump($_POST['idProizvod'])
if(isset($_POST['idProizvod'])){
// $niz = $_POST['idProizvod'];
// echo $value;
$upit = "SELECT * from proizvodi";
$rezultat = $konekcija->query($upit);
$rez = $rezultat->fetchAll();
// var_dump($rez);
// $sviProizvodi[] = $rez;
$status = 200;

```

```
header('Content-Type: application/json');
echo json_encode($rez);
}
?>
```

## Admin.js

```
$(document).ready(function() {
    console.log("Radi");
    $("#sviKorisnici").click(sviKorisnici);
    $("#dodKor").click(formaZaDodavanjeKorisnika);
    $("#sviProizvodi").click(sviProizvodi);
    $("#dodPro").click(formaZaDodavanjeProizvoda);
});
function sviKorisnici () {
    var id = $(this).data("id");
    $.ajax({
        url: "admin2.php",
        method: "post",
        dataType: "json",
        data: {
            id: id
        },
        success: function(data, textStatus, xhr){
            tabela(data);
        },
        error: function (err) {
            console.log(err);
        }
    })
}
function dodajKorisnika () {
    var id = $(this).data("id");
    console.log(id);
    var ime = $('#ime').val();
    var prezime = $('#prezime').val();
    var email = $('#email').val();
    var password = $('#password').val();
    var uloga = $('#uloga').val();
    console.log("Ime: "+ime+", prezime: "+prezime+", email: "+email+", password:"
+password+", uloga: "+uloga)
    $.ajax({
        url: "admin2.php",
        method: "post",
        dataType: "json",
        data: {
```

```

// validacija podataka
// slanje podataka bazi
id: id,
ime: ime,
prezime: prezime,
email: email,
password: password,
uloga: uloga
},
success: function(data, textStatus, xhr){
console.log(data);
if(xhr.status == 200){
alert(data.message)
}
},
error: function (err) {
console.log(err);
}
})
}

function sviProizvodi () {
var id = $("#sviProizvodi").data("id");
console.log(id);
$.ajax({
url: "admin2.php",
method: "post",
dataType: "json",
data: {
id: id
},
success: function(data){
console.log(data);
tabelaProizvoda(data);
},
error: function (x,y,z) {
console.log(x,y,z);
}
})
}

function tabelaProizvoda (proizvodi) {
var ispis = "";
ispis += `
<table border="1px" cellpadding='2'>
<tr>
<th>Id</th>

```

```

<th>Naziv</th>
<th>Opis</th>
<th>Slika</th>
<th>Alt</th>
<th>Cena</th>
<th>Aktivan</th>
<th>Operacije</th>
<th></th>
</tr>`
proizvodi.forEach( function(p) {
ispis += `
<tr>
<td>${p.id}</td>
<td>${p.naziv}</td>
<td>${p.opis}</td>
<td>${p.slika}</td>
<td>${p.alt}</td>
<td>${p.cena}</td>
<td>${p.aktivan}</td>
<td><a href='#' class='proizvodi-izmena' dataid='${p.id}'>Izmeni</a></td>
<td><a href='#' class='proizvodi-brisanje' dataid='${p.id}'>Obrisi</a></td>
</tr>`
});
ispis += `</table>`;
$("#ispis").html(ispis);
// klik na link izmeni / update
$(".proizvodi-izmena").click(function() {
var idProizvod = $(this).data("id")
console.log(idProizvod)
$.ajax({
url: "admin2.php",
method: "post",
dataType: "json",
data: {
idUpdate: idProizvod
},
success: function(data){
console.log(data.id)
popunjavanjeProizvoda(data.id, data.naziv, data.opis,
data.slika, data.alt, data.cena, data.aktivan)
},
error: function (x,z,y) {
console.log(x,z,y);
}
})

```



```

});
// slanje id za brisanje
$(".proizvodi-brisanje").click(function () {
var idBrisanje = $(this).data("id")
console.log(idBrisanje)
$.ajax({
url: "proizvodifunkc.php",
method: "post",
dataType: "json",
data: {
idBrisanje: idBrisanje
},
success: function(data){
// console.log(data)
alert(data)
},
error: function (x,z,y) {
console.log(x,z,y);
}
})
})
// update
function popunjavanjeProizvoda (idP, nazivP, opisP, slikaP, altP, cenaP,
aktivanP) {
let aktivan = ["Nije", "Jeste"]
var ispis = "";
ispis += `
<form action='proizvodifunkc.php' method='post'
enctype='multipart/form-data'>
<span class='i-name'>Id:</span> <input type="text"
class='forma' name="id" value='${idP}' id="id" readonly><br>
<span class='i-name'>Naziv:</span> <input
type="text" class='forma' name="naziv" value='${nazivP}' id="naziv"><br>
<span class='i-name'>Opis:</span> <input type="text"
class='forma' name="opis" value='${opisP}' id="opis"><br>
<span class='i-name'>Slika:</span> <input type="file"
class='forma' name="slika" value='${slikaP}' id="slika"><br>
<span class='i-name'>Alt:</span> <input type="text"
class='forma' name="alt" value='${altP}' id="alt"><br>
<span class='i-name'>Cena:</span> <input
type="text" class='forma' name="cena" value='${cenaP}' id="cena"><br>
<select id='aktivan'
name='aktivan'><option>Aktivan?</option>`
aktivan.forEach( function(el, index) {
if(index == aktivanP){

```

```

ispis += `<option selected
value='${index}'>${el}</option>`
}
else
ispis += `<option
value='${index}'>${el}</option>`
});
ispis += `</select>
<input type='submit' id='izmenaBtn'
name='updateProizvod' value='Izmeni proizvod' />
</form>
`

```

```

$("#ispis").html(ispis);
}
}

```

```

function tabela (data) {
var ispis = "";
ispis += `
<table border="1px" cellpadding='2'>
<tr>
<th>Id</th>
<th>Ime</th>
<th>Prezime</th>
<th>email</th>
<th>password</th>
<th>uloga</th>
</tr>`

```

```

data.forEach( function(element) {
ispis += `
<tr>
<td>${element.id_korisnik}</td>
<td>${element.ime}</td>
<td>${element.prezime}</td>
<td>${element.email}</td>
<td>${element.password}</td>
<td>${element.id_uloga}</td>
</tr>`

```

```

});
ispis += `
</table>`
$("#ispis").html(ispis);
}

```

```

// -----INSERT PROIZVODA-----

```

```

function formaZaDodavanjeProizvoda () {

```

```

var ispis = "";
ispis += `
<form action='proizvodifunkc.php' enctype='multipart/form-data'
method='post'>
<span class='i-name'>Naziv:</span> <input class='forma'
type="text" name="naziv" id="naziv">
<span class='i-name'>Opis:</span> <input class='forma' type="text"
name="opis" id="opis"><br>
<span class='i-name'>Slika:</span> <input class='forma' type="file"
name="slika" id="slika"><br>
<span class='i-name'>Alt:</span> <input class='forma' type="text"
name="alt" id="alt"><br>
<span class='i-name'>Cena:</span> <input class='forma'
type="text" name="cena" id="cena"><br>
<select id='aktivan' name='aktivan'>
<option value=''>Aktivan?</option>
<option value='0'>Nije</option>
<option value='1'>Jeste</option>
</select><br/>
<div id='brendovi'></div>
<input type='submit' name='insertProizvod' value='Dodaj
proizvod' />
</form>`
$("#ispis").html(ispis);
$.ajax({
url: "brendovi.php",
method: "post",
dataType: "json",
data: {
brend: "brend"
},
success: function(data, textStatus, xhr){
console.log(data);
console.log(xhr.status)
console.log(ispisBrendova(data))
ispisBrendova(data)
},
error: function (err) {
console.log(err);
}
})
}

function ispisBrendova (data) {
let ispis = "<select name='brend'><option value='0'>Brendovi</option>"
data.forEach( function(el) {

```

```

ispis += `
<option value='${el.id}'>${el.naziv}</option>
`;

});
ispis += `</option>`
$("#brendovi").html(ispis)
}
function formaZaDodavanjeKorisnika () {
var ispis = "";
ispis += `
<form>
<span class='i-name'>Ime:</span> <input class='forma' type="text"
name="ime" id="ime"><br>
<span class='i-name'>Prezime:</span> <input class='forma'
type="text" name="prezime" id="prezime"><br>
<span class='i-name'>Email:</span> <input class='forma'
type="text" name="email" id="email"><br>
<span class='i-name'>Password:</span> <input class='forma'
type="text" name="password" id="password"><br>
<select id='uloga'>
<option value='0'>Uloga</option>
<option value='1'>Admin</option>
<option value='2'>Korisnik</option>
</select>
</form><br>
<a href='#' id='unosKorisnika' class='admin-btn' data-id='2'>Dodaj
korisnika</a>
`;

$("#ispis").html(ispis);
$("#unosKorisnika").click(dodajKorisnika);
}

```

## Anketa.js

```

$(document).ready(function() {
    $(".glasaj").click(slanje)
    $("#rez").click(rezultat)
});
function slanje (argument) {
    var id = $(this).data("id") // id ankete
    console.log(id)
    // koji odgovor je cekiran
    let radio = document.getElementsByName("odg")
    console.log(radio)
    for (el of radio) {
        if(el.checked){

```

```

var cekiran = e1
break;
}
}
var vrednost =cekiran.value;
$.ajax({
url: "anketa3.php",
method: "post",
dataType: "json",
data:{
idAnketa: id,
odgovor: vrednost
},
success: function (data,textStatus, xhr) {
console.log(xhr.status)
switch (xhr.status) {
case 202:
alert("Vec ste glasali")
break;
case 200:
alert("Uspesno ste glasali")
break;
}
},
error: function (xhr, textStatus ,err) {
console.log(xhr, textStatus, err);
if(xhr.status){
alert("Ne mozete ponovo glasati");
}
}
})
}

function rezultat () {
let id = $(this).data("id")
$.ajax({
url: "anketarezultat.php",
method: "post",
dataType: "json",
data:{
idAnketaRezultat: id,
},
success: function (data, textStatus, xhr) {
ispis(data)
},

```

```

error: function (xhr, textStatus ,err) {
}
})
}
function ispis (data) {
let ispis = "";
let br = 0;
data.forEach( function(el) {
br+= parseInt(el.rezultat)
});
ispis += `<h3>Ukupan broj glasova: ${br}</h3>`
data.forEach( function(ele) {
ispis += `<p>${ele.odgovor}</p>`
ispis += `<div class="progress">
  <div class="progress-bar" role="progressbar" aria-valuenow="70" aria-
valuemin="0" aria-valuemax="100"
    style="width:${Math.round(100/(br*ele.rezultat))}%">
    ${Math.round(100/(br*ele.rezultat))}%
  </div>
</div>`
});
$("#ispisRezultata").html(ispis);
}

```

## Custom.js

```

(function ($) {

  "use strict";

  // PRE LOADER
  $(window).load(function(){
    $('.preloader').fadeOut(1000); // set duration in brackets
  });

  // MENU
  $('.navbar-collapse a').on('click',function(){
    $(".navbar-collapse").collapse('hide');
  });

  $(window).scroll(function() {
    if ($("#navbar").offset().top > 50) {
      $(".navbar-fixed-top").addClass("top-nav-collapse");
    } else {
      $(".navbar-fixed-top").removeClass("top-nav-collapse");
    }
  });

```

```

    }
  });

  // SLIDER
  $('.owl-carousel').owlCarousel({
    animateOut: 'fadeOut',
    items:1,
    loop:true,
    autoplayHoverPause: false,
    autoplay: true,
    smartSpeed: 1000,
  })

  // PARALLAX EFFECT
  $.stellar({
    horizontalScrolling: false,
  });

  // MAGNIFIC POPUP
  $('.image-popup').magnificPopup({
    type: 'image',
    removalDelay: 300,
    mainClass: 'mfp-with-zoom',
    gallery:{
      enabled:true
    },
    zoom: {
      enabled: true, // By default it's false, so don't forget to enable it

      duration: 300, // duration of the effect, in milliseconds
      easing: 'ease-in-out', // CSS transition easing function

      // The "opener" function should return the element from which popup will
1 be zoomed in
      // and to which popup will be scaled down
      // By default it looks for an image tag:
      opener: function(openerElement) {
        // openerElement is the element on which popup was initialized, in this
        case its <a> tag
        // you don't need to add "opener" option if this code matches your need
s, it's default one.

```

```

        return openerElement.is('img') ? openerElement : openerElement.find('img');
    }
}
});

/*
// CONTACT FORM
$("#contact-form").submit(function (e) {
    e.preventDefault();
    var name = $("#cf-name").val();
    var email = $("#cf-email").val();
    var subject = $("#cf-subject").val();
    var message = $("#cf-message").val();
    var dataString = 'name=' + name + '&email=' + email + '&subject=' + subject + '&message=' + message;

    function isValidEmail(emailAddress) {
        var pattern = new RegExp(/^((([a-z]|\d|!#$%&'*\+\/=\?^_`{|}~)|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])+(\.([a-z]|\d|!#$%&'*\+\/=\?^_`{|}~)|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])+)*)|((\x22)((\x20|\x09)*(\x0d\x0a))?(\x20|\x09)+)?(([\x01-\x08\x0b\x0c\x0e-\x1f\x7f]|\x21|[\x23-\x5b]|[\x5d-\x7e]|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])|(\x01-\x09\x0b\x0c\x0d-\x7f)|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])))*(((\x20|\x09)*(\x0d\x0a))?(\x20|\x09)+)?(\x22))@((([a-z]|\d|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])|((([a-z]|\d|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])([a-z]|\d|-|\.|_|~|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])*([a-z]|\d|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF]))\.|)+((([a-z]|\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF)|((([a-z]|\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF)([a-z]|\d|-|\.|_|~|[\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF])*([a-z]|\u00A0-\uD7FF\uF900-\uFDCF\uFDF0-\uFFEF))))\.|)?$/i);
        return pattern.test(emailAddress);
    };

    if (isValidEmail(email) && (message.length > 1) && (name.length > 1)) {
        $.ajax({
            type: "POST",
            url: "email.php",
            data: dataString,
            success: function () {
                $('.text-success').fadeIn(1000);
                $('.text-danger').fadeOut(500);
            }
        });
    }
    else {

```



```

        $('.text-danger').fadeIn(1000);
        $('.text-success').fadeOut(500);
    }
    return false;
});

*/

// SMOOTHSCROLL
$(function() {
    $('.custom-navbar a, #home a').on('click', function(event) {
        var $anchor = $(this);
        $('html, body').stop().animate({
            scrollTop: $($anchor.attr('href')).offset().top - 49
        }, 1000);
        event.preventDefault();
    });
});

// WOW ANIMATION
new WOW({ mobile: false }).init();

})(jQuery);

```

## Index.js

```

$(document).ready(function() {

    var pTag = $("#testimonial p");
    var hTag = $("#testimonial h2");
    console.log(hTag);

    hTag.toggle(function() {
        pTag.fadeIn("slow");
        // $(this).fadeOut("slow");
        console.log("Radi");
    }, function() {
        // $(this).fadeIn("slow");
        pTag.fadeOut("slow");
    });

});

```

## Kontakt.js

```
jQuery(document).ready(function($) {
    console.log('radi')
    $("#cf-submit").click(provera)
});
function provera (argument) {
    let greske = []
    let ime = document.querySelector("#cf-name")
    let email = document.querySelector("#cf-email")
    let poruka = document.querySelector("#cf-message")
    // regularni
    let imeRi = /^[A-Z][a-z]{2,25}$/
    let emailRi = /^[a-z\d]+\.{1}{2}\d{1,3}\.\d{2}@ict.edu.rs|(([az\d]+\.\.)*+@(gmail|hotmail|yahoo)\.com)$/
    if(!imeRi.test(ime.value)){
        greske.push("Ime nije ok")
        console.log('ime')
        $('.text-danger').show()
        return false
    }
    if(!emailRi.test(email.value)){
        greske.push("Email nije ok")
        $('.text-danger').show()
        console.log('email')
        return false
    }
    if(poruka.value == ""){
        greske.push("Morate uneti poruku")
        $('.text-danger').show()
        return false
    }
    return true
}
```

## Korpa.js

```
$(document).ready(function() {
    var proizvodi = JSON.parse(localStorage.getItem("proizvodi"));
    if(!proizvodi){
        praznaKorpa();
    }
    else{
        prikazProivoda()
    }
}
```

```

}
document.querySelector("#dugme-baza").addEventListener("click", posalji)
console.log($("#dugme-baza"))
});
function prikazProivoda(){
var proizvodi = JSON.parse(localStorage.getItem("proizvodi"))
console.log(proizvodi.length)
var filtrirani = [] // idProizvoda u localStorage
for (let proizvod of proizvodi) {
filtrirani.push(proizvod.idProizvod)
}
// console.log(filtrirani)
// -----ZAHTEV ZA DOHVATANJE SVIH PROIZVODA IZ BAZE-----
-----
$.ajax({
url: "sviproizvodi.php",
method: "post",
dataType: "json",
data: {
idProizvod: filtrirani
},
success: function (data) {
console.log(data) // svi proizvodi iz baze
// ispisProizvoda(data)
var nizelement = []
data = data.filter(x => {
for (pro of proizvodi) {
if(x.id == pro.idProizvod){
x.kolicina = pro.kolicina
return true;
}
}
})
// -----RADJENO SA PROIZVODIMA SAMO KOJI ZADOVOLJAVAJU IZBAZE
// data.forEach( function(element) {
// console.log(element)
// element.forEach( function(el) {
// for (let pro of proizvodi) {
// if(el.id == pro.idProizvod){
// el.kolicina = pro.kolicina
// nizelement.push(el); // niz sa proizvodima iz baze
// }
// }
// });
// nizelement = element.filter(p => {

```

```

// for(let pro of proizvodi){
// console.log(p.id)
// if(p.id == pro.idProizvod){
// console.log('jeste')
// p.kolicina = pro.kolicina;
// return true;
// }
// }
// })
// });
ispisProizvoda(data)
},
error: function (x,y,z) {
// console.log(x,y,z)
praznaKorpa()
$("#dugme-baza").hide()
}
})
function ispisProizvoda (data) {
let ispis = `
  <table class="timetable_sub">
  <thead>
  <tr>
  <th>Slika</th>
  <th>Naziv</th>
  <th>Cena</th>
  <th>Kolicina</th>
  <th>Ukupna cena</th>
  <th>Obrisi</th>
  </tr>
  </thead>
  <tbody>`
data.forEach( function(pro) {
ispis += ispisRedova(pro);
});
$("#ispisKorpe").html(ispis);
}
function ispisRedova (pro) {
return `
  <tr class="rem1">
  <td class="invert-image">
  <a href="single.html">
  
  </a>

```

```

</td>
<td class="invert">${pro.naziv}</td>
<td class="invert">${pro.cena}</td>
<td class="invert">${pro.kolicina}</td>
<td class="invert">${pro.cena * pro.kolicina}
RSD</td>
<td class="invert">
<div class="rem">
<div class=""><button
onclick='izbrisiIzKorpe(${pro.id})'>Remove</button> </div>
</div>
</td>
</tr>`
}
}
function praznaKorpa () {
var ispis = `<h3>Nemate proizvode u vasioj korpi</h3>`
$("#ispisKorpe").html(ispis);
}
function izbrisiIzKorpe(id) {
var proizvodi = JSON.parse(localStorage.getItem("proizvodi"));
console.log(proizvodi)
let filtered = proizvodi.filter(p => p.idProizvod != id);
localStorage.setItem("proizvodi", JSON.stringify(filtered));
prikazProivoda();
}
// -----SLANJE BAZI-----

```

```

function posalji(e){
e.preventDefault()
console.log("radi")
var proizvodi = JSON.parse(localStorage.getItem("proizvodi"))
console.log(proizvodi)
proizvodi.forEach( function(pro, index) {
var idKorisnik = pro.idKorisnik
var idProizvod = pro.idProizvod
var kolicina = pro.kolicina
console.log("poslato");
console.log(idKorisnik + " / " + idProizvod + " / " + kolicina);
$.ajax({
url: "slanjeizkorpebazi.php",
method: "post",
dataType: "json",
data:{
upis: "poslato",

```

```

idKor: idKorisnik,
idPro: idProizvod,
kolicina: kolicina
},
success: function(data){
alert(data);
},
error: function (xhr, textStatus ,err) {
console.log(xhr.status, textStatus, err);
}
})
});
localStorage.removeItem("proizvodi")
}

```

## Korpaslanje.js

```

$(document).ready(function() {
    // drop lista
    // var x = $("#lista").change(function() {
    // console.log($(this).val())
    // });
    $(".dodaj-u-korpu").click(dodajUKorpu);
});
function proizvodiIzLocal () {
    return JSON.parse(localStorage.getItem("proizvodi"));
}
function dodajUKorpu () {
    var id = $(this).data("id"); // id proizvoda
    console.log(id)
    $.ajax({
        url: "korpaobrada.php",
        method: "post",
        dataType: "json",
        data: {
            zahtev: "poslato"
        },
        success: function (data) {
            console.log(data)
            console.log(data.id_korisnik)
            var idKorisnik = data.id_korisnik
            var proizvod = proizvodiIzLocal();
            if(proizvod){
                if(daliPostojiUNizu()){
                    uvecajKolicinu()
                }
            }
        }
    });
}

```

```

else{
  dodavanjeNovogProizvoda();
}
}
else{
  dodavanjePrvogProizvoda();
}
function daLiPostojiUNizu () {
  return proizvod.filter(x => x.idProizvod == id).length // vraca 1 ili 0
}
function dodavanjeNovogProizvoda () {
  var proizvodi = proizvodiIzLocal();
  proizvodi.push({
    idProizvod: id,
    idKorisnik: idKorisnik,
    kolicina: 1
  })
  localStorage.setItem("proizvodi", JSON.stringify(proizvodi));
}
function uvecajKolicinu () {
  var proizvodi = proizvodiIzLocal();
  console.log(proizvodi)
  for (let proizvod of proizvodi) {
    console.log(proizvod.idProizvod)
    if(proizvod.idProizvod == id){
      proizvod.kolicina++;
      break;
    }
  }
  localStorage.setItem("proizvodi", JSON.stringify(proizvodi));
}
function dodavanjePrvogProizvoda () {
  var proizvodi = [];
  proizvodi[0] = {
    idProizvod: id,
    idKorisnik: idKorisnik,
    kolicina: 1
  };
  localStorage.setItem("proizvodi", JSON.stringify(proizvodi));
},
error: function (err) {
  console.log(err)
}
})

```

```
}
```

## Prijava.js

```
jQuery(document).ready(function($) {  
    document.querySelector("#cf-submit").addEventListener("click",  
        proveraPodataka);  
});  
function proveraPodataka () {  
    var email = document.querySelector("#email");  
    var pass = document.querySelector("#pass");  
    var emailRi = /^[a-z\d]+\.{1}{2}\d{1,3}\.\d{2}@ict.edu.rs|([az\d]+\.*)+@(gmail|hotmail|yahoo)\.com$/;  
    var passRi = /^[w\d\S]{4,25}$/;  
    if(!emailRi.test(email.value)){  
        document.querySelector("#email").style.borderBottomColor = '#ce3232';  
        return false  
    }  
    else{  
        document.querySelector("#email").style.borderBottomColor = '#ddd';  
    }  
    if(!passRi.test(pass.value)){  
        document.querySelector("#pass").style.borderBottomColor = '#ce3232';  
        return false  
    }  
    else{  
        document.querySelector("#pass").style.borderBottomColor = '#ddd';  
    }  
    return true  
}
```

## Proveraproizvod.js

```
$(document).ready(function() {  
    proveraProizvod();  
});  
function proveraProizvod () {  
    var naziv = $("#naziv")  
    var opis = $("#opis")  
    var slika = $("#slika")  
    var cena = $("#cena")  
    var aktivan = $("#aktivan")  
    // regularni  
    // console.log(naziv.val())  
    // return false;
```



```

var nazivRi = /^[A-Z][a-z0-9\s]+$/
var opisRi = /^[A-Z][a-z0-9\s]+$/
var slikaRi = /^[a-z0-9]+\.(jpg|jpeg)$/
var cenaRi = /^[0-9]{4,7}$/
if(!nazivRi.test(naziv.val())){
  console.log('greska naziv')
  return false;
}
if(!opisRi.test(opis.val())){
  console.log('greska opis')
  return false;
}
if(!slikaRi.test(slika.val())){
  console.log('greska slika')
  return false;
}
if(!cenaRi.test(cena.val())){
  console.log('greska cena')
  return false;
}
return true;
}

```

## Registracija.js

```

// REGULARNI IZRAZI
document.querySelector("#cf-submit").addEventListener("click", proveraDataaka);
// document.querySelector("#cf-submit").addEventListener("onmouseover", function(){
// document.querySelector("#cf-submit").style.backgroundColor = '#ce3232';
// })
function proveraDataaka () {
var ime = document.querySelector("#cf-fname");
var prezime = document.querySelector("#cf-lname");
// var korisnickoIme = document.querySelector("#cf-username");
var email = document.querySelector("#cf-email");
var rEmail = document.querySelector("#cf-repEmail");
var sifra = document.querySelector("#pass")
var imeRi = /^[A-Z][a-z]{2,25}$/;
var prezimeRi = /^[A-Z][a-z]{2,25}$/;
// var korisnickoImeRi = /^[a-z][a-z0-9]+$/; // radi
var emailRi = /^(([a-z\d]+\.{1}){2}\d{1,3}\.\d{2}@ict.edu.rs)|((([az\d]+\.\.)*+@(gmail|hotmail|yahoo)\.com)$)/;
var passRi = /^[w\d\S]{8,25}$/
if(!imeRi.test(ime.value)){

```

```
document.querySelector("#cf-fname").style.borderBottomColor =
'#ce3232';
return false
}
else{
document.querySelector("#cf-fname").style.borderBottomColor = '#ddd';
}
if(!prezimeRi.test(prezime.value)){
document.querySelector("#cf-lname").style.borderBottomColor =
'#ce3232';
return false
}
else{
document.querySelector("#cf-lname").style.borderBottomColor = '#ddd';
}
// if(!korisnickoImeRi.test(korisnickoIme.value)){
// document.querySelector("#cf-username").style.borderBottomColor =
// '#ce3232';
// return false
// }
// else{
// document.querySelector("#cf-username").style.borderBottomColor =
// '#ddd';
// }
if(!emailRi.test(email.value)){
document.querySelector("#cf-email").style.borderBottomColor =
'#ce3232';
return false
}
else{
document.querySelector("#cf-email").style.borderBottomColor = '#ddd';
}
if(!emailRi.test(rEmail.value)){
document.querySelector("#cf-repEmail").style.borderBottomColor =
'#ce3232';
return false
}
else{
document.querySelector("#cf-repEmail").style.borderBottomColor =
'#ddd';
}
if(!passRi.test(pass.value)){
document.querySelector("#pass").style.borderBottomColor = '#ce3232';
return false
}
}
```

```
else{
document.querySelector("#pass").style.borderBottomColor = '#ddd';
}
return true
}
```

## Style.css

```
.autor h2{
    text-align: center;
}
img{
    width: 100%;
    height: auto;
}
.onama p{
    font-size: 19px;
    line-height: 30px;
}
#registracija{
    padding: 20px 15px;
    background-color: #2c5dd1;
    display: inline-block;
    color: #fff;
    text-transform: uppercase;
    font-weight: 700;
}
.padding{
    padding-top: 100px;
}
.fa{
    font-size: 45px;
    color: #2c5dd1
}
.prijava{
    background-color: #2c5dd1;
    color: #fff;
    font-weight: 700 !important;
}
.korpa{
    display: inline-block !important;
}
th, td{
    padding: 10px;
}
.admin-btn{
```

```
display: block;
margin-bottom: 5px;
padding: 5px;
color: #fff;
background-color: #2c5dd1;
text-align: center;
}
.admin-btn:hover{
color: #fff;
}
.admin-btn:focus{
color: #fff;
}
.forma{
width: 60%;
height: 30px;
}
.i-name{
width: 20%;
display: block;
}
#unosKorisnika{
width: 30%;
}
#uloga{
margin-top: 10px;
padding: 5px;
}
#aktivan{
margin: 10px 0px;
}
#brendovi{
margin-bottom: 15px;
}
#izmenaBtn{
display: block;
padding: 10px 12px;
background-color: #2c5dd1;
color: #fff;
border: none;
}
.progress-bar{
background-color: #2c5dd1;
}
a{
```

```
    text-decoration: none;
}
ul{
    list-style-type: none;
}
.futer{
    margin-top: 20px;
    /*padding-left: 50px;*/
}
#anketa{
    display: inline-block;
    padding: 12px 25px;
    background-color: #2c5dd1;
    color: #fff;
    font-size: 25px;
}
#anketa:hover{
    background-color: transparent;
    border: 2px solid #2c5dd1;
}
.izmena{
    margin-top: 20px;
}
```