Instituto Politécnico Nacional
Unidad Profesional Interdisciplinaria en Ingeniería y Tecnologías Avanzadas

- **Nombre:** Cisneros Rios Julio Cesar
- **Grupo:** 4TM3
- **Carrera:** Ingeniería Telemática
- **Materia:** Aplicaciones distribuidas
- **Maestro:** Sierra Romero Noé
- **Práctica 7**

Capturas


Home
Workspaces
API Network
Search Postman
Ctrl K
Invite
Upgrade
Julio's Workspace
New
Import
Collections
Environments
History
Flows
Search collections
My Collection
GET Get data
POST Post data
Overview
POST Get data
POST Post data
No environment
My Collection / Post data
Save
Share
POST
http://localhost:3000/receipt/insert
Send
Docs
Params
Authorization
Headers (7)
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
Ctrl+Alt+P to Ask AI
Body
Cookies
Headers (7)
Test Results (1/1)
200 OK
150 ms
282 B
Save Response
JSON
Preview
Visualize
{
"result": "1 documents successfully inserted."
}
Online
Find and replace
Console
Runner
Start Proxy
Cookies
Vault
Trash


(4) WhatsApp
localhost:3000
Cluster0 Data | Cloud: MongoD
mongodb - Buscar con Google
cloud.mongodb.com/v2/699dbdc31a1343a23ba1aef5#/explorer/699dc178673fb13c4c5cd57a/myDatabase/recipes/find
Gmail
YouTube
Maps
(opens in a new win...
Adobe Acrobat
ORGANIZATION
Julio's Org - 2026-02-...
PROJECT
Infra-Data-Prj
Data Explorer
My Queries
Data Modeling
CLUSTERS (1)
Search clusters
Cluster0
admin
local
myDatabase
recipes
sample_mflix
recipes
Cluster0 > myDatabase > recipes
View monitoring
Visualize Your Data
Documents 1
Aggregations
Schema
Indexes 1
Validation
Type a query: { field: 'value' } or Generate query
Explain
Reset
Find
Options
ADD DATA
UPDATE
DELETE
EXPORT CODE
25
1-1 of 1
_id: ObjectId('69b189a9fde3b0f3d174fd22')
name : "elotes cocidos"
ingredients : Array (5)
prepTimeInMinutes : 35
System Status: All Good
©2026 MongoDB, Inc.
Status
Terms
Privacy
Atlas Blog
Contact Sales

Código

```
// npm install express
require("node:dns/promises").setServers(["1.1.1.1", "8.8.8.8"]);
var express = require("express");
var app = express(); //Contenedor de Endpoints o WS Restful
const { MongoClient } = require("mongodb");
var client = 0;

var dbName = "";
var collectionName = "";

// Create references to the database and collection in order to run
// operations on them.
var database = 0;
var collection = 0;

app.use(express.json());
app.use(express.urlencoded({ extended: true }));

function prepareDB() {
  dbName = "myDatabase";
  collectionName = "recipes";

  // Create references to the database and collection in order to run
  // operations on them.
  database = client.db(dbName);
  collection = database.collection(collectionName);
}

async function connectDB() {
  const uri =

"mongodb+srv://jlcsrrios08_db_user:TIL8obYMQg5B7Yg1@cluster0.midoj2i.mongodb.net/?appName=Cluster
0";

  client = new MongoClient(uri);

  // The connect() method does not attempt a connection; instead it instructs
  // the driver to connect using the settings provided when a connection
  // is required.
  await client.connect();
}

app.get("/", async function (request, response) {
  r = {
    message: "Nothing to send",
  };

  response.json(r);
});

/*
Calling this service sending payload as parameters in URL:
https://typesofwebservices.noesierra.repl.co/serv001?id=Nope&token=2345678dhuj43567fgh&geo=12345678
9,1234567890
*/
app.get("/serv001", async function (req, res) {
```

```
  const user_id = req.query.id;
  const token = req.query.token;
  const geo = req.query.geo;

  r = {
    user_id: user_id,
    token: token,
    geo: geo,
  };

  res.json(r);
});

/*
Calling this service sending payload as parameters in URL:
https://typesofwebservices.noesierra.repl.co/serv001?id=Nope&token=2345678dhuj43567fgh&geo=12345678
9,1234567890
*/
app.get("/serv0010", async function (req, res) {
  const user_id1 = req.query.id;
  const token1 = req.query.token;
  const geo1 = req.query.geo;

  r1 = {
    user_id: user_id1,
    token: token1,
    geo: geo1,
  };

  res.json(r1);
});

// Call this service sending payload in body: raw - json
/*
{
   "id": "nope",
   "token": "ertydfg456Dfgwerty",
   "geo": "12345678,34567890"
}
*/
app.post("/serv002", async function (req, res) {
  const user_id = req.body.id;
  const token = req.body.token;
  const geo = req.body.geo;

  r = {
    user_id: user_id,
    token: token,
    geo: geo,
  };

  res.json(r);
});

/*
Call this service sending parameter as a part of the URL
https://typesofwebservices.noesierra.repl.co/serv003/1234567
*/
app.post("/serv003/:info", async function (req, res) {
```

```
  const info = req.params.info;
  let r = { info: info };
  res.json(r);
});

app.post("/receipt/insert", async function (req, res) {
  const recipes = [
    {
      name: "elotes cocidos",
      ingredients: [
        "corn",
        "mayonnaise",
        "cotija cheese",
        "sour cream",
        "lime",
      ],
      prepTimeInMinutes: 35,
    },
  ];

  let result = "";

  try {
    const insertManyResult = await collection.insertMany(recipes);
    console.log(
      `${insertManyResult.insertedCount} documents successfully inserted.\n`,
    );
    result = `${insertManyResult.insertedCount} documents successfully inserted.`;
  } catch (err) {
    console.error(
      `Something went wrong trying to insert the new documents: ${err}\n`,
    );
    result = `Something went wrong trying to insert the new documents: ${err}`;
  }
  let r = { result: result };
  res.json(r);
});

app.listen(3000, function () {
  console.log("Aplicación ejemplo, escuchando el puerto 3000!");
  connectDB();
  prepareDB();
});
```