



Offensive Analysis



Delaware shot selection throughout the match was very dispersed. They saw most success when shooting in front of the goal, where they scored two out of three of their goals. Throughout the whole match, Delaware had six shots on the right side of the field, only two of them resulted in a shot on goal.




Delaware mostly attacked the bottom half of the net, where 63% of shots on goal were located. Scoring wise, Delaware saw most success on the bottom left corner and in the top half of the goal, as they scored on their only shot on the top half of the net.


Delaware Expected Goals				
Shots	Distance To Goal	Angle To Goal	Shot Outcome	xG
1	19.6	19.8	Off target	0.082
2	22.5	12.8	Off target	0.051
3	22.4	11.8	Off target	0.05
4	20.6	14	Off target	0.065
5	9.8	41.1	Off target	0.326
6	3.7	89	Off target	0.763
7	14.2	26.8	Off target	0.168
8	22.5	18.4	Off target	0.058
9	22.8	17.9	Off target	0.055
10	6	61.9	Off target	0.558
11	6.7	53.6	Off target	0.486
12	17.3	17.7	Saved	0.101
13	21.6	10.3	Saved	0.053
14	27.6	10.5	Saved	0.027
15	22.2	7.9	Saved	0.047
16	18.3	12.5	Goal	0.08
17	8.3	47.3	Goal	0.402
18	9.5	40.6	Goal	0.331
Total Expected Goals				3.70

Delaware generated 18 shots with a calculated expected goal (xG) of 3.70, indicating a slight underperformance when rounded to the nearest whole number. They had four high-quality shots with an xG of 0.3 or higher not counting shots that resulted in a goal. However, none resulted in a goal, as all four attempts missed the target.

Defensive Analysis



Elon took most of their shots in front of the net, scoring two goals and having a shot on goal as well from that position. About half of all shots by Elon were goals, and shot mostly inside the 18.



Elon mostly targeted the bottom half of the net, only having one shot in the upper half. 80% of shots on goal were goals, with the only save being in the bottom left corner of the net. Elon's goals were also very spread out, with no visible trend on where the goals were scored.

Elon's Expected Goals				
Shots	Distance To Goal	Angle To Goal	Shot Outcome	xG
1	5.8	39	Off target	0.424
2	20	19.8	Off target	0.079
3	19.3	17.9	Off target	0.081
4	11	35.8	Saved	0.269
5	4.5	76.4	Goal	0.682
6	10	26.2	Goal	0.247
7	12	26.5	Goal	0.206
8	24	11.9	Goal	0.042
Total Expected Goals				2.03

Elon generated a total of eight shots with a calculated expected goal (xG) of 2.03, indicating they performed more efficiently than expected. Elon had two goals with an xG of .4, and three with an xG over .2, showing Elon was taking good shots. This highlights an underperformance by Delaware's defense.

Miscellaneous Analysis

Aerial Ball Analysis					
	Total	Total First Touch	Poss Won	Total Second Touch	Poss Won
Delaware	16	23	23	23	17
Elon	24	17	17	15	21
Total	40	40	40	38	38
UD Percentages	40.00%	57.50%	57.50%	60.53%	44.74%

Delaware got the second touch on 60% of all aerial duels but only won possession on 45% of them after the second touch. With that said, Delaware also won possession on 57% of aerial duels after the first touch, which is a 13% decrease from possession won after first touch to after second touch.

Middle Third Turnover Analysis				
	First 15	Second 15	Third 15	Total
Half One	2	3	0	5
Half Two	0	2	0	2
Total	2	5	0	7

Delaware only had a total of seven middle third turnovers during the match, which most occurred in the middle 15 minutes of each half. They had none in the final 15 minutes of both

halves. Delaware has had five middle third turnovers in the first 30 minutes in each of the past two home games.

	First Half	Second Half	Total
Throw-Ins Won	7	4	11
Throw-Ins Lost	3	3	6
Total	10	7	17

Delaware won possession 70% of their own throw-ins in the first half, compared to 57% in the second half. Overall they won possession 65% of the time overall whenever Delaware had a throw in.