



Offensive Analysis



Delaware had 31 total shots, with 10 shots being on target. All of the shots on target were in the penalty box, with three of the four goals being very close to the six-yard box. Delaware saw the most success on the left side of the net.




Out of Delaware's 10 shots on target 4 were scored. All of the goals were positioned close to the middle, while maybe being slightly left (goalie's right side). Three of the four goals were also scored low.

Delaware Expected Goals				
Shots	Distance To Goal	Angle To Goal	Shot Outcome	xG
1	20.5	19.1	Off target	0.073
2	20.4	17.5	Off target	0.072
3	16.4	23.6	Off target	0.126
4	15.5	21.2	Off target	0.131
5	8.8	43.3	Off target	0.364
6	4.8	73.8	Off target	0.66
7	9.5	31	Off target	0.281
8	13.7	13.9	Off target	0.135
9	17.5	10.1	Off target	0.083
10	8.8	44.9	Saved	0.374
11	12.5	15.6	Goal	0.158
12	20.6	20.2	Off target	0.074
13	21.4	18.4	Off target	0.065
14	21.9	17.6	Off target	0.061
15	10.8	37.4	Off target	0.281
16	7.6	43.9	Off target	0.402
17	11.7	32.8	Off target	0.239
18	14.5	15.2	Off target	0.128
19	15.3	14.9	Off target	0.117
20	14.1	18.5	Off target	0.143
21	15.4	15	Off target	0.116
22	19.9	6.9	Off target	0.059
23	22.4	4.8	Off target	0.043
24	16.6	23.1	Saved	0.122
25	16.4	22.9	Saved	0.124
26	22.1	12.2	Saved	0.052
27	14.4	20.4	Saved	0.144
28	9.6	18.8	Saved	0.223

29	15.6	18.6	Goal	0.123
30	7.6	50.5	Goal	0.441
31	9.7	35	Goal	0.296
Total Expected Goals				5.71

Delaware's calculated expected goals (xG) was 5.71, indicating that the offense was slightly less efficient than anticipated. Delaware had five goals with an xG above 0.3, which three were off target, one saved, and one goal.

Defensive Analysis



St. Peters had one shot, which was not on target. It occurred to the left of the net and with around seven minutes left to play.

St. Peters Expected Goals				
Shot	Distance to Goal	Angle To Goal	Shot Outcome	xG
1	9	40.4	Off target	0.343

St. Peters only had one shot attempted in this match, which had a high xG rate. This would have been Delaware’s sixth highest xG outcome this match.

Miscellaneous Analysis

Middle Third Turnover Analysis				
Middle 3rd TOs	First 15	Second 15	Last 15	Total Per Half
First Half	3	5	5	13
Second Half	2	1	2	5
Total Per 15	5	6	7	18

Delaware had 72% of their middle third turnovers happen in the first half of the match, with the last 15 minutes of the game having the most middle third turnovers. Monath and Schroeder lead the team in middle third turnovers with three a piece.

Passing Analysis			
Total %	Defensive 3rd	Middle 3rd	Attacking 3rd
Backwards	6.56%	7.10%	12.84%
Square	14.21%	10.93%	22.68%
Forwards	6.01%	6.56%	13.11%

Delaware had a majority of passes (~48%) occurring in the Attacking 3rd of the field. In addition, the majority of the passes were square (~48%), especially in the Attacking 3rd. This indicates sustained possession in the Attacking 3rd.

Aerial Ball Analysis					
	Total	Total First Touch	Total Poss Won	Total Second Touch	Total Poss
Delaware	8	28	19	18	14
St. Peters	26	6	5	11	9

Total	34	34	24	29	23
UD Percentages	23.53%	82.35%	79.17%	62.07%	60.87%

There were a total of 34 aerial balls in the match with Delaware obtaining possession after the first touch 79% of the time. That being said, Delaware had some trouble obtaining second touch and possession after that, but were still above 50% for the entire match.

Throw In Analysis	
Won Poss	15
Lost Poss	8
No Poss Obtained	1
Total Throw Ins	24
UD Wins Poss	62.50%

Throw in data is Delaware only. The only throw in was after the sole no possession obtained, which resulted in another throw in.

based on throw ins by result to happen after any

Total Set Pieces	17
------------------	----

Delaware had 17 set pieces in the match, which resulted in three corners, three shots on goal, one goal kick and one throw in.