

OOPSLA 2020 Artifact Evaluation

We provide a VM image that has our project ConSysT preinstalled. Note that the VM is configured to use 8192MB of memory as it needs to run multiple JVMs to execute the provided benchmarks.

The user credentials for the virtual machine are: * Username: consyst * Password: consyst

The VM has been created with Oracle VirtualBox. Import the image by starting VirtualBox and then File > Import appliance.

Executing the benchmarks

In the paper, there are benchmarks for five different case studies (see Section 6.1). In the following, we explain how to execute them on the provided VM image.

Open a terminal and navigate to the root of the code repository.

```
$ cd ~/consysT-code
```

Each case study as well as the benchmarks for the case study are located in a different folder:

- Counter in `demos/counter`
- TicketShop in `demos/concert-tickets`
- MixT Message Groups in `demos/message-groups`
- E-Commerce in `demos/eshop`
- IP Twitter Clone in `demos/twitter-clone`

Open a terminal and navigate to the directory of the case study that you want to execute. For example, for the Counter case study type:

```
$ cd demos/counter
```

You can execute the performance benchmark from the paper. For that execute the `run-artifact.sh` script located in the benchmark folder.

```
$ ./run-artifact.sh
```

This will execute the performance benchmarks for the **weak**, **strong** and **mixed** configurations. The benchmarks executes a few warmup and measure iterations. The configuration file of the benchmarks are in `src/main/resources/local`. The benchmarks use the configuration files in **weak**, **mixed** and **strong**, respectively.

The benchmark will generate some raw output in `bench-results/artifact`. However, the script also processes the raw results. After the benchmarks are executed, a browser window opens with two tabs, each showing a graph with the results of the run. One graph (y-axis labelled `normalized_mean`) shows the percentage of mean runtime over all runs of the **weak** and **mixed** configuration

compared to the **strong** configuration (cf. Figure 7 in the paper). The other graph (y-axis labelled mean) shows the absolute mean runtime.

Troubleshooting

In case a benchmark fails to execute, you need to rerun the whole script. Before rerunning, ensure that all processes are stopped. For that, you can kill all Java processes:

```
pskill -f java
```