



DP-600 : Implement analytics solutions using Microsoft Fabric

Exercise 16 : Secure data access in Microsoft Fabric

- **Create a workspace**
- **Create a data warehouse**
- **Create a lakehouse**
- **Apply workspace access controls**
- **Apply item access control**
- **Apply OneLake security in a lakehouse**



DP-600 : Implement analytics solutions using Microsoft Fabric



Create a workspace

Create a workspace

Name *

Secure_data_access

This name is available

Description

Describe this workspace

Domain ⓘ

Assign to a domain (optional)

Learn more about workspace settings

Workspace image

Upload

Reset

Advanced ^

Contact list * ⓘ

d(dagstudentsgreatlearning (Owner) X

Workspace type ⓘ

What a user can do in a workspace depends on the individual user license(s) assigned to that user and the workspace type. [Learn more](#)

Power BI only workspace types

Power BI workspaces only support the use of Power BI capabilities.

Apply

Cancel



DP-600 : Implement analytics solutions using Microsoft Fabric

► Create a data warehouse

New Warehouse

Name *

Data_access_WH

Location *



MS Fabric Practice



Advanced

Create

Cancel



DP-600 : Implement analytics solutions using Microsoft Fabric



Create a lakehouse

New Lakehouse

Name *

Data_access_LH

Location *



MS Fabric Practice



Lakehouse schemas ⓘ


Create

Cancel



DP-600 : Implement analytics solutions using Microsoft Fabric

➤ Apply workspace access controls





DP-600 : Implement analytics solutions using Microsoft Fabric

➤ Apply item access control

Grant people access

Data_access_WH

People you share this warehouse with can connect to it. To give additional permissions, select them from the list.

D

 DAG

×

 |

Additional permissions

☐ Read all data using SQL (ReadData) ⓘ
☐ Read all OneLake data (ReadAll) and subscribe to events (SubscribeOneLakeEvents) ⓘ
☒ Build reports on the default semantic model (Build) ⓘ
☐ Monitor queries (Monitor) ⓘ
☐ Audit queries (Audit) - PREVIEW ⓘ
☐ Share granted permissions (Reshare) ⓘ

Notification Options

☒ Notify recipients by email

Add a message (optional)

ⓘ

 To define granular object-level security (OLS) for specific objects in the warehouse, use GRANT and DENY statements in T-SQL.

Grant


Back



DP-600 : Implement analytics solutions using Microsoft Fabric



Apply OneLake security in a lakehouse



Edit data for the role

Edit the data assigned to this role. Optionally, define row and column-level security for the selected tables.

Clearing All data will convert the role to use selected data only.

OneLake

▼ lakehouse1ab

▼ ☐ Tables

▼ ☐ dbo

☒ publicholidays

> ☐ Files



DP-600 : Implement analytics solutions using Microsoft Fabric



Apply OneLake security in a lakehouse

All Lakehouse roles > New role

✓ Role

✓ Data

Member

New role

Member

You can add users or groups to roles using their name, email, or a link.

Add members to your role

You can add users or groups to roles using their name, email, or a link.

A

Alice

×

✓

×

Advanced Configuration

You have no members in this role

Back

Create



DP-600 : Implement analytics solutions using Microsoft Fabric



Reference

