



DP-603: Implement Real-Time Intelligence with Microsoft Fabric

Exercise 3 : Work with data in a Microsoft Fabric eventhouse

- Create a workspace
- Create an eventhouse
- Query data by using KQL
- Query data by using Transact-SQL





DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Create a workspace

Create a workspace

Name *

wwd_EH

✔

This name is available

Description

Describe this workspace

Domain ⓘ

Assign to a domain (optional)

Learn more about workspace settings

Workspace image

↑

 Upload

↶

 Reset

Advanced ^

Contact list * ⓘ

d(

dagstudentsgreatlearning (Owner)

×

Workspace type ⓘ

What a user can do in a workspace depends on the individual user license(s) assigned to that user and the workspace type. [Learn more](#)

—

Power BI only workspace types

Power BI workspaces only support the use of Power BI capabilities.

Apply


Cancel



DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Create an eventhouse





DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Query data by using KQL

HomeHelp

SaveAdd data sourceCopilot

Tab

Explorer

Search

Bike_Database
Bike_Eventhouse

Tables

Bikestream

Materialized Views

Shortcuts

Entity Groups

Functions

Data sources

Bike_Eventhouse

RunPreviewRecallShare querySave to DashboardKQL ToolsExport to CSVPower BI reportAdd alert

```
1 |  
2  
3 Bikestream  
4 | take 100
```

Table 1Add visualStatsSearch2026-06-19 07:58 (UTC)Done (0.227 s)# 100 recordsHide empty columns

BikepointID	Street	Neighbourhood	Latitude	Longitude	No_Bikes	No_Empty_Docks	EnqueuedTime
> BikePoints_701	Vicarage Crescent	Battersea	51.472876	-0.176267	6	24	2026-06-19 07:40:57.771
> BikePoints_750	Culvert Road	Battersea	51.471095	-0.15785	11	16	2026-06-19 07:40:57.771
> BikePoints_274	Warwick Road	Olympia	51.496712	-0.205284	19	17	2026-06-19 07:40:57.771
> BikePoints_293	Kensington Olympia Station	Olympia	51.498157	-0.209494	20	5	2026-06-19 07:40:57.771
> BikePoints_515	Russell Gardens	Olympia	51.500088	-0.211316	8	16	2026-06-19 07:40:57.771
> BikePoints_525	Blythe Road	Olympia	51.496927	-0.2135	19	5	2026-06-19 07:40:57.771
> BikePoints_148	Tachbrook Street	Victoria	51.492111	-0.138364	12	4	2026-06-19 07:40:57.771
> BikePoints_161	Guildhouse Street	Victoria	51.492345	-0.141334	3	13	2026-06-19 07:40:57.771
> BikePoints_167	Eccleston Place	Victoria	51.49395	-0.147624	4	15	2026-06-19 07:40:57.771
> BikePoints_177	Ashley Place	Victoria	51.49616	-0.140947	20	5	2026-06-19 07:40:57.771
> BikePoints_268	Belgrave Road	Victoria	51.493204	-0.144132	5	24	2026-06-19 07:40:57.771
> BikePoints_288	Elizabeth Bridge	Victoria	51.492369	-0.147478	28	6	2026-06-19 07:40:57.771



DP-603: Implement Real-Time Intelligence with Microsoft Fabric

► Query data by using KQL

▶ Run

🖨️ Preview

↶ Recall

🔗 Share query

1

2 Bikestream

3 | project Street, No_Bikes

4 | take 10

5

6

📊 Table 1

+

Add visual

📈 Stats

🔍 Search

Street	No_Bikes
> Vicarage Crescent	6
> Culvert Road	11
> Warwick Road	19
> Kensington Olympia Station	20
> Russell Gardens	8
> Blythe Road	19
> Tachbrook Street	12
> Guildhouse Street	3
> Eccleston Place	4
> Ashley Place	20

Renaming

```
Bikestream
| project Street, ["Number of Empty Docks"] = No_Empty_Docks
| take 10
```



DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Query data by using KQL

Summarize data by using KQL

1 Bikestream

2 | summarize ["Total Number of Bikes"]= sum(No_Bikes)

Table 1

+ Add visual

Stats

Search

Total Number of Bikes
> 226,372

Run

Preview

Recall

Share query

Save to Dashboard

1 Bikestream

2 | summarize ["Total Number of Bikes"]=sum(No_Bikes) by Neighbourhood

3 | project Neighbourhood, ["Total Number of Bikes"]

4 | take 5

Table 1

+ Add visual

Stats

Search

2026-06-19 08:12

Neighbourhood	Total Number of Bikes
> St. John's Wood	13,527
> St.John's Wood	1,859
> Old Ford	4,599
> Stratford	1,247
> Bankside	15,061



DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Query data by using KQL

Run

Preview

Recall

Share query

Save to Dashboard

KQL Tools

Export to CSV

Power BI report

Add

1

2

3

4

5

6

7

Bikestream

| summarize ["Total Number of Bikes"] = sum(No_Bikes) by Neighbourhood

| project Neighbourhood= case(isempty(Neighbourhood) or isnull(Neighbourhood),"Unidentified",Neighbourhood), ['Total Number of Bikes']

Table 1

Add visual

Stats

Search

2026-06-19 08:22 (UTC)

Done (3.240 s)

20 records

Hide empty columns

Neighbourhood	Total Number of Bikes
> St. John's Wood	17,358
> St.John's Wood	2,464
> Old Ford	6,311
> Stratford	1,707
> Bankside	20,370
> London Bridge	9,483
> Knightsbridge	22,013
> West Chelsea	27
> Chelsea	32,783
> West Chelsea	18,558
> Battersea	23,864
> Olympia	12,214

Run

Preview

Recall

Share query

Save to Dashboard

KQL Tools

Export to CSV

Power BI report

Add alert

1

2

3

4

5

6

7

8

Bikestream

| summarize ["Total Number of Bikes"] = sum(No_Bikes) by Neighbourhood

| project Neighbourhood = case(isempty(Neighbourhood) or isnull(Neighbourhood), "Unidentified", Neighbourhood), ["Total Number of Bikes"]

| order by Neighbourhood asc

Table 1

Add visual

Stats

Search

2026-06-19 08:26 (UTC)

Done (0.442 s)

20 records

Hide empty columns

Neighbourhood	Total Number of Bikes
> West Chelsea	27
> Bankside	22,351
> Battersea	25,735
> Belgravia	10,045
> Chelsea	35,553
> Fitzrovia	30,485
> Knightsbridge	24,110
> London Bridge	10,389



DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Query data by using KQL

1
2
3
4
5
6
7

```
Bikestream
| where Neighbourhood == "Chelsea"
| summarize ["Total Number of Bikes"] = sum(No_Bikes) by Neighbourhood
| project Neighbourhood = case(isempty( Neighbourhood) or isnull( Neighbourhood), "Unidentified", Neighbourhood), ["Total Number of Bikes"]
| sort by Neighbourhood asc
```

Table 1

+ Add visual

Stats

Search

2026-06-19 08:29 (UTC)

Done (2.523 s)

1 records

Hide empty columns

Neighbourhood	Total Number of Bikes
Chelsea	37,905



DP-603: Implement Real-Time Intelligence with Microsoft Fabric



Query data by using Transact-SQL

RunPreviewRecallShare querySave to DashboardKQL ToolsExport to CSVPower BI reportAdd alert

1

2

3

Select Top 100 * from Bikestream;

Table 1								Add visual	Stats	Search	2026-06-19 08:33 (UTC)	Done (0.649 s)	# 100 records	Hide empty columns		
BikepointID	Street	Neighbourhood	Latitude	Longitude	No_Bikes	No_Empty_Docks	EnqueuedTime									
> BikePoints1	Danvers Street	West Chelsea	51.4825668	-0.172078	8	9	2024-01-01 00:00:00.000									
> BikePoints2	Thorndike Close	West Chelsea	51.4809	-0.183853	9	10	2024-01-01 00:00:00.000									
> BikePoints3	Lots Road	West Chelsea	51.4795723	-0.179038	10	11	2024-01-01 00:00:00.000									
> BikePoints_218	St. Luke's Church	Chelsea	51.489716	-0.170194	19	1	2026-06-19 07:39:55.518									
> BikePoints_220	Chelsea Green	Chelsea	51.490664	-0.166485	10	5	2026-06-19 07:39:55.518									
> BikePoints_250	Royal Avenue 1	Chelsea	51.489932	-0.162727	2	8	2026-06-19 07:39:55.518									
> BikePoints_280	Royal Avenue 2	Chelsea	51.490083	-0.162418	5	5	2026-06-19 07:39:55.518									
> BikePoints_345	Flood Street	Chelsea	51.488023	-0.166878	18	15	2026-06-19 07:39:55.518									
> BikePoints_395	Cadogan Gardens	Chelsea	51.492462	-0.159919	12	3	2026-06-19 07:39:55.518									
> BikePoints_430	South Parade	Chelsea	51.48902	-0.17524	16	2	2026-06-19 07:39:55.518									
> BikePoints_529	Manresa Road	Chelsea	51.486892	-0.170983	13	5	2026-06-19 07:39:55.518									
> BikePoints_662	Phene Street	Chelsea	51.484984	-0.167919	21	3	2026-06-19 07:39:55.518									



DP-603: Implement Real-Time Intelligence with Microsoft Fabric

► Query data by using Transact-SQL

RunPreviewRecall

1

2

3

select TOP 10 Street, No_Bikes

FROM Bikestream

Table 1

Add visual

Stats

Street	No_Bikes
> Lisson Grove	11
> Wellington Road	3
> St. John's Wood Road	24
> Grove End Road	6
> Lord's	21
> Aberdeen Place	10
> Greenberry Street	11
> Gunmakers Lane	2
> Hewison Street	11
> Ford Road	9



DP-603: Implement Real-Time Intelligence with Microsoft Fabric

► Query data by using Transact-SQL

Run Preview Recall Share query Save to Dashboard KQL Tools

```
1 SELECT CASE
2     WHEN Neighbourhood IS NULL OR Neighbourhood = '' THEN 'Unidentified'
3     ELSE Neighbourhood
4 END AS Neighbourhood,
5 SUM(No_Bikes) AS [Total Number of Bikes]
6 FROM Bikestream
7 GROUP BY CASE
8     WHEN Neighbourhood IS NULL OR Neighbourhood = '' THEN 'Unidentified'
9     ELSE Neighbourhood
10 END
11 ORDER BY Neighbourhood ASC;
```

Table 1 Add visual Stats Search 2026-06-19 08:35 (UTC) Done (0.430 s)

Neighbourhood	Total Number of Bikes
> West Chelsea	27
> Bankside	26,722
> Battersea	30,364
> Belgravia	11,763
> Chelsea	42,198
> Fitzrovia	36,067
> Knightsbridge	28,803
> London Bridge	12,174
> Mile End	34,051
> Old Ford	8,342
> Olympia	11,846



DP-603: Implement Real-Time Intelligence with Microsoft Fabric

► Reference

