

MCQ Exam Result

Result Summary

| Field | Value |
|-----------------|-------------|
| Test ID | 41170 |
| Total Questions | 30 |
| Marks Obtained | 27 |
| Attempted | 30 |
| Non-Attempted | 0 |
| Percentage | 90.00% |
| Grade | Outstanding |

Question Details

| Q.No | Question | Your Answer | Correct Answer | Result | Status |
|------|---|---------------------|---------------------|---------|-----------|
| 1 | Choose the correct option for the following program <pre> public class StringHandling { public static void main(String[] args) { String[] result = "a:b:c:".split(":"); System.out.println(result.length); } } </pre> | A. 3 | A. 3 | Correct | Attempted |
| 2 | What is the output of the following program <pre> public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; String str1 = "Welcome "; System.out.println(str1+str); } } </pre> | C. Welcome NareshIT | C. Welcome NareshIT | Correct | Attempted |
| 3 | What is the output of the following program <pre> public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; char ch[] = {'N','a','r','e','s','h','I','T'}; String str1 = new String(ch); System.out.println(str.length()+str1.l h()); } } </pre> | B. 16 | B. 16 | Correct | Attempted |
| 4 | * Which method returns true if a string ends with a specified suffix? | a) endsWith() | a) endsWith() | Correct | Attempted |
| 5 | * What is the value of str.length() for String | a) 0 | a) 0 | Correct | Attempted |

| Q.No | Question | Your Answer | Correct Answer | Result | Status |
|------|---|-----------------|-----------------|-----------|-----------|
| | str = "";? | | | | |
| 6 | What is the output? String s = "Java Programming"; System.out.println(s.substring(5, 8)); | A) Pro | A) Pro | Correct | Attempted |
| 7 | J-25)Find the output of the following program : void main() { accept(9); } public void accept(long s) { IO.println("Widening"); } public void accept(Integer i) { IO.println("Autoboxing"); } | Autoboxing | Widening | Incorrect | Attempted |
| 8 | What is the output of the following code public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; System.out.println(str.endsWith("It")) } } | B. false | B. false | Correct | Attempted |
| 9 | J-25) Find the output of the following program : void main() { accept(6); } public void accept(int d) { IO.println("int"); } public void accept(char d) { IO.println("char"); } | int | int | Correct | Attempted |
| 10 | Which of the following is immutable in Java? | B) String | B) String | Correct | Attempted |
| 11 | Choose the correct output of the following snippet public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; String str1 = "NareshIT"; System.out.println(str == str1); System.out.println(str.equals(str1)); } } | C. true true | C. true true | Correct | Attempted |
| 12 | Choose the correct output of the following snippet public class StringHandling { public static void main(String[] args) { String str = "Naresh I Technologies" String str1[] = new String[] {str}; System.out.println(str.length()+" "+str1.length); } | C. 21 1 | C. 21 1 | Correct | Attempted |

| Q.No | Question | Your Answer | Correct Answer | Result | Status |
|------|--|----------------------------|----------------------------|-----------|-----------|
| | <pre> } } </pre> | | | | |
| 13 | * Which method is used to replace each substring of a string that matches a regex with a given replacement? | b) replace() | a) replaceAll() | Incorrect | Attempted |
| 14 | Choose the correct output of the following snippet <pre> public class StringHandling { public static void main(String[] args) { String str = "Naresh I Technologies Java"; str = str.replace(" ", ""); for(int i=0;i<str.length();i++) { System.out.print(str.charAt(i)+' } } } </pre> | D. NareshITechnologiesJava | D. NareshITechnologiesJava | Correct | Attempted |
| 15 | J-25)Find the output of the following program : <pre> void main() { accept(); } public void accept(int ...d) { IO.println("int"); } public void accept(char ...d) { IO.println("char"); } </pre> | char | char | Correct | Attempted |
| 16 | J-25)Find the output of the following program : <pre> void main() { accept(); } public void accept(short ...d) { IO.println("short"); } public void accept(char ...d) { IO.println("char"); } </pre> | Compilation Error | Compilation Error | Correct | Attempted |
| 17 | What is the output of the following code <pre> String s = "Java"; System.out.println(s.length()); </pre> | B) 4 | B) 4 | Correct | Attempted |
| 18 | Which method is used to compare two strings for equality in Java? | A) equals() | A) equals() | Correct | Attempted |
| 19 | Choose the correct output of the following snippet <pre> public class StringHandling { public static void main(String[] args) { String str = "apple,banana,orange"; String[] fruits = str.split(","); } } </pre> | B. banana | B. banana | Correct | Attempted |

| Q.No | Question | Your Answer | Correct Answer | Result | Status |
|------|--|--|--|---------|-----------|
| | <pre> System.out.println(fruits[1]); } } </pre> | | | | |
| 20 | <p>Choose the correct output of the following snippet</p> <pre> public class StringHandling { public static void main(String[] args) { String str = new String("NareshIT"); line 1 } } </pre> | A. In line 1 create two objects and one reference variable | A. In line 1 create two objects and one reference variable | Correct | Attempted |
| 21 | <p>Which Exception raise for the following snippet</p> <pre> public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; System.out.println(str.charAt(10)); } } </pre> | A. StringIndexOutOfBoundsException | A. StringIndexOutOfBoundsException | Correct | Attempted |
| 22 | <p>What is the output of the following program</p> <pre> public class StringHandling { public static void main(String[] args) { String str = "Naresh I Technologies".replace("e", "E"); System.out.println(str); } } </pre> | D. NarEsh I TEchnologiEs | D. NarEsh I TEchnologiEs | Correct | Attempted |
| 23 | <p>What is the output of the following program</p> <pre> public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; System.out.println(str+=10); } } </pre> | C. NareshIT10 | C. NareshIT10 | Correct | Attempted |
| 24 | <p>What is the output of the following program</p> <pre> public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; String str1 = new String("NareshIT"); System.out.println(str == str1); System.out.println(str.equals(str1)); } } </pre> | B. false true | B. false true | Correct | Attempted |
| 25 | <p>What is the output?</p> <pre> String s = "Java"; System.out.println(s.indexOf('a')); </pre> | B) 1 | B) 1 | Correct | Attempted |
| 26 | <p>J-25) Find the output of the following program :</p> <pre> void main() { accept(9); } public void accept(int ...s) { IO.println("Var args"); } public void accept(Integer i) { IO.println("Autoboxing"); } </pre> | Autoboxing | Autoboxing | Correct | Attempted |

| Q.No | Question | Your Answer | Correct Answer | Result | Status |
|------|--|-------------------------------|----------------------------|-----------|-----------|
| 27 | * What is the output of the following code? String s1 = "Java"; String s2 = new String("Java"); System.out.println(s1 == s2); | b) false | b) false | Correct | Attempted |
| 28 | What is the output of the following program public class StringHandling { public static void main(String[] args) { String str = "NareshIT"; String str1 = new String("NareshIT").intern(); System.out.println(str == str1); System.out.println(str.equals(str1)); } } | C. true true | C. true true | Correct | Attempted |
| 29 | * What is the value returned by the compareTo() method if the invoking string is less than the compared string? | c) value greater than zero | b) value less than zero | Incorrect | Attempted |
| 30 | Which method is used to get a substring from a String in Java? | A) substring() | A) substring() | Correct | Attempted |