정빈.노트 - 설치 메뉴얼

1. DB DMP파일 import
2. Eclipse 압축파일 import
3. 서버 컴퓨터 지정

1. DB DMP파일 import

- 준비된 파일을 C드라이브에 DEV폴더에 위치

- cmd.exe 을 실행한다

프로그램 (1)

CMD

파일 (170)

virtualbox+extract
cmd
mkdirp
uuid
cmd
cmd
cmd
mkdirp
esvalidate
js-yaml
esparse
esvalidate
js-yaml

자세한 결과 보기

CMD

- Sysdba로 접속

Directory, user 생성 후 권한 부여

DMP파일 import


```
C:\Users\304-01>impdp jungbeen/jungbeen directory=dev file=jungbeen.dmp

Import: Release 11.2.0.2.0 - Production on 월 9월 10 15:53:21 2018

Copyright (c) 1982, 2009, Oracle and/or its affiliates.  All rights reserved.

Connected to: Oracle Database 11g Express Edition Release 11.2.0.2.0 - 64bit Pro
duction
Legacy Mode Active due to the following parameters:
Legacy Mode Parameter: "file=jungbeen.dmp" Location: Command Line, Replaced with
: "dumpfile=jungbeen.dmp"
Master table "JUNGBEEN"."SYS_IMPORT_FULL_01" successfully loaded/unloaded
Starting "JUNGBEEN"."SYS_IMPORT_FULL_01":  jungbeen/******** directory=dev dumpf
ile=jungbeen.dmp
Processing object type SCHEMA_EXPORT/PRE_SCHEMA/PROCACT_SCHEMA
Processing object type SCHEMA_EXPORT/SEQUENCE/SEQUENCE
Processing object type SCHEMA_EXPORT/TABLE/TABLE
Processing object type SCHEMA_EXPORT/TABLE/TABLE_DATA
. . imported "JUNGBEEN"."NOTES"                          7.015 KB      26 rows
. . imported "JUNGBEEN"."PAGES"                          27.30 KB    1300 rows
. . imported "JUNGBEEN"."USERNOTE"                        6.703 KB      18 rows
. . imported "JUNGBEEN"."USERS"                           6.765 KB       3 rows
. . imported "JUNGBEEN"."CODES"                              0 KB       0 rows
Processing object type SCHEMA_EXPORT/TABLE/INDEX/INDEX
Processing object type SCHEMA_EXPORT/TABLE/CONSTRAINT/CONSTRAINT
Processing object type SCHEMA_EXPORT/TABLE/CONSTRAINT/REF_CONSTRAINT
Job "JUNGBEEN"."SYS_IMPORT_FULL_01" successfully completed at 15:53:31
```

2. Eclipse 압축파일 import

- explorer에서 마우스 우 클릭후 import 선택

- Import type을
  general>existing projects into workspace 선택

준비된 파일을 선택한다

- Finish로 선택된 파일을 import한다

3. 서버 컴퓨터 지정

- DMP파일을 import한 컴퓨터의 ip를 찾는다

• Eclipse에서 context.xml을 찾는다

- 앱 운영에 필요한 DB를 가진 서버의 URL을 변경한다

```xml
x context.xml ⊠

1  <?xml version="1.0" encoding="UTF-8"?>
2  <Context>
3      <WatchedResource>WEB-INF/web.xml</WatchedResource>
4      <Resource name="jdbc/jungbeen"
5              auth="Container"
6              type="javax.sql.DataSource"
7              username="jungbeen"
8              password="jungbeen"
9              driverClassName="oracle.jdbc.driver.OracleDriver"
10             factory="org.apache.tomcat.dbcp.dbcp2.BasicDataSourceFactory"
11             url="jdbc:oracle:thin:@192.168.0.67:1521:xe"
12             maxActive="2"
13             minIdle="2"/>
14  </Context>
```