

## W01-P1: Create github repo with demo/md/w01\_46 directory

The screenshot shows a code editor interface with an Explorer sidebar on the left and a main editor area on the right.

**EXPLORER:**

- 1121-WP1-DEMO-211410...
- demo/md
- w01\_46
- w01\_46.md (selected)
- w02\_46
- w02\_46.md
- README.md

**Main Area:**

```

demo > md > w01_46 >  w01_46.md > abc #### W01-P1: Create github repo with demo/md/w01_46
1   #### W01-P1: Create github repo with demo/md/w01_46 directory
2   ! [W01-P1]()
3

```

The screenshot shows a GitHub commit page for a repository named "1121-WP1-DEMO-211410...".

**Commit Details:**

- Title: W01-P1: Create github repo with demo/md/w01\_46 directory
- Branch: main
- Author: marx-w committed now
- Commit ID: ea4f1d64b204fa648847854484513b34e6f3d6b3
- Parents: 1 parent 169f239 commit ea4f1d6

**Diff View:**

Showing 3 changed files with 4 additions and 0 deletions.

| File                      | Additions | Deletions |
|---------------------------|-----------|-----------|
| demo/md/w01_46/w01-p1.png | 4         | 0         |
| demo/md/w01_46/w01_46.md  | 1         | 0         |
| demo/md/w02_46/w02_46.md  | 1         | 0         |

**File Content:**

```

BIN +90.9 KB demo/md/w01_46/w01-p1.png
EXPLORER ... w01_46.md U ... w02_46.md U
1121-WP1-DEMO-211410...
demo > md > w01_46 >  w01_46.md > abc #### W01-P1: Create github repo with demo/md/w01_46
1   #### W01-P1: Create github repo with demo/md/w01_46 directory
2   ! [W01-P1]()
3

```

```

3 demo/md/w01_46/w01_46.md
... ...
@@ -0,0 +1,3 @@
1 + #### W01-P1: Create github repo with demo/md/w01_46 directory
2 + ! [W01-P1]("./w01-p1.png")
3 +

```


```

1 demo/md/w02_46/w02_46.md
... ...
@@ -0,0 +1 @@
1 + ####

```

0 comments on commit ea4f1d6

## W01-P2: Display first two




The screenshot shows a browser window with two book cards displayed side-by-side. The first card is for 'Outlive: The Science & Art of Longevity' by Peter Attia, MD, priced at 18.99. The second card is for 'Rich Dad Poor Dad' by Robert T. Kiyosaki, priced at 7.11. A red box highlights the second card.

On the right, the code editor shows the 'App.js' file with the rendered HTML structure. The 'booklist' section contains two articles, each representing a book. The first article corresponds to the 'Outlive' book, and the second corresponds to the 'Rich Dad Poor Dad' book. The code uses map functions to generate these articles from an array of books.

```

    <div id="root"> (event)
      <section className="booklist"> (grid)
        <article>
          <img alt="Build the Life You Want book cover" data:image/jpeg;base64, /9j/4AAQ...
          <h1>Build the Life You Want</h1>
          <h4>Arthur C. Brooks, Oprah Winfrey</h4>
          <p>Build the Life You Want: The Art and Science of Getting Happier</p>
          <p>21.00</p>
        </article>
        <article>
          <img alt="Outlive book cover" data:image/jpeg;base64, /9j/4AAQ...
          <h1>Outlive: The Science & Art of Longevity</h1>
          <h4>Peter Attia, MD</h4>
          <p>Outlive: The Science & Art of Longevity</p>
          <p>18.99</p>
        </article>
      </section>
    </div>
  
```

## W01-P3: Display first two <Book\_65 />




The screenshot shows a browser window with three book cards displayed. The first card is for 'Build the Life You Want' by Arthur C. Brooks, Oprah Winfrey, with a price of 21.00. The second card is for 'Outlive: The Science and Art of Longevity' by Peter Attia, MD, with a price of 18.99. The third card is for 'Rich Dad Poor Dad' by Robert T. Kiyosaki, with a price of 7.11. A red box highlights the first card.

On the right, the code editor shows the 'App.js' file with the rendered HTML structure. The 'booklist' section contains three articles, each representing a book. The first article corresponds to the 'Build the Life You Want' book, the second to the 'Outlive' book, and the third to the 'Rich Dad Poor Dad' book. The code uses map functions to generate these articles from an array of books.

```

    <div id="root"> (event)
      <section> (grid)
        <Book_46 key="1">
        <Book_46 key="2">
        <Book_46 key="3">
      </section>
    </div>
  
```

## W01-P4: Display three different <Book\_46 /> and show third <Book\_46> in Chrome Dev tools.



The screenshot shows a browser window with two tabs open: 'tku\_211410146' and 'React App'. The 'React App' tab displays a UI component showing two book covers. The left book is 'OUTLIVE' by Peter Attia, MD. The right book is 'Rich Dad Poor Dad' by Robert T. Kiyosaki. A red box highlights the 'Rich Dad Poor Dad' book. Below the books, there is some descriptive text about the books.

**Code Editor View:**

```

const Book_46 = ({title, author, imgSrc}) => {
  return (
    <div className="book">
      <img alt={title} className="bookPic" src={imgSrc}/>
      <h1 className="bookTitle">{title}</h1>
      <h4 className="bookAuthor">{author}</h4>
    </div>
  );
}

export default Book_46;

```

The code editor shows a file named 'Book\_46.js' with the above content. The code uses a functional component to render a book's title and author with a corresponding image. The 'imgSrc' prop is used to set the source of the book cover image.