



1




```
1 {
2   "name": "reminder",
3   "version": "0.1.0",
4   "private": true,
5   "dependencies": {
6     "@testing-library/jest-dom": "^5.16.2",
7     "@testing-library/react": "^12.1.4",
8     "@testing-library/user-event": "^13.5.0",
9     "http-proxy-middleware": "^2.0.3",
10    "react": "^17.0.2",
11    "react-dom": "^17.0.2",
12    "react-icons": "^4.3.1",
13    "react-scripts": "5.0.0"
14  },
15  "scripts": {
16    "start": "react-scripts start",
17    "build": "CI= react-scripts build",
18    "test": "react-scripts test",
19    "eject": "react-scripts eject"
20  },
21  "eslintConfig": {
22    "extends": "react-app"
23  },
24  "browserslist": {
25    "production": [
26      ">0.2%",
27      "not dead",
28      "not op_mini all"
29    ],
30    "development": [
31      "last 1 chrome version",
32      "last 1 firefox version",
33      "last 1 safari version"
34    ]
35  }
36 }
```

2




```
1 import { useGlobalContext } from './context'
2
3 const Sidebar_93 = () => {
4   const { isSidebarOpen, closesidebar } = useGlobalContext();
5   return (
6     <div className = `{ ${ isSidebarOpen ? 'sidebar-wrapper show' : 'sidebar-wrapper' } }` >
7       <aside className='sidebar'>
8         <button className='close-btn' onClick={closesidebar}>
9           <FaTimes />
10         </button>
11         <div className='sidebar-links'>
12           {sublinks.map( (item, index) => {
13             const {page, links} = item;
14             return (
15               <article key={index}>
16                 <h4>{page}</h4>
17                 <div className='sidebar-sublinks'>
18                   {links.map( (link, index) => {
19                     const { url, icon, label } = link;
20                     return (
21                       <a href={url} key={index}>
22                         {icon}
23                         {label}
24                       </a>
25                     );
26                   })}
27                 </div>
28               </article>
29             );
30           })}
31         </div>
32       </aside>
33     </div>
34   );
35 }
36
37 export default Sidebar_93
```

3



4



5-1

```
File Edit Selection View Go Run Terminal Help Submenu_93.js - stripe-context-api-demo_93 - Visual Studio Code
EXPLORER
OPEN EDITORS
Submenu_93.js src
package.json
Navbar_93.js src
context.js src
App.js src
setupProxy.js
Sidebar_93.js src
node_modules
public
src
images
md
P1.png
P2.png
P3.png
P4.PNG
App.js
context.js
data.js
Hero_93.js
index.css
index.js
Navbar_93.js
Sidebar_93.js
Submenu_93.js
.gitignore
package-lock.json
package.json
README.md
OUTLINE
NPM SCRIPTS
src > Submenu_93.js > Submenu_93 > links
1 import React, { useState, useRef, useEffect } from 'react'
2 import { useGlobalContext } from './context'
3
4 const Submenu_93 = () => {
5   const { isSubmenuOpen, page: [ page, links ], location } = useGlobalContext();
6   const container = useRef(null);
7   const [columns, setColumns] = useState('col-2');
8   // console.log('page', page);
9   // console.log('location', location);
10
11   useEffect( () => {
12     setColumns('col-2');
13     const submenu = container.current;
14     console.log('submenu', submenu);
15     const { center, bottom } = location;
16     submenu.style.left = `${center}px`;
17     submenu.style.top = `${bottom}px`;
18     if(links.length === 3) {
19       setColumns('col-3');
20     }
21     if(links.length > 3) {
22       setColumns('col-4');
23     }
24   }, [page, location]);
25
26   return (
27     <aside className={` ${ isSubmenuOpen ? 'submenu show' : 'submenu'}` } ref={container} >
28       <section>
29         <h4>{page}</h4>
30         <div className={`submenu-center ${columns}`>
31           {links.map( (link, index) => {
32             const { url, icon, label } = link;
33             return (
34               <a href={url} key={index}>
35                 {icon}
36                 {label}
37               </a>
38             )
39           })}
40         </div>
41       </section>
42     </aside>
43   );
44 }
```

## 5-2

stripe

Products Developers Company

Developers

Plugins

Libraries

Help

Billing

Increment Magazine

\$14 per quarter

Pay

Or pay with card

Email

Card Information

Number

MM / YY CVC

Country or region

United States

ZIP

Pay \$14

Payments infrastructure for the internet

Millions of companies of all sizes—from startups to Fortune 500s—use Stripe’s software and APIs to accept payments, send payouts, and manage their businesses online.

Start now

Filter

Default levels 1 Issue: 1

page

Submenu\_93.js:14

<aside class="submenu sho

w" style="left: 698.788px;

top: 61.5px;">...</aside>

page

Navbar\_93.js:15

{center, bottom developers

698.7875366210938 61.5

page

context.js:24

{page: 'developers', link

s: Array(4)}

submenu

Submenu\_93.js:14

<aside class="submenu sho

w" style="left: 858.788px;

top: 61.5px;">...</aside>

page

Navbar\_93.js:15

{center, bottom developers

698.7875366210938 61.5

page

context.js:24

{page: 'developers', link

s: Array(4)}

submenu

Submenu\_93.js:14

<aside class="submenu sho

w" style="left: 698.788px;

top: 61.5px;">...</aside>

page

Navbar\_93.js:15

{center, bottom developers

698.7875366210938 61.5

page

context.js:24

{page: 'developers', link

s: Array(4)}

submenu

Submenu\_93.js:14

<aside class="submenu sho

w" style="left: 698.788px;

top: 61.5px;">...</aside>