GCE Add SSH KEY

https://cloud.google.com/compute/docs/instances/adding-removing-ssh-keys

gce: ssh-key-test

SSH位置: /Users/junsong/.ssh 生成pubkey: ssh-key-gce.pub

1 mac 生成ssh key pair

```
ssh-keygen -t rsa -f ~/.ssh/ssh-key-gce -C junsong
```

```
ssh-keygen -t rsa -f ~/.ssh/ssh-key-gce-root -C root
```

查看生成的密钥对

cd /Users/junsong/.ssh

```
--[SHA256]----+
junsong-macbookpro:.ssh junsong$ ls
                                google_compute_engine.pub
attcert
                                                                known_hosts
                                                                                                 ssh-key-gce.pub
corp_cert
                                google_compute_known_hosts
                                                                ssh-key-gce
gNubbyKeyDaemon.gnubby.counter id_rsa
                                                                ssh-key-gce-root
google_compute_engine
                                id_rsa.pub
                                                                ssh-key-gce-root.pub
[junsong-macbookpro:.ssh junsong$ cat ssh-key-gce-root.pub
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAABAQDIVOY1pkhrXch9Vm3GkWhqdD0esFJATBhZTEcNnVZ0qw2OrRMS5m0go5E5nrjGyBYD4aNps7zl3
ArgJbrGdGzDoh1irV3fnf6Sh9xTsgWGMo2XGMkuD0gYmHhTEx6cS+y+Ng17fYs6CMP7mKAkM5o9I6QRRxm8rR3mz0I3PoRNrCVoABgH3cV8W2t0Ht
4R7wxKfHv5WjvpY02FnQ0tbNaBn1jt48rxfNebtAdrSHX9z/dEH5ernqZhcl1ZZ7uTa22jiNTlkv+QH+jDJmh2U06Ho/ys/V root
junsong-macbookpro:.ssh junsong$
```

生成公钥如下, 格式为: ssh-rsa [KEY_VALUE] [USERNAME] junsong key

ssh-rsa

AAAAB3NzaC1yc2EAAAADAQABAAABAQCas6wmBz/FJzaTEcQfdCku/iLQT26roxUMa775ofTNepKpgD150k3fkMltWMcMmeXRiZjAJX9ygMy+6/zU/pjQhpSpZb08frcPljIj6TfmIZVe4mnNMWNRHi0v8GDw41nt1ZRKo78oRMC9eoxNMX9aO6TE/gERWwPHfVzgC24RvOr0iGUMJw8M1Glb0bsNPFXEzXh+MvpL5X58TEnkrZf/bwhePIvMq1nHijjhu1GSqm5p00cdZ/qmrzBXCEsjs/U1cMOXJyGlyzDuZi/61190KRhr6ezgMvntn9C+Hhk2xI6o+YBm0zVqw3FUDTVp8w3OLHmH2873BGLK4kR0ePh3junsong

Root key

ssh-rsa

AAAAB3NzaC1yc2EAAAADAQABAAABAQDIVOY1pkhrXch9Vm3GkWhqdD0esFJATBhZTEcNnVZ0qw2

OrRMS5mOgo5E5nrjGyBYD4aNps7Z13LHn0v5/ha2FzTOGRytsDcsjS4NyfoArgJbrGdGzDoh1ir V3fnf6Sh9xTsgWGMo2XGMkuDOgYmHhTEx6cS+y+Ng17fYs6CMP7mKAkM5o9I6QRRxm8rR3mzOI3 PoRNrCVoABgH3cV8W2tOHtfdSZ+ta8WxxmhRqISkkQdTSifx8Nx4R7wxKfHv5WjvpY02FnQOtbNaBn1jt48rxfNebtAdrSHX9z/dEH5ernqZhcl1ZZ7uTa22jiNTlkv+QH+jDJmh2UO6Ho/ys/Vroot


2 添加ssh 至GCE

2.1 检查22端口防火墙, 默认打开


gce: ssh-key-test

Ingress	Source resource: "corp/external/non_guest_nat" Destination resource: "gcp/gce/gcct-demos-policy" Exposure: "gcp/gce/gcct-demos-policy"	Apply to all	IP ranges: 1.255.24.224/30, 255 more ▼	tcp:22,3389,8000,8081	Allow	1000
Ingress	Source resource: "corp/external/non_guest_nat" Destination resource: "gcp/gce/gcct-demos-policy" Exposure: "gcp/gce/gcct-demos-policy"	Apply to all	IP ranges: 104.132.215.64/27, 228 more ▼	tcp:22,3389,8000,8081	Allow	1000
Ingress	(non-flow term) gcp/folders/212894236552-folders/212894236552 tsunami_security_scanners_requests.tsunami-sacept-from-scanners-udp-requests. Allow the tsunami scanners to send UDP packets to all GCP projects	Apply to all	IP ranges: 34.82.160.0/24, 4 more ▼	udp	Allow	1000
Ingress	(non-flow term) gcp/folders/212894236552-folders/212894236552 tsunami_security_scanners_requests:tsunami-accept-from-scanners-tcp-requests Allow the tsunami scanners to send TCP packets to all GCP projects	Apply to all	IP ranges: 34.82.160.0/24, 4 more ▼	tcp	Allow	1000
Ingress	Source resource: "prod/external" Destination resource: "gcp/gce/gcct-demos-policy" Exposure: "gcp/gce/gcct-demos-policy"	Apply to all	IP ranges: 108.170.224.0/19, 55 more ▼	tcp:22,3389,8000,8081	Allow	1000
	Ingress Ingress	Destination resource.' gop/goe/goct-demos-policy' Exposure.' gop/goe/goct-demos-policy' Exposure.' gop/goe/goct-demos-policy' Destination resource.' gop/goe/goct-demos-policy' Exposure.' gop/goe/goct-demos-policy' Exposure.' gop/goe/goct-demos-policy' Ingress [non-flow term) gop/folders/212894236552-folders/212894236552 tsunami_security_scanners_requests.tsunami-accept-from-scanners-udp-requests Allow the tsunami scanners to send UDP packets to all GCP projects [ngress (non-flow term) gop/folders/212894236552-folders/212894236552 tsunami_security_scanners_requests.tsunami-accept-from-scanners-top-requests Allow the tsunami scanners to send TCP packets to all GCP projects Source resource.' gop/goe/goct-demos-policy'	Destination resource" 'gop/gee/goct-demos-policy" Exposure" 'gop/gee/goct-demos-policy" Exposure" 'gop/gee/goct-demos-policy" Destination resource: 'gop/gee/goct-demos-policy' Exposure" 'gop/gee/goct-demos-policy' Exposure" 'gop/gee/goct-demos-policy' Exposure" 'gop/gee/goct-demos-policy' Exposure" 'gop/gee/goct-demos-policy' Ingress (non-flow term) gop/folders/212894236552-folders/212894236552 Allow the stuanami scanners to send UDP packets to all GCP projects (non-flow term) gop/folders/212894236552-folders/212894236552 Ingress (non-flow term) gop/folders/212894236552-folders/212894236552 Ingress (non-flow term) gop/folders/212894236552-folders/212894236552 Ingress (non-flow term) gop/folders/212894236552-folders/212894236552 Ingress Source resource: 'gop/gee/goct-demos-policy' Apply to all Destination resource' 'gop/gee/goct-demos-policy' Apply to all Destination resource' 'gop/gee/goct-demos-policy'	Destination resource: "opt/gec/goct-demos-policy" Exposure: "opt/gec/goct-demos-policy" Exposure: "opt/gec/goct-demos-policy" Exposure: "opt/gec/goct-demos-policy" Destination resource: "opt/gec/goct-demos-policy" Exposure: "opt/gec/goct-demos-policy" Ingress Ingress Ingress Ingress Ingress Ingress Ingress Source resource: "opt/gec/goct-demos-policy" Ingress Ingress Source resource: "opt/gec/goct-demos-policy" Ingress Ingress Source resource: "opt/gec/goct-demos-policy" Ingress Ing	Destination resource: 'gop/gee/goct-demos-policy' Exposure: 'gop/gee/goct-demos-policy' Exposure: 'gop/gee/goct-demos-policy' Exposure: 'gop/gee/goct-demos-policy' Destination resource: 'gop/gee/goct-demos-policy' Exposure: 'gop/gee/goct-demos-policy' Apply to all IP ranges: 34.82.160.0/24, 4 more * udp udp udp udp udp udp uppersource: 'gop/gee/goct-demos-policy' Pranges: 34.82.160.0/24, 4 more * udp udp udp udp udp uppersource: 'gop/gee/goct-demos-policy' Apply to all Up ranges: 34.82.160.0/24, 4 more * udp udp udp udp uppersource: 'gop/gee/goct-demos-policy' Apply to all Up ranges: 34.82.160.0/24, 4 more * udp udp udp udp udp udp udp ud	Destination resource: "gcp/gce/gcct-demos-policy" Exposure: "gcp/gce/gct-demos-policy" Exposure: "gcp/gce/gct-demos-policy" Exposure: "gcp/gce/gct-demos-policy" Destination resource: "gcp/gce/gct-demos-policy" Exposure: "gcp/gce/gct-demos-policy" Apply to all Ingress (non-flow term) gcp/folders/212894236552_folders/212894236552 Allow the tsunami scanners to send UDP packets to all GCP projects Ingress (non-flow term) gcp/folders/212894236552_folders/212894236552 tsunami_secunity_scanners_qcuests.tsunami-accept-from-scanners-tcp-requests Apply to all IP ranges: 34.82.160.0/24, 4 more tcp Apply to all IP ranges: 34.82.160.0/24, 4 more tcp Apply to all IP ranges: 34.82.160.0/24, 5 more tcp Apply to all IP ranges: 108.170.224.0/19, 55 more tcp Tcp Tcp Allow Apply to all IP ranges: 108.170.224.0/19, 55 more tcp Tcp Tcp Tcp Tcp Allow Apply to all Tcp Tcp Tcp Tcp Tcp Tcp Tcp Tc

2.2 添加junsong key



2.2 root key



3连接测试

3.1 普通用户junsong登陆

```
junsong-macbookpro:.ssh junsong$ ssh -i ssh-key-gce junsong@35.223.69.207
The authenticity of host '35.223.69.207 (35.223.69.207)' can't be established.
ECDSA key fingerprint is SHA256:gVGGL/TWOafHxuGFoW6H18yj48DYn2CMB45BAcIlAAM.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '35.223.69.207' (ECDSA) to the list of known hosts.
Linux ssh-key-test 4.9.0-11-amd64 #1 SMP Debian 4.9.189-3+deb9u2 (2019-11-11) x86_6
The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.
junsong@ssh-key-test:~$
```

查看gce 证书配置:/home/junsong/.ssh

```
junsong@ssh-key-test:~/.ssh$ ls
authorized_keys
junsong@ssh-key-test:~/.ssh$ cat authorized_keys
# Added by Google
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAABAQCas6wmBz/FJzaTEcQfdCku/iLQT26roxUMa775ofTNepKpgDl50k3fkMltWMcMmeXRiZjAJX9ygMy+6/zU/pjQhpSpZbO8frcPljIjGT
fmIZVe4mmNMNNRHi0v8GDw41nt1ZRKo78oRMC9eoxNNX30aOGTE/gERWwPHfVzgC24RvOr0iGUMJw8M1Glb0bsNPFXEZXh-MvpL5X58TEnkrZf/bwhePIvMq1nHijjhu1GSqmSp00cdZ/qm
rz8XCEsjs.Yu1cMOXJyGlyzDuZi/61190KRhr6ezgMvntn9C+Hhk2x1Go+yBm0zVqw3FUDTVp8x30LHmH2873BGLK4kR0ePh3 junsong
# Added by Google
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAABAQDUwGvlajSir00qtMAkna5e/QJpcrjrOlbaSMmCRyLdzoXUxPBpem57TmkAXN8TR7RcbKQTkNXglAob1q3qDLJ/J8r8o2AhfXhR8x6emuW
xel3yDxQbk8ZwpzSiitthmG4tFTsi4IYcxfCdeSlwX2HOPsLxN+cgNsoJ1z1EKZozArbN8tx6YgbuBp9Eadoa6wTaQb+DceTfb7iPuFkg6XjnImlzNKdxm3WSKWf/jb0L+AwHhyH/14U4f
nGwbXa5kA6nIWruAIGFeIrKbKnPAVS9ttMA4m3Psz+h5GQhaCi+DaS+kt8H+zGRqfnAge8MJ1/ZzjE56eLroChSbwZsD2kJX junsong@cs-6000-devshell-vm-0dcdGafc-38aa-43c
c-a414-3492b6b3d2e7
# Added by Google
ssh-rsa AAAAB3NzaClyc2EAAAADAQABAAABAQC3coAeME2w651dog5tbAAFHJkskT0ENPri0xXcn+a5fNSxtbclNAO1XsdbFcVqhhZdWB86DahuRSQ5L4ZayvYgIW/y4y80vZwyzLdGvw
B/WQGrsrCbgftZieD+NZUe0iGPq9PB0JTFKn2PrwfbtoQ9iBR2Bp1X21SMQL01k9CoC/kpTbPt+t+HJRk4bPGanSpxbdPqNt/PG7GSke849HOcjID5zqtuLP1sD+8sietNACHafo3ne4Ht
X91BkElvEqE2nyNg0rWvp72YZGEFjaatV8rSR+MX3KcT+1EeuxQcNH8Ef3Wx59We6Le0NHFvJExzlfOPbzlGGedf5WHqyGSr junsong@junsong-macbookpro.roam.corp.google.com
junsong@ssh-key-test:~/.ssh$
```

测试root 权限

```
junsong@ssh-key-test:~$ sudo su
root@ssh-key-test:/home/junsong# ls
root@ssh-key-test:/home/junsong#
```

3.2 root用户登陆

打开root登陆权限后PermitRootLogin ssh 连接

ssh -i ssh-key-gce-root root@35.223.69.207

```
[junsong-macbookpro:.ssh junsong$ ssh -i ssh-key-gce-root root@35.223.69.207 root@35.223.69.207: Permission denied (publickey).
[junsong-macbookpro:.ssh junsong$ ssh -i ssh-key-gce-root root@35.223.69.207 Linux ssh-key-test 4.9.0-11-amd64 #1 SMP Debian 4.9.189-3+deb9u2 (2019-11-11) x86_64

The programs included with the Debian GNU/Linux system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law. root@ssh-key-test:~#
```

注意:Root用户不允许登陆,默认ssh 不允许root用户直接登陆。

```
junsong-macbookpro:.ssh junsong$ ssh -i ssh-key-gce-root root@35.223.69.207 root@35.223.69.207 junsong-macbookpro:.ssh junsong$ junsong-macbookpro:.ssh junsong$
```

普通用户登陆,修改配置如下:

PermitRootLogin no #允许root登录, 修改为yes sudo vim /etc/ssh/sshd_config

```
# Authentication:

#LoginGraceTime 2m
PermitRootLogin yes

#StrictModes yes

#MaxAuthTries 6

#MaxSessions 10
```

重启服务

sudo /etc/init.d/ssh restart

重新登陆