

NEUXATRIX™ LED
PREMIUM AUTOMOTIVE LIGHTING



FOG LIGHTS & PROJECTOR LIGHTS

PRODUCT CATALOGUE

IMPORTED & MARKETING BY

ORAC
INTERNATIONAL

WWW.ORACHOLDINGS.COM

EST. 2026 — INDIA / SINGAPORE

Model	Photo	Power (one bulb)	Description	Bracket
G50		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G52		Low beam: 35W High beam: 67W	Double Eye Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G60		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G62		Low beam: 35W High beam: 67W	Double Eye Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G220		Low beam: 35W High beam: 45W	Size : 2-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G221		Low beam: 35W High beam: 52W	Single Eye Size : 2-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Universal bracket
G13		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
G12		Low beam: 35W High beam: 45W	Size : 2-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket

G32		Low beam: 35W High beam: 55W	Double Eye Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
G30		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
M33		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
M33A		Low beam: 35W High beam: 45W	Size : 3-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
G20		Low beam: 35W High beam: 45W	Size : 2-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket
G21		Low beam: 35W High beam: 55W	Single Eye Size : 2-inch Heat dissipation : Aluminum CCT : Tri color (3000K/4300K/6500K) Voltage: 9-16V	Toyota / Honda /Universal bracket

Model	Photo	Power	Description	Bracket
RG330		80W/ 110W	With Demon Eye With remote control Size: 115*75*35mm CCT-Low: Tri color -3570 CSP-6 cores CCT-High: Single color -3570 CSP-3 cores Voltage: 10-35V Heat dissipation : Aluminum + 2 cooling fans	L-shaped Car+ H-shaped bracket
RG300		80W/ 110W	Size: 110*70*35mm CCT-Low: 6000K CCT-High: 6000K Chip: 3570 CSP-6 cores Voltage: 10-65V Heat dissipation : Aluminum + 2 cooling fans	L-shaped Car+ H-shaped bracket
RG10		32W/48W	Size: 75*48*43mm CCT-Low: 6000K -3570 CSP-6 cores CCT-High: 6000K -3570 CSP-3 cores Voltage: 10V-100V Heat dissipation : Aluminum + 1 cooling fans	U-shaped bracket

Model	Photo	Power	Description	Socket
L33		80W	LED Chip: 3870-9 cores Voltage: DC 12-36V Color Temperature:6000K Lifespan: >50,000 Hours Specialty: Mini projector lens Application: Car/Motorcycle Cooling system: Two-copper tubes+Aluminum Fins	H4
L40		35W/50W	LED Chip: 3570-6 cores/3570-3 cores Voltage: DC 12-36V Color Temperature:6000K Lifespan: >50,000 Hours Specialty: Mini projector lens Application: Car/Motorcycle Cooling system: Aluminum + fan	H4
M6		55W	LED Chip: Advanced CSP Voltage: DC 12-80V Color Temperature:6000K Lifespan: >50,000 Hours Specialty: Mini projector lens Application: Car/Motorcycle Heat Dissipation: Aluminum Heatsink + High speed fan	H4

NEUXATRIX™ LED — PREMIUM AUTOMOTIVE LIGHTING

IMPORTED & MARKETING BY

ORAC

INTERNATIONAL

ENQUIRIES

+91 88706 15820

WEBSITE

www.oracholdings.com

REGISTERED ADDRESS

596 F7 Srengapalayam, Rajapalayam 626 117

1-YEAR WARRANTY • PLUG & PLAY



EST. 2026 — INDIA / SINGAPORE