

A Guide to working with Talk Home API



Talk Home API

This Documentation contains proprietary information, which is the property of NOWTEL Management Limited and is protected by copyright law and international treaties. The information and intellectual property contained herein is confidential between NOWTEL Management Limited and the client, and remains the exclusive property of NOWTEL Management Limited. No part of this publication may be reproduced or transmitted in any form without the prior written consent of NOWTEL Management Limited.

Due to our policy of continued product development, the information contained in this document is subject to change and will notice before live. Every effort is made to ensure the accuracy of this information. However, NOWTEL Management Limited cannot warrant that the documentation is error-free, nor can it accept responsibility for errors and omissions.

A Guide to working with Talk Home API

Revision Sheet

Release Number	Author	Revision Description	Date
Rev. 1.0	Nowtel Management	Talk Home API – Initial Document.	11/06/2017
Rev. 1.1	Nowtel Management	Talk Home API – Added few more Resources and redirect to related wireframes and swagger.	19/06/2017
Rev. 1.2	Michele Durante	Amends to some parts of the text. Uses the correct domain for API reference.	22/06/2017
Rev. 1.3	Nowtel Management	Updated user account bundle live endpoint, Added Remaining data allowance in user account bundle and amend the data formats	23/06/2017
Rev. 1.4			
Rev. 1.5			
Rev. 1.6			
Rev. 1.7			
Rev. 1.8			
Rev. 1.9			
Rev. 1.10			

A Guide to working with Talk Home API



Nowtel Web API Document Authorization Memorandum

This document has been completed in accordance with the requirements of the NOWTEL System Development Methodology.

MANAGEMENT CERTIFICATION - Please check the appropriate statement.

_____ The document is accepted.

_____ The document is accepted pending the changes noted.

_____ The document is not accepted.

We fully accept the changes as needed improvements and authorize initiation of work to proceed. Based on our authority and judgment, the continued operation of this system is authorized.

NAME

Technical Operations Manager

DATE

A Guide to working with Talk Home API

TABLE OF CONTENTS

	<u>Page</u>
1.0 GENERAL INFORMATION	6
1.1 Introduction	6
1.2 Acronyms and Abbreviations	6
2.0 API SCOPE	6
3.0 API TYPE.....	6
3.1 Supported Code	7
4.0 MAKING REQUESTS	7
4.1 Authentication.....	7
4.2 Https.....	7
5.0 STATUS CODES	7
5.1 Common Status Codes	7
5.2 Unsuccessful Requests.....	8
6.0 RESOURCES	8
6.1 Authentication Resources	8
6.1.1 Sign Up	8
6.1.2 Login.....	10
6.1.3 Reset Password	11
6.1.3.1 Step - 1	11
6.1.3.2 Step - 2.....	11
6.1.3.3 Final Step	12
6.2 Product Resources	13
6.2.1 Add Product.....	13
6.2.2 Remove Product	14
6.2.3 Register Product.....	15
6.2.4 User Product Summary	16
6.3 Account Resources.....	17
6.3.1 User Account Summary	17
6.3.2 Update User Address	18
6.4 History Resources	19
6.4.1 Call History	19

A Guide to working with Talk Home API

6.4.1.1 Call History Total Pages	19
6.4.1.2 Call History Summary	20
6.4.2 SMS History	21
6.4.2.1 SMS History Total Pages	21
6.4.2.2 SMS History Summary	22
6.4.3 Data History	23
6.4.3.1 Data History Total Pages	23
6.4.3.2 Data History Summary	24
6.4.4 Payment History	25
6.4.4.1 Payment History Total Pages	25
6.4.4.2 Payment History Summary	26
6.5 Rates Resources	27
6.5.1 THM Standard International List (All/Top)	27
6.5.2 THA Standard International List	28
6.5.2.1 THA International Countries	28
6.5.2.2 THA International (All/Top)	29
6.5.3 Standard International Destinations	30
6.5.4 Standard International Rates by Destination Id	31
6.5.5 UK Save Plan Destinations	32
6.5.6 UK Save Plan Rates by Destination Id	33
6.5.7 UK Save Plan Top Rates	33
6.5.8 UK Rates	34
6.5.9 Top Minutes	35
6.5.10 One Code Destinations	36
6.5.11 One Code Rates by Destination Id	36
6.5.12 Roaming Destinations	37
6.5.13 Roaming Rates by Destination Id	38
6.6 Sim Resources	38
6.6.1 Order Sim	38
6.7 Bundle Resources	39
6.7.1 Compatible Bundle	39
6.7.2 Add Bundle	40
6.7.3 User Account Bundles	41
6.7.4 Top Bundles	42
7.0 LIST OF RESOURCES	44
7.0.1 Reference of Wireframe	44

A Guide to working with Talk Home API

1.0 GENERAL INFORMATION

This guide has been created to support the developers who'll be consuming the Talk Home API. Its aim is to provide information regarding the type of API, authentication and the available capabilities through the API.

1.1 Introduction

Talk Home API is a middleware API that has been created to support the creation and development of the redesign of the Talk Home website. The website provides the following high-level services to its users, get a free SIM, credit top ups, UK & International plans purchase and customer usage history.

1.2 Acronyms and Abbreviations

API	Application Programming Interface
SIM	Subscriber Identity Module
THM	Talk Home Mobile
THA	Talk Home App
THCC	Talk Home Calling Card
SMS	Short Message Service
GPRS	General Packet Radio Service
MSISDN	Mobile Subscriber Integrated Services Digital Network
MSG	Message
POCs	Points of Organizational Contacts

2.0 API SCOPE

The current scope of the Web API is to provide the ability to develop the website for Talk Home, which includes the following products: THM, THA and THCC.

3.0 API TYPE

The API uses the following guidelines shown below:

- Use of URI's to uniquely identify resources (i.e. objects/data records).
- Use of the following HTTP methods: GET & POST in order to manipulate the resources on the server.

A Guide to working with Talk Home API

- GET methods are used for retrieving resources, this will not alter the data in any way.
- POST methods are used for creating/changing the resources.

3.1 Supported Code

The Talk Home API supports JSON only for both requests and responses. Below is an example of a subscriber address details object encoded as JSON.

```
{
  "address1": "50 Shad Thames",
  "address2": "Floor 1",
  "address3": "London",
  "address4": "London"
}
```

4.0 MAKING REQUESTS

4.1 Authentication

Depending on the type of call to the API, either basic authentication or token with an expiry time is required. The token will be provided upon user login (refer to sign-up and login end points on pages 9 & 10).

4.2 Https

Unencrypted requests will be rejected by the API.

5.0 STATUS CODES

The API will use the standard HTTP response status codes. By default, successful requests will return a resource object(s) in the response body.

5.1 Common Status Codes

HTTP CODE	MESSAGE	DESCRIPTION
200	Ok	The request succeeded.
400	Bad Request	The request could not be understood due to invalid request.
401	Unauthorized	Either the API authentication credentials haven't been supplied or they're not valid.
404	Not Found	The server has not found anything matching the Request-URI.
	Method Not	A request method is not supported for the requested resource;

A Guide to working with Talk Home API

405	Allowed	for example, a GET request on a form which requires data to be presented via POST.
500	Internal Server Error	An exception was raised internally and the request could not be processed.

5.2 Unsuccessful Requests

For unsuccessful requests the response body will contain an array of Error objects.

Elements of the Error Object:

Name	Data Type	Required Field	Description
status	String	Yes	Http Status code.
message	String	Yes	Details of the Problem.
errorCode	String	Yes	The error code.

6.0 RESOURCES

6.1 Authentication Resources

6.1.1 Sign Up

The rest API for signup should be called in the following way.

The Authorization header should be formed based on the given username & password.

Sample header, body and response are below.

Wireframe Reference

[Please refer: Talk Home register 8 \(Desktop\) and Talk Home register 9 adding another product \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Sign Up reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/useraccount/signup>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
{
  "Email": "beta3.testing@gmail.com",
```


A Guide to working with Talk Home API

```
"Password": "password",
"Title": "MR",
"FirstName": "Beta1",
"LastName": "Testing",
"DateOfBirth": "",
"ContactNo": "",
"MobileNo": "",
"IsSubscribedToNewsletter": false,
"HomeAddress": {
  "AddressL1": "",
  "Country": "",
  "City": "",
  "PostCode": "",
  "AddressL2": "",
  "County": ""
},
"ShippingAddress": {
  "AddressL1": "",
  "Country": "",
  "City": "",
  "PostCode": "",
  "AddressL2": "",
  "County": ""
},
"BillingAddress": {
  "AddressL1": "",
  "Country": "",
  "City": "",
  "PostCode": "",
  "AddressL2": "",
  "County": ""
}
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "errorCode": 0
}
```

The Authorization header should be dynamically formed with the provided username/password. The following explains the Authorization header formation.

```
Authorization: Basic basic-credentials
basic-credentials = base64-user-pass
base64-user-pass = base64 encoding of user-pass
user-pass = userid ":" password
userid = will be given
password = will be given
```

A Guide to working with Talk Home API

Example if the userid/password pair is test/test the Authorization header should be

Authorization: Basic dGVzdDp0ZXN0

6.1.2 Login

The Login API should be called with an authorization header (explained in the Signup API). The sample header, body and response are as below. In the JSON response object, the system will return the token and expiry date. The token returned will be used for the requests against the voucher (during top-up) API and also in the header of the requests that require it.

Wireframe Reference

Please refer: [Talk Home login \(Desktop\).pdf](#) and [Talk home login \(mobile\).pdf](#)

Swagger Reference

Please click here for [Login reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/useraccount/login>

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "Email": "beta3.testing@gmail.com",
  "Password": "password",
  "IPAddress": "xxx.xxx.xxx.xxx"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "authentication": {
      "isAuthenticated": true,
      "token": "3CCFDBF4AB764F9D80184AA2DF7C403D",
      "expiryDate": "31/05/2017 13:09:11"
    }
  },
  "errorCode": 0
}
```

A Guide to working with Talk Home API

6.1.3 Reset Password

6.1.3.1 Step - 1

User submits a request to reset the password

This endpoint will return a reset token that will expire within 2 hours. See the sample header, request JSON and response JSON object.

Wireframe Reference

[Please refer: Form notifications.pdf](#)

Swagger Reference

[Please click here for Reset Password Step 1 reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/start>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2Y1Y3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
{
  "Email": "th_now_test@hotmail.com"
}
```

Response

```
{
  "status": 0,
  "message": "Success",
  "payload": {
    "resetPassword": {
      "requestID": "971A501D-04A0-4F6A-AA47-C3C5A26999C7"
    }
  },
  "errorCode": 0
}
```

6.1.3.2 Step - 2

User clicks on the URL received after Step 1 request, if valid:

This endpoint will validate the token from step 1. See the sample header, request and response JSON objects below.

Wireframe Reference

[N/A](#)

A Guide to working with Talk Home API

Swagger Reference

[Please click here for Reset Password Step 2 reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/confirm>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
{
  "Token": "971A501D-04A0-4F6A-AA47-C3C5A26999C7"
}
```

Response

```
{
  "status": 0,
  "message": "Success",
  "payload": {
    "passwordResetTokenValidation": {
      "isValid": true
    }
  },
  "errorCode": 0
}
```

6.1.3.3 Final Step

Password is changed:

This endpoint should be called during the password change if the token is still valid (step 2).

See the sample header, request JSON and response JSON object.

Wireframe Reference

N/A

Swagger Reference

[Please click here for Reset Password Final Step reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/change>

A Guide to working with Talk Home API

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2Y1Y3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
{
  "Email": "th_now_test@hotmail.com",
  "NewPassword": "password123"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "passwordChange": {
      "isChanged": true
    }
  },
  "errorCode": 0
}
```

6.2 Product Resources

6.2.1 Add Product

The product addition endpoint should be called with the Token header. See the sample header, request and response JSON objects. This is applicable for all three products THM, THA and THCC.

Wireframe Reference

[Please refer: Talk Home register 8 \(Desktop\) and Talk Home register 9 adding another product \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Add Product reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/product/{productCode}/add>

Header

```
User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

A Guide to working with Talk Home API

Body

```
{
  "number": "8944878255229905286",
  "code": "9332013019"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "errorCode": 1
}
```

Attempting to add the same product multiple times will result in a failure. See response below.

Response (re-entry)

```
{
  "status": 200,
  "message": "Product already existed in the system",
  "errorCode": 2
}
```

6.2.2 Remove Product

This endpoint should be called to remove a product (THA, THM or THCC) associated with a user's account. See the sample header, request JSON and response JSON objects. This is applicable for all three products THM, THA and THCC.

Wireframe Reference

N/A

Swagger Reference

[Please click here for Remove Product reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/product/{productCode}/remove>

Header

```
User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

A Guide to working with Talk Home API

Body

```
{
  "Number": "447422479132",
}
```

Response

```
{
  "status": 200,
  "message": "",
  "errorCode": 0
}
```

6.2.3 Register Product

See the sample header, request JSON and response JSON object.

Swagger Reference

[Please click here for Register Product reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/product/registration>

Header

Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "Product": {
    "Number": "",
    "Code": ""
  },
  "ProductCode": "",
  "Title": "",
  "FirstName": "",
  "LastName": "",
  "Email": "",
  "HomeTelephone": "",
  "WorkTelephone": "",
  "BillingAddress": {
    "Line1": "",
    "Line2": "",
    "Line3": "",
    "Line4": "",
    "Line5": "",
    "Postcode": "",
    "Country": ""
  }
}
```

A Guide to working with Talk Home API

Response

```
{
  "status": 200,
  "message": "Success",
  "errorCode": 0
}
```

6.2.4 User Product Summary

The user product listing endpoint should be called with the Token header. See the sample header, request JSON and response JSON object. This is applicable for all three products THM, THA and THCC.

Wireframe Reference

[Please refer: Talk Home your products \(Desktop\).pdf](#)

Swagger Reference

[Please click here for User Product Summary reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/talkhome/products/{productCode}>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

THM/THA

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "productList": {
      "products": [
        {
          "mobileAccount": {
            "msisdn": "447421596495",
            "credit": 0
          }
        }
      ]
    }
  },
  "errorCode": 0
}
thcc
{
```


A Guide to working with Talk Home API

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "productList": {
      "products": [
        {
          "callingCardAccount": {
            "cardnumber": "8944878255230725947 ",
            "points": 0
          }
        }
      ]
    }
  },
  "errorCode": 0
}
```

Response (Non-Existent)

```
{
  "status": 200,
  "message": "Product or subscriber Id not found",
  "errorCode": 0
}
```

6.3 Account Resources

6.3.1 User Account Summary

Endpoint for getting the user's talk home account summary.

Wireframe Reference

[Please refer: Talk home your account details \(mobile\).pdf](#)

Swagger Reference

[Please click here for User Account Summary reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/talkhome/useraccount/summary>

Header

```
User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "firstName": "Talkhome",
    "lastName": "Nowtel",
    "email": "th_now_test4@outlook.com",
  }
}
```

A Guide to working with Talk Home API

```
"title": "Mr",
"contactNo": "127256373",
"mobileNo": "524241341",
"addresses": {
  "home": {
    "addressL1": "AddressL2 home",
    "addressL2": "AddressL2 home",
    "city": "City",
    "county": "County",
    "postCode": "PostCode",
    "country": "Country"
  },
  "shipping": {
    "addressL1": "AddressL2 shipping",
    "addressL2": "AddressL2 shipping",
    "city": "City",
    "county": "County",
    "postCode": "PostCode",
    "country": "Country"
  },
  "billing": {
    "addressL1": "AddressL2 billing",
    "addressL2": "AddressL2 billing",
    "city": "City",
    "county": "County",
    "postCode": "PostCode",
    "country": "Country"
  }
},
"errorCode": 0
}
```

6.3.2 Update User Address

This endpoint should be called to update an address for a user. See the sample header, request JSON and response JSON object. A user may have one or more addresses. When specifying the address type replace {addressType} with the following values.

- billing
- shipping
- home

Swagger Reference

[Please click here for Update User Address reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/update/address/{addressType}>

Header

User-Agent: Fiddler

A Guide to working with Talk Home API

Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "AddressL1": "",
  "AddressL2": "",
  "Country": "",
  "City": "",
  "PostCode": "",
  "County": ""
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "detailsUpdate": {
      "isUpdated": true
    }
  },
  "errorCode": 0
}
```

6.4 History Resources

6.4.1 Call History

The Call History URI allows for the retrieval of a user's call summary for each product. It allows for retrieval by page number and size. The page size is used to limit the number of records per page. There are two URIs associated with Call History. The first, to retrieve the total amount of call history pages and the second, a summary of the user's call history.

6.4.1.1 Call History Total Pages

The 'total pages' URI needs to be called when the customer initiates the first request for their call history. Use this to display the total number of pages.

Wireframe Reference

[Please refer: Talk home call history 1 \(mobile\).pdf and Talk Home your call history modal \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Call History Total Pages reference](#)

Supported HTTP Methods and URI

A Guide to working with Talk Home API

POST https://lab.talkhome.co.uk/history/call/totalpages

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{  
  "ProductCode": "thm",  
  "PageSize": "5"  
}
```

Response

```
{  
  "status": 200,  
  "message": "Success",  
  "payload": {  
    "totalPages": 1170  
  },  
  "errorCode": 0  
}
```

6.4.1.2 Call History Summary

It allows for the retrieval of a user's call summary for each product.

POST https://lab.talkhome.co.uk/history/call

Wireframe Reference

[Please refer: Talk home call history 1 \(mobile\).pdf and Talk Home your call history modal \(Desktop\).pdf](#)

[Please refer: Talk Home your products \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Call History Summary reference](#)

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{  
  "ProductCode": "thm",  
  "PageNo": "1",  
  "PageSize": "5"  
}
```

A Guide to working with Talk Home API

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "start_time": "2017-06-07T14:51:40",
      "called_party_number": "447714439668",
      "duration": "1",
      "subscriber_charge": "0.000000"
    },
    {
      "start_time": "2017-06-07T13:29:58",
      "called_party_number": "447481061754",
      "duration": "91",
      "subscriber_charge": "0.000000"
    }
  ],
  "errorCode": 0
}
```

6.4.2 SMS History

The SMS History URI allows for the retrieval of a user's SMS summary for each product. It allows for retrieval by page number and size. The page size is used to limit the number of records per page. There are two URIs associated with Call History. The first, to retrieve the total amount of SMS history pages and the second, a summary of the user's SMS history.

6.4.2.1 SMS History Total Pages

The 'total pages' URI needs to be called when the customer initiates the first request for their SMS history. Use this to display the total number of pages.

Wireframe Reference

N/A

Swagger Reference

[Please click here for SMS History Total Pages reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/sms/totalpages>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
```

A Guide to working with Talk Home API

```
"ProductCode":"thm",
"PageSize": "5"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "totalPages": 234
  },
  "errorCode": 0
}
```

6.4.2.2 SMS History Summary

It allows for the retrieval of a user's SMS summary for each product.

Wireframe Reference

N/A

Swagger Reference

[Please click here for SMS History Summary reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/sms>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "ProductCode":"thm",
  "PageNo": "1",
  "PageSize": "5"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-05-11T14:50:17",
      "subscriber_charge": "0.000000"
    },
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-05-09T16:54:52",

```

A Guide to working with Talk Home API

```
    "subscriber_charge": "0.000000"
  }
],
"errorCode": 0
}
```

6.4.3 Data History

The Data History URI allows for the retrieval of a user's data summary for THM only. It allows for retrieval by page number and size. The page size is used to limit the number of records per page. There are two URIs associated with Data History. The first, to retrieve the total amount of data history pages and the second, a summary of the user's data history.

6.4.3.1 Data History Total Pages

The 'total pages' URI needs to be called when the customer initiates the first request for their data history. Use this to display the total number of pages.

Wireframe Reference

N/A

Swagger Reference

[Please click here for Data History Total Pages reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/data/totalpages>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "ProductCode": "thm",
  "PageSize": "5"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "totalPages": 1614
  },
  "errorCode": 0
}
```

A Guide to working with Talk Home API

6.4.3.2 Data History Summary

It allows for the retrieval of a user's data summary for each product.

Wireframe Reference

N/A

Swagger Reference

[Please click here for Data History Summary reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/data>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "ProductCode": "thm",
  "PageNo": "1",
  "PageSize": "5"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-06-04T09:17:10",
      "subscriber_charge": "0.000000"
    },
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-06-04T07:10:56",
      "subscriber_charge": "0.000000"
    },
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-06-04T03:03:19",
      "subscriber_charge": "0.000000"
    },
    {
      "calling_party_number": "447419500208",
      "start_time": "2017-06-03T23:30:49",
      "subscriber_charge": "0.000000"
    }
  ]
}
```


A Guide to working with Talk Home API

```
    },  
    {  
      "calling_party_number": "447419500208",  
      "start_time": "2017-06-03T21:50:18",  
      "subscriber_charge": "0.000000"  
    }  
  ],  
  "errorCode": 0  
}
```

6.4.4 Payment History

The Payment History URI allows for the retrieval of a user's payment summary for each product. It allows for retrieval by page number and size. The page size is used to limit the number of records per page. There are two URIs associated with Payment History. The first, to retrieve the total amount of payment history pages and the second, a summary of the user's payment history.

6.4.4.1 Payment History Total Pages

The 'total pages' URI needs to be called when the customer initiates the first request for their payment history. Use this to display the total number of pages.

Wireframe Reference

[Refer Talk Home payment history \(Desktop\).pdf and Talk home payment history 1 \(mobile\).pdf](#)

Swagger Reference

[Please click here for Payment History Total Pages reference](#)

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/payment/totalpages>

Header

```
User-Agent: Fiddler  
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D  
Content-Type: application/json; charset=utf-8  
Host: lab.talkhome.co.uk
```

Body

```
{  
  "ProductCode": "thm",  
  "PageSize": "5"  
}
```

Response

A Guide to working with Talk Home API

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "totalPages": 209
  },
  "errorCode": 0
}
```

6.4.4.2 Payment History Summary

It allows for the retrieval of a user's payment summary for each product.

Wireframe Reference

Please refer: [Talk Home payment history \(Desktop\).pdf](#) and [Talk home payment history 1 \(mobile\).pdf](#)

Swagger Reference

Please click here for [Payment History Summary](#) reference

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/history/payment>

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "ProductCode": "thm",
  "PageNo": "1",
  "PageSize": "5"
}
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "paymentDate": "2017-03-07T13:59:12.88",
      "amount": "5",
      "reason": "EV: Pay Point (5505401317458)"
    },
    {
      "paymentDate": "2017-03-02T16:21:18.073",
      "amount": "5",
      "reason": "EV: ePay (6286751787858)"
    }
  ],
}
```

A Guide to working with Talk Home API

```
"errorCode": 0
}
```

6.5 Rates Resources

Allows for the retrieval of different types of rates for different products and filter by page number and page size depending on the services. The Page size used to limit the number of records per page.

6.5.1 THM Standard International List (All/Top)

Allows for the retrieval of the THM Standard International rates list. To consume this service basic authentication is required. In the URI, replace “serviceType” with the following;

1. “all” for the Standard International list.
2. “top” for the Standard International top list (“PageNo” and “PageSize” should be “0”).

Wireframe Reference

[Please refer: Talk home mobile landing page \(desktop\).pdf and Talk home mobile landing page \(mobile\).pdf](#)

Swagger Reference

[Please click here for THM Standard International List \(All/Top\) reference](#)

Supported HTTP Methods and URI:

```
POST
https://lab.talkhome.co.uk/rates/common/standard/international/list/{serviceType}
```

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
THM / THA:
{
  "ProductCode": "thm",
  "PageNo": "1",
  "PageSize": "2"
}
```

Response

```
THM:
{
```

A Guide to working with Talk Home API

```
"status": 200,
"message": "Success",
"payload": [
  {
    "destination": "Afghanistan",
    "landline_rate": "0.100",
    "mobile_rate": "0.100",
    "sms_rate": "0.100"
  },
  {
    "destination": "Albania",
    "landline_rate": "0.080",
    "mobile_rate": "0.250",
    "sms_rate": "0.100"
  }
],
"errorCode": 0
}
```

6.5.2 THA Standard International List

6.5.2.1 THA International Countries

This endpoint should be called to retrieve the countries supported for THA Standard International rates. Returned with each country is an ISO code. The “all” and “top” list endpoints should be called with the ISO codes.

Swagger Reference

[Please click here for THA International Countries reference](#)

Supported HTTP Methods and URI:

POST

<https://lab.talkhome.co.uk/rates/nonuseraccount/standard/international/countries>

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
THA Unauthorised:
{
  "ProductCode":"tha"
}
```

Response

```
THA Unauthorised and Authorised:
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "code": "AD",
```

A Guide to working with Talk Home API

```
        "country_name": "Andorra"
      },
      {
        "code": "AE",
        "country_name": "United Arab Emirates"
      },
      {
        "code": "AF",
        "country_name": "Afghanistan"
      }
    ],
    "errorCode": 0
  }
}
```

6.5.2.2 THA International (All/Top)

It allows for the retrieval of the THA Standard International rates list. There are two endpoints for same product.

1. “all” for the Standard International list.
2. “top” for the Standard International top list (“PageNo” and “PageSize” should be “0”).

Wireframe Reference

Please refer: [Talk Home App landing page \(desktop\).pdf](#) and [Talk Home App landing page \(mobile\).pdf](#)

Swagger Reference

Please click here for [THA International \(All/Top\) reference](#)

Supported HTTP Methods and URI:

THA Unauthorised (Before Login):

POST

`https://lab.talkhome.co.uk/rates/nonuseraccount/standard/international/list/{serviceType}`

THA Authorised (After Login):

POST `https://lab.talkhome.co.uk/rates/useraccount/standard/international/list`

Header

THA Unauthorised:
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2Y1Y3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

THA Authorised:

User-Agent: Fiddler

A Guide to working with Talk Home API

Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

THA Unauthorised:

```
{
  "ProductCode": "tha",
  "code": "GB",
  "PageNo": "1",
  "PageSize": "2"
}
```

THA Authorised:

```
{
  "ProductCode": "tha",
  "PageNo": "1",
  "PageSize": "2"
}
```

Response

THA Unauthorised and Authorised:

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "destination": "Afghanistan",
      "landline_rate": "0.100",
      "mobile_rate": "0.100",
      "sms_rate": "0.100"
    },
    {
      "destination": "Albania",
      "landline_rate": "0.080",
      "mobile_rate": "0.250",
      "sms_rate": "0.100"
    }
  ],
  "errorCode": 0
}
```

6.5.3 Standard International Destinations

Allows for the retrieval of THM and THA standard International destination list.

Wireframe Reference

[Please refer: Talk Home Mobile International Rates \(Desktop\).pdf](#)

[Please refer: Talk Home App Rates \(Desktop\).png and Talk Home App Rates \(Mobile\).jpg](#)

Swagger Reference

[Please click here for Standard International Destinations reference](#)

Supported HTTP Methods and URI

A Guide to working with Talk Home API

GET

<https://lab.talkhome.co.uk/rates/{productCode}/standard/international/destinations>

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

THM:

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "des_id": "1",
      "destination": "Afghanistan"
    },
    {
      "des_id": "241",
      "destination": "Zimbabwe"
    }
  ],
  "errorCode": 0
}
```

THA:

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "Iso_code": "GB",
      "destination": "United Kingdom"
    }
  ],
  "errorCode": 0
}
```

6.5.4 Standard International Rates by Destination Id

Allows for the retrieval of the THM and THA standard International rates list based on the destination id and ISO Code of the country. The ISO code should be “null” for THM requests and worked out based on the user’s IP Address for THA request.

Wireframe Reference

[Please refer: Talk Home Mobile International Rates \(Desktop\).pdf](#)

[Please refer: Talk Home App Rates \(Desktop\).png and Talk Home App Rates \(Mobile\).jpg](#)

Swagger Reference

[Please click here for Standard International Rates by Destination Id reference](#)

A Guide to working with Talk Home API

Supported HTTP Methods and URI

GET

`https://lab.talkhome.co.uk/rates/{productCode}/standard/international/destinations/{iso_code}/{des_id}`

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

THM/THA:
{
 "status": 200,
 "message": "Success",
 "payload": [
 {
 "destination": "Afghanistan",
 "landline_rate": "0.100",
 "mobile_rate": "0.100",
 "sms_rate": "0.100"
 }
],
 "errorCode": 0
}

6.5.5 UK Save Plan Destinations

Allows for the retrieval of THM UK Save plan destinations.

Swagger Reference

[Please click here for UK Save Plan Destinations reference](#)

Supported HTTP Methods and URI

GET `https://lab.talkhome.co.uk/rates/thm/uksaveplan/destinations`

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

{
 "status": 200,
 "message": "Success",
 "payload": [
 {
 "des_id": "1",
 "destination": "Afghanistan"
 }
],
}

A Guide to working with Talk Home API

```
{
  "des_id": "241",
  "destination": "Zimbabwe"
},
"errorCode": 0
}
```

6.5.6 UK Save Plan Rates by Destination Id

Allows for the retrieval of THM UK Save plan rates list based on the destination id.

Swagger Reference

[Please click here for UK Save Plan Rates by Destination Id reference](#)

Supported HTTP Methods and URI

GET https://lab.talkhome.co.uk/rates/thm/uksaveplan/destinations/{des_id}

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2Y1Y3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "destination": "India",
      "landline_rate": "0.010",
      "mobile_rate": "0.010",
      "sms_rate": "0.100"
    }
  ],
  "errorCode": 0
}
```

6.5.7 UK Save Plan Top Rates

Allows for the retrieval of the top THM UK Save plan rates.

Swagger Reference

[Please click here for UK Save Plan Top Rates reference](#)

Supported HTTP Methods and URI:

GET <https://lab.talkhome.co.uk/rates/thm/uksaveplan/top>

Header

A Guide to working with Talk Home API

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "destination": "Germany",
      "landline_rate": 0.01
    },
    {
      "destination": "United Arab Emirates",
      "landline_rate": 0.15
    }
  ],
  "errorCode": 0
}
```

6.5.8 UK Rates

Allows for the retrieval of THM UK Plans.

Wireframe Reference

[Please refer: Talk Home Mobile UK Rates \(Desktop\).pdf](#)

Swagger Reference

[Please click here for UK Rates reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/rates/thm/uk>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "content_header": "UK Rates",
      "content": "National",
      "description": "10p/min"
    },
    {
      "content_header": "TALK HOME Mobile to TALK HOME Mobile",
      "content": "Calls",
      "description": "FREE*"
    }
  ]
}
```

A Guide to working with Talk Home API

```
    },
    {
      "content_header": "Special Numbers",
      "content": "Voicemail",
      "description": "FREE"
    },
    {
      "content_header": "Special Numbers",
      "content": "Customer Services(579)",
      "description": "FREE"
    }
  ],
  "errorCode": 0
}
```

6.5.9 Top Minutes

Allows for the retrieval of THCC Top minutes.

Wireframe Reference

[Please refer: Calling Cards landing page \(desktop\).pdf and Calling Cards landing page \(mobile\).pdf](#)

Swagger Reference

[Please click here for Top Minutes reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/rates/thcc/topminutes>

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "destination": "Germany",
      "cc_minutes": 0
    },
    {
      "destination": "United Arab Emirates",
      "cc_minutes": 0
    },
    {
      "destination": "Yemen",
      "cc_minutes": 0
    }
  ],
  "errorCode": 0
}
```

A Guide to working with Talk Home API

6.5.10 One Code Destinations

Allows for the retrieval of the THM One Code rates destinations.

Swagger Reference

[Please click here for One Code Destinations reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/rates/thm/onecode/destinations>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "id": 1,
      "country": "Afghanistan",
      "countryCode": 9
    },
    {
      "id": 2,
      "country": "Albania",
      "countryCode": 12
    },
    {
      "id": 3,
      "country": "Algeria",
      "countryCode": 67
    }
  ],
  "errorCode": 0
}
```

6.5.11 One Code Rates by Destination Id

Allows for the retrieval of THM One Code rates based on the destination id.

Swagger Reference

[Please click here for One Code Rates by Destination Id reference](#)

Supported HTTP Methods and URI

GET <https://lab.talkhome.co.uk/rates/thm/onecode/destinations/{id}>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
```

A Guide to working with Talk Home API

Host: lab.talkhome.co.uk

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "landline": 0.3,
    "mobile": 0.3,
    "sms": 0.1
  },
  "errorCode": 0
}
```

6.5.12 Roaming Destinations

Allows for the retrieval of THM roaming rates destinations.

Wireframe Reference

[Please refer: Talk Home Mobile International Rates \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Roaming Destinations reference](#)

Supported HTTP Methods and URI

GET https://lab.talkhome.co.uk/rates/roaming/destinations

Header

User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "id": 1,
      "country": "Afghanistan",
      "countryCode": 9
    },
    {
      "id": 2,
      "country": "Albania",
      "countryCode": 12
    }
  ],
  "errorCode": 0
}
```

A Guide to working with Talk Home API

6.5.13 Roaming Rates by Destination Id

Allows for the retrieval of THM Roaming rates based on the destination id.

Wireframe Reference

[Please refer: Talk Home Mobile International Rates \(Desktop\).pdf](#)

Swagger Reference

[Please click here for Roaming Rates by Destination Id reference](#)

Supported HTTP Methods and URI

GET `https://lab.talkhome.co.uk/rates/roaming/destinations/{id}`

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": {
    "country": "Antigua and Barbuda",
    "countryCode": 10,
    "ukCall": 0.15,
    "localCall": 0.15,
    "euCall": 0.1,
    "internationalCall": 0.15,
    "outboundSMS": 0.15,
    "inboundSMS": 0.1,
    "data": 0.15,
    "inboundCall": 0.15
  },
  "errorCode": 0
}
```

6.6 Sim Resources

6.6.1 Order Sim

See the sample header, request JSON and response JSON objects.

Wireframe Reference

[N/A](#)

Swagger Reference

[Please click here for Order Sim reference](#)

A Guide to working with Talk Home API

Supported HTTP Methods and URI

POST <https://lab.talkhome.co.uk/talkhome/sim/order/new>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Body

```
{
  "FirstName": "",
  "LastName": "",
  "Email": "",
  "AddressL1": "",
  "AddressL2": "",
  "City": "",
  "County": "",
  "PostCode": "",
  "Country": ""
}
```

Response:

```
{
  "status": 200,
  "message": "Success",
  "errorCode": 0
}
```

6.7 Bundle Resources

6.7.1 Compatible Bundle

This endpoint should be called to retrieve the bundles compatible with a user's product. See the sample header, request JSON and response JSON objects. This is applicable for two products THM and THA.

Wireframe Reference

[Please refer: Talk home mobile plans UK \(Desktop\).pdf, Talk home mobile plans UK \(Mobile\).pdf, Talk home mobile plans UK and international \(Desktop\).pdf and Talk home mobile plans UK and international \(mobile\)](#)

Swagger Reference

[Please click here for Compatible Bundle reference](#)

Supported HTTP Methods and URI

A Guide to working with Talk Home API

GET

`https://lab.talkhome.co.uk/talkhome/bundle/list/{productCode}/{msisdnOrCardNumber}`

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

THM / THA:

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "id": "1562d631-ddac-42a3-8088-213565c3a797",
      "brandedName": "(£02) Talk 50 + Text 50 + 50 MB",
      "description": "(£02) Talk 50 + Text 50 + 50 MB",
      "totalCostPence": 0,
      "chargePeriodDays": 30,
      "bundlePeriodDays": 0,
      "texts": 50,
      "seconds": 3000,
      "minutes": 50,
      "createdDateTime": "0001-01-01T00:00:00"
    }
  ],
  "errorCode": 0
}
```

6.7.2 Add Bundle

This endpoint should be called to add a bundle to a user's product. See the sample header, request JSON and response JSON objects.

Swagger Reference

[Please click here for Add Bundle reference](#)

Supported HTTP Methods and URI

POST `https://lab.talkhome.co.uk/talkhome/{productCode}/bundles/add`

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Body

```
{
  "MsisdnOrCardNumber": "447422479132",
  "BundleId": "1562d631-ddac-42a3-8088-213565c3a797"
}
```


A Guide to working with Talk Home API

Response

```
{
  "status": 200,
  "message": "",
  "errorCode": 0
}
```

6.7.3 User Account Bundles

This endpoint should be called to get the bundles a user has added to either their THA or THM account. See the sample header, request JSON and response JSON objects. This is applicable for 2 products THM and THA.

Wireframe Reference

[Please refer: Talk Home your products \(Desktop\).pdf](#)

Swagger Reference

[Please click here for User Account Bundle reference](#)

Supported HTTP Methods and URI

GET

`https://lab.talkhome.co.uk/talkhome/useraccount/bundles/{productCode}/{msisdnOrCardNumber}`

Header

User-Agent: Fiddler
Token: 3CCFDBF4AB764F9D80184AA2DF7C403D
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk

Response

```
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "id": "2890014f-7abd-47ed-b440-64789fda6cc3",
      "name": "1 Month THM Mins & Texts (Free)",
      "allowances": [
        {
          "remaining": "2000 texts"
        },
        {
          "remaining": "2000 minutes"
        }
      ],
      "expiry": "2017-07-13T12:21:16+01:00"
    },
    {
      "id": "8a39bb69-fb4e-48fe-a91c-0fa92b74169f",
```

A Guide to working with Talk Home API

```
"name": "(£17) Talk 2000, Unlimited Text & 5GB Data",
"allowances": [
  {
    "remaining": "3000 texts"
  },
  {
    "remaining": "1924 minutes"
  },
  {
    "remaining": "4964700086 Data"
  }
],
"expiry": "2017-07-17T11:04:13+01:00"
},
{
  "errorCode": 0
}
```

6.7.4 Top Bundles

This endpoint will return the top bundles associated with a product. See the sample header, request JSON and response JSON objects. This is applicable for THM and THA.

Wireframe Reference

[Please refer: Talk home mobile landing page \(desktop\).pdf and Talk home mobile landing page \(mobile\).pdf](#)

[Please refer: Talk Home App landing page \(desktop\).pdf and Talk Home App landing page \(mobile\).pdf](#)

Swagger Reference

[Please click here for Top Bundles reference](#)

Supported HTTP Methods and URI:

GET <https://lab.talkhome.co.uk/common/top/bundles/{productCode}>

Header

```
User-Agent: Fiddler
Authorization: Basic YmV0YXRlc3Q6ajZ2YlY3RWNueEN3aGV5TQ==
Content-Type: application/json; charset=utf-8
Host: lab.talkhome.co.uk
```

Response

```
THM/THA:
{
  "status": 200,
  "message": "Success",
  "payload": [
    {
      "serviceType": 0,
      "packageId": "1f14b9f5-3004-482b-88ef-82dce0d417c8",
      "packageType": 0,

```

A Guide to working with Talk Home API

```
"packageCategory": 1,
"packageName": "UK_OA_THA_Bangladesh_Bundle £10",
"brandedName": "(£10) Bangladesh 500 Minutes",
"description": "BD",
"subscriptionCharge": 1000,
"recurringCharge": 0,
"chargePeriodLength": 30,
"chargePeriodType": 0,
"chargeRecurrence": 1,
"chargeAtEndOfPeriod": false,
"allowancePeriodType": 0,
"allowancePeriodLength": 30,
"allowanceRecurrence": 1,
"fullType": "Standard Voice",
"initialCharge": 1000,
"commonAllowance": {
  "spend": "0.00",
  "spendMode": 1,
  "spendText": ""
},
"voiceAllowance": {
  "spend": "0.00",
  "spendMode": 1,
  "spendText": "",
  "calls": 0,
  "callsMode": 1,
  "callsText": "",
  "seconds": 30000,
  "secondsMode": 1,
  "secondsText": ""
},
"smsAllowance": {
  "spend": "0.00",
  "spendMode": 1,
  "spendText": "",
  "messages": 0,
  "messagesMode": 1,
  "messagesText": ""
},
"mmsAllowance": {
  "spend": "0.00",
  "spendMode": 1,
  "spendText": "",
  "messages": 0,
  "messagesMode": 1,
  "messagesText": ""
},
"gprsAllowance": {
  "spend": "0.00",
  "spendMode": 1,
  "spendText": "",
  "bytes": 0,
  "bytesMode": 1,
  "bytesText": ""
}
},
"errorCode": 0
}
```

Response (No top Bundles)

```
THM/THA:
{
  "status": 200,
  "message": "No bundles found",
  "errorCode": 0
}
```

A Guide to working with Talk Home API

}

7.0 LIST OF RESOURCES

7.0.1 Reference of Wireframe

The table below outlines the request method and URI for each endpoint. Click the URI Name to go to the relevant wireframe.

No.	URI NAME	URI
Authentication Resources		
1	Sign Up	POST https://lab.talkhome.co.uk/talkhome/useraccount/signup
2	Login	POST https://lab.talkhome.co.uk/talkhome/useraccount/login
3	Reset Password Step 1	POST https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/start
4	Reset Password Step 2	POST https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/start
5	Reset Password Final Step	POST https://lab.talkhome.co.uk/talkhome/useraccount/resetpassword/start
Product Resources		
6	Add Product	POST https://lab.talkhome.co.uk/talkhome/product/{productCode}/add
7	Remove Product	POST https://lab.talkhome.co.uk/talkhome/product/{productCode}/remove
8	Register Product	POST https://lab.talkhome.co.uk/talkhome/product/registration
9	User Product Summary	GET https://lab.talkhome.co.uk/talkhome/product/{productCode}
Account Resources		
10	Update User Address	POST https://lab.talkhome.co.uk/update/address/{addressType}
11	User Account Summary	GET https://lab.talkhome.co.uk/talkhome/products/{productCode}

A Guide to working with Talk Home API

History Resources		
12	Call History Total Pages	POST https://lab.talkhome.co.uk/history/call/totalpages
13	Call History	POST https://lab.talkhome.co.uk/history/call
14	SMS Total Pages (No Wireframe)	POST https://lab.talkhome.co.uk/history/sms/totalpages
15	SMS History (No Wireframe)	POST https://lab.talkhome.co.uk/history/sms
16	Data Total Pages (No Wireframe)	POST https://lab.talkhome.co.uk/history/data/totalpages
17	Data History (No Wireframe)	POST https://lab.talkhome.co.uk/history/data
18	Payment Total Pages	POST https://lab.talkhome.co.uk/history/payment/totalpages
19	Payment History	POST https://lab.talkhome.co.uk/history/payment
Rates Resources		
20	THM Standard International List	POST https://lab.talkhome.co.uk/rates/common/standard/international/list
21	THA Standard International List	POST https://lab.talkhome.co.uk/rates/userAccount/standard/international/list
22	THM International Top Rates	POST https://lab.talkhome.co.uk/rates/common/standard/international/toprates
23	THA International Top Rates	POST https://lab.talkhome.co.uk/rates/userAccount/standard/international/toprates
	Standard	

A Guide to working with Talk Home API

24	International Destination	GET https://lab.talkhome.co.uk/rates/{productCode}/standard/international/destinations
25	Standard International Rates by Destination ID	GET https://lab.talkhome.co.uk/rates/{productCode}/standard/international/rates/{des_id}
26	UK Save plan destination	GET https://lab.talkhome.co.uk/rates/thm/uksaveplan/destinations
27	UK Save plan rates by destination id	GET https://lab.talkhome.co.uk/rates/thm/uksaveplan/{des_id}
28	UK Save plan top rates	GET https://lab.talkhome.co.uk/rates/thm/uksaveplan/toprates
29	UK Rates	GET https://lab.talkhome.co.uk/rates/thm/uk
30	THCC Top Minutes	GET https://lab.talkhome.co.uk/rates/thcc/topminutes
31	Roaming Destinations	GET https://lab.talkhome.co.uk/rates/roaming/destinations
32	Roaming Rates by Destination Id.	GET https://lab.talkhome.co.uk/rates/roaming/rates/{id}
Sim Resources		
33	Order Sim	POST https://lab.talkhome.co.uk/talkhome/sim/order/new
Bundle Resources		
34	Compatible Bundle	GET https://lab.talkhome.co.uk/talkhome/bundle/list/{productCode}/{msisdnOrCardNumber}
35	Add Bundle	POST https://lab.talkhome.co.uk/talkhome/thm/bundles/add
36	User	GET

A Guide to working with Talk Home API

	Account Bundles	<code>https://lab.talkhome.co.uk/useraccount/bundles/{productCode}/{msisdnOrCardNumber}</code>
37	Top Bundles	GET <code>https://lab.talkhome.co.uk/common/top/bundles/{productCode}</code>